

UNIVERSITY UNDERGRADUATE RESEARCH & ARTS FORUM



Table of Contents

AGRICULTURE AND ANIMAL SCIENCE	22
Alex Claus	
Amanda Jendretzke	
Amelia McGinnis	
Andrea Cuevas-Garcia	
ANN JOSEPH	
Avery Zimmerman	
Becca Townsend	
CADEN WADE	
CAROLINE MRSAN	
CHANTE HARDAWAY	
CHARLOTTE LUDORF	
DELANI STULL	
Емма Guza	
GRACE BEEM	
GRACE MINTON	
JANUS GRIVINS	
Kylie Jamrog	
LUCAS BADINER	
Madison Kortman	
Malaika Khan	
Рноеве Возсн	
SEAN PIERUCCI	
SOPHIA BURKE	
ANTHROPOLOGY AND ARCHEOLOGY	46
ABBY ANDERSON	
ALLISON I HOMSON	
ANNA STOLZ	
DANIELLE MIDDLETON	
EMILY EICKHOLT	
EMMA KLOTT	
ISABELLE KICARD	
LILLY MACINNIS	60

	LILY MOURA-RICKS	. 61
	MCKENNA KOSCIOLEK	. 62
	MELISSA TEJA	. 63
	Owen Kozdron	. 64
	REECE WALKER	. 65
	Sasha Franklin	. 66
	Тномая Yan	. 67
BI	OCHEMISTRY AND MOLECULAR BIOLOGY	. 68
	Abby Holland	. 69
	Achala Bannur	. 70
	ADAM MANSOUR	. 71
	Анмед Монамед	. 72
	Адаіла Равватні	.73
	ALEXANDER BOVILLE	. 74
	Amro Turkistani	. 75
	ANDREW LILLY	. 76
	ANI WINKLER	. 77
	BIANCA MILLER	. 78
	BROOKE LATTNER	. 79
	COLE STAATS	. 80
	COOPER SACKETT	. 81
	DEAGAN MOORE	. 82
	DESIREE TUOHY	. 83
	DIBAKAR ROY	. 84
	EMMA WILSON	. 85
	HELENA WING	. 86
	HIEN LE	. 87
	HUNTER THOMSEN	. 88
	JACKSON RUFFNER	. 89
	JAMES SUGGITT	. 90
	JAYADEEP YEDLA	. 91
	JESSE SANDHU	. 92
	JOE YUAN	. 93
	JOEL ADAM THUO	. 94
	Kieran Doran	. 95
	Lacy Remisoski	. 96
	Leah Wilson	. 97
	LEONARDO MICHELIN CAETANO	. 98
	MACKENZIE BRASSEUR	. 99
	MARIANA AUBELE-GONZALEZ	100
	Morgan Kopitz	101
	Murtaza Barkarar	102
	NATAI IF WESTRATE	103
	Nichoi as Basista	104
	SAM CRAIG	105
		.00

SAMANTHA VELASQUEZ RIVERTTE	
SEEUN SOHN	
Shawn Weng	
SOFIE CANNON	
SOPHIA BONNEMA	
Teagan Johnson	
THOMAS CLINE	
TIFFANY RENNELLS	
Vaughn House	
BUSINESS AND ENTREPRENEURSHIP	
Bontle Letlhaka	
CASSIDY GREEFF	
CHRISTIAN-ROY CHEMALY	
Dominique Bester	
GIA EICHSTÄDT	
Јопатнап Вотна	
JULIA EGBERT	
KATHLEEN MOSER	
LAIQAH DINATH	
LARA OOSTHUIZEN	
Marcia Gugulethu Khumalo	
NESAN MICHAEL	
RACAELA LEITAO	
Vutlharhi Mahatlani	
YASR SHEIK ALLI	
ZOË TALJAARD	
CELL BIOLOGY, GENETICS AND GENOMICS	
Arigaii Jager	134
AI EXANDRA GRABOWSKI	135
	136
ALYSSA MCKENNA	
	139
Benjamin Nketsiah	
ELLA MORBOW	
Evelyn Gomez Recinos	
GABRIEL EVOLA	
Gavyn Stout	
GEORGE BOULOS	149
Hannah Eggleton	

	151
ISABELLE RATCLIFFE	
JAYADEEP YEDLA	
JILLIAN LYNCH	
Johanna Hong	
Jonathan Dziwanowski	
Laasya Koduri	
LILY GORMAN	
LOGAN SHEARD	
NAYEEMA SIRAJ	
NICHOLAS FEYS	
Nihal Bandla	
Omni Brewer	
RICHARD FRANKFORT	
RITA GORSUCH	
RYAN CIACCI	
SAMANTHA PARRISH	
Samia Амвіа	
SEAN MONAHAN	
Shriya Beesabathuni	
Sonia De Donno	
SUNIDHI SHINTRE	
TIFFANY RENNELLS	
VICTORIA GRIEVE	
WILL ECKERMAN	
WILL ECKERMAN	
WILL ECKERMAN	
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES ALLI GARPOW ANDRE EDMOND	
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES ALLI GARPOW ANDRE EDMOND ANNA BARNES.	
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES ALLI GARPOW ANDRE EDMOND ANNA BARNES AUDREY DAYTON.	
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES Alli Garpow Andre Edmond Anna Barnes Audrey Dayton Bianca Imeraj	
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES ALLI GARPOW ANDRE EDMOND ANNA BARNES AUDREY DAYTON BIANCA IMERAJ BROOKE EMERICK	
WILL ECKERMAN	175 176 177 178 179 180 180 181 182 182 183 184 184 185 186 187
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES ALLI GARPOW ANDRE EDMOND ANDRE EDMOND ANNA BARNES	175 176 177 178 179 180 181 182 183 184 184 185 185 186 187
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES ALLI GARPOW ANDRE EDMOND ANDRE EDMOND ANNA BARNES AUDREY DAYTON BIANCA IMERAJ	175 176 177 178 179 180 181 182 181 182 183 184 185 184 185 186 187 188 189
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES	175 176 177 178 179 180 180 181 182 182 183 184 185 185 186 187 188 189 190
WILL ECKERMAN	175 176 177 178 179 180 181 182 183 184 185 184 185 186 187 189 190 191
WILL ECKERMAN	175 176 177 178 179 180 181 181 182 183 184 185 184 185 186 187 188 189 190 191
WILL ECKERMAN	175 176 177 178 179 180 180 181 182 183 184 185 184 185 186 187 188 189 190 191 192
WILL ECKERMAN	175 176 177 178 179 180 181 181 182 183 184 185 184 185 186 187 188 189 190 191 191 192 193
WILL ECKERMAN COMMUNICATION ARTS AND SCIENCES ALLI GARPOW ANDRE EDMOND ANNA BARNES AUDREY DAYTON BIANCA IMERAJ BROOKE EMERICK CHLOE MIETELKA CLARA LINCOLNHOL DUAA KAZMI ELLA FRENCH ELLA JOHNSON GIANNA SPINELLI GRACE BEADLE ISAIAH BRYANT JULIA GILCHRIST JULIA GRIESE KAMRYN JENKINS KASSIDY DO KATHERINE DYAI	175 176 177 178 179 180 180 181 182 183 184 185 184 185 186 187 188 189 190 191 192 193

Kelsy Woodall	
Lexi Cickovski	
Nora Cunningham	
V Kumar	199
Zhanna Yakubova	200
CRIMINAL JUSTICE AND LEGAL STUDIES	
Alayna Tisch	202
Alexa Banning	203
Ana Murillo	
Arden Henderson	205
CHLOE FRANCIS	206
EMILY MASON	207
NOAH ANDRES	
QUINCY ZHOU	209
Swathi Thiyagarajan	210
DIVERSITY AND INTERDISCIPLINARY STUDIES	211
Abigail Brooks	
Abigail Lippert	213
Alexis Marshall	
Alina Acosta	
Amber Olguin	
Anika Bery	
Benjamin Eiler	
Camila Hufnagel	219
CLAUDIA COLLIGAN	220
CYRIL HOBEIKA	221
Daviona Cross	
Наппан Ниа	223
JASMINE CHOW	
Jenna Aly	225
Josie Danielkiewicz	226
JULIUS PATTO	227
Kaitlin Carlson	
Kellsey Hall	229
LOWELL MONIS	230
Marissa Malleck	231
Roberto Garcia	
RUPAL ATHALYE	
EDUCATION	
AARAV CONTRACTOR	235
Andrew Frey	
Anika Kurichh	
Anthony Kosinski	238

	AVA CRUMLEY	239
	Ауа Сјокај	240
	Brian Faucher	241
	Emma Anzivino	242
	GRACE KRAJEWSKI	243
	Helena Haddad	244
	Isabella Berch	245
	КЕLLY СНОІ	246
	Kriti Shirodkar	247
	Madison Tate-Rankin	248
	Maliyah H Drain	249
	Morgan Kasyouhanan	250
	NICOLE ROCKETT	251
	NOAH BINGUIT	252
	Olivia Twa	253
	RYAN CHENOWETH	254
	RYAN CHENOWETH	255
	Saara Ashtiani	256
	Sam Richardson	257
		050
EN	GINEERING, COMPUTER SCIENCE, AND MATHEMATICS	258
	AARON HENRY	260
	AARON HENRY	261
	Abbey Yager	262
	Ahmed Azwad Kabir	263
	Alexander Aljets	264
	Alexis Guardiola	265
	ALLISON HUCKINS	266
	Амал Goenka	267
	Annalise Vary	268
	ANTON AKROUSH	269
	Аѕмаа Наѕвілі	270
	Ava Carson	271
	BENJAMIN SMITH	272
	BLAKE ROSS	274
	Carter Ostrowski	275
	Christopher Kopiwoda	276
	CRYSTAL CRASTO	277
	DANIEL BARNAS	278
	Daniela Ojeda	279
	Dede Sodadika Ayanou-Ouattara	280
	DHRUV KEKIN TOPRANI	281
	Dhruv Singh	282
	Emily Woodyard	283
	Faith Cherop	284
	FINNIAN JAMES	285

	GILLIAN KUEHNLE	286
	GRACE EKEOMA MICHAEL	287
	GRAYSON SLANSKY	288
	Igor Araujo Jordao	289
	ISABELLE DELAET	290
	JACKSON EARLEY	291
	JASON HOEHN	292
	JOEY WAGNER	293
	JOSHUA FRANCE	294
	JUAN CARLIER BLANCO	295
	JUSTIN NGUYEN	296
	KENNETH SEYBOLD	297
	KHANG NGUYEN	298
	Kyla Simpkins	299
	Kylee May Sokacz	300
	MACY SPEVACEK	301
	Mahir Gandhi	302
	MASON MOENTER	303
	MEGAN RANSLER	304
	MICHAEL BARGER	305
	MICHAL BOREK	306
	Monica Barrera	307
	NAAMNA MODI	308
	NOAH GSCHEIDMEIER	309
	REED BLOCKSOME	310
	REED DROUARE	311
	RYLIE DUBOIS	312
	SAMANTHA SCHULTE	313
	SANIA SINHA	314
	SARAH ANSERT	315
	SEAN REDMAN	316
	SHARVAYU CHAVAN	317
	SHUBHAN NAGARKAR	318
	SIDDHARTH GUPTA	319
	SOFI LEVI	320
	TANMAY GRANDHISIRI	321
	TESSA VERSACE	322
	TONY CHIRCHIR	323
	VEDANT NAIK	324
	ZAINALI SHEHZADALI SUCHEDINA	325
EN	WIRONMENTAL SCIENCE AND NATURAL RESOURCES	326
- 1		. 520
	ABBY BAILEY	327
	ALAINA BENNETT	328
	Alexandra Huk	329
	ALONZO JONES	330

Arianna Fobbs	
Аva Наітнсоск	
Braydon Sprik	
CALISTO KOHN	
CAROL HOGAN	
Carter Rosier	
CHARLEY RUSSELL	
CHARLIE CONRAD	
Christina Kooistra	
CLARA IVES	
Cooper Krueger	
DANAH LEE	
Daniel Horowitz	
Danielle KIllingback	
Dev Jyoti Ghosh Arnab	
EMILY CALLCUT	
Erin Henthorn	
Faith Nнким	
GABBY DRYDEN	
GRAY LONGCORE	
Hayden Starr	
Haylie Beers	
Holly Merritt	
Jack Garrison	
JESSIE SCHALKHAUSER	
JON DITTENBIR	
Kelsey Adamczak	
Korbin Thompson	
Krishen Patel	
LAUREN BOTTINI	
Lawton Prince	
Leah Dietrich	
Libby Ashby	
MAGGIE DOBRY	
Makayla Dernberger	
Mia Dagati	
MIA PEPEVNIK	
Mikayla Datka	
OLIVIA BISSON	
Stewart Tucker	
SYDNEY CEYZYK	
Тномая Libecco	
PIDEMIOLOGY AND PUBLIC HEALTH	
	<i>۵</i> ¬۸

Alexandra Beck	
Alexis Litts	
Damilola Adissa	
Darielle Moore	
ELEAZAR ASASE	
Eliana Hollis	
Емма Моvahedi	
EMMA NICOLAYSEN	
Eshika Avidi	
GRACE VANDER MOLEN	
Ізаас Макі	
JACK BURKE	
JASNOOR KAUR	
JON BANK	
KATHERINE ENGBERS	
KATHERINE HEINECKE	
Kennedy Zarembski	
Книзні Сннавга	
LANDON STALLMANN	
Lydia Mathews	
NADIA BLAKE	
Nidhi Kundargi	
Pritika Manna	
Sonia Hadar	
SOPHIA ZUBER	
TAARINI NEGI	
Vaishnavi Rayannavar	
YASHVEER SINGH	
FILM STUDIES AND DIGITAL MEDIA	404
CHRIS CUMMINGS	
Mia Burghardt	
GLOBAL AND AREA STUDIES	
As an a Francisco	400
AYAT ALSOOFI	
MACI MENARD	
SALEH BHALII	
HEALTH SCIENCES	
Aalia Arshed	
Alexis Karpenko	
Alissa Thompson	

Alyssa Hein	. 419
Ana Ludwig	. 420
Andrew Laesch	. 421
Arya Juvekar	. 422
BONNIE KEATING	. 423
CHRISTINE O'DONNELL	. 424
Clara Linjewile	. 425
ELI CREEDON	. 426
ELIZABETH GEORGE	. 427
ЕЦІХАВЕТН КLEIN	. 428
EMILY ALTMAN	. 429
Emily Pickett	. 430
GIULIA CASTIGLIONI	. 431
Haley Doss	. 432
Наппан Јаскѕоп	. 433
Jane Thomas	. 434
Јалла Ѕненаден	. 435
JOSEPH BELANGER	. 436
JULIA LUEBBE	. 437
Kathleen Doneth	. 438
Катіе Косн	. 439
Katrina Halgren	. 440
Kendall Ball	. 441
Kendall Perry	. 442
Kevin Ramirez-Cholula	. 443
Kierra Jursch	. 444
Krystal Jang	. 445
LAUREN BOTTINI	. 446
Lauren Kim	. 447
Leah Alfred	. 448
Leslie Avila	. 449
Leslie Avila	. 450
Lia Baudon	. 451
LILY MCGOWAN	. 452
Malia Rogers	. 453
Manasi Kulkarni	. 454
Мауа Аввои	. 455
Medha Manepalli	. 456
Megan Van Brunt	. 457
Meghana Atmakur	. 458
MICHELLE GALLEGOS	. 459
Mingjia Ma	. 460
Myah Leuenberger	. 461
NATALIE MULHERON	. 462
NEHA VIZZESWARAPU	. 463

SARA MANN	
Sarah Auger	
TAE EUN KIM	
Yevgenia Minchuk	
Yu Bin Cho	
HISTORY, POLITICAL SCIENCE, AND ECONOMICS	
DELANEY CRAM	
Dhimaan Bhattacharya	
DOMENIC CEDILLO	
Elaina Rankin	
Elizabeth Hudson	
GAVIN ВООМ	
Harrison Kubicki	
IDIA OBAYAGBONA	
JULIA PARK	
Kara Hwang	
Kate Kling	
Keiara Dixon	
Khadija Hozefa Bilaspurwala	
Knick Laux	
LOLA BROWNE	
LOWELL MONIS	
Lyra Opalikhin	
Marija Sagan	
Mark Jamil	
MAX GRIPTON	
Meera Kanade	
OSCAR JOLDERSMA	
RYAN COURTNEY	
SHARIF HOSSAIN	
Tomas Feldmann Tonelli	
Tyler Richards	
Yousef De Vries	
HUMAN DEVELOPMENT AND RELATIONSHIPS	
Addison Kamminga	
Alexa Baker	
DELANEY CRAM	500
DYLAN DISTELRATH	
LATRELL MASSEY	
Margaret Roney	
Peyton McLaughlin	
Sumaiya Imad	505
HUMANITIES	

	ALEX GUO	. 507
	BRAYDEN CHRISMAN	. 508
	CARTER BROWN	. 509
	CYTERIELL HARMON	. 510
	Erin Vollertsen	. 511
	ESTHER BIENEK	. 512
	FATIMAH ALKASHWANI	. 513
	На Амн Do	. 514
	JAMESON PRAHLER	. 515
	KEYONCEE WASHINGTON	. 516
	Natalie Liliensiek	. 517
	NEL ROBINSON	. 518
	RACHEL ZHAI	. 519
	SYDNEY LOGSDON	. 520
18		E04
IIV	TEGRATIVE AND ORGANISMAL BIOLOGY	. 52 I
	AARON GUGGENHEIMER	. 522
	ABIGAIL CATTERMOLE	. 523
	Alyssa Shadowens	. 524
	BECCA LEFKOWITZ	. 525
	COLLIN SAUTER	. 526
	GRACE URBAN	. 527
	GRANT BRUNINGA	. 528
	India Hirschowitz	. 529
	Isabella Rinaldi	. 530
	JACKSON BIRD	. 531
	JACOB GRAY	. 532
	JESSICA ROWE	. 533
	Kayla Mizell	. 534
	Larkin Dulaney	. 535
	LOREN CAMPBELL	. 536
	LORENZO THRASHER	. 537
	LUCAS BADINER	. 538
	LUCILLE WILSON	. 539
	Maddie Andreatta	. 540
	MALLORY BERGMANN	. 541
	Marieke Anderson	. 542
	RACHEL BAJA	. 543
	Suhaylah Ahmad Ali	. 544
K	NESIOLOGY	. 545
	AARUSHI LOKHANDE	. 546
	ANNA ELMOUEST	. 547
	BHUVANA BHAMIDIPATI	548
	CLAYTON MONGE	549
		550
		. 555

	Georgia Berger	551
	Isabela Griwatsch	552
	Jack Logsdon	553
	JAGGER WRAALSTAD	554
	Jaini Gandhi	555
	JULIAN ANANYEV	556
	KATE MUMFORD	557
	Kayla Amin	558
	KOSETTE BARTELS	559
	MEGAN BLAKE	560
	Morgan Adelini	561
	NATALIE BLAKE	562
	NATALIE BLAKE	563
	NOEL MANN	564
	SAM TAURIAINEN	565
	SUMEDHA DONDAPATI	566
	Tavleen Kaur	567
	TRISTAN JANISSE	568
	Yoshiya Marshall	569
	Zachary Mazzuchi	570
	IGUISTICS, LANGUAGES, AND SPEECH	. 571
	Alexandra Edwards	572
	Amber Tetreau	573
	CORMAC AVILA	574
	EZEKIEL BROWN	575
	GUILHERME ECKERT RODA	576
	GUILHERME ECKERT RODA	577
	Наллан Сног	578
	Jaina Kittle	579
	Jewell Tyler	580
	JO WARNKE	581
	JO WARNKE	582
	Molly Thornber	583
	OCEAN ANGELO	584
	Raymond Deng	585
	Sabrina Ruiz	586
	Sara Kirkman	587
	SARAH REGAN	588
	Tyler Lindquist	589
мі	CROBIOLOGY, IMMUNOLOGY, AND INFECTIOUS DISEASE	. 590
	Αρμαγ Κακαρί α	591
		592
	Ai ekva Viidathii	502
		501
		094

	ANNE LEMEK	. 595
	ANTHONY PAIVARINTA	. 596
	Ariana Straus	. 597
	ASHLYN MEYER	. 598
	ASHLYNN LINET	. 599
	Aswath Karai	. 600
	BROOKE OGNIAN	. 601
	Снілмау Сноитнаі	. 602
	CHRIS VAN ANTWERP	. 603
	CONER KOUZA	. 604
	DANIELA DUSHAJ	. 605
	Dashiell Jones	. 606
	DELANEY DIXON	. 607
	DIENY DIALLO	. 608
	DREW JOHNSON	. 609
	Evan Madden	. 610
	GILLIAN ROBBINS	. 611
	JADE O'BRIEN	. 612
	JANE SCHELL	. 613
	JOCELYN DOOLEY	. 614
	JOI MCKINNEY	. 615
	JOSIE CAYEN	. 616
	LAURA STEPHAN	. 617
	MADISON ENVIYA	. 618
	MAGGIE DOBRY	. 619
	Marissa Malleck	. 620
	Мскелла Goike	. 621
	MCKENNA MAJOR	. 622
	Менак Валда	. 623
	Myah Frazier	. 624
	NICK DEMSKI	. 625
	Preethika Lakshminarayanan	. 626
	Rowan Litts	. 627
	SAMUEL SNOWDEN	. 628
	SARAH RASPANTI	. 629
	SID BHATTACHARYA	. 630
	Sofya Mishina	. 631
	SOOAHN JANG	. 632
	TAI BRASS	. 633
N	EUROSCIENCE	. 634
	ABBY CHENG	635
	ALAINA BARRINGER	636
		627
		628
		630
		. 555

Anna Reschke	
Anya Heany	
ARNALDA ZHAO	
CHARLOTTE SCHULTZ	
Chloe Heit	
ELIF ERDEM	
Evan Wilson	
GRACE ELIYA	
Gwendolyn Urbain	
Наллан Соок	
HANNAH HENTKOWSKI	
Наппан Ниа	
IAN RENDER FLORES	
JOSLYN CLAYPOOL	
JULIANA BENITAH BOTELHO	
Justin Jaraczewski	
KATIE MCGRATH	
LATRELL MASSEY	
Lydia Browning	
Maria Faraj	
Matthew Gagea	
MING HUANG	
Муа Ѕевек	
Nabila Inan	
Nolan Lucera	
Orla Young	
Rafaella Lavalle Lacerda de Almeida	
Тацуа Снакнасніго	
Tom Fanning	
VIOLA WEBER	
NUTRITION AND FOOD COLENCE	070
NUTRITION AND FOOD SCIENCE	
Alyssa Cosio	
Alyssa Hawkins	
Amar Hamdan	
Angela Lumaj	
Anish Gogineni	
Anna Wagner	
ANNMARIE MURPHY	
Anusha Pandya	
Ava Chavez	
CICERO POLA	
Emilee Mulder	
Неці Ѕнетн	
Ізаас Авганам	
James Nelon	

JORDAN MIKHALOV	
Kaitlyn Marcum	
Kanon Nishijima	
ΆΥLΑ FENTON	
Kayla Norman	
MELINA CATENACCI	
NEHA GOPALAKRISHNAN	
RACHEL JUNE	
RACHELE NOBLE	
RUTH GIBLIN	
Saamia Hasan	
SAMANTHA BERENSON	
SARAH COYNE	
Shamita Ingalagi	
SHAYLA-RAE JOHNSON	
SOPHIA WALDIE	
SUMMER LUICK	
Tyler Nagy	
Yash Кнігауа	
ZOEY ZIENSKI	
	710
Anika Babel	
Anika Babel Avery VandenBussche	
Anika Babel Avery VandenBussche Chaitra Kommaraju	
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy	
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco	
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff	710 711 712 713 714 715
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski	710 711 712 713 713 714 715 716
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius	710 711 712 713 714 714 715 716 717
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius	710 711 712 713 713 714 715 716 716 717 718
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly	710 711 712 713 713 714 715 716 716 717 718 720
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff. Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova. Maclain McAllister.	710 711 712 713 713 714 715 716 716 717 717 718 720 721
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister Mantaj Singh	710 711 712 713 713 714 715 715 716 717 717 718 720 721
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister Mantaj Singh Megha Suresh	710 711 712 713 713 714 715 716 716 717 717 718 720 720 721 722 723
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff. Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova. Maclain McAllister. Mantaj Singh Megha Suresh Shambhvi Ojha	710 711 712 713 713 714 715 716 716 717 717 718 720 720 721 722 723 723
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz	710 711 712 713 713 714 715 716 716 717 718 720 721 722 723 724 724
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff. Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova. Maclain McAllister. Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz	710 711 712 713 713 714 715 716 716 717 718 720 720 721 722 723 723 724 725 726
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz Vrinda Khullar	710 711 712 713 713 714 715 716 716 717 718 717 718 720 720 721 722 723 723 724 725 726
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff. Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister. Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz Vrinda Khullar	710 711 712 713 713 714 714 715 716 716 717 718 720 721 721 722 723 723 724 725 726 726
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff. Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova. Maclain McAllister. Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz Vrinda Khullar	710 711 712 713 713 714 715 716 716 717 717 718 720 721 720 721 721 722 723 724 725 726 726 727
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz Vrinda Khullar tysical sciences Adam Rhodes Alexandria Hunter Austin Sjaarda	710 711 712 713 713 714 715 716 716 717 718 720 721 720 721 722 723 723 724 725 726 726 727 728 728
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz Vrinda Khullar tysical sciences Adam Rhodes Alexandria Hunter Austin Sjaarda Bera Ayyildiz	710 711 712 713 713 714 715 716 716 717 718 720 721 721 722 723 723 724 725 725 726 727 728 728 729 729
Anika Babel Avery VandenBussche Chaitra Kommaraju Helen O'Shaughnessy Isadora da Cunha Timochenco Jay Eoff Jillian Luczkowski Kevin Conzemius Libby Kelly Lucie Hranacova Maclain McAllister Maclain McAllister Mantaj Singh Megha Suresh Shambhvi Ojha Tuna Korkmaz Vrinda Khullar tysical sciences Adam Rhodes Alexandria Hunter Austin Sjaarda Bera Ayyildiz Bhavya Jain	710 711 712 713 713 714 715 716 716 717 718 720 721 720 721 722 723 724 725 725 726 727 728 729 729 729 730

Chloe Ricker	
CLAIRE ARDELEAN	
Curtis Chou	
DOMINIC BEDNAR	
Elisha Alemao	
Emerson Cywinski	
GRACE JENKINS	
GRACE SHOWERMAN	
Hang Su	
HIMANSHU PRAMOD KUCHEKAR	
HUNG NGUYEN	
ISAAC FOURNIER	
JADYN WAGGONER	
Jaedyn Simonetti	
JAYDIN GARRETT	
JOSEPH OWCZAREK	
JUAN LOZANO GONZALEZ	
KIERAN RUSSELL	
Leslie Lainio	
LUCY FRY	
Madeline Benson	
Marie Shibata	
MASON MOENTER	
MICHELLE HALE	
Ming Huang	
Naga Dutta Raghavendra Ithihas Akondi	
Nina Vozenilek	
NITYAANSH PAREKH	
OJAS FERNANDES	
PAIGE SAKORAFOS	
Parameswar Nair	
Pranav Agarwal	
Purvi Garg	
RYAN CHENOWETH	
Sandhya Manivasagam	
Sara Sawford	
Sofia Ferrari	
YIMING HUANG	
ZACH NOLFF	
PLANT SCIENCES	
Αι αίνα ζανιν	773
	773 ہے۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔۔
RASIA LOVE	
BENIAMIN LUTZ	ייייייייייייייייייייייייייייייייייייי
	775 777

	CARTER PASTERNAK	778
	CHRISTINA KING	779
	CLAUDIA COLLIGAN	780
	COLE FISHER	781
	EMILY SCHLEY	782
	EMMA WEESIES	783
	HEATHER FITCHETT	784
	ISABELLA RABAC	785
	JACK PRITCHARD	786
	JACOB MARSH	787
	JOSHUA GOULD	788
	JULIAN CLARK	789
	Kelsey Renfro	790
	KENNEDY PORTER	791
	LIAM MARKELL	792
	LOGAN SAPIENZA	793
	LUCI KARAKAS	794
	MADELYN MULNIX	795
	MADLYN BORTON	796
	Maggie Jones	797
	Sam Hu	798
	Samantha Manson	799
	SAVANNAH HIMEBAUGH	800
	SEBASTIAN VELAZQUEZ-SOLIS	801
	Skylee Dwyer	802
	Sophia Gudinas	803
	SOPHIA LANNING	804
	Travis Yang	805
_		
P	SYCHOLOGY	. 806
	Albiona Beka	807
	ALEX GUO	808
	Amaya Elliott	809
	AMBER OLGUIN	810
	ANNE-MARIE MUSZKIEWICZ	811
	Annika Jaros	812
	Annika Schoenherr	813
	A'NYA BURKS	814
	ARIELLA BEAL	815
	ATEA NELSON	816
	AVERY BELL	817
	BRIANNA KLOPP	818
	BROOKE SOULLIERE	819
	Chloe Baumer	820
	Christina Pettinger	821
	CLAIRE ARKINSTALL	822

CLAIRE CHRISTIN	
CONNOR YEE	
DARIELLE KONTCHO	
DHRUV BHATNAGAR	
Holly Pringle	
ISABELLA RIOPELLE	
JASON GILBERT	
JAVIER DEL BOSQUE GOMEZ	
JESSICA BELKNAP	
JOLIE KRETZSCHMAR	
JOSEPH DEAN	
Julia Burgess	
Julia Jankowski	
Кауда Каз-Мікна	
Kayla Tracey	
KEELEY STANKUS	
Kevin Lim	
Krishna Jariwala	
Laura Pawlick	
LAUREN BROERSMA	
LAUREN PATRICK	
LAUREN STIMPSON	
LEAH MEPPELINK	
LOGAN GIBSON	
Мані Ѕнан	
Манмоид Авоцівден	
MALKA ALFADEL	
MARY COTTONE	
Mikang Moon	
MOBGAN GASTON	
NICOLE PETERS	
	855
PAYTON COOPER	856
BACHAFI BLANCHABD	
BACHAFI FAROUHABSON	858
REESE BUHI MAN	859
SAM KROMBERG	860
Sara Kani	861
	862
	863
	000 Naq
CIENCE, TECHNOLOGY, ENGINEERING, MATHEMATICS	
	000

BALAJI VENKATESH	
BROOKE DURUSSEL	
CASSIDY FISHMAN	
COURTNEY MAURER	
CULLEN HERBERT	
DOYOUNG WANG	
Harrison Lucinski	
HARSH MANGHNANI	
JOSEPH LEE	
JOSIE CAYEN	
LIAM WELLS	
LILY WEI	
MATTHEW MARSHALL	
MICHAEL YU	
NATALIE MOUROU	
NICK ROHDE	
NIKOLAS PEARSON	
Ross Rogers	
Sarah Samir Modi	
Siddhabth Kabthikeyan	
•••••	889
VAL PALLETT	
VAL PALLETT	
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES Abby Yheaulon Adeline Meyers	
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES Abby Yheaulon Adeline Meyers Adena Norwood	
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES Abby Yheaulon Adeline Meyers Adena Norwood Akaisha Thottam	890
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES Abby Yheaulon Adeline Meyers Adena Norwood Akaisha Thottam Alya Kayat	890 891 892 893 893 894 895
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES Abby Yheaulon Adeline Meyers Adena Norwood Akaisha Thottam Alya Kayat Anton Gegaj	890 891 892 893 893 894 895 895
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES Abby Yheaulon Adeline Meyers Adena Norwood Adena Norwood Akaisha Thottam Alya Kayat Anton Gegaj Arden Henderson	890 891 892 893 893 894 895 896 896
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ARDEN HENDERSON ASHA DENNY	890 891 892 893 893 894 894 895 895 895 895 897 897
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD ALYA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN	890 891 892 893 893 894 895 895 896 897 898 898
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD ALYA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN CAM CARMICHAEL	890 891 892 893 893 894 895 895 896 897 897 898 899 900
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN CAM CARMICHAEL CAMRON ROST	890 891 892 893 893 894 895 895 895 896 897 897 898 899 900
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN CAM CARMICHAEL CAMRON ROST CLARE WONG	890 891 892 893 893 894 895 895 896 897 897 898 899 900 900
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN CAM CARMICHAEL CAMRON ROST CLARE WONG CODY SHENE	890 891 892 893 893 894 894 895 895 896 897 897 898 899 900 901 901 902
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ANTON GEGAJ ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN CAM CARMICHAEL CAM ROST CLARE WONG CODY SHENE ELEANOR PUGH	890 891 892 893 893 894 895 895 896 897 897 898 899 900 901 901 902 903
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN CAM CARMICHAEL CAM ROST CLARE WONG CODY SHENE ELEANOR PUGH HANNAH YOON	890 891 892 893 893 894 895 895 896 897 897 898 899 900 900 901 901 901 902 903 904
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES ABBY YHEAULON ADELINE MEYERS ADENA NORWOOD ALYA NORWOOD AKAISHA THOTTAM ALYA KAYAT ANTON GEGAJ ANTON GEGAJ ARDEN HENDERSON ASHA DENNY BLAKE GREEN CAM CARMICHAEL CAM CARMICHAEL CAMRON ROST CLARE WONG CODY SHENE ELEANOR PUGH HANNAH YOON HOPE SHERWOOD	890 891 892 893 893 894 895 895 895 896 897 898 899 900 901 901 901 901 902 903 904 905 905
VAL PALLETT	890 891 892 893 894 894 895 896 897 898 897 898 899 900 901 901 901 902 903 904 905 906 907
VAL PALLETT	890 891 892 893 893 894 895 895 896 897 897 898 899 900 900 901 901 901 902 903 904 904 905 905
VAL PALLETT	890 891 892 893 893 894 895 895 896 897 898 899 900 900 901 901 902 903 903 904 904 905 907 907
VAL PALLETT	890 891 892 893 894 894 895 896 897 898 897 898 899 900 900 901 901 901 902 903 904 905 905 906 907 908 909
VAL PALLETT OCIAL SCIENCE, ARTS, HUMANITIES	890 891 892 893 893 894 895 896 897 898 897 898 899 900 901 901 902 903 904 905 905 906 907 908 909 909
VAL PALLETT	890 891 892 893 893 894 895 896 897 898 897 898 899 900 901 901 902 903 904 905 905 906 907 908 909 909 910 911
VAL PALLETT	890 891 892 893 893 894 895 896 897 898 897 898 899 900 901 901 902 903 904 903 904 905 905 906 907 908 909 909 909 901

Mckaylah Shank	
Melina Rodriguez	
Melissa Liu	
MIA BURGHARDT	
NADINE SHETIAH	
RYAN ALENZI	
Saumyaa Shah	
SURABHI GANGADKAR	
TATIANA GOFFEE	
VICTORIA IRISH	
	022
JCIAL SCIENCE: GENERAL	
ANTWAN HART	
AVERY RAMSEYER	
BENJAMIN KIM	
CHLOE ALEXANDER	
CHRIS MARCUM	
CORBIN HARNDEN	
ELENA FORMAN	
EMILY CURTIS	
EMILY LEGAULT	
GRACE DEMILIO	
JAYCE-LONDON WHITE	
MASON HAMBLEY	
NADINE SHETIAH	
NATALIE BRON	
NOREEN ANDREA FRANCISCO	
PATRICK COX	
SUSMA MANGAR	
ZAINAB ALSALIHI	
ZOEY CROSSLEY	
DCIOLOGY	
Авву Googe	
Amanda Bacon	
Amanda McGill	
Arete Keener	958

Courtney Paszkiewicz	959
Elliott Smith	
JESSE RAYER	
JORDAN BENZING	
LAUREN GOLDEN	
Marlena Ooten	
Meredith Linzmeier	
Olivia Beauchamp	
Sullivan Whiting	
VISUAL AND PERFORMING ARTS	
Abigail Bowers	
Addison Beal	
Addison Preister	
Ally Doederlein	
Ana Wingle	
April Montoye	
AUSTIN SMITH	
CADEN BAAN	
Daniela Ruiz Barajas	
Hayley Asai	
ISABELLA CUCCHETTI	979
KAEDEN CARLSEN	
Kate Brown	
LIV CEITHAML	
Phoenix Poole	983
Shreya Balla	
WENSEL POSTON	

Agriculture and Animal Science

Alex Claus

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 118 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: WINTER SOIL HEALTH IN MICHIGAN: ASSESSING MICROBIAL ACTIVITY ACROSS LAND MANAGEMENT PRACTICES

Abstract: Understanding how different agricultural management practices affect soil health during winter is essential for feeding a growing world by improving how we understand agricultural sustainability, productivity, and resilience to climate change. As part of a larger project, I measured the effects of different land management practices on the microbial community by assessing common biological indicators of soil health. This includes: soil total dissolved organic carbon and total dissolved nitrogen (DOC and TDN), microbial biomass C and N, and extracellular enzyme activities (EEA) related to microbial activity levels and rates of nutrient cycling. November 2024 and January 2025, I collected soil samples from experimental plots at the Kellogg Biological Survey Long-term Ecological Research site that are in corn-soybean-wheat rotation and managed using regionally conventional (T1), notill (T2), biologically based (organic) management (T4) practices as well as plots that are, maintained as an early successional grassland (T7), and a deciduous forest (DF). I will use DOC and TDN measurements to provide insights into the availability of energy (C) and nutrients essential for microbial growth. Microbial biomass quantifies the abundance of microbes, while extracellular enzyme assays serve as indicators of microbial functionality and resilience of the microbial communities within the soil under winter conditions. The interaction between nutrient availability, microbial dynamics, and enzymatic activity are expected to reveal that reduced soil disturbance (no-till and cover-cropped systems) fosters a more robust and active microbial community, yet data analysis of the EEA thus far shows minimal differences between land management practices. Overall, our results will help us better understand links between soil health and soil resiliency under an important, but underexplored, climate change perturbation.

Amanda Jendretzke

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 103 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: METHOD COMPARISON OF NEONATAL SWINE DIMENSIONS: STRESS RESPONSE INDICATED BY SKIN HUE CHANGE

Abstract: This study aims to evaluate the stress response in neonatal piglets associated with two different methods of recording their dimensions, specifically by examining changes in skin color. The "standard method", commonly used for measuring piglets, involves restraining the piglet while one person uses a flexible measuring tape for length and a pigleto-meter for height. The second method, known as the "fish method," involves placing the piglet laterally on a fixed surface with a tape measure to measure both height and length simultaneously. A single litter of 15 piglets was assessed during their day 5 measurements, with each piglet subjected to both measurement methods. For each measurement, a control photo was taken before any dimensions were recorded, followed by a postmeasurement photo after the initial method used. Skin hue changes were analyzed by taking the hue at multiple points on the piglet, including behind the ear, from photos before and after each measurement method. Using Procreate, the hue degree was taken from the specified points, with hue degree changes serving as physiological indicators of stress levels. The ongoing analysis will provide insights into which method results in less stress, as indicated by color changes, contributing to more humane measurement techniques for neonatal swine.

Amelia McGinnis

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 101 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: THE CONTRIBUTIONS OF FLIES TO AGRICULTURAL LANDSCAPES

Abstract: Flies (Diptera) are a highly diverse, abundant, and responsive insect group. Additionally, they contribute to ecological roles such as pollination, decomposition, biological control, and herbivory in nearly every ecosystem. Because of this, Diptera have the potential to serve as bioindicators of ecosystem health through an analysis of their community composition. To effectively utilize Diptera in this capacity, it is necessary to first understand the extent of the functional roles they perform. One of the primary challenges in studying Diptera is species identification, which is time-consuming and expensive, often requiring genetic sequencing. However, many Diptera can be identified to the family level through morphological characteristics. This study compiled functional trait data for 122 Nearctic Diptera families, categorizing them by the ecological roles they perform in the larval and adult life stages. Field sampling was conducted from May to September 2023 at the Long-Term Agroecosystem Research Aspirational Cropping Systems Experiment at the Kellogg Biological Station in Hickory Corners, MI. Diptera were captured using malaise and soil emergence traps across eight cropping system treatments. A trap was placed at the center of each plot and remained in the field for 48 hours before being rotated among replicates. By linking family-level identification with functional traits, this research provides a framework for assessing the extent of the contributions of Diptera in agricultural landscapes. The findings will contribute to understanding the potential of flies as bioindicators of agroecosystem health and can be used to inform agricultural management practices that enhance beneficial insect-mediated ecosystem services.

Andrea Cuevas-Garcia

Category: Agriculture and Animal Science

Presentation Type: Poster

Presentation Number: 125

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DOG COPING AND TEMPERAMENT

Abstract: N/a

Ann Joseph

Category: Agriculture and Animal Science

Presentation Type: Poster

Presentation Number: 117

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: A CASE STUDY: FARMER AGENCY AND SPECIALTY CROP DIVERSITY AMONG TWO SMALL-SCALE FARMS

Abstract: It has previously been established that as the food system becomes high centralized that corporate companies are gaining almost complete control over the food everyday people consume. Taking this into regard, the mentioned research seeks to understand this pressure considering the production of specialty crops through the eyes of local farmers. Through individual interviews with local Michigan farmers, the research hope to better understand the extent to which farmer's have the freedom to choose the crops they produce. Ultimately, the research hopes to add to existing literature to strengthen the need for policy change in the U.S. food system.

Avery Zimmerman

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 108 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: DETECTION OF CUCURBIT DOWNY MILDEW SPORANGIA TO GUIDE FUNGICIDE APPLICATION FOR MICHIGAN GROWERS

Abstract: Michigan is the number one producer of pickling cucumbers nationwide, and the appropriate application of fungicides is vital to cultivating these valuable crops. The fungal pathogen Pseudoperonospora cubensismigrates north to Michigan annually via spore production, infecting cucurbit plants with the disease cucurbit downy mildew (CDM). This disease causes leaf blight, the formation of necrotic lesions, and death. Early detection of airborne P. cubensis sporangia allows for timely application of fungicides, protecting the crops without wasting product. To facilitate this, Burkard spore traps are placed yearly from May to September, at seven locations across Michigan, including five private grower fields and two Michigan State University research fields. Reels with adhesive tape are made, deployed, and collected weekly. The tape is cut into seven segments each containing 24 hours' worth of data, which are then split in half for light microscopy examination and DNA extraction for qPCR analysis. The developed qPCR method can detect sporangia at Cq values <35.5, and it distinguishes between two clades of P. cubensis, affecting different cucurbits, and the morphologically identical Pseudoperonospora humuli, which infects hops. In the 2024 season, the first detection of airborne sporangia occurred as early as June 6th and as late as July 23rd, depending on the location, which was between two and five weeks before visual symptoms were identified in the field. This allowed for fungicide application specific to the location of the crops at risk for CDM.

Becca Townsend

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 128 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: DO SIGNS OF CLINICAL ILLNESS PREDICT THE GROWTH RATE OF DAIRY CALVES?

Abstract: Heifer growth is associated with future productivity; however, poor health can slow calf growth. In this work, we assessed relationships between clinical signs of illness and average daily gain in dairy calves. We followed 43 Holstein heifer calves from birth to 56 days of age. Daily rectal temperature and observations associated with clinical illnesses were recorded. Scores were assigned 0 if normal up to 4 with increasing symptom severity. Birth and weekly weight measurements were collected until weaning. Preweaning average daily gain (ADG) was determined using a least-squares regression approach for each calf. Univariate associations between individual health scores and ADG were assessed by leastsquares regression, and backward stepwise regression was used to test multivariate models. Calves had a mean ADG of 0.842 ± 0.076 (SD) kg/day with a mean rectal temperature of 38.87 ± 0.18 ?. Mean health scores were 0.10 ± 0.12 for ocular discharge, 0.056 ± 0.067 for nasal discharge, 0.058 ± 0.041 for ear position, 1.14 ± 0.07 for feces consistency, 0.066 ± 0.046 for attitude, and 0.053 ± 0.075 for cough. Calves had a fever (rectal temperature ≥ 39.4?) on 6.3 ± 5.5% of observed days. No multivariate model and health measures were independently associated with ADG (all P > 0.10). Therefore, in this cohort of relatively healthy calves, we found no relationships between ADG and observable clinical health scores. In an environment with higher disease pressure, there may be more impact of illness on ADG which may explain previous links between health and growth.

Caden Wade

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 121 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: DAY AND NIGHT IRRIGATION OF SOYBEANS IN RELATION TO DISEASE PRESSURE AND YIELD FACTORS

Abstract: As crop diseases in soybeans, such as Cercopsora sojina (frogeye leaf spot) and Peronospora manshurica (downy mildew), continue to proliferate and increase their global range or resistance to pesticides, the question of irrigation inducing and increasing the amount of time that stagnant moisture can facilitate microbial growth arises. Altering the timing of watering to a point where morning dew is already present on a leaf surface would hypothetically reduce the length a leaf experiences additional moisture. A season long field study with irrigation set to either 12 or 10 P.M. starting at different physiological stages and while maintaining a constantly irrigated and unwatered portion was ran, and yield factors including test weight, moisture percentage, and bushels per acre were calculated and tested for significance. By using Internet of Things in-field leaf wetness and relative humidity sensors in the soybean crop, humidity thresholds and sensor-perceived wetness periods were quantified among the treatment types. Two disease ratings conducted during the soybean's late reproductive stages showed significantly lower disease in night-irrigated crops compared to those watered in the day.

Caroline Mrsan

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 126 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: TREATMENT OF MM-401 METHYLTRANSFERASE INHIBITOR ON THE ZEBRAFISH

METHYLATION MARK H3K4ME3 IN EMBRYOS

Abstract: Somatic Cell Nuclear Transfer (SCNT) is a technique used to create genetically identical animals from a single donor, providing a valuable model for studying human and animal diseases due to reduced genetic variability. However, SCNT success rates remain extremely low (less than 5%) and vary across species. The low success rate is likely due to epigenetic modifications formed during development, such as histone methylation. One such modification, H3K4me3, is a tri-methyl group attached to the fourth lysine on histone 3, which promotes gene expression and pushes cells toward a differentiated state. H3K4me3 is added to the histone by the enzyme H3K4 methyltransferase MLL1. MM-401 is a histone methyltransferase inhibitor that works by disrupting the function of MLL1 by preventing the formation of the MLL1-WDR5 complex that is required for proper protein functioning. Previous research shows that through the use of MM-401, mouse epiblast stem cells were able to be pushed back to a naïve pluripotent state. In this experiment, Zebrafish embryos were incubated with MM-401 until the 50% epiboly stage of development. The embryos were then fixed and stained with H3K4me3-specific antibodies to assess histone methylation levels. A decrease in H3K4me3 fluorescence would indicate reduced histone methylation, potentially resulting in a more undifferentiated cell state. This outcome could offer insights into improving SCNT efficiency by minimizing epigenetic barriers to successful cloning

Chante Hardaway

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 116 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: MEASURING PHYSICAL AND CHEMICAL SOIL HEALTH PARAMETERS OVER WINTER

Abstract: Soil health benefits agricultural production in many ways, from improving drought resilience by increasing water-holding capacity, to providing more accessible nutrients for plants and microorganisms. While common soil health parameters are well-documented during the growing season, how management affects these attributes over the winter remains largely unknown. As a part of a larger project, we measured wet aggregate stability as a physical property of the soil, and pH, nitrate concentration, and ammonium concentration as chemical properties. In this study, we sampled 26 soils from Kellogg Biological Station Long-Term Ecological Research site across five management practices: conventional corn/soy/wheat rotation (T1), no-till corn/soy/wheat rotation (T2), biologicallybased corn/soy/wheat/cover crop rotation (T4), early successional grassland (T7), and deciduous forest (DF). Sampling occurred in mid-November and mid-January. Our results suggest that aggregates are more stable in January in no-till, biologically-based, and early successional grasslands than in November. There was no significant difference across sampling periods in conventional and forest systems. pH change from November to January was only significant for no-till and biologically-based treatments. Nitrate concentration was higher in November for conventional, no-till, and biologically-based treatments, but had no difference for early successional grassland and deciduous forest. Ammonium concentration was only higher in early successional grassland in January. To provide more comprehensive conclusions, data will be analyzed from another sampling period conducted in mid-March. This project explores how physical and chemical soil health parameters evolve over winter and provides insight to how the changing climate could impact soil health during this period.

Charlotte Ludorf

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 115 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: SUPPLEMENTATION OF BACILLUS SUBTILIS COMBINED WITH PLANT EXTRACTS

Abstract: The objective of this experiment was to investigate the effects of dietary supplementation with Bacillus subtilis and plant extracts on growth performance and diarrhea of weanling pigs. Two hundred forty pigs were weaned and allotted to 4 dietary treatments with 6 pigs/pen, using a randomized complete block design. The four dietary treatments were: (1) Control (CON): Basal nursery diet; (2) Bacillus subtilis and plant extracts single dose (3) Bacillus subtilis and plant extracts double dose; and (4) Antibiotic (ATB). Pigs were fed for 28 days, divided into 2 phases. BW and feed disappearance were measured every seven days after weaning to calculate average daily gain (ADG), average daily feed intake (ADFI), and feed efficiency (G:F). Diarrhea scores were recorded twice daily, with scores ranging from 1 = normal to 5 = watery diarrhea. Supplementation of BPS had the lowest ADFI during day 0 to 7 and 7 to 14 among other groups, while other growth performance indicators were not changed. G:F tended to increase in the BPS and CBX groups compared to CON group. The frequency of diarrhea scores ≥ 3 was reduced in BPS group during Phase 1, Phase 2, and overall, compared to CON group. The overall frequency of diarrhea scores ≥ 4 was reduced in all groups compared to CON group. In conclusion, dietary supplementation with Bacillus subtilis and plant extracts may help maintain performance with reduced feed intake during the early weaning stage while also reducing the incidence and severity of diarrhea in the post-weaning period.

EFFECT ON GROWTH PERFORMANCE AND POST-WEANING DIARRHEA IN PIGS

Delani Stull

Category: Agriculture and Animal Science

Presentation Type: Poster

Presentation Number: 113

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: STALL UTILIZATION AND STRESS MEASURES IN GESTATING SOWS

Abstract: Pigs have complex social structures and experience stress when mixed into new groups as they re-establish social hierarchy. This is a concern in gestating pigs, but free access stalls (FAS) could reduce social stress by allowing pigs to choose between individual stalls or a group pen area. This study investigated if associations exist between how pigs utilize FAS and their stress levels. Continuous overhead video was recorded on 24 pigs (n=8/pen, 3 pens) for 3 days after mixing. Stress levels were assessed using salivary cortisol and tear staining score before mixing (D0) as well as post-mixing (D1, D3). Video was decoded for time spent in stalls and the number of visits to stalls by each pig for each day. Data was analyzed using linear mixed models with fixed effect of day, and random effects of pen and individual animals. At D3, pigs spent significantly more time in stalls (246.17 ± 111.88 min, P = 0.033) and visited stalls significantly fewer times (-15.38 ± 2.66, P & lt; 0.001) than on D0. There were no significant associations between time spent in the stall with either cortisol or tear staining. However, pigs with higher tear staining at D0 tended to spend more time in the stalls (P = 0.081). Pigs who visited the stalls fewer times exhibited significantly lower D3 cortisol and tended to have higher D3 tear staining scores. These findings suggest utilization of FAS does not influence stress in gestating pigs. Future research should incorporate data on aggressive interactions between pigs.
Emma Guza

Category: Agriculture and Animal Science

Presentation Type: Poster

Presentation Number: 127

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ANALYZING THE EFFECTS OF LACTATION CYCLES ON THE PHYSIOLOGY OF BOVINE

Abstract: Milk is a commodity that people use on a daily basis as it is an essential source of calcium and can be used for baking as well as cooking. Milk provides the necessary amount of calcium for bone development and also provides a sufficient source of protein and other nutrients. However, farmers today struggle with being economically smart while ensuring that the product supplies the growing demand. The goal of this experiment was to analyze how lactation cycles could potentially affect the blood physiology of bovine in relation to the amount of milk produced by the cows daily. Blood samples were collected for both a CBC with Differential test and a chemistry panel test to analyze different values. This data was then compiled into various graphs to compare the values in relation to the milk weight to determine if there was any prominent effect. Based on the results from the data collected, the hypothesis stated, if the cow has experienced more lactation cycles, then the values from the CBC with Differential and the chemistry panels are going to increase, was supported while the hypothesis stated, if the cow has an increased CBC with Differential and chemistry panel values, then the cow is going to have a decrease in milk production, was not supported.

Grace Beem

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 124 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ACTIVE SOIL CARBON COMPARISON AMONG PERENNIAL FORAGE SPECIES

Abstract: Active soil carbon measured by the permanganate-oxidizable carbon (POXC) test is a widely used soil health indicator reflecting the fraction of soil carbon readily available to microbes. Active carbon is influenced by climate and crop species but response to specific perennial forage species is largely unknown. Our objective was to determine how two varieties of five perennial forage species influenced POXC at northern and southern locations in Michigan. Forage species were red clover (varieties 'Evolve' and 'Renegade'), and grasses meadow fescue ('Driftless' and 'Pradel'), tall fescue ('Armory' and 'Bariane'), orchardgrass ('Ammo' and 'Intensive'), and smooth bromegrass ('Lincoln' and 'Artillery'). Plot designs were randomized complete blocks (n=4) in East Lansing (EL) and Chatham (CH) in Michigan's Upper Peninsula. Soil samples were collected to 15-cm depth in 2024 from plots established in 2020 (grasses, both locations) and 2021 (red clover, EL only). Across varieties, POXC was greater in CH than EL for meadow fescue (617 vs 433 mg/kg, P<0.01), tall fescue (643 vs 495 mg/kg, P<0.01), and smooth bromegrass (656 vs 463 mg/kg, P<0.01). There were no differences in POXC between varieties of meadow or tall fescue, bromegrass, or clover at either location (P>0.05). There was a trend towards an interaction between location and variety in orchardgrass (P=0.051), whereby POXC was greater in CH than in EL for Ammo (592 vs. 400 mg/kg) but not for Intensiv. Greater POXC in CH for most varieties across grass species may be due to decreased microbial activity with increased active carbon accumulation in colder climates.

Grace Minton

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 114 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: REGOLITH SIMULANT MGS-1S CHEMICAL CHARACTERIZATION FOR FUTURE REGOLITH-BASED AGRICULTURE ON MARS

Abstract: Regolith is inorganic, unconsolidated rock and soil that covers bedrock. Planetary scientists research Mars regolith for ancient life and future human exploration. Regolith analogs are needed because Earth currently has no Mars samples. Simulants are used to plan and practice for the natural sample. For a simulant to be an experimental substitute, it must mimic relevant characteristics of mission-observed regolith. To study this, a simulant sample is analyzed for its chemical composition. My research focuses on determining if there are elements or compounds typically in fertilizer beneficial to growing crops, through identifying the minerals present. My methods were observing SEM images of grains in the sample, analyzing EDS chemical data for classification, and comparing properties between natural regolith and simulants. The regolith simulant MGS-1S has some required attributes for plant growth and nutrient supply, such as containing magnesium, calcium, iron, and aluminum. Regarding the three elements in fertilizer, it has trace levels of phosphorus and potassium but lacks nitrogen. The general chemical composition of the simulant is well matched to natural regolith. They share a similar mineralogical mix, including iron oxides, silicates, plagioclase, pyroxene, and olivine. A poorly matched attribute is the missionobserved regolith's basaltic composition versus the simulant being mainly gypsum. Determining similarities allows for crop growth experiments to be conducted using simulants, giving insight into if agriculture on Mars is possible. This project ultimately relates to long term human exploration of Mars. If this is to be feasible, using Mars regolith as an insitu agriculture resource is necessary.

Janus Grivins

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 105 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MAPPING ROOT GROWTH OF FRASER FIR (ABIES FRASERI) USING ELECTRICAL

IMPEDANCE AND RESISTANCE TOMOGRAPHY TECHNOLOGY.

Abstract: Root mapping has been used in agricultural research for the phenotyping of plants, disease control and tracking, and to monitor plant reactions to changes in their environment and climate. In irrigation, root mapping is essential to understand the water availability for a plant. In precision agriculture, understanding the root system of a plant allows us to place sensors at the correct depth to accurately predict the irrigation needs of a plant. Christmas trees have required irrigation to mitigate the effects of climate change, especially for newly planted trees. Growers are interested in installing soil moisture sensors for irrigation scheduling, however the root growth of Christmas trees is unknown. The goal of this project is to utilize innovative root mapping tools to understand the root growth of Christmas trees (Abies Fraseri), and help growers make decisions on sensor depth. Three root mapping methods were evaluated; trenching, electrical impedance tomography (EIT), and electrical resistance tomography (ERT). The trench method for the excavation and mapping of roots is time consuming and difficult. A trench must be dug alongside the tree of interest. During this process, the location of found roots is noted. Each root must be carefully managed so as not be broken during the removal process. Another method isEIT, which has beenwell-studiedfor root mapping of vegetables and other crops at the small scale. EIT works by using an electrode cage around the roots of the plants and passing measuring impedance variation in the soil. The third method isERT. Though more commonly used for mapping water zones or soil types, ERT can be used to determine the location of roots and root zones. ERT works by placing a line of electrodes in the soil and comparing the electrical resistance of the soil between them. Roots decrease the resistivity of the soil, as such the roots can be mapped by comparing high and low resistivity. Multiple ERT scans are taken to create a 3d map of the tree root system. Three methods are demonstrated at 1-, 2-, 3-, 4-, and 5-years old Fraser Fir (Abies Fraseri). The advantages and disadvantages of each method for creating root map are also discussed.

Kylie Jamrog

Category: Agriculture and Animal Science

Presentation Type: Poster

Presentation Number: 112

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: COMPARATIVE ANALYSIS OF FOUR TEMPERATURE PROBES IN A FAN-ASPIRATED RADIATION SHIELD

Abstract: Temperature plays a crucial role in agriculture. Accurate field-temperature data is important for understanding plant growth and predicting plant disease risk. While there are many commercially available temperature probes, their accuracy and precision under field conditions is not fully understood. Research regarding the effects of solar radiation shields on temperature sensors is also lacking. Solar radiation shields are a common solution for combating temperature probe inaccuracies by blocking direct sunlight. However, the effects of these shields on sensor performance remains uncertain. This project focuses on evaluating the accuracy and precision of three temperature sensors, while examining how solar radiation shields affect sensor performance.

Lucas Badiner

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 104 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: OPTIMIZING XENOPUS LAEVIS MODEL WELFARE: INSIGHTS FROM OUR

ENVIRONMENTAL PARAMETER EXPERIMENTS

Abstract: Xenopus laevis is a crucial model organism in biomedical research, yet speciesspecific husbandry guidelines remain lacking and inconsistent. Existing recommendations, such as the Xenopus Resource Guidelines (2018), emphasize general care standards but may lack specificity for diverse research settings such as those utilizing static tank environments and differing water quality. This project sought to define critical thresholds for water pH, stocking density, and other water quality parameters to enhance welfare and standardize care practices. By addressing these gaps, the project aims to evaluate growth, activity, and behavior levels as a proxy for health outcomes of Xenopus laevis in institutional environments. Preliminary results indicate that while consistent water quality was of benefit to the overall health outcomes of the frogs, there were enhanced activity, growth and feeding responses at higher stocking densities (5x greater than recommended) and lower pH levels than existing guidelines suggest (6.0-6.2 vs. 6.8-7.5). These results were statistically significant when normalized for individual activity (p<0.001) and serve to challenge existing assumptions regarding animal welfare throughout the research process. This project provides insight into further specifying model environmental conditions for Xenopus laevis while in institutional environments.

Madison Kortman

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 122 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: IDENTIFICATION OF NEMATODES FROM GREAT LAKE MIGRATORY SALMONIDS

Abstract: Sustaining the life cycle of Great Lakes salmonids requires substantial effort by the MI-DNR. Eggs and milt are collected from migratory broodstock, hatched, and juveniles are raised in hatcheries before being released in selected rivers. Occasional nematode-like larval stage parasites were retrieved during opportunistic samplings at DNR fish weirs during seasonal spawning migrations of salmonids, in Michigan (Coho Salmon) and Indiana (Rainbow Trout). Ethanol-preserved samples were used for morphological identification and DNA extraction for molecular biology analysis. This investigation aims to identify nematodelike parasites occasionally found in Great Lakes migratory salmonids. Specimens were morphologically examined using light microscopy to observe typical nematode larval features. Specimens from Coho Salmon were morphologically identified asCystidicola farionis, based on the presence of a typical prominent tail protrusion and dumbbell shaped oral opening. DNA extracted from preserved specimens was quantified using spectrophotometry and used for PCR assays targeting the generic Nematode 28s rDNA. Selected amplicons were sequenced, and the retrieved sequence was used for NCBI BLAST analysis, revealing the identity. Molecular biology investigation also confirmed the identity ofC. farionis. Cystidicla sp.localize in the swimbladder of physostomous fishes, upon migration from the digestive tract through the pneumatic duct. Cystidicola farionis was previously described from Great Lakes salmonids, although little updated information is available about the current prevalence and associated health issues to hosts. Despite apparently not posing a direct zoonotic issue to seafood consumers, C. farionis can cause adverse health effects in the lifelong hosts, making its identification and documentation of occurrence relevant.

Malaika Khan

Category: Agriculture and Animal Science

Presentation Type: Poster

Presentation Number: 111

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: RNA EXTRACTION IN DAIRY COWS

Abstract: The development of fatty liver disease in dairy cows costs the dairy industry millions of dollars each year. In the United States, over 50% of dairy cows experience fatty liver disease during early lactation. This disease impairs liver function and reduces the productivity of our cows. One way to decrease the prevalence of fatty liver disease is by implementing preventive nutritional strategies. The Zhou Lab's previous findings demonstrated that branched-chain amino acids (BCAA) or branched-chain keto acids (BCKA) improved liver function and lactation performance. However, the underlying mechanisms remain unclear. To better understand and contribute to the overall data of the project, we extracted RNA from liver, muscle, and adipose tissue. The RNA extraction was an important step in investigating the effects of BCAA and BCKA on gene expression in bovine cells. The extracted total RNA facilitated the performance of quantitative polymerase chain reaction (qPCR). Quantifying gene expression levels provided insight into several key cellular processes to understand how to mitigate fatty liver and improve the health of dairy cows.

Phoebe Bosch

Category: Agriculture and Animal Science

Presentation Type: Poster

Presentation Number: 102

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: CONSERVATION AND IDENTIFICATION OF CARCHARIAS TAURUS INDIVIDUALS THROUGH REMOTE UNDERWATER PHOTOGRAPHY AND I3S

Abstract: Carcharias taurus, the spotted ragged tooth shark or sand tiger shark, is a shark that can be commonly found during their gestation period off the coast of iSimangaliso Wetland Park, South Africa. This specific population's birthing location is unknown, and through Remote Underwater Photography and I3S (an interactive individual identification system), individuals are being identified in order to better collect data on their whereabouts throughout the gestation and pupping periods.

Sean Pierucci

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 123 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: EFFECTS OF MARS REGOLITH GRAINS ON IN-SITU AGRICULTURE: INSIGHTS FROM ANALOGS

Abstract: Regolith is a loose, rocky, heterogeneous material that covers the solid rock layer on a planet's surface. Planetary scientists need to know about regolith on Mars because future agricultural endeavors rely on its properties. It needs to be analyzed for components that are beneficial or detrimental to crops. Two of these are grain form and elemental composition. A regolith simulant, or analog, is a mixture of materials that mimics the characteristics of natural regolith. It can be used as a practice run for experimenting on the real thing. Some true insight can also be gained by using regolith simulants that are based on what has been observed on Mars. All regoliths contain various grain forms. These characteristics are measured as roundness and angularity, and they are important because they determine the regolith's cohesion and whether or not plant roots can grow in it. Additionally, the elemental composition of a regolith sample shows if it has the necessary nutrients for plant life (nitrogen, potassium, etc.). The purpose of this research is to study the possibility of agriculture on Mars by examining the elemental composition and grain form of a Mars regolith simulant, MGS-1, in comparison to natural Earth samples. The simulant can give a general idea of what to expect from a real sample as well as being good preparation for when Mars regolith is available to test with. Data is provided by a sample of MGS-1 simulant observed under a Scanning Electron Microscope (SEM).

Sophia Burke

Category: Agriculture and Animal Science Presentation Type: Poster Presentation Number: 107 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: ILLUMINATING UNDERGROUND ALLIANCES: TIMELAPSE FLUORESCENCE ZYMOGRAPHY REVEALS SWITCHGRASS-MICROBE NUTRIENT EXCHANGE

Abstract: Switchgrass (Panicum virgatum), a promising bioenergy crop, forms intricate relationships with soil microbial communities that influence nutrient cycling. A critical aspect of this interaction is the exchange of carbon and nitrogen, where switchgrass releases root exudates that fuel microbial activity, leading to nitrogen mineralization. Chitindegrading microbes play a key role in this process by breaking down chitin and releasing nitrogen, which switchgrass subsequently absorbs to support growth. However, the spatial dynamics of microbial enzyme activity in response to nitrogen availability remain underexplored. To address this, we employed timelapse fluorescence zymography, a cutting-edge technique that visualizes enzyme activity with spatial resolution, to investigate chitinase activity across soil layers. Our analysis revealed that chitinase activity is concentrated along the chitin band, particularly near switchgrass roots, suggesting a localized microbial response to plant carbon exudation. Further, by integrating zymography data with nitrogen assessments, we examined whether nitrogen availability is a limiting factor in this system, particularly under varying fertilizer treatments. Our findings enhance the understanding of plant-microbe interactions in bioenergy cropping systems and offer insights into optimizing nitrogen management strategies. By leveraging fluorescence zymography, we provide a novel perspective on microbial nutrient cycling, with implications for improving switchgrass productivity and sustainability in biofuel applications.

Anthropology and Archeology

Abby Anderson

Category: Anthropology and Archeology Presentation Type: Poster Presentation Number: 214 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: HUMAN MILK MARKET

Abstract: Breastfeeding is often seen as a key part of both the mother-infant relationship and infant nutrition. The growing popularity of milk banks providing human milk to mothers who cannot produce milk has caused a rise in demand. The demand has been matched with a shortage of human milk domestically leading to the rise of transnational milk markets which have grown through supply chains and informal sharing networks. Laboratories based in the United States have sourced milk from donors in low income nations, often involving marginalized women who can be coerced into donating milk for cash compensation. This research reviews the ethical, cultural, and economic dimensions of the commodification of mother's milk and considers injustices donor women and their infants face.

Adrianna Semioli

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 218

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: OLDUVAI'S BONE TOOLS: A NEW CHAPTER IN HUMAN TECHNOLOGICAL EVOLUTION

Abstract: I was interested in newly found bond tools at the dig site Olduavi Gorge in East Africa. I wanted to know how these bone tools had a role in technological advancement of early hominins. Upon news articles, academic journals, and articles I learned more about early hominins and their abilities.

Allison Thomson

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 202

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: UTILIZING GIS TO VISUALIZE BIOARCHAEOLOGICAL DATA: A CASE STUDY FROM CHAU HIIX, BELIZE

Abstract: Based on a previous Microsoft Access database created to organize data from the Michigan State University Bioarchaeology Laboratory, this project expands on the foundational elements of data management to enhance the accessibility, identifiability, and searchability of burial records, while incorporating visual data comparison. Utilizing an ArcGIS system to include the use of geospatial technology allows researchers to input excavation data to facilitate comparative analyses and tailor data to individual project needs. This poster reports the results of the pilot project, based on a singular site - Chau Hiix, Belize - and sets a foundation for a long-term multisite digital system supporting collaborative archaeological initiatives and future opportunities for cross-cultural comparisons.

Anna Stolz

Category: Anthropology and Archeology Presentation Type: Poster Presentation Number: 211 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: EFFECTS OF RADIOGRAPHIC DENTAL IDENTIFICATION TRAINING ON PERFORMANCE OF FORENSIC ANTHROPOLOGY STUDENTS

Abstract: Identification is a fundamental aspect of forensic investigations, with forensic anthropologists frequently conducting comparative radiographic analyses to identify a decedent. However, the dentition, although part of the skeletal system, is often relegated to the work of forensic odontologists. While forensic anthropologists do not have the same training in dental anatomy and restorations, many have training in comparative radiography and should be able to apply this skill set to dental radiographs. This study evaluates the ability of forensic anthropology students to accurately match ante- and postmortem dental radiographs before and after specialized training in dental identification. A total of five graduate and undergraduate students from the MSU Forensic Anthropology Laboratory were presented with five postmortem dental radiograph series, each accompanied by five sets of antemortem dental radiographs. Evaluators were tasked with determining whether an identifiable match existed. the matching antemortem radiograph set, and to describe and annotate the features that were used to come to that conclusion. The overall correct classification rate was calculated, along with the sensitivity, specificity, positive predictive value, and negative predictive value. The features used for identifications were also evaluated to identify trends across scenarios, practitioners, and level of training. Results showed students' correct response rate increasing from 68% to 80%, sensitivity rising from 67% to 79%, and negative predictive value rising from 45% to 56%, while specificity remained stable at 83% and the incorrect response rate increased slightly from 4% to 8%.

Danielle Middleton

Category: Anthropology and Archeology Presentation Type: Poster Presentation Number: 225 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: FIELD SCHOOL AT THE MARCO GONZALEZ ARCHAEOLOGICAL SITE IN BELIZE

Abstract: The Marco Gonzalez Archaeological Site is located on the Ambergris Caye in Belize and is one of the oldest Maya sites on the Caye. Archaeological excavations, led by Elizabeth Graham and David Pendergast, began at the Marco Gonzalez site in 1984 and continued for a decade. The site was named an Archaeological Reserve in 2011 to preserve the site and draw attention to the rich Mayan history of the area. In 2023, Gabriel Wrobel, a bio archaeologist at Michigan State University, joined the excavations at the site and started a Field School for interested students. Throughout the 2023 and 2024 field seasons students and staff worked on excavating structures throughout the site, which was once a coastal Maya trading village. Excavations have unearthed the stone structures of buildings, human burials, an abundance of pottery sherds, chert, animal bones, and special finds, like beads or decorative sherds. These finds have contributed to reconstructing the history of this site, which dates back to around 2000 years ago. However, some of the most important work being done at this site is the collaboration with Maya students and educators as an effort to include modern indigenous groups in the archaeological process. Bringing Maya descendants into the excavation process provides invaluable insights into the culture and history of the site itself. Overall, this field school provides an incredible opportunity for MSU students to get hands-on experience in the field of archaeology while also collaborating with locals to better understand the culture of the area.

Don Henrikson

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 217

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CREATING A LIFE: THE USE OF BIOARCHAEOLOGICAL METHODS TO UNDERSTAND THE LIVES OF THREE MAYAN INDIVIDUALS FROM THE POOKS HILL SITE

Abstract: This project uses evidence gathered both in the lab through osteological methods and evidence reported from the archaeological digs in the field to create a bioarchaeological report of the lives for three Mayan individuals from the Pooks Hill site in Central Belize. Through various osteological methods I was able to determine the sex, age, and various pathological afflictions of each individual. I then combined this information with notes taken from the field of the individuals' burials and grave goods to produce a short osteobiography of each individual, allowing us to gain a better understanding of who these people were.

Emily Eickholt

FLATTENING

Category: Anthropology and Archeology Presentation Type: Poster Presentation Number: 212 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: CRANIAL MODIFICATION IN POSTCLASSIC BELIZE: TABULAR ERECT WITH SUPERIOR

Abstract: The process of cranial modification in ancient and current cultures has been a considerable topic of interest for many scientific fields. There is evidence suggesting cranial modification has occurred in hominin species precedingHomo sapiens, and a plethora of skeletal evidence has been uncovered in Mesoamerica. While many specimens present with tabular erect or oblique forms, it appears superior flattening was concentrated on the shores of Yucatán from the Terminal Classic through the Postclassic period. Analysis of an individual from the Caye Coco site revealed one of these unique cases of superior flattening. After careful collection of skeletal inventory, sex and age were estimated using a multitude of techniques. Additionally, research was conducted to assess the classification of this individual's cranial modification and to consider the cultural context. Cranial modification was generally performed by women and appears to have no difference in style based on gender. The tabular erect modifications were produced using rigid compression devices, usually boards. Despite these practices, there is no evidence of harm to brain function. Superior flattening has also been linked to maritime trader communities, so this culture could be reasonably attributed to the individual. While the estimation of sex and the literature conflicted, it is reasonable to conclude this individual is a mid-adult (35-50 years). They were likely a highly respected individual in their community as well, as evidenced by the impressive grave goods including a carved bird figurine, obsidian blades, and a Payil Red tripod dish.

Emma Klott

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 204

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: NON-METRIC CRANIAL ANALYSIS OF MAYAN SKELETAL REMAINS

Abstract: Forensic anthropologists have traditionally relied on a typological, experiencebased approach to predicting ancestry from human skeletal remains, often overlooking genetic variation within populations. This method, shaped by observer experience, blends art with science but lacks scientific rigor. Genetics plays a crucial role in shaping skeletal traits and provides valuable insights into population relationships, offering a more reliable framework for ancestry estimation. This research analyzes the frequency distribution and inter-trait correlations of 11 common morphoscopic traits, highlighting the approach's unreliability. The findings show that extreme trait expressions are unreliable for ancestry estimation through visual observation alone, emphasizing the need for a statistical and genetically informed framework which is how these traits will be looked at.

Isabelle Ricard

Category: Anthropology and Archeology Presentation Type: Poster Presentation Number: 226 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ISSUES BEYOND WORDS: INDONESIAN YOUTH SEE INJUSTICE

Abstract: This project explores social perceptions of justice and injustice in Indonesia through a methodology of visual dialogues. In 2023-2024, Dr. Elizabeth Drexler traveled to Indonesia to conduct visual anthropology research to explore how youth in Indonesia perceive injustice in their everyday lives and translate it into images. The project was participatory and allowed youth to document images and forms of injustice of concern. Subsequently, groups of youth gathered to discuss and collectively curate the images to discern the different and related concerns and perceptions of their group. The images documented perceptions of injustice and social issues that are important to and experienced by particular youth communities. Beginning in late 2024, Michigan State University anthropology senior Isabelle Ricard began archiving and analyzing the images. She used the program Omeka, which she accessed through the LEADR lab. For her role in the project, Ricard focused on adding metadata to the images. Realizing the importance of metadata in facilitating access across institutions and cultures, Ricard adhered to DCMI best practices to organize the images in a way to be comprehensible by the artists and visitors to the site. The end product will be a bilingual virtual museum, which will showcase images centered on Indonesia's youth concerns. Ultimately, to grasp lived injustice one has to appreciate the power of experiences. Digital archives are a site where existing knowledge is stored and new conversations are sparked, which is why it's imperative that the data is organized in a way that people can understand them.

Jenna Wesley

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 207

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: CAN NON-METRIC DENTAL TRAITS DETERMINE GLOBAL GENETIC RELATIONSHIPS?

Abstract: In bioarchaeology, skeletal remains are often subject to taphonomic processes that can alter or compromise their condition. However, teeth are typically better preserved than other skeletal elements, offering valuable insight into the age, health, and lifestyle of past populations. This study examines 26 non-metric dental traits to assess their utility in bioarchaeological analysis. By comparing these dental scores with established global dental samples, the research aims to enhance the understanding of population-level variation and examine the genetic relationships between global populations. These findings highlight the potential of non-metric dental traits as informational markers in bioarchaeological studies and contribute to ongoing debates in the field over the utility and reliability of dental information.

Josephine Cowles

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 205

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: OS ZYGOMATICUM BIPARTITIUM: A NOVEL CLASSIFICATION SYSTEM

Abstract: Os japonicum, orOs zygomaticum bipartitum, is a cranial nonmetric trait characterized by the division of the zygomatic bone into two or more segments. This study presents a comprehensive review ofOs zygomaticum bipartitum, drawing upon previous literature to clarify morphological variability and population prevalence. To advance understanding and standardization, we developed vector-based line drawings to illustrate the distinct character states ofOs zygomaticum bipartitum, providing anatomically based, visual references for each morphological character state. Using a sample drawn from Ossenberg's (1970) cranial nonmetric dataset, we further quantified the relationship betweenOs zygomaticum bipartitum, biological sex, and population affinity. The resulting visualizations highlight key patterns and provide new insights into the distribution of this trait across multiple groups. Based on these findings and the literature, we propose a novel classification system to delineate the distinct manifestations ofOs zygomaticum bipartitum. This system aims to enhance interobserver reliability in the identification and reporting ofOs zygomaticum bipartitum, with potential applications in bioarchaeology, forensic anthropology, and comparative anatomy

Laila Komis

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 223

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ECONOMIC JUSTICE AND DEMOCRACY

Abstract: This project focuses on deep-rooted economic injustices built within the system's foundation as well as examining how those inequalities and abuses of power have infiltrated into the possible downfall of democracy. Economic injustices endure and compound by expanding into political and social areas.

Lauren Keith

Category: Anthropology and Archeology Presentation Type: Poster Presentation Number: 213 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: COMPARING THE UTILITY OF CASTS AND 3-D PHOTOGRAMMETRY MODELS FOR AGE AND SEX ESTIMATION IN FORENSIC ANTHROPOLOGY

Abstract: The creation of casts and 3-D models of bones has been utilized in forensic anthropology to allow for ethical education on forensic anthropological methods and topics. Casting involves creating a mold of the original bone using silicon and then pouring a casting medium into the mold to create a replica of the bone. Photogrammetry is a method of creating digital 3-D models of bones from a series of photographs. While both types of models have been used for education, it is unknown which model type can be considered most useful for educational purposes, specifically in terms of age and sex estimation. The purpose of this study is to compare accuracy and precision of age and sex assessment between casts, 3-D photogrammetry models, and real bone. Seven individuals with complete ossa coxae from the MSU Forensic Anthropology Laboratory Donated Skeletal Collection were selected to create casts and 3-D photogrammetry models of the pubis for comparison. Observers estimated age using Hartnett (2010a) and sex using Klales et al. (2012) from the casts, 3-D photogrammetry models, and the real bone. Results of the assessments were compared to the documented age and sex of the individuals to determine accuracy and precision for age and sex estimation from the casts, 3-D models, and real bones. Additionally, the casts and bones were scanned using an Artec 3D spider scanner to quantitatively compare the three mediums.

Lilly Macinnis

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 216

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CRANIAL MODIFICATION: A CASE STUDY AND MODERN INTERPRETATIONS

Abstract: Cranial modification is a practice exhibited by a variety of different cultures across time. This practice is not limited to a singular culture, and is still relevant in modern medical practices. In this project each documented type of cranial modification is discussed, along with the methods used to achieve different head shapes. This project also explains some of the many reasons cranial modification would be practiced, some cultural, and in more modern cases, for medical reasons. The main focus of this project however, is a case study of the cranial modification of an individual found in Belize, including the method of modification and how it was determined.

Lily Moura-Ricks

Category: Anthropology and Archeology Presentation Type: Poster Presentation Number: 224 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: RECLAIMING ANCESTRY: ETHICAL AND PRACTICAL CHALLENGES OF REPATRIATION IN PAPUA NEW GUINEA

Abstract: During colonial times, in the guise of scientific observation, curiosity, and racial typology, human remains and cultural objects of Papua New Guinea were collected and researched. Despite growing international support for the rights of Indigenous peoples and the return of ancestral remains, Papua New Guinea lacks a policy for repatriation, has few government initiatives, and has institutional records that are often incomplete. Using historical studies on skull collection, the agency of private and colonial collectors, and the role of museum collecting in the removal of ancestral remains, this session explores the ethics of repatriation using Papua New Guinea as a case study. For the Papua New Guinea collection, there were many individual communities with their own head-collecting practices, such as ritual preservation and skull trade. This excavation, and desecration of graves, resulted in the widespread dispersal of remains, and it is problematic today to determine rightful ownership. There is very little history regarding where some of these remains or artifacts came from. By concentrating on Papua New Guinea, this presentation aims to give perspective on repatriation challenges and emphasize the importance of returning ancestral remains. Cultural exchange, prior trade, and loss of provenance complicate repatriation, yet institutions have an ethical responsibility to repatriate these remains and address their colonial past. In Papua New Guinea, the absence of government initiative to help facilitate repatriation efforts and poor records further complicate the process, making this a case in which international collaboration and ethical responsibility are paramount.

McKenna Kosciolek

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 206

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: SKELETAL REMAINS OF 98-3 AT ACTUN UAYAZBA KAB

Abstract: This project involves my analysis of human remains 98-3, discovered at Actun Uayazba Kab in Belize. The analysis included determining the individual's age, sex, and cultural background.

Melissa Teja

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 201

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ESTIMATION OF SEX BY DISCRIMINANT FUNCTION ANALYSIS FOR MAYA SKELETAL REMAINS

Abstract: The poor preservation of skeletal remains in the Maya region creates a pressing need for alternative approaches to determine skeletal sex, especially when the pelvic and cranial features traditionally used to determine skeletal sex are fragmentary or absent. Discriminant function analysis is a statistical classification method incorporating measurement data capturing skeletal robusticity to estimate sex and can be useful when working with fragmentary remains. This study builds upon the corpus of previous discriminant function analyses generated from long bone measurements, adding equations based on measurements of patellae, tali, and calcanei from Maya sites in Central and Northern Belize and Copan, Honduras. Together, these functions represent a reliable resource for researchers to quickly and accurately estimate sex from fragmentary Maya skeletal remains.

Owen Kozdron

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 227

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: NAVIGATING CLIMATE CHANGE: COLLEGE STUDENTS' PERSPECTIVES ON RESPONSIBILITY, POWERLESSNESS, AND HOPE

Abstract: The climate crisis and its impacts are steadily charging ahead despite current efforts. The way the younger generations relate to climate change, especially college students, is important since they will inherit the responsibility of addressing its challenges. This study explores how college students perceive the crisis and the emotional dimensions of their relationships. The focus will primarily be on feelings of concern, powerlessness, hope and hopelessness, and responsibility. Using the results from 11 semi-structured interviews I conducted with other college students the study examines themes such as collective versus individual responsibility, climate anxiety, institutional barriers, and political disillusionment.

Reece Walker

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 203

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: UPDATES ON THE 2023 DISCOVERY OF THE MSU OBSERVATORY

Abstract: Our poster will present on recent findings from ongoing research into MSU's first Observatory site, discovered in May 2023. Our research will combine archeological evidence with archival investigation. Our methodology will include archival research in attempts to identify any additional individuals from the one and only historical photograph of the observatory that features people, and an update on artifact analysis and site excavation. Our project aims to reconstruct the history of the observatory through archival evidence and material culture which will provide insight to MSU's early scientific education. We will present preliminary findings from our archival research and discuss upcoming excavation plans.

Sasha Franklin

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 221

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ARCHAEOLOGY EDUCATION IN THE DIGITAL AGE: SHARING HISTORY THROUGH ARCGIS STORYMAPS

Abstract: Although archaeology will always be a hands-on field, the future is digital. This poster reports the results of an applied research project that utilized photogrammetry and GIS software to create an archaeology education tool on ArcGIS StoryMaps. Sample lessons within the StoryMap, created in consultation with the Belize Ministry of Education and Belize Institute of Archaeology, can be implemented to teach ancient Maya history, archaeological methods, and digital techniques. This project aims to broaden the population involved in archaeology, namely reaching students and descendant communities. Further, the use of digital resources allows artifacts to transcend the confines of museum and repository walls.

Thomas Yan

Category: Anthropology and Archeology

Presentation Type: Poster

Presentation Number: 215

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: PFAS EXPOSURE EFFECTS ON MATERNAL BIOMARKERS OF INFLAMMATION

Abstract: Per- and Polyfluoroalkyl substances, more readily known as PFAS, are persistent environmental contaminants associated with adverse health effects, such as immune dysfunction and thyroid disease. Pregnant and lactating individuals are more vulnerable, as PFAS exposure may influence their inflammatory pathways leading to potential impacts on maternal and infant health. This bioanthropological study investigates the relationship between PFAS exposure levels in certain areas of Michigan, biomarkers of inflammation in maternal blood and breast milk using a qualitative procedure to decide PFAS exposure and risk and assessing maternal blood and milk samples for inflammatory molecules such as IL-6, Anti-TPO, and C-reactive protein using EIA techniques.

Biochemistry and Molecular Biology

Abby Holland

Category: Biochemistry and Molecular Biology Presentation Type: Poster Presentation Number: 307 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: HETEROLOGOUS EXPRESSION OF ARABIDOPSIS THALIANA ELT4 LIPASE IN NICOTIANA TABACUM: A STEP TOWARD ENHANCING STRESS RESILIENCE IN CROPS

Abstract: Plastoglobules (PGs) are lipid droplets inside of the chloroplasts of photosynthetic organisms that play a large role in stress responses and metabolism. When these structures respond to stress, they significantly influence physiology and adaptation of the plant. Previous studies from our lab show that under stress Jasmonic Acid (JA) biosynthetic enzymes are localized to the plastoglobules, pointing to them playing an important role in JA synthesis and regulation. In this study, the focus is esterase/Lipase/Thioesterase 4 (ELT4). ELT4 is a lipase that is upregulated under high-light stress and is linked to JA metabolism and fertility. Previous research demonstrated that ELT4overexpression in Arabidopsis thaliana enhances fertility and helps maintain yield under drought and heat stress. Given its potential role in stress resilience, this study aims to evaluate ELT4's function in a heterologous system by introducing it into Nicotiana tabacum. To achieve this, Agrobacterium-mediated transformation and plant tissue culture techniques were used to generate transgenic Nicotiana tabacum lines overexpressing ELT4. Transgenic plants are currently screened up to the T2 generation to obtain homozygous lines, which will subsequently characterized through phenotypic analysis. At this stage, data collection is still ongoing, and results will be presented and discussed. The findings from this study will provide insights into the potential of ELT4 to confer stress resilience in crops, serving as a foundation for future agricultural applications, particularly in the context of climate change.

Achala Bannur

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 334

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE ROLE OF SPOIVFA IN INHIBITION OF BACILLUS SUBTILIS INTRAMEMBRANE PROTEASE SPOIVFB

Abstract: Intramembrane proteases (IPs) are proteins that are found within cell membranes and can cut other proteins located in the same membrane or near its surface. IPs play critical roles in various signalling pathways and protein degradation processes in different organisms. Each family has specific functions and targets in the cell. Metallo IPs, like SpoIVFB, activate transcription factors in all three domains of life (bacteria, archaea, and eukaryotes). They are involved in processes such as cholesterol homeostasis, stress responses, viral infection in mammals, chloroplast development in plants, and fungal virulence. For example, SpolVFB is crucial for the formation of endospores in bacteria like Bacillus subtilis. The inhibition mechanism of SpoIVFB by BofA and SpoIVFA is different from the regulation of other IPs. In this case, the second transmembrane segment of BofA occupies the active site of SpoIVFB, blocking access to its substrate, Pro-σK. This unique inhibition mechanism provides valuable insights for potential strategies to design therapeutic IP inhibitors that could have broad applications in various organisms. We made changes in SpoIVFA (F132C) and SpoIVFB (F66C) to test if we could see any disulfide crosslinking between them. However, we did not find evidence to support this hypothesis.Now, we are working toward confirming the model-based hypothesis that SpolVFB L130 are near SpoIVFB H29, using a disulfide cross-linking approach.We are also testing whether SpoIVFA S119, F115, A118 are near SpolVFB T27.
Adam Mansour

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 358

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: CHARACTERIZATION OF A LACTATE RACEMASE HOMOLOG OF CLOSTRIDIOIDES DIFFICILE

Abstract: Lactate racemase, LarA, is a nickel-dependent enzyme which catalyzes the interconversion of L- and D-lactate. Maintaining homeostasis of these isomers in the cell have implications for proper cell function and cell wall development. Recently, it was discovered that LarA is part of a 2-hydroxy acid racemase and epimerase superfamily. Over 12,000 LarA homologs were identified through in silico analysis of genomes of almost 4,000 species found in all three domains of life. Many of these widely distributed homologs are yet to be studied. One that is of interest is thelarA gene from the medically relevant microorganism,Clostridioides difficile. By sequence analysis, we hypothesize that the LarA homolog fromC. difficileis a lactate racemase. We have cloned thisC. difficilelarA homolog in a plasmid system to express and purify fromEscherichia coli with the aim to study its ability to racemize lactate. Studies include a solubility test to determine a condition that produces soluble recombinant protein, purification using an affinity column, and testing the lactate racemase activity using a commercial kit. The insight we gain from this study expands our understanding of the LarA superfamily and its role inC. difficile.

Ahmed Mohamed

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 337

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CRACKING THE SECRETS OF AN EGGSHELL

Abstract: Eggshells are a marvel of nature, strong enough to protect a developing embryo while still being delicate enough to allow hatching. Eggshells are mostly composed of calcium carbonate (CaCO3), which has a complex microstructure that balances strength, porosity, and flexibility. Scanning Electron Microscopy (SEM) is used in this study to analyze the fine characteristics of eggshells from a variety of bird species, paying special emphasis to fracture patterns, pore distribution, and crystal structure. This study investigates the functions that the cuticle, palisade, and mammillary layers-the three main layers-play in preserving the shell's general integrity and usefulness. This research attempts to offer a more profound comprehension of eggshell production and its connection to function through SEM imaging. Eggshells from quails, ducks, and chickens can be compared to determine variations in mechanical characteristics, thickness, and mineral density.

Alaina Pabbathi

Category: Biochemistry and Molecular Biology Presentation Type: Poster

Presentation Number: 345

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DEVELOPMENT OF AN E. COLI EXPRESSION LIBRARY FOR THE EXPRESSION AND PURIFICATION OF GIANT VIRUS PROTEINS

Abstract: As climate change leads to detrimental environmental effects, the risk of human exposure to previously frozen microbes drastically increases. One family of such microbes-Mimiviridae-are known as Giant Viruses (GVs), novel in that they have incredibly large genomes of over 1 mega-bps. Due to their recent discovery, little is known about their gene function. Samba Virus (SMBV) is part of the Mimiviridae family, and approximately half of its genome encodes for proteins of unknown function. SMBV is an icosahedral virus, meaning it has a 20-sided geometric shape and a special 5-fold vertex called the "stargate vertex." Previous methods have found that GV particles open at the stargate at low pH and release a membranous sac of proteins, simulating the structural transition of the events of early infection necessary for assembling the viral factory. To identify hypothetical protein functions, methods for expressing and producing large quantities of GV proteins must be established. Development of a library of E.coli strains with inducible expression vectors containing hypothetical SMBV genes is imperative for future characterization of SMBV proteins. The genes we are working with may be important for early infection mechanisms due to their release from the viral sac, and creating strains capable of expression will provide ample opportunities for characterization of these proteins and infection mechanisms. SMBV genes are PCR amplified, cloned into expression vectors (PEt24), and subsequently transformed into E. Coli strains optimized for protein expression (BL21). This SMBV protein expression library will provide the basis for future GV studies.

Alexander Boville

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 351

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ANALYZING THE LINK BETWEEN CAROTENOIDS AND BIODIVERSITY IN THE PREGNANCY GUT MICROBIOME

Abstract: Carotenoids such as alpha or beta-carotene are important antioxidants and precursors to vitamin A, which is important for vision, immune health, growth, and development. Individual variability of serum carotenoid concentrations has been shown to be associated with colonic mucosal bacteria. Our lab has observed a positive association between carotenoid consumption and gut microbiome alpha-diversity, however, the size of the test group was small. The purpose of this study is to determine how gut bacteria taxa diversity is associated with variability in alpha- and beta-carotenoids, and other carotenoid measurements such as Lycopene, Lutein, and Zeaxanthin. A diet intervention study (PEAPOD 2) was enacted, collecting diet survey data, providing a diet intervention, and collecting stool samples from the participants both pre- and post-intervention. gDNA was extracted from stool samples, and PCR was performed and pooled, and then sent for v4 16S rRNA gene sequencing analysis. Initial data analysis has shown overall increasing carotenoid levels. By determining the main carotenoids associated with microbiota alphadiversity, we can potentially change the carotenoids being ingested by a subject to influence the subject's gut microbiome alpha-diversity or predict how certain carotenoid intake may affect diversity.

Amro Turkistani

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 332

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ROLE OF CYANOGLOBULES IN STRESS RESPONSE OF SYNECHOCYSTIS

Abstract: Cyanobacteria are very useful for understanding stress tolerance in microorganisms. Recent studies have identified small lipid-containing structures in these cells, termed cyanoglobules, which appear analogous to plastoglobules in plant chloroplasts. Plastoglobules are known to store lipids and help mitigate stress in plants; however, the origins and functions of cyanoglobules in cyanobacteria remain largely unexplored. This research investigates the role of cyanoglobules in the stress response of Synechocystis. By applying techniques like electron microscopy, biochemical fractionation, and genetic transformation, we are examining the formation and composition of cyanoglobules under various stress conditions, such as restricted phosphorus and oxidative environments. Preliminary results indicate an increase in the number and size of cyanoglobules when the cells are stressed, suggesting these structures might play a role in sequestering lipids and protecting against reactive oxygen species. Understanding the role of cyanoglobules could reveal new insights into how cyanobacteria adapt to environmental stress. These findings may also have broader implications for improving stress tolerance in other photosynthetic organisms through bioengineering, and may expand evolutionary knowledge in biogenesis as cyanobacterium are one of the oldest life forms.

Andrew Lilly

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 342

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: IN SILICO ANTI-GD2 ANTIBODY ENGINEERING

Abstract: Neuroblastoma (NB), one of the most common solid tumors in children, has a 64% 5-year survival rate in high-risk patients. NB is a "cold" cancer, meaning it does not easily trigger an immune response. This leads to an increase in reliance on chemotherapy and radiation to treat NB. Recently, two antibody therapeutic options were made available. These treatments target GD2, a tumor-associated carbohydrate antigen (TACA), which is expressed on NB tumor cells. Unfortunately, GD2 is also expressed on healthy nerve cells in the peripheral nervous system. The off-tumor binding leads to severe side effects of treatment including neuropathy and spinal swelling. These effects can be avoided by targeting an acetylated variant of GD2 (OAcGD2), which is found exclusively on tumors. We hypothesize that in silico screening can identify antibodies that will selectively bind to OAcGD2. We will assess this hypothesis by using the anti-acetylated-GD2 library to computationally predict binding to OAcGD2 and GD2. This will allow us to employ docking analysis and machine learning to classify anti-OAcGD2 binding specificity. In finding OAcGD2-selective antibodies, we hope to identify possible treatments that will cause less pain to patients. Doing this research is important because it will help to discover new treatment options for neuroblastoma that come with fewer side effects. Ultimately, this research will identify alternative antibody therapeutics targeting OAcGD2 rather than GD2.

Ani Winkler

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 354

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ASSOCIATION BETWEEN MICROBIAL METABOLITES IN HUMAN LUNG LAVAGE FLUID AFTER TRANSPLANT AND THE DEVELOPMENT OF CHRONIC LUNG ALLOGRAFT DYSFUNCTION

Abstract: For many people with chronic lung disease, such as those with Cystic Fibrosis (CF) a lung transplant is necessary. Although lung transplantation provides improved short-term survival, one major long-term challenge is the development of Chronic Lung Allograft Dysfunction (CLAD). CLAD is a general term for the progressive loss of function of transplanted lungs over time and may be caused by several factors including immune rejection and bacterial infection. This study analyzed the metabolome and microbiome of 583 bronchoalveolar lavage fluid (BALF) samples from 178 subjects collected over four years. Some of these samples were collected shortly after lung transplantation and preceding the onset of CLAD. The metabolome was analyzed using a liquid chromatographytandem mass spectrometry (LC-MS/MS) method for untargeted metabolomics. Microbiome analysis was performed through Illumina sequencing of the 16S rRNA gene amplicons. Preliminary metabolomic analysis has indicated the presence of several metabolites derived fromPseudomonas aeruginosa, including quinolones, rhamnolipids, and pyochelin. However, different samples showed variation in the quantity of these metabolites. Interestingly, results from the BALF microbiome analysis revealedPseudomonasto be the fourth most abundant taxa. However, those samples containingP. aeruginosa also contained the virulence metabolites found in the microbiome. The most abundant taxa in the BALF microbiome included species in the Prevotellaceae, Streptococcaceae, and Veillonellaceae families, with Prevotella melaninogenica and Streptococcus being the dominating taxa. Future work with this data will aim to determine if there is an association between these microbial metabolites and the early onset of CLAD.

Bianca Miller

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 306

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: THE CHEMOTACTIC PROCESSES OF DICTYOSTELIUM DISCOIDEUM CELLS

Abstract: Dictyostelium Discoideum is a model organism for chemotaxis and intracellular signaling. Chemotaxis is known as the migration of cells towards a chemoattractant gradient. Aggregation in D. Discoideum cells depends on chemotaxis. Starved Dictyostelium Discoideum cells secrete waves of cAMP that signal neighboring cells to migrate towards each other eventually forming aggregates. Targeting this pathway could lead to improved cancer treatments. This organism is used in cancer research to study and manipulate the cAMP signaling pathway. This pathway can regulate the growth, migration, invasion, and metabolism of cancer cells. Two replicates of pure cells and two replicates of cells grown with the chemoattractant (non-mucoid Escherichia Coli) were cultured on lactose agar and left in an incubator at 25°C for two days. Samples were then taken from each replicate and placed under a microscope for observation. The slides were analyzed to determine the main structures present during each stage of the life cycle. The results showed that starved Dictyostelium cells move through their life cycle within forty-eight hours of starvation. The pure culture of Dictyostelium and the culture grown with Escherichia Coli developed the same way throughout the life cycle. Each replicate moved through the life cycle in the same way. The life cycle and chemotactic processes began when the cells were starved because they began to secrete cAMP, signaling the cells to form aggregates. Thisstudy was successful in showing that studying the signaling pathways in Dictyostelium Discoideum could be the first step to a new and more effective cancer treatment.

Brooke Lattner

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 355

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: OPTIMIZING CADHERIN PROTEIN PURIFICATION METHODOLOGIES FOR DOWNSTREAM APPLICATIONS IN NEUROLOGICAL DISEASE PATHWAYS

Abstract: Cadherins are an important class of transmembrane proteins that facilitate cellcell adhesion and the maintenance of planar cell polarity necessary for tissue morphogenesis during early development. A growing body of evidence suggests that cadherin dysfunction is implicated in many congenital and developmental diseases in humans, often leading to significant neurological defects. To elucidate the pathophysiology of these disease states for the future development of therapeutic agents, isolating and characterizing the functional proteins involved in each pathway is crucial. Protein purification procedures enable the selective isolation of target proteins such that their structure and behavior can be further studied. If the sample purity is poor, subsequent analysis of the target protein's mechanisms of action may be confounded by the activity of other species. Hence, the success of purification methods directly impacts the validity of future data from downstream biological assays. Recognizing the importance of protein purification methodologies to subsequent studies of protein character and potential therapeutic targets, this presentation outlines the steps involved in protein purification procedures. Our laboratory works with the atypical cadherin, Flamingo, which will be used as a sample protein to demonstrate the resulting sample purity achieved at each stage of the purification process.

Cole Staats

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 312

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: FRUCTOSE METABOLISM IN CAPACITATING MOUSE SPERM

Abstract: To meet the energy demands for capacitation, a process of maturation in which sperm acquire the ability to fertilize, sperm utilize glycolysis. Most somatic cells use glucose as the primary metabolite for glycolysis. Because semen has a higher concentration of fructose than glucose, sperm could utilize fructose instead of glucose as the main energy source. Fructose metabolism in sperm is not understood. To gain deeper insight into these functions, I am studying the impact of fructose on glycolytic enzyme activity. After screening hexokinase activity, there appears to be a negligible difference in activity between fructose and glucose, suggesting that the enzyme's activity is not substrate-dependent and not affected by capacitation. Following enzymatic assays of phosphofructokinase and lactate dehydrogenase, the enzymes were found to have a higher activity under capacitating conditions and were more active in the presence of fructose than glucose. This suggests that enzyme activity is potentiated by fructose, especially under capacitating conditions. In total, the results imply that there is an increase in key glycolytic enzyme activity in fructose compared to glucose, which may be a way sperm metabolize fructose more effectively than glucose. The insights found in this research can lead to improved infertility treatment and the development of non-hormonal male contraceptives.

Cooper Sackett

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 313

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: THE EFFECT OF HIGH SUGAR DIET ON FERTILITY AND ORGAN PLASTICITY IN DROSOPHILA

Abstract: Is there a connection between increases in human diabetes and obesity, and decreases in fertility? My research on Rbf2 explores a possible link between these phenomena, involving the insulin signaling pathway. Rbf2 is a retinoblastoma gene in Drosophila that has wide gene regulation abilities and appears to predominantly control socalled "housekeeping genes". However, in Rbf2 knockouts our lab has observed specific alterations in the ovaries coinciding with decreased fertility. This change to ovary structure parallels a well known phenomenon seen with flies fed on a high sugar diet, replicating human diabetes known as "flyabetes". In this condition, Drosophila ovaries are reduced in size and egg laying ability. Our lab has ventured to discover if Rbf2 and the observed phenotypic changes in ovaries are related. It is well known that a high sugar diet greatly alters how insulin signalling works and we hypothesize that this diet may affect Rbf2 expression in the ovaries. In addition, Rbf2 binds to the insulin receptor gene, and may impact how insulin signaling works by its control of the receptor's expression. Our research may reveal novel connections between Rbf2, insulin receptor expression, and effects of a high sugar diet on fertility. We are also hoping to use this research to shed light on transcriptional regulation of factors involved in downstream components of insulin signaling, which may be of importance for studies of human health.

Deagan Moore

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 318

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: FATTY ACID PROFILE QUANTIFICATION FOR ANALYSIS OF HIV ASSOCIATED NEURO-COGNITIVE DECLINE (HAND) IN UGANDAN CHILDREN

Abstract: HIV is an enveloped, RNA retrovirus that is transmitted sexually or congenitally. HIV has a tropism for cells of the immune system, such as macrophages, dendritic cells, and T-cells. The virus has a wide range of effects on those infected and requires intervention by anti-retroviral therapy (ART). Without treatment, the virus can cause cardiogenic, neurologic, immunologic, and musculoskeletal pathologies during its progression to AIDS (acquired immunodeficiency syndrome). HIV is also thought to contribute to neurocognitive decline, known as HIV-associated Neurocognitive Decline (HAND). Specific nutritional markers, such as fatty acid composition and Vitamin D, are believed to impact these viral comorbidities. This is due to their roles in antioxidation, immunomodulation, and cellular integrity. In this study, plasma and serum samples from a cohort of 8-23 year old Ugandan civilians who have HIV were analyzed. Fatty acids were extracted from respective biofluids using MTBE as the extraction solvent. Once extracted, the remaining lipid fraction was dried under nitrogen and prepared for methylation. Methylation was performed using MeOH and BF3 as a catalyst. This step was necessary to volatize the fatty acids for quantification. Once methylated, the fatty acids were placed into an GC vial and ran on a gas chromatograph (GC), equipped with an autoinjector (AOC-20i) and a flame ionization detector (FID). Peaks were identified and the data was manually integrated.

Desiree Tuohy

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 347

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: IMPACT OF DIETARY MAGNESIUM AND THIAMINE LEVELS ON OXIDATIVE AND CARBONYL STRESS MARKERS IN NEURAL AND RENAL TISSUE IN A PREDIABETIC STATE

Abstract: Background: Diabetes leads to complications such as neuropathy and nephropathy, both of which are associated with oxidative and carbonyl stress. Magnesium and thiamine (MGT) deficiencies may exacerbate these processes. This study investigates the effects of MGT deficiency and supplementation on stress marker gene expression in lean (C57BL/6J) and obese prediabetic (ob/ob) mice following an 8-week dietary intervention. Methods: C57BL/6J and ob/ob mice were initially fed a high-fat diet with normal MGT levels before being assigned to diets with low, normal, or high MGT content. After 8 weeks, kidney and brain tissues were collected for RNA extraction, cDNA synthesis, and qPCR analysis. Key oxidative and carbonyl stress markers were examined via qPCR, including RAGE (receptor for advanced glycation end-products) and Glo1 (glyoxalase 1). Results: Unexpectedly, C57BL/6J brain tissue showed increased RAGE and Glo1 expression with high MGT intake. In kidney tissue, RAGE expression was elevated in ob/ob mice on a low MGT diet. However, limitations such as primer unspecificity and the inability to induce a magnesiumdeficient state reduced statistical significance. Alternative primers were used to assess additional stress-related genes, but further validation is required. Conclusion: These findings suggest a potential effect of MGT on oxidative and carbonyl stress markers. However, future studies will need to refine primer specificity and ensure a magnesiumdeficient state to more accurately assess MGT's role in the progression of diabetic neuropathy and nephropathy.

Dibakar Roy

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 328

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: UNRAVELING THE CRYPTOCOCCUS NEOFORMANS CELL WALL THROUGH SOLID-STATE NMR SPECTROSCOPY

Abstract: Cryptococcus is the etiological agent of cryptococcosis, a systematic fungal infection with dissemination to the central nervous system causing meningoencephalitis. Understanding the cell wall structure, dynamics, and mechanisms of adaptations is essential for developing cell wall-targeted drugs to treat fatal fungal infections such as meningoencephalitis. The polysaccharide capsules anchored by the cell wall make Cryptococcus neoformans different from other fungal species and act as a virulence factor. This study aims to explore the polysaccharides in intact and living Cryptococcus neoformans fungal cells utilizing solid-state NMR spectroscopy. To this end, we used solid-state NMR (ssNMR) to identify the functionality of cell wall carbohydrates in wild-type Cryptococcus and Cryptococcus neoformans. It divulged a rigid core formed by β-1,6-glucan, β-1,3-glucan, chitin, and chitosan polymers, as well as β-1,6-glucan, and β-1,3-glucan in the mobile phase.

Emma Wilson

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 344

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: EXPRESSION OF MALONYL-COA-REDUCTASE IN SHEWANELLA ONEIDENSIS MR-1 AS A FIRST STEP TOWARDS A SYNTHETIC CARBON FIXATION PATHWAY

Abstract: Rising carbon dioxide (CO2) levels in Earth's atmosphere, driven by activities such as fossil fuel combustion, contribute to climate change. Therefore, this study aims to engineer bacteria to sequester CO2. The introduction of synthetic CO2 fixation pathways holds promise for assimilation of CO2 and conversion into useful biofuels and chemicals.One possibly useful CO2pathway is the 3-hydroxypropionate (3-HP) bicycle, which is found in some photosynthetic bacteria. The 3-HP bicycle requires Malonyl-CoA-Reductase (MCR), an enzyme that reduces malonyl-CoA to 3-hydroxypropionic acid. We aim to express MCR in Shewanella oneidensisMR-1as a step towards engineering synthetic carbon fixation pathways in this organism.S. oneidensisMR-1 is an electroactive bacterium due to its ability to exchange electrons with solid objects in the environment. This makes S. oneidensis an ideal candidate for microbial electrosynthesis, a process of driving desired reduction reactions through transfer of electrons from an electrode to the cell's electron transport pathway.We used molecular cloning to produce a plasmid containing an MCR gene from Erythrobacter dokdonensis and transferred it to S. oneidensis. We found that the expression of the MCR gene did not negatively impact growth of S. oneidensis, indicating that MCR activity was not toxic to the cells. Next, we will use high-performance liquid chromatography to monitor 3-hydroxyproionate levels to assess MCR activity. In the future, we plan to introduce additional enzymes to S. oneidensisto complete the 3-HP bicycle and eventually generate a strain capable of electricity-driven carbon dioxide fixation.

Helena Wing

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 353

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ENGINEERING ZYMOMONAS MOBILIS GENOME TO INTRODUCE MISSING TRICARBOXYLIC ACID (TCA) CYCLE ENZYMES

Abstract: Z. mobilis is an anaerobic bacterium capable of producing high levels of ethanol using sugars derived from lignocellulosic biomass. However, Z. mobilishas a unique genome and metabolism that is poorly understood. It has been discovered that Z. mobilishas a full aerobic electron transport chain (ETC); however, puzzlingly, its growth is hindered in aerobic conditions. One possible explanation for this is that oxidation of reducing equivalents by the ETC causes a redox imbalance in the cell, leading to acetaldehyde buildup. One reason for the acetaldehyde buildup is that Z. mobilisis incapable of further processing acetyl-coA because thegenome only encodes some TCA cycle enzymes, rather than all that are required for a fully functional cycle. This incomplete cycle suggests that reducing equivalent generation in Z. mobilisis reduced compared with organisms containing a fully functional TCA cycle. This may in turn reduce ATP generation by oxidative phosphorylation, possibly also leading to a reduction in aerobic growth. Therefore, we propose that engineering Z. mobilisto include the missing TCA cycle enzymes will increase oxidative phosphorylation, enabling increased growth in aerobic environments. The restoration of the TCA cycle could enhance its practicality for research. This adaptation would simplify experimental conditions, making the bacteria easier to handle and enabling more widespread and efficient study.

Hien Le

Category: Biochemistry and Molecular Biology Presentation Type: Poster Presentation Number: 303 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: DETERMINING THE RELATIONSHIP BETWEEN ALDO-KETO REDUCTASE AND

GLYPHOSATE METABOLISM IN HORSEWEEDS

Abstract: Glyphosate-resistant weeds employ different molecular mechanisms to prevent or lower the herbicide's effects. One mechanism these weeds use to accomplish this is metabolizing glyphosate weeds. This process occurs naturally in soil bacteria through the activity of C-P lyase, which produces phosphate and sarcosine from glyphosate. Until a few years ago, no plant enzyme was associated with glyphosate metabolism. Recent papers have identified Aldo-keto Reductase (AKR) found in plants to participate in glyphosate resistance by metabolizing glyphosate into AMPA and glyoxylate. This relationship has been identified in monocots, most notably in the barnyard grass (Echinochloa colona). No information on the relationship between AKR activity and glyphosate resistance in dicot weeds has been found. The study aims to investigate whether AKRs in horseweed - a dicot weed native to North and Central America - contribute to the known glyphosate resistance in the species. Based on computational models and RNAseq data, two out of nine AKRs in horseweed were found to be upregulated in the presence of glyphosate and predicted to bind to glyphosate. E. coli with horseweed AKR genes grew better in glyphosate compared to E. coli with an empty vector. The results provided supporting evidence for the correlation between horseweed AKR and glyphosate-resistant phenotype, and more experiments are needed to confirm the relationship.

Hunter Thomsen

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 316

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: BIOENERGETIC CHARACTERIZATION OF BRAIN MITOCHONDRIA FROM RATS.

Abstract: Previous research has established that moderate calcium overload impairs oxidative phosphorylation rates. However, the underlying mechanisms behind these observations are not fully known. Although the harmful effects of extreme calcium overload on mitochondrial function are well-documented, there is a notable gap in understanding how low to moderate levels of calcium impact mitochondrial activity. To address this gap, we are conducting studies using male and female Sprague Dawley rat isolated brain mitochondria. Additionally, we are determining differences in substrate preference and calcium tolerance between sexes. Mitochondria are isolated from the brain and maintained in an optimal experimental environment using specialized buffers designed to preserve their integrity and function. Our experiments involve exposing mitochondria to varying levels of calcium while using substrates such as pyruvate/malate, and succinate/rotenone to measure respiratory rates. By employing this approach, we aim to investigate not only the effects of low calcium levels but also the broader impact of moderate calcium overload on mitochondrial function.

Jackson Ruffner

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 327

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: CONFORMATIONAL NATURE OF THE INTRAMEMBRANE METALLOPROTEASE SPOIVFB ELUCIDATED THROUGH A DUAL CROSSLINKING APPROACH

Abstract: SpoIVFB is a intramembrane metalloprotease found in outer forespore membrane of Bacillus subtilis bacteria. SpoIVFB binds to and cleaves its substrate Pro-SigK into the transcription factor SigK which is then released into the cytoplasm of the mother cell, allowing for the transcription of endospore formation genes. This process is highly regulated through the formation of an inhibition complex of SpoIVFB and its inhibitory proteins, BofA and SpolVFA. BofA is the direct inhibitory protein of SpolVFB, with SpolVFA acting as a stabilizer of BofA within the complex. Although structural models exist to describe the native conformation of this complex, the exact structure by which this complex is expressed invivo, or the exact mechanism or mechanisms by which it operates, is still not fully understood. Through a series of photo-crosslinking and disulfide-crosslinking between the proteins of the complex, as well as analysis of current structural models, the results simultaneously validate the vastly different predictions of those structural models. This demonstrates evidence of SpoIVFB undergoing conformational change throughout the complex formation event, with the current structural models describing different stages of this event as opposed to distinct, definitive structures. Based on these results, a mechanism to explain how this conformational change in SpoIVFB is induced is proposed, upon which a potential mechanism of inhibition is then derived. These findings may provide insight into the regulation of other intramembrane metalloproteases, which may be a potential therapeutic target for the development and intervention of intramembrane metalloprotease inhibitors.

James Suggitt

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 331

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: GENERATING (+)-KAURENE DERIVED NOVEL DITERPENOIDS

Abstract: Terpenes, a large and diverse group of plant metabolites, are among the most valuable biomolecules globally, with widespread use in medicines, insecticides, and fragrances. Extensive research has focused on these specialized metabolites to understand their role in plant molecular physiology and harness their potential for industrial applications. Diterpenoids, a 20-carbon subclass of terpenoids, are important for a variety of plant physiological functions. Notably, plants use the ent-kaurene diterpene backbone in a highly conserved biosynthetic pathway, where sequential oxidations produce gibberellins, a potent family of plant hormones. Among this group, gibberellic acid is significant for its function as a growth hormone. The metabolism of gibberellins is tightly controlled, whereas stereochemically distinct gibberellin analogs may avoid the stringent metabolic regulation. Interestingly, an enzyme from Callicarpa americana was found to produce (+)-kaurene backbone, providing a natural starting material for developing semi-synthetic plant metabolites. A common modification of terpene carbon backbones is oxidation, typically catalyzed by a cytochrome P450 (CYP). In the gibberellin biosynthetic pathway, a CYP from the CYP701 family performs a series of oxidations on ent-kaurene to make ent-kaurenoic acid. A library of CYP701s has been generated from various plant species, including within the Annonae family, where a multiproduct CYP701 was identified. These enzymes may be capable of oxidizing the stereochemically distinct (+)-kaurene backbone, potentially leading to the production of novel diterpenoids and potential plant hormones. The biological activity of these newly generated compounds will be assessed using the split pea stem assay, benchmarked against gibberellic acid.

Jayadeep Yedla

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 321

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: MOLECULAR CLONING OF NANOLUC AND EGFP INTO CD63 EXPRESSION VECTORS VIA SLICE RECOMBINATION TECHNOLOGY

Abstract: Gene cloning is a fundamental technique in molecular biology, enabling the generation of specific DNA constructs to study gene expression, functions, regulations, and many versatile biological processes. Despite their significance, traditional cloning methods depend on expensive reagents, such as restriction enzymes, and DNA ligases which can be time-consuming and inefficient in their function. Seamless Ligation Cloning Extract (SLiCE) recombination technology has emerged as a powerful alternative that utilizes enzymatic components fromEscherichia colicell lysate to facilitate homologous recombination between vectors and insert DNA without additional ligation steps thus overcoming the limitations of the traditional methods. This project aims to evaluate the effectiveness of SLiCE recombination technology by cloning two target plasmids - pcS-NanoLuc-CD63 and pcs-eGFP-CD63 - which are valuable in extracellular vesicle (EV) labeling. The experimental overflow of the project will include creating the plasmids using PCR amplification of vector and insert, quantification of the amplicons, and SLiCE-mediated homologous recombination. The recombinant plasmids will be transformed into competentE. colicells, after which the integrity of the plasmids will be tested using colony PCR. MiniPrep will be performed to isolate the desired plasmids and sequenced using Sanger sequencing to assess the sequence fidelity. SLiCE efficiency will be verified by colony screening, and supported by the results derived from Sanger sequencing. Our results demonstrated that SLICE recombination successfully facilitated plasmid construction, establishing its potential as a cost-effective, time-saving, and reliable alternative to the traditional cloning method. Ultimately, this project contributes to understanding the benefits of homologous recombination-mediated cloning for future research.

Jesse Sandhu

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 338

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: MODULATING WAVELENGTH TO CONTROL ENERGY IMPARTED TO MOLECULES IN ULTRAFAST STRONG-FIELD IONIZATION.

Abstract: Quantifying the energy imparted onto molecules of study through femtosecond lasers has remained a challenge in strong-field studies, such as elucidating energy-specific dynamics in molecular fragmentation. Notably, at two different central wavelengths with the same field intensity, one observes vastly different mass spectra for large molecules, highlighting the complex wavelength dependence of energy deposition processes. The present study finds that by altering the wavelength of a femtosecond pulse, one can adjust how much energy is imparted into the molecule at a given intensity, and differentiate the different ionization regimes at various wavelengths. In addition, this study examines how ionization regimes change as a function of laser intensity. Experiments are carried out on methanol in a time-of-flight mass spectrometer. The results of this study provide a foundation for future research in time and energy resolved molecular dynamics.

Joe Yuan

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 357

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: COMPUTER-CALCULATED PEPTIDE-MODIFIED EVS FOR TARGETING CANCER CELLS

Abstract: Two experiments were conducted to test whether computer cauculated peptide bioluminescent peptide-conjugated extracellular vesicles (EVs) could attach to cancer cells and whether MTX peptide-conjugated EVs could successfully transfer MTX into cancer cells to induce cell death. The first experiment began with a known cancer cell-targeting peptide, uPAR, used as a positive control. A computer then generated 12 random peptide sequences based on uPAR. uPAR and the 12 randomized peptides were conjugated to EVs separately and then introduced to cancer cells for targeting. The targeting results were analyzed and fed back into the computer to generate 12 new uPAR-based randomized peptide sequences for a second round of experimentation. At the end of the second round, three peptides that exhibited the highest cancer cell-targeting efficiency and one peptide with the lowest efficiency were selected. For a negative control, MTX was loaded into EVs instead of the bioluminescent peptide. To ensure an equal MTX environment for comparison, EV-producing cells were cultured in an MTX-rich environment before cell scraping and filtering the EVs to assay for MTX concentration. Finally, an experiment was conducted with the following conditions: no treatment, MTX, uPAR-MTX-loaded EVs, and four other peptide-MTX-loaded EV samples. The results demonstrated that the newly generated peptide-conjugated, drugloaded EVs were more effective at killing cancer cells than uPAR peptide-conjugated drugloaded EVs. Furthermore, they also achieved higher cancer cell death rates compared to direct administration of an equivalent amount of free MTX.

Joel Adam Thuo

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 324

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: INTEGRATING BACTERIAL MICRO-COMPARTMENTS INTO PLANT SYSTEMS

Abstract: This project seeks to engineer bacterial micro-compartments (BMCs) within the stroma of Arabidopsis thaliana chloroplasts. BMCs, naturally occurring protein-based structures in bacteria, enhance enzymatic efficiency by enclosing metabolic pathways. Their introduction into plants presents promising applications in synthetic biology, including improved metabolic efficiency and high-value compound production. Over the past two years, I have gained hands-on experience in vacuum infiltration transformations of Arabidopsis, focusing primarily on the transformation stage. This project allows me to expand my expertise by incorporating genetic screening and protein analysis for thorough experimental validation. The transformation process involves introducing genetic constructs encoding three essential structural proteins of BMCs-trimer (Tri)-His, hexamer (Hex)-HA, and pentamer (Pent)-Streptll-designed to self-assemble into functional BMC shells within chloroplasts. Following transformation, I will perform PCR-based genetic screening to confirm successful construct integration by isolating and amplifying specific DNA sequences. Subsequently, Western blot analysis will be conducted to verify protein expression by detecting epitope tags linked to the Tri, Hex, and Pent proteins. These validation steps will establish a foundation for assessing functional BMC assembly and exploring potential applications in plant systems. By integrating molecular biology techniques such as PCR and Western blotting with my existing transformation skills, this project represents a significant step in my scientific development. The successful establishment of BMC-expressing Arabidopsis lines will contribute to advancements in synthetic biology and plant biotechnology, paving the way for future innovations.

Kieran Doran

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 314

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: CERIUM OXIDE NANOPARTICLE-MEDIATED MACROPHAGE POLARIZATION

Abstract: Cerium oxide nanoparticles (<5 nm) are multi-enzyme mimetic (peroxidase, superoxide dismutase, and catalase) and can remove reactive oxygen species (ROS) implicated in inflammation and cancer (Hirst et al. Small 2009, 5, 2848). Macrophages exhibit polarization into distinct functional phenotypes (M1/M2) influenced by their microenvironmental signals, including ROS (Covarrubias et al. Cell Res 2013, 23, 984). Albumin-nanoceria, ceria nanoparticles on an albumin base, have been shown to convert pro-inflammatory macrophages to anti-inflammatory and exhibit strong anti-inflammatory properties (Kalashnikova et al. Theranostics 2020, 10, 11863). Nonetheless, albumin is not easily uptaken by macrophages, limiting the effectiveness of albumin-nanoceria for immune-modulation. Alternatively, single-wall carbon nanotubes (SWCNT) have been shown to effectively target immune cells (Smith et al. Nat Nanotechnol. 2014, 9, 481). We aim to characterize the response of immune cells to SWCNT-nanoceria and assess the particles' immunomodulatory capabilities as compared to albumin-nanoceria. Albuminnanoceria is synthesized via in situ biomineralization with hydrogen peroxide. SWCNTnanoceria is prepared via a two-step synthesis, PEGylating the nanotubes and affixing cerium oxide nanoparticles to them. Transmission electron microscopy (TEM) confirms the characteristic morphology of the PEGylated SWCNT, while high-resolution TEM confirms the presence of highly crystalline cerium oxide nanoclusters in the albumin-nanoceria and SWCNT-nanoceria. Dynamic light scattering (DLS) is performed to determine the overall hydrodynamic size of particles. Differentiated and undifferentiated macrophages are treated with the immunomodulating nanoparticles, and the immune response is measured using flow cytometry. This data details the capabilities of SWCNT-nanoceria to polarize macrophage behavior, exemplifying the nanodrug's immunomodulatory capacity.

Lacy Remisoski

Category: Biochemistry and Molecular Biology Presentation Type: Poster Presentation Number: 352 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: THE EFFECTS OF PSEUDOMONAS AERUGINOSA SMALL MOLECULE VIRULENCE FACTOR PRODUCTION ON HUMAN AIRWAY EPITHELIAL CELLS

Abstract: Cystic Fibrosis (CF) is a genetic disease that results from a mutation in the cystic fibrosis transmembrane conductance regulator gene, lowering the effectiveness of chloride ion transport and resulting in a thick mucus. A common and dominant pathogen in many patients with CF is Pseudomonas aeruginosa, which thrives in the nutrient rich environment, is notorious for its production of small molecule virulence factors including rhamnolipids, phenazines, quinolones and siderophores. Previously, we found that P. aeruginosa supernatants containing these virulence factors can damage lung epithelial cells isolated from patients after lung transplant, but only in cells isolated from the lower airway. To investigate which metabolites produced by P. aeruginosacould be inducing such damage in the lower airways, we first investigated our thirty P. aeruginosa clinical isolates for virulence factor production and abundance. The isolates were grown in overnight cultures of brain heart infusion broth, imaged for pigment production and then liquid chromatography tandem-mass spectrometry data was collected to measure the relative abundance of these virulence metabolites. Across our collection of isolates, metabolite production varied, with some isolates producing large amounts of many commonly associated virulence factors, while some produced very few. This data will now be used to expand our lung epithelial cell experiments by treating these upper and lower airway cells with the supernatant of strains producing differential amounts of these molecules to better understand which are responsible for damaging the lower airways.

Leah Wilson

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 333

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: APPLICATION OF GOLD NANOPARTICLE-BASED BIOSENSOR FOR THE RAPID DETECTION OF THE HILA GENE IN SALMONELLA

Abstract: Annually, the United States witnesses a staggering 1.35 million cases of Salmonella infections, triggering 26,500 hospitalizations, and 420 deaths [1]. Largely associated with contaminated food, 23% of these cases can be traced back to poultry, underlining its significant contribution to the overall presence of Salmonella [2]. Current methods of detection involving a lengthy overnight culture and pre-enrichment are inefficient, substantially increasing operational costs and posing challenges for poultry storage. To overcome these constraints, nano-biosensors have emerged as an effective method for rapidly identifying foodborne pathogens. This study uses a gold nanoparticle (GNP)-based biosensor to detect the hilA gene, a critical indicator of Salmonella pathogenicity. Targeting hilA ensures specificity for pathogenic Salmonella detection and is readily detectable with modern laboratory techniques. It is hypothesized that the nanobiosensor could detect the presence of the hild gene through plasmonic/colorimetric detection. Salmonella cells from water and rinsate samples were concentrated using glycan-coated magnetic nanoparticles. Bacterial DNA was extracted through boiling and then combined with GNP's and hilA probe. The probe's specificity and sensitivity to hilA was evaluated across varying conditions. If successful, this method could provide a costeffective and rapid diagnostic tool for Salmonella detection in different sample matrices.

Leonardo Michelin Caetano

2 MITE ALLERGENS

Category: Biochemistry and Molecular Biology Presentation Type: Poster Presentation Number: 346 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: PRODUCTION, PURIFICATION, AND BIOCHEMICAL CHARACTERIZATION OF GROUP

Abstract: Throughout the year 2024, I was able to conduct research on Group 2 Allergens in the Chruszcz Lab, research which I was awarded the CNS Undergrad Research Support for Summer 2024. The purpose of the research was to structurally characterize Group 2 allergens, as well as study their binding of small molecules, which can give insight into how these allergens cause allergic responses and may lead to a better treatment. The research involved expression and purification of group 2 allergens, which were then plated for further analysis. The end goal was to find protein crystals so that their structure could be further analyzed. Nonetheless, throughout my time in the lab, we were not able to get crystals for any of the group 2s. That being said, the purpose of my presentation is to give scholars an overall insight of all aspects of the research - the motivation, methodology, and challenges. I plan to further elaborate on how we conducted protein expression and purification, besides showing how important it is that we keep researching group 2 allergens since they are responsible for very common health issues. Finally, elaborating on how challenging the experiment was, since these proteins are essentially hard to express.

Mackenzie Brasseur

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 335

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE CREATION OF A BINDING AFFINITY ASSAY TO CHARACTERIZE THE FUNCTION OF THE HAIRPIN RIBOZYME

Abstract: The hairpin ribozyme is an RNA enzyme found on the negative strand of the Tobacco Ringspot Virus satellite RNA (sTRSV). It consists of two distinct loops - Loop A and Loop B - that undergo structural rearrangements during the transition from inactive to active conformations. This ribozyme catalyzes both self-cleavage and self-ligation reactions of sTRSV RNA post-rolling circle replication. Formation of a tertiary interaction between the two RNA loops, known as docking, is obligatory for this catalysis. The Hoogstraten group uses NMR and computational techniques to identify dynamic regions and dynamically-sampled minor conformers of the RNA loops, some of which are hypothesized to be crucial for formation of the docked structure. We are currently looking for an efficient and reproducible assay to evaluate the binding affinity of this docked structure. We are looking into three different techniques: fluorescence polarization (FP), fluorescence resonance energy transfer (FRET), and surface plasmon resonance (SPR). FP uses a single fluorescent label to detect changes in molecular size, while FRET uses two fluorescent labels to detect shifts in molecular structure. SPR uses refractive index changes on a surface to analyze binding kinetics in real time. I will present data relating to the implementation of these assays, comparing the initial results, and evaluating various ribozyme constructs.

Mariana Aubele-Gonzalez

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 341

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: IDENTIFYING INTERACTION PARTNERS OF RPAA INVOLVED IN CYANOBACTERIAL REGULATION OF THE CARBOXYSOME.

Abstract: Carboxysomes are a type of bacterial microcompartment that are a core component of the carbon concentrating mechanism in cyanobacteria, and encapsulate the CO2 fixation enzyme, RubisCO. Carboxysomes are essential for cellular growth under ambient concentrations of CO2. Recently, our group has implicated RpaA, a protein previously characterized as important for circadian rhythm and central carbon metabolism regulation, as a potential regulator of carboxysome dynamics. RpaA's regulation of carboxysomes appears to involve a reactive oxygen species (ROS) or other redox intermediate. Towards understanding mechanisms of this regulation, we are evaluating potential novel interaction partners of RpaA. Of particular interest, the proteins CcmK2 (shell protein of carboxysome), TpxA (peroxiredoxin), KatG (catalase), and TrxA (thioredoxin) were recently identified via a proximity based interactome with RpaA. In this study, I will validate these candidates using the bacterial two hybrid system and utilize fluorescent reporters to evaluate the function of these proteins in cyanobacterial via microscopy.

Morgan Kopitz

Category: Biochemistry and Molecular Biology Presentation Type: Poster Presentation Number: 305 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: CRYSTALIZING THE FUTURE: A FUNDAMENTAL INVESTIGATION OF ELEMENTS

INVOLVED IN THE ISOTOPE HARVESTING PROGRAM

Abstract: This research project, supported by the Facility for Rare Isotope Beams (FRIB), focuses on the fundamental understanding of radioactive nuclei to advance human welfare. By focusing onf-block elements, we hope to advance the understanding of these elements so that they may be used in everyday life through advancements in energy and medicine.Fblock elements are similar in size, experience the same kind of bonding interactions, and have the same most stable oxidation state; therefore, their differences are minuscule. To investigate the slight bonding preferences of thesef-block elements, we used the technique of single crystal x-ray diffraction (scXRD), which allows us to probe how different elements interact under the same conditions with a thousandth of an angstrom resolution. The scXRD measures the exact atomic coordinates of where each atom is, allowing us to compare minute distances between atoms in a molecule. To further supplement these investigations, we used the Craic microspectrophotometer, which allows us to further analyze the electronic structure of these complexes and crystals by measuring the unique absorbance and emission spectra of these molecules. Using scXRD and the Craic microspectrophotometer allows us to develop effective separation techniques to analyze the differences in these elements and isotopes. By doing this we hope to learn how these elements can be better implemented to improve everyday life.

Murtaza Barkarar

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 326

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: INVESTIGATING THE ROLE OF PVT1 EXON 9 AND RSAD2 IN PD-L1 REGULATION AND NUCLEAR IMPORT IN NEUROENDOCRINE PROSTATE CANCER

Abstract: Neuroendocrine prostate cancer (NEPC) is an aggressive subtype of prostate cancer with limited treatment options. The Ogunwobi lab at Michigan State University has identified two NEPC pathways: (1) PVT1 exon 9 - independent overexpression of Radical S-Adenosyl Methionine Domain Containing 2 (RSAD2) and (2) PVT1 exon 9 - dependent overexpression of RSAD2. Our recent publication shows that PVT1 exon 9 overexpression correlates with increased interferon-gamma, a known regulator of Programmed Cell Death Ligand 1 (PD-L1), a key immune checkpoint protein. While PD-L1 inhibitors have shown efficacy in various cancers, their success in prostate cancer is limited due to its immunologically "cold" tumor microenvironment. However, recent studies suggest that a subset of NEPC patients expressing interferon-gamma may respond to Programmed Cell Death Protein 1 (PD-1) inhibitors, warranting further investigation. Our studies reveal that PD-L1 localization varies based on PVT1 exon 9 status. We hypothesize that nuclear PD-L1 localization is driven by importin family proteins, particularly Karyopherin Subunit Beta 1 (KPNB1), which is upregulated in PVT1 exon 9-overexpressing cells. Notably, KPNB1 directly binds PVT1 exon 9, suggesting its role in nuclear import regulation. Additionally, paracrine signalling of PVT1 exon 9 upregulates PD-L1, indicating an additional regulatory mechanism. Since nuclear PD-L1 impairs immune checkpoint blockade, we aim to inhibit this process by targeting key molecular interactions and restoring PD-L1 to its targetable localization. Using genetic approaches, our study seeks to improve patient stratification for immunotherapy and identify novel strategies to overcome immune resistance in this lethal disease.

Natalie Westrate

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 343

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: READING THE SIGNS: EXPLORING DEAF AND HARD OF HEARING CHEMISTS IN RESEARCH FIELDS

Abstract: The present research paper is an attempt to understand and explain roadblocks to deaf and hard of hearing chemists within research fields, as well as to propose relevant solutions. Articles and census information of deaf and hard of hearing (D/HH) adults in the United States between 2017 and 2024 were analyzed to determine outcome gaps in education and employment between hearing and D/HH adults. Across all levels of education, from High School Diploma/GED to PhD., J.D., or M.D., D/HH students are a smaller percentage of the student population than hearing students. D/HH adults make up about 3.6% of the United States Population, yet are underrepresented as a percentage in higher levels of academia and thus in research fields. Roadblocks may stem from American Sign Language (ASL), itself. Existing scientific vocabulary within ASL is not adequate to describe scientific processes across many scientific fields, and much of the existing vocabulary is not standardized amongst scientists. Relevant solutions could include standardization of ASL terms throughout sciences in higher and lower levels of education. This could make it easier for D/HH children to learn science concepts with their peers, potentially making careers in sciences more attainable. Communication in laboratory settings could also be streamlined this way, as it avoids spelling out long terms. Increasing the percentage of D/HH people who pursue chemistry will be dependent on improved communication of scientific ideas and standardized scientific vocabulary, starting at early levels of scientific education.

Nicholas Basista

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 315

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING LANGERHANS CELLS REPOPULATION AFTER WOUND REPAIR

Abstract: Langerhans cells (LCs) are tissue-resident immune cells in the skin epidermis that act as our first line of immunological defense. Their presence in the epidermis maintains tissue homeostasis by starting appropriate immunogenic and tolerogenic responses. However, it is unknown how LCs recover their population and re-establish their protective barrier in the epidermis after wound healing. To address this gap in knowledge, we followed the wound healing process through intravital microscopy and LC fluorescence mouse lines established in the Park Lab. During wound closure, we found that most of the existing LCs migrate towards the wound site. Soon after wound closure, we noticed that the density of LCs at the wound site increased dramatically. Immunostaining of proliferative markers (Ki67 and pH3) showed that only 4% of LCs at the wound site proliferate. To test for the contribution of LC progenitor cells, we imaged a dual-color LC mouse model where existing epidermal LCs are permanently labeled in yellow (after Tamoxifen injection) and arriving progenitorderived LCs only express green fluorescence. This revealed that LC progenitors contribute to LC repopulation by arriving and differentiating in the wound site two weeks after wound induction. Finally, we found that the LC density at the wound site slowly returned to homeostasis. Immunostaining for CC3 revealed a 2% apoptotic rate in LCs during the gradual decrease in LC density. Altogether, our findings reveal the mechanisms by which LCs recover the immune barrier after injury.

Sam Craig

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 311

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EXPLORING THE DYNAMIC METABOLOME OF SWITCHGRASS ROOT EXUDATES

Abstract: Switchgrass (Panicum virgatum L.), is a resilient North American grass, which thrives on marginal lands. Understanding the chemical composition of switchgrass root exudates can reveal their role in environmental resilience and inform strategies to optimize this important crop. Root exudates are critical plant traits that influence the rhizosphere by secreting metabolites, which interact with soil microbiomes and are shaped by various biotic and abiotic factors. These exudates recruit beneficial microbes, such as nitrogenfixing rhizobacteria, through signaling molecules, and they provide nutrients to support microbial growth. Specialized metabolites, further enhance plant immunity by warding off pathogens and pests. Therefore, in furthering the understanding of switchgrass root exudate, there comes the potential of better situational understanding and the hopes of application in the optimization of the plant for its various purposes. The root exudate was initially collected by passing nutrient solution the switchgrass roots hadgrown in, through C18 SPE cartridges. It was further processed and then the samples were run through LC-MS machines. To analyze the data the LC-MS spectra will be run through a gamut of metabolomics software. We found that based on applied conditions and observed developmental stages, there were many metabolic differences present in the root exudate.

Samantha Velasquez Rivertte

Category: Biochemistry and Molecular Biology Presentation Type: Poster Presentation Number: 336 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: STRUCTURE-GUIDED MUTAGENESIS STUDY OF LARC, NICKEL-INSERTING CYCLOMETALLASE

Abstract: The bacterial lactate racemase (Lar) pathway interconverts L-lactate and Dlactate, essential for cell wall integrity, metabolic flexibility, and adaptation to environmental lactate. The primary enzyme, LarA, directly catalyzes this racemization, while LarC, secondary enzyme, is crucial for bio synthesizing the nickel-pincer nucleotide (NPN) cofactor required for LarA's activity. However, LarC's precise mechanism in NPN cofactor biosynthesis remains poorly understood. In this study, we aimed to elucidate the functional roles of specific residues in LarC through structure-guided mutagenesis and biochemical characterization. Based on the previously solved cryo-EM structure of LarC, we identified residues potentially important for nickel binding and substrate (P2TMN) binding. We generated twenty mutant variants of LarC, targeting these residues. The impact of these mutations on LarC's function was assessed indirectly by measuring LarA activity, which depends on the NPN cofactor synthesized by LarC. Our results identified several residues essential for LarC's activity in NPN cofactor biosynthesis, providing insights into their potential roles in substrate binding, nickel insertion, or catalysis. These findings advance our understanding of the molecular mechanism underlying NPN cofactor formation and highlight key structural features of LarC that may be critical for its function. Our findings lay the groundwork for future structural and functional investigations of LarC and its role in nickel-pincer cofactor biosynthesis. Given the importance of lactate racemization in bacterial cell wall integrity, the knowledge gained from this study contributes to the development of novel antibiotics targeting bacterial lactate metabolism.
Seeun Sohn

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 322

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: COMPARING THE SURFACE MORPHOLOGIES OF SILK AND POLYESTER SATIN

Abstract: Due to its versatility and low cost, many crafters substitute polyester satin for real silk. Modern polyester satin looks nearly identical to silk to the untrained eye, but do their surface morphology also match? This project will use Scanning Electron Microscopy (SEM) to examine the surface morphologies of samples of 100 percent polyester satin and real silk. The resulting images will be compared to identify the similarities and differences.

Shawn Weng

Category: Biochemistry and Molecular Biology Presentation Type: Poster Presentation Number: 301 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: HETEROGENEITY IN AMINO ACID SEOU

Title: HETEROGENEITY IN AMINO ACID SEQUENCES OF HUMAN AND RAT NEUROLYSIN LEADS TO BIOMEDICALLY RELEVANT CONFORMATIONAL FLUCTUATIONS.

Abstract: Abstract: Deposition of cerebrotoxic polypeptides such as Neurotensin (NT), Bradikynin (BK) in the brain cells can result in brain ischemia i.e., stroke caused by blood flow restriction. Previous studies on ischemia reported that the protein Neurolysin (NLN) is upregulated after brain ischemia, leading to the eventual discovery that increased activity of NLN prior to stroke will result in efficient recovery in cells from brain stroke. It is understood that NLN cleaves deposited cerebrotoxic polypeptides (NT, BK etc.) responsible for brain stroke. Hence, a therapeutic goal has been to increase the activity of NLN by small molecule allosteric activators such as dipeptides or peptidomimetic compounds. These activators are hypothesized to enhance the activity of the protein by modifying the conformational ensemble of NLN. While extensive research of the activator driven enhancement has been carried out on rat NLN, human NLN has been seldom tested for direct therapeutics. This was primarily because of the higher stability of the rat variant of the protein along with ~90% conservation of amino acid sequences of the two variants. We performed molecular dynamics simulations that revealed the conformational ensembles of human and rat NLN are significantly different in apo state and in presence of the activators. We attempt to understand why the conformational differences between the two variants of NLN exist in the first place and how will it affect the transferability of the rat NLN-based activator developments in human NLN-based therapeutics. We also explain the if the difference in amino acid sequences between rat and human NLN is the underlying reason for this conformational differences.

Sofie Cannon

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 317

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: REGULATION OF SULFUR ASSIMILATION IN ARABIDOPSIS THALIANA

Abstract: Sulfur is an essential macronutrient for the growth of all organisms. In plants, inorganic forms of sulfur such as sulfate are obtained from the environment and subsequently converted to organic compounds such as cysteine and methionine. Although much is known about the metabolic pathways used for sulfur assimilation, the molecular mechanisms underlying the regulation of this process remain poorly understood. This study aims to bridge the knowledge gap by exploring potential regulatory mechanisms of sulfur assimilation. We hypothesize that a protein kinase called CDK (CYCLIN-DEPENDENT KINASE) is involved in the regulation of sulfur assimilation. To test this hypothesis, we studied the response of wild-type and cdk mutants of Arabidopsis thaliana growth under either sulfur-replete (+S) or S-deficient (-S) conditions. The results showed that cdk-1 mutant seedlings grow slower than wild-type under -S conditions, indicating that CDK plays a role in plant responses to sulfur deprivation. This conclusion was supported by the results of growth assays performed with a transgenic line expressing a kinase-defective form of CDK. Next, we performed RNA-sequencing to investigate the molecular mechanism by which CDK regulates responses to sulfur deficiency. The expression of a sulfur-deprivation marker gene, SULFATE TRANSPORTER 1;1 (SULTR1;1) was impaired in cdk-1, which was further confirmed by real-time quantitative reverse-transcription PCR. Our findings contribute to a deeper understanding of the molecular control of sulfur assimilation in plants.

Sophia Bonnema

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 302

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EXPLORING THE IMPACT OF PLANT CENTRAL METABOLISM ON APHID FITNESS

Abstract: Aphids are insects that feed on plant phloem, the transportation network that carries sugars, water, and other organic materials throughout the plant. Once they select their host plant, aphids use their specialized mouthparts to extract nutrients from the phloem. During this process, aphids secrete saliva into the plant, revealing their role as a potential pest to the plant. Relatively little research has been conducted on how aphid saliva, once introduced into the plant, influences plant physiology and metabolism. The extent to which aphid saliva benefits or harms the plant is important to be considered. Additionally, modifying critical pathways in the central metabolism of the plant could impact aphids' receptiveness to the plant as its host and food source. Central metabolism, which is a series of biochemical reactions that utilizes sugar or other materials to generate energy for the organism, is a fundamental process in all living things. By analyzing central carbon metabolites found in the plant post aphid-feeding as well as comparing aphid fecundity on the varying Arabidopsis thaliana mutants, this project focuses on investigating how modifications to key aspects of plant central metabolism affects the aphid-plant relationship.

Teagan Johnson

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 325

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: CELL VARIABILITY OF HUMAN STOMACH TISSUE IN GASTROPARESIS PATIENTS

Abstract: Gastroparesis is a disorder characterized by delayed gastric emptying. This means the muscles responsible for emptying the stomach have reduced or lost motility and food sits in the stomach for an abnormally long time. The ENS controls gastrointestinal motility, and although this pathology is caused by a disruption in enteric neurochemistry, the exact causes are unknown. Within the ENS, enteric glial cells play support roles through cell signaling and maintaining gastrointestinal homeostasis. Macrophages are immune cells and their presence is indicative of inflammation. Cellular changes in the ENS and immune system of individuals with gastroparesis are not well known. I hypothesize elevated levels of macrophages, enteric glia, and neurons are present in gastroparesis tissue compared to healthy tissue. Immunohistochemistry (IHC) cell labeling was used to label neurons, enteric glia, and macrophages within the human stomach tissue of healthy control samples compared to gastroparesis samples. With the collaboration of the Texas Tech University Health Sciences Center El Paso division of gastroenterology, the Gulbransen lab was sent human antral and pyloric stomach tissue samples. The enteric glial cells, neurons, and macrophages were each labeled with a primary antibody. S100? labelled glial cells; PGP9.5 labelled neurons; CD206 labelled macrophages. Then, three different fluorescently tagged secondary antibodies bound to their corresponding primary antibody. With these fluorescent tags, the cells were analyzed and imaged using fluorescence microscopy. These findings could indicate where healthy biochemical processes have been altered, and this could push other researchers in the right direction to formulate pharmacological therapies for gastroparesis.

Thomas Cline

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 304

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING THE LIPIDOME OF ARTIFICIALLY BLEACHED CORALS

Abstract: Coral reefs are fundamental ocean ecosystems threatened by climate change. Scleractinian corals are a symbiotic association of a Cnidarian host and symbiotic dinoflagellate algae and are the principal biological architect of reefs. Under heat stress, corals bleach, expelling their algal symbionts and turning white, threatening the organism's survival. Previous work has shown bleaching resistance is strongly correlated with the lipidome of the symbionts. However, how the associated lipids provide resistance to bleaching remains poorly understood. The astounding diversity of coral hosts further complicates this investigation. To combat this, our lab uses the model coral Galaxea fascicularis. This study aims to characterize the lipidome in both symbiotic and apo symbiotic states. We examined the lipid composition of bleached and non-bleached Galaxea fasciculariscorals hosting either Durusdiniumor Cladocopiumalgae in aquaria. Coral polyps were reared in artificial seawater with or without 0.38 mM menthol. Samples were collected byfragmenting polyps and freezing in liquid nitrogen. Lipid extractions were performed in 3:1 MTBE:methanol and dried with N2gas before reconstitution. Extracts were analyzed via mass spectroscopy. Resultant mass spectra were processed using MZmine 4. More than four times longer treatment was required to reach a visually bleached state in Durusdinium-hosting corals than in Cladocopium-hosting corals. This higher resilience to menthol treatment is consistent with Durusdinium-hosting coral's higher resistance to heat This consistency reflect a symbiotic stress. may stronger association betweenDurusdiniumalgae and coral. Further analysis of metabolomic data is being conducted to compare the molecular signatures of the two stressors.

Tiffany Rennells

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 323

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: TARGETED THERAPEUTIC DELIVERY TO PANCREATIC BETA CELLS USING SCAB1-ENGINEERED EXTRACELLULAR VESICLES

Abstract: Type 1 diabetes (T1D) is an autoimmune disease characterized by the destruction of insulin-producing pancreatic beta cells, resulting in chronic hyperglycemia. While conventional treatments such as insulin therapy manage symptoms they fail to address underlying beta cell loss or replicate natural glucose regulation, highlighting the need for targeted approach to support beta cell function. Extracellular vesicles (EVs) have emerged as a promising drug delivery platform due to their natural ability to transport bioactive molecules including proteins, lipids, and nucleic acids between cells. These nanoparticles can be engineered to express specific surface proteins, enhancing targeting precision while minimizing off-target effects and immune activation. This study explores the potential of beta cell-targeted therapy by engineering EVs to express SCAB1-c1c2, a modified surface protein combining a single-chain antibody fragment (SCAB1) for beta cell specificity with a c1c2 domain for membrane localization. The current research phase focuses on EV characterization using western blot and nanoparticle tracking analysis. By improving the specificity of drug delivery, SCAB1-engineered EVs could support beta cell function and potentially reduce insulin dependency in T1D patients. Given the critical need for innovative treatments beyond conventional approaches, this strategy could significantly advanced diabetes therapeutics.

Vaughn House

Category: Biochemistry and Molecular Biology

Presentation Type: Poster

Presentation Number: 308

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: MOLECULAR CLONING OF GFP SILENCING DNA SEQUENCE INTO MCHERRY PLASMID BACKBONE

Abstract: Gene cloning is a fundamental technique in molecular biology that enables the replication, sequencing, and manipulation of targeted DNA fragments for genetic research applications. Gene cloning along with SLiCE (Seamless Ligation Cloning Extract) recombination technology facilitates homologous recombination between the plasmid backbone and DNA insert, without the need for restriction digest or other enzymatic reactions. My project aims to construct a plasmid containing a DNA sequence that codes for shRNA that downregulates GFP (Green Fluorescent Protein). This process is achieved by amplifying a plasmid backbone using PCR (Polymerase Chain Reaction) and constructing a double-stranded DNA insert from two single-stranded antisense and sense DNA segments that are annealed together using a thermocycler. The primers used in amplifying the plasmid backbone add 15 base pair overhangs to add homology to facilitate SLiCE reaction with the gene of interest. The newly constructed plasmid will then be transformed into competent bacterial cells; growth would imply the successful transformation of plasmids with the ampicillin resistance gene present in the plasmid backbone. Colony PCR will be conducted to verify the presence and orientation of the insert gene. I will transfer the bacteria into LB broth with ampicillin to amplify the number of plasmids, then the plasmids will be isolated by MiniPrep. Sanger Sequencing will then verify the sequence of the constructed plasmid. The outcome of this project is the fully complete construct of the plasmid with the DNA insert included, verified by Sanger sequencing.

Business and Entrepreneurship

Bontle Letlhaka

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 401 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: GLOBAL SUSTAINABLE STOCK PORTFOLIOS FROM AN INVESTOR'S PERSPECTIVE

Abstract: Sustainability is an increasingly important aspect of our world. Yet many stock investors are unfamiliar with sustainable investments and, therefore, do not consider them a relevant alternative to traditional investments. Our goal is to compare sustainable investments to conventional investments and propose sustainable investment strategies. The research team uses B Lab certification as a sustainability benchmark. B Lab certification is obtained by companies that work rigorously to maintain high scores on the globally used environmental, social, and governance scale (ESG). B Lab certification is challenging to attain and maintain, so it has become a critical standard to identify sustainable investments. To show investors the potential results of sustainable stock investments, our research compares different sustainable investment methods and traditional alternatives such as the S&P 500. Our team also conducts event analyses to measure the effects of particular global events on the performance of sustainable portfolios. The research team is considering events such as statements made by Elon Musk on social media regarding sustainability. Lastly, the research team is interested in analyzing sustainable investments according to traditional portfolio management strategies, such as investing in small companies vs large companies, investing in domestic vs international, and per-industry investing. The research team hopes to share valuable knowledge about sustainable investment alternatives and propose potential investment strategies. The research team believes that these findings will potentially draw the attention of more investors to many overlooked investment opportunities.

Cassidy Greeff

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 414

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: CAN GLOBAL INVESTMENT IN SDG 6 AND 13 OUTPERFORM CONVENTIONAL ESG ETFS?

Abstract: The world faces escalating sustainability challenges that demand innovative solutions. Balancing the risk of investing in sustainable industries is crucial as environmentally degrading corporations continue to report strong financial returns. In response, with our international research team from the Norwegian School of Economics and Setsunan University, we crafted a sustainable stock investment portfolio emphasizing Sustainable Development Goal 6: Clean Water and Sanitation and SDG 13: Climate Action. The portfolio comprises a carefully selected group of companies actively engaged in water infrastructure projects and showing consistent financial growth. Chosen for their strong alignment with our SDG goals, these companies contribute significantly to sustainable water and climate management and are poised for future growth through innovative solutions. Our portfolio incorporates a range of low-to-high-risk domestic and international companies selected for their proven financial performance and deep commitment to sustainability. We rigorously evaluated each company's capacity to deliver robust financial returns and meaningful environmental impact based on current and predicted industry trends, utilizing a combination of financial analysis and key performance metrics such as reward-to-risk ratios. Through this comparative analysis, we aim to demonstrate whether sustainable global investments focused on SDG 6 and 13 can achieve superior market performance compared to conventional environmental, social, and governance (ESG) ETFs, thereby advancing critical efforts in water infrastructure and climate resilience. This research underscores the potential for impactful, sustainable growth by strategically investing in sectors poised to address the pressing global water scarcity challenges.

Christian-Roy Chemaly

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 413

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: SUSTAINABILITY AND STOCK INVESTMENT: A JAPAN PERSPECTIVE

Abstract: As climate change intensifies, Japanese stock market investors are increasingly drawn to companies that align themselves with the United Nations' Sustainable Development Goals (SDGs). This research explores a global portfolio of 15 companies, selected for their commitment to SDGs 2, 4, 6, 7, 10, and 13, and their investment potential based on risk-reward metrics. The project is part of a collaborative international effort involving students from Japan, Norway, and South Africa, providing a global perspective on sustainable investing. Over the course of a year, Stock Trak was used to monitor the portfolio's performance, allowing us to take on a comparative approach against trends in the Japanese stock market. We expect our results will highlight how environmentally sustainable companies perform relative to traditional Japanese market benchmarks, offering useful insights for Japanese investors seeking to not only balance profitability but also environmental responsibility. By examining the interactions between global market dynamics and sustainable investments, this research highlights strategies Japanese investors can use to identify sustainable opportunities in an increasingly connected world.

Dominique Bester

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 403 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: SUSTAINABILITY IN THE CRUISING INDUSTRY: INNOVATIONS IN AIR QUALITY, ENERGY

EFFICIENCY, AND WASTE MANAGEMENT

Abstract: As the cruise industry recovers from the financial downturn caused by the COVID-19 pandemic, sustainability has emerged as a critical factor in ensuring its long-term viability. This research explores how advancements in air quality, energy efficiency, and waste management are shaping the industry's future, driven by environmental concerns and stringent regulations. Analyzing industry data, sustainability reports, and technological innovations, this study highlights key developments in the cruise industry's environmental efforts. Significant investments in Exhaust Gas Cleaning Systems (EGCS), Liquefied Natural Gas (LNG) engines, and Selective Catalytic Reduction (SCR) technology have driven substantial reductions in emissions. Simultaneously, energy efficiency measures, such as friction-reducing hull coatings, LED lighting, and Onshore Power Supply (OPS) systems, are being implemented to cut fuel consumption and lower CO? emissions. Waste management strategies, including compliance with MARPOL standards and advanced freshwater production through reverse osmosis, further reinforce the industry's commitment to environmental responsibility. While these initiatives position cruise lines as leaders in ecoconscious tourism, challenges remain; high implementation costs and the retrofitting of older vessels continue to pose significant barriers to widespread adoption. Despite these hurdles, integrating sustainable technologies enhances investor confidence and aligns with global environmental goals. This study highlights the importance of ongoing innovation and regulatory collaboration to balance luxury travel with ecological preservation, ensuring the cruise industry's resilient and responsible future.

Gia Eichstädt

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 402 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: A SUSTAINABLE CHANGE IN PATIENT INVESTING

Abstract: The Sustainability Development Portfolio is a stock portfolio we've constructed to determine whether Sustainable investing can be profitable as a long-term investment comparatively to traditional index funds. In the past, investors would invest in companies they aligned with, believed in, or saw fit for their efforts towards a cause. For example, someone investing in Tesla in the early stages because they wanted to reduce carbon emissions. For patient investors, they want to invest money and allow it to compound over a long period of time without the worry of constantly checking its status. The current baseline for long term investments is the S & amp; P 500. The S & amp; P 500 is a mutual fund containing the top 500 companies in stock value growth, which inherently reduces the risk of investing. Instead of investing in one company, the option to invest in the best 500 ensures that one company struggling doesn't warrant a dive in market value for investors. I, and two other students from Norway and Japan formulated the Sustainability portfolio based on companies who actively support the 3 Sustainability Development goals: clean water and sanitation, climate action, and sustainable cities and communities. The Sustainability development portfolio's growth will be compared to the S & amp; P 500's over the course of a year. The results may allude to sustainable investing as the best option for patient investors or cement the S & amp; P as the top choice.

Jonathan Botha

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 412 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: A MODEL FOR STOCK INVESTMENT IN SUSTAINABILITY

Abstract: Our research aims to encourage stock market participants to contribute to sustainable advancement. With this goal in mind, we have tracked the progress of a selfcurated portfolio by making key financial data calculations to determine if investing in sustainable practices is a viable option, both financially and environmentally. To make this determination we have compared our portfolio to global market benchmarks. This question is the driving factor of our research and our mission to create a more sustainable future. Over a period of seven months, we have been tracking the progress of our stock portfolio. We have observed the market analytics of each company included prior to our investment and have researched the companies' backgrounds. This portfolio is primarily concerned with investing in companies who are actively making progress toward the Sustainable Development Goals (SDGs) set forth by the United Nations- primarily SDG six, two, and eleven. We have collaborated with the Norwegian School of Economics (NHH), Setsunan University (SU), and the University of Pretoria (UP) to aid us in our research. These schools provided a more global background to our portfolio and researched the environmental impact of each company. We hope that, regardless of the growth of our portfolio, we can present a practical and replicable model for sustainable investment which is able to encourage sustainable practices in the various industries which stock investors might affect.

Julia Egbert

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 424

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: BRIDGING THE GAP - TECHNICAL COMMUNICATION THROUGH VISUAL MEDIA FOR A SMALL BUSINESS

Abstract: My background in both the technical sciences and the visual media fields has allowed me to approach the problem of communication between scientists and the commercial public. Through the STEAM Ahead internship program, I have been able to work alongside a local technical startup company. This internship has allowed me to experience first-hand the difficulties of communication between two highly disparate fields. Over the past year, I have been working within OptiO2, a company which researches and manufactures instrumentation for environmental and clean water applications. I have worked one-on-one with the owner and CSO, a physics PhD at MSU, as well as the CEO, a well-versed business manager. Clear communication between the scientific community and the public has always been a major point of difficulty, regardless of the field of study, and it is critically important to be able to communicate ideas and their importance to the public, even more so for those pursuing funding for research on topics that are otherwise unheard of. The idea that visual learning leads to better understanding is not a new concept. The issue of communication between two fields, no matter how disparate, can be bridged via visual media created for the purpose of explaining specific ideas through videos, graphic design, and illustrations. I have created various visual media to communicate ideas between the scientific and business aspects of this company, including work on product sheets, illustrations, website design, organizational charts, and more.

Kathleen Moser

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 416 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous)

Title: FEDERAL CERTIFICATIONS & AMP; PERCEPTIONS OF BUSINESS OWNERS

Abstract: This study examines how businesses with a federal contract are perceived in terms of credibility, focusing on the interplay between the certification itself and the demography of the business owner. Specifically, we are interested in learning how business owner characteristics affect how individuals make sense of federal certifications. We focus particularly on 8(a) certifications, which are federal contracts provided to small business owners who are economically and socially disadvantaged. We hypothesize that business owners who obtain a federal certification may face challenges in establishing and maintaining their legitimacy due to stereotypes surrounding preferential contracting. By exploring individuals' perceptions of a business and its owner, the research aims to provide insights associated with diversity, equity, and inclusion in businesses. The findings contribute to a deeper understanding of how diverse identities influence individuals' evaluations and highlight implications for fostering inclusive business environments.

Laiqah Dinath

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 405

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: CAN YOU RETURN GREEN FOR YOUR FINANCIAL FUTURE AND ENVIRONMENTAL FUTURE SIMULTANEOUSLY?

Abstract: Sustainable investing isn't just about financial returns-it's about aligning investments with ethical, social, and environmental values. But does choosing sustainability mean sacrificing profit? For our UURAF project, we explored this question by tracking the performance of 10 companies committed to Sustainable Development Goals (SDGs) 6 and 12-ensuring clean water and sanitation for all, and promoting responsible consumption and production. Over four months, we analyzed whether these environmentally conscious investments could compete with the S&P 500. The results? Surprising! Can sustainability and strong financial returns coexist? Or does prioritizing the planet mean settling for slower, steadier gains? Our findings challenge conventional investment wisdom, shedding light on the risks, rewards, and realities of betting on a better future.

Lara Oosthuizen

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 422

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: IS SUSTAINABLE INVESTING THE FUTURE ON WALL STREET?

Abstract: What is the purpose of a stock investment? Traditionally, Wall Street investors make investment decisions to generate financial returns. However, as global priorities evolve, we observe a shift toward additional considerations to the environmental and social consequences of those returns. For example, sustainable stock investing emphasizes allocating capital to companies with strong sustainability initiatives. This research explores whether sustainable stock investing is an attractive alternative to investing strictly off investment returns. We constructed a portfolio of 14 companies demonstrating significant alignment with Sustainable Development Goals (SDGs) #6 (clean water and sanitation) and #7 (affordable and clean energy). These companies were chosen based on their commitment to these SDGs, one-year risk/return metrics, and average daily returns with the help of students from the United States, Japan, and Norway. The portfolio's performance is compared to the S&P 500 to evaluate its attractiveness. Although we anticipate that our portfolio may perform with untraditional returns, we expect to validate how sustainable investments have the potential to promote sustainability across industries. In a world where values are increasingly influencing financial decisions, is sustainable investing the future on Wall Street?

Marcia Gugulethu Khumalo

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 421

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: DIVERSIFICATION IN SUSTAINABLE STOCK INVESTING

Abstract: Diversification is instrumental in limiting the amount of unsystematic risk that a portfolio is taking on, especially in the event that a single industry or company underperforms. Our research investigates methods to diversify a sustainable stock portfolio and analyzes the impact of diversification on portfolio performance. Sustainable Development Goal (SDG) 6 strives for clean water and sanitation for all and provides the starting point for our sustainable stock investment portfolio. While the focus of this portfolio was originally on SDG 6, collaboration with Norwegian and Japanese researchers diversified our portfolio to include companies with core business functions that do not primarily support SDG 6. Other SDGsthat are represented in our portfolio are SDG 4 and 7 which are access to education and clean energy. Diversification in sustainable stock investing should be beneficial to overall performance when the companies in the portfolios represent various sustainable development goals compared to a portfolio with investments supporting one single aspect of sustainability. To demonstrate diversification in the portfolio we will measure the correlations of each company compared to one another and the correlation of the entire portfolio compared to a professionally managed SDG 6 focused mutual fund. We are expecting that our portfolio will outperform an SDG 6 focused benchmark because we invested in multiple SDGs.

Nesan Michael

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 411

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: PROFIT WITH PURPOSE: SUSTAINABLE AND ETHICAL INVESTING IN GLOBAL STOCK MARKETS

With Abstract: sustainabilitybecominga global concern, more investorsareseekingalternativesto traditional investment opportunities that maynot align with environmental or social values. Our research explores sustainable stock investing within the American and European financial markets. In collaboration with students fromSetsunan University and the Norwegian School of Economics, as part of an8-week-long Collaborative Online International Learning (COIL)program, we identified 16 companies that align with Sustainable Development Goals(SDGs), while demonstrating strong paststockperformance. Specifically, we focused on SDG #6 (Clean Water and Sanitation), #10 (Reduced Inequalities), and #12 (Responsible Consumption and Production).Weselectedcompanies that, based on these goals, promote equitable and sustainable resource management, ultimately advancing environmental justice and protection. These companies weretheninvested in a onemillion-dollar simulated stock portfolio, using StockTrak. To assessourportfolio's effectiveness, we evaluated each company's performance basedonfundamental investing metrics, such as return and risk.TheMSCI World Index(URTH)was used as a benchmark for performance comparison, sinceit is representative of traditional investment practices in the global stock market. This project aims to discoverwhetherinvestors canearnsatisfactoryreturns, while supporting global sustainable efforts. Our aim is to emphasize the importance of investing with a purpose and share valuable insights intosustainableand ethicalalternatives forstock investors.

Racaela Leitao

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 425 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: EXPLORING GLOBAL ACTIVE STOCK OWNERSHIP

Abstract: In collaboration with international partners from SU in Japan and NHH in Norway, we came to understand the concept of active ownership. Active owners use their position as a stockholder to influence investee companies to make decisions that can benefit either them or greater society. Where sustainable investment fails, as it supports large consumer corporations by nature, active ownership can be used to target a consumer company's flaws and sway them toward better practices. Over the course of this research project we gathered a portfolio of companies who are good candidates for reaching sustainability goals through active ownership.We chose to focus on SDG 6, 10, and 12 to create a diverse but focused range of issues to address with our investment choices. We looked into companies that either already directly worked in the field of sustainability, like energy companies, or consumer companies that were a good target for improving practices. To analyze the merit of active ownership, we compiled financial data from ten companies and laid out the risk and return demonstrated by each company. Risk refers to the likelihood of an investment to maintain stable returns, and cumulative returns ideally will show a steady upward trend. We chose the best companies financially and ideologically, being sure to invest globally to maintain international relevance. We expect that we will see steady and profitable returns from our investment portfolio, proving that active ownership investment can be rewarding while encouraging positive changes in sustainable development goals internationally.

Vutlharhi Mahatlani

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 404 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: FOSTERING SUSTAINABILITY BY DESIGNING A GLOBAL STOCK PORTFOLIO

Abstract: Sustainable stock investment plays a critical role in aligning financial markets with global sustainability goals. This research focuses on developing and analyzing a global stock portfolio composed of companies advancing Sustainable Development Goal (SDG) 6, which seeks to ensure clean water and sanitation for all. We built a global portfolio of 17 companies from the United States, Europe, and Japan, including 9 companies whose primary operations directly contribute to SDG 6, such as water treatment, distribution optimization, and hygiene solutions. The remaining 8 companies, spanning diverse industries like renewable energy and education, demonstrate significant secondary contributions to SDG 6. Through an eightweek Collaborative Online International Learning (COIL) program with researchers from Europe and Japan, our team identified and selected these companies based on their alignment with sustainability metrics. Using tools like Excel and StockTrak, we evaluate the portfolio's performance in terms of return and risk, focusing on metrics such as average daily return, risk percentages, and return/risk ratios. This approach ensures a comprehensive understanding of the financial implications of sustainable investing while addressing the complexity of incorporating global stocks. Our anticipated results suggest that a global sustainable portfolio can deliver competitive returns while mitigating risks compared to traditional domestic portfolios, highlighting the value of integrating sustainability into investment strategies. This research has the potential to underscore the importance of global collaboration in addressing worldwide challenges and demonstrates the importance of sustainable investing in fostering long-term environmental and economic resilience.

Yasr Sheik Alli

Category: Business and Entrepreneurship

Presentation Type: Oral - online

Presentation Number: 423

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: WHITE HOUSE, WALL STREET, SUSTAINABLE INVESTING

Abstract: Our research focuses on designing a sustainable investment portfolio and analyzing the impact of the 2024 U.S. Presidential Election on its performance, emphasizing the broader implications for sustainable investing. As climate change and environmental degradation pose urgent global threats, the pursuit of sustainable investments is increasingly critical. Political administrations play a pivotal role in shaping climate policies and corporate sustainability practices, making the intersection of sustainability, the stock market, and politics an essential area of study. This research was conducted in collaboration with peers from Norway, Japan, and South Africa. We examined the financial performance of historically sustainable companies and selected 15 firms aligned with UN Sustainable Development Goals (SDGs 8, 11, 14, 2, and 13). Our selections were refined through data analyses from our contributors in Norway and Japan, with additional insights from our peers in South Africa. Over the past year, we have been running event analyses around key political dates with the expectation that the recent volatility in the U.S. administration has affected sustainable investing. We hypothesize that these political dates have contributed to these fluctuations, highlighting the intricate relationship between political decisions and sustainable financial markets.

Zoë Taljaard

Category: Business and Entrepreneurship Presentation Type: Oral - online Presentation Number: 415 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous)

Title: SUSTAINABILITY CERTIFICATIONS, EXPECTATIONS, JAPAN

Abstract: This research focused on reviewing the adoption and application of sustainability certifications within publicly traded Japanese companies. These certifications are representative of multiple factors. Transparency, environmental sustainability, and corporate accountability are the three most represented factors when reviewing these certifications. Additionally, these certifications present information to the consumer that allows them to make more environmentally conscious decisions. These decisions become even more important as urgent climate change challenges impact people around the world. In an effort to curb the increasing impact of these challenges, companies around the globe have begun to adopt these labels. Due to the rigorous process of adopting these labels, these certifications stand as tangible evidence of environmental stewardship. In an effort to explore this practice, the researcher chose to conduct a systematic review of digital resources through targeted search prompts and utilizing artificial intelligence to find relevant information about the adoption and application of sustainability certifications. By integrating data from certification organizations, industry literature, and corporate reports, this study is able to determine whether Japanese companies are successful in corporate transparency, accountability, and sustainability. Notably, this researcher was granted an opportunity to visit Japan recently and was able to experience the country's culture as well as their corporate culture. Due to some of the insights the researcher gained in this visit, this study anticipates that the global public perception of Japan's sustainable practices might not align with reality.

Cell Biology, Genetics and Genomics

Aamir Hasan

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 507

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: SEX-SPECFIC DIFFERENCES IN PRUNE2 MEDIATES COLORECTAL CANCER (CRC) DRUG UPTAKE

Abstract: Colorectal Cancer (CRC) is the third most common cancer, accounting for approximately 10% of all cancer cases worldwide. Although it is curable if detected early, the risk of recurrence remains high, as does the potential for cancer drug resistance. In the past decade, numerous studies have demonstrated that males exhibit higher incidence and mortality rates of CRC compared to females. Sex-specific studies frequently focus on differences involving sex hormones and epigenetic mechanisms in tumor environments, which have been found to show differences in cancer drug uptake. CRC is driven by key genetic mutations and differences; thus, applying a sex bias study is critical for combating treatment challenges and CRC progression. Prune homolog 2 with BCH domain (PRUNE2) has been recognized as a regulator of morphogenesis, differentiation, motility, and apoptosis through its interaction with components of signaling networks. In the context of CRC, it is documented to influence apoptosis, differentiation, proliferation, and morphogenesis by suppressing Ras homolog family member A activity. This leads to decreased stress fiber formation and inhibition of oncogenic cellular transformation. PRUNE2 activity in CRC may play a role in the disease development, highlighting the need for further research to understand its function. In this study, we identify the differences in PRUNE2 expression in male and female CRC cells and characterize increased PRUNE2 levels with better patient outcomes and increased uptake of anti-cancer therapeutics. The results indicate PRUNE2 as a key molecular target for improving drug uptake in CRC. Its role as a biomarker may support its use in nanotherapy strategies.

Abigail Jager

Category: Cell Biology, Genetics and Genomics Presentation Type: Poster Presentation Number: 532

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EXPLORING ESTROGEN PRODUCTION AND ITS IMPACT ON MÜLLER CELL FUNCTION: IMPLICATION DIABETIC RETINOPATHY

Abstract: Background: Diabetic retinopathy (DR) is a major cause of blindness, affecting about 50% of diabetic patients. Although both men and women are impacted, the influence of sex hormones on DR development remains underexplored. Some studies suggest DR onset is delayed in women, with cases increasing rapidly after menopause. In men, the onset appears steady, and diagnosed cases equalize by age 65. This sudden rise in postmenopause DR has sparked interest in estrogen's role in DR development, but little is known about its function, especially in the diabetic retina. Müller cells, involved in DR progression, have not been studied in relation to estrogen. This study examines estrogen's potential effect on Müller cell function under normal and hyperglycemic conditions. Methods: Müller cells were cultured in 5mM and 25mM glucose, with or without β-Estradiol (10nM) for up to 96 hours. Aromatase expression was analyzed via immunohistochemistry, and estrogen levels were measured by Elisa assay. Müller cell function was assessed by measuring cell death. Results: Our data showed that Müller cells express aromatase, the enzyme responsible for estrogen production. Under high glucose conditions, estrogen levels increased from 675.6±85.2 pg/mL/mg protein (5mM glucose) to 1652.0±228.1 pg/mL/mg protein (25mM glucose) [n=6; p=0.0043]. Estrogen treatment significantly reduced high glucose-induced cell death, decreasing from 63.06±7.07% to 40.5±2.12% [n>5; p=0.05]. Conclusion: Our findings suggest Müller cells produce estrogen and that estrogen may protect against hyperglycemic damage, highlighting its potential role in DR.

Alexandra Grabowski

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 515

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: HYPOXIA AS ANCESTRAL NORMALCY: INVESTIGATING LOW-OXYGEN ENVIRONMENTS IN EARLY ANIMAL MODELS

Abstract: Oxygen availability has shaped the evolution of life, yet most cellular and developmental studies assume modern atmospheric oxygen levels (~21%) as the norm. However, there's a indicators the great oxidation event occurred in two phases, with cells developing at 5-10%. If we consider hypoxia as the ancestral baseline, how does it influence cell fate, development, and longevity? Using nematodes and organoids as models for early and simple animals, we explore how stem cells, particularly germline cells, respond to different oxygen environments. By culturing these systems under varying atmospheric conditions, we assess changes in stem cell maintenance, reproduction, and overall organismal fitness. Our approach would study nematodes over the course of their lifespans and dissecting them at the end to study how the germline has developed. This work provides insights into the role of low-oxygen environments in shaping early metazoan evolution and offers potential implications for cancer and astrobiology. Understanding hypoxia as a biological default rather than a stress condition may redefine how we study development and cellular adaptation.

Allison Voneida

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 516

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: WHEN AND WHERE IS WEEP EXPRESSED IN ARABIDOPSIS: AN INVESTIGATION INTO PLANT ARCHITECTURE

Abstract: WEEP is a highly conserved gene in plants that regulates growth trajectory of shoots and roots. Prunus persica (peach) trees with a deleterious mutation in WEEP have downward growing branches, suggesting thatWEEPpromotes upward shoot growth. Recent findings suggestWEEPregulates the distribution of auxin, a hormone involved in shoot and root orientation, but there is little known aboutWEEP'smechanism of action. To investigate this, we studied when and where this gene is expressed in shoot tissues in the model plantArabidopsis thaliana (arabidopsis). While arabidopsisweepmutants do not exhibit the downward branch phenotype, published transcriptome datasets suggestWEEP is expressed in arabidopsis shoots. Images of arabidopsis containing the luciferase reporter gene under the control of theWEEP promoter (promWEEP::LUC) were captured using the NightShade Plant Imaging System to identify where WEEP is expressed over the course of development. It was observed that expression is strongest in the shoot apical meristem, followed by the leaf petioles.We also investigated if WEEP expression is light dependent. Auxin homeostasis is sensitive to the light environment, and it has been previously observed that peachweepmutants exhibit upward branch growth in the dark. qPCR was used to quantifyWEEPexpression in shoot tips of arabidopsis collected over the course of three days of darkness, and after returning plants to light.

Alyssa McKenna

Category: Cell Biology, Genetics and Genomics Presentation Type: Poster Presentation Number: 536 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: INVESTIGATION OF VARIANTS IN CANDIDATE GENES IN PROTEIN-LOSING ENTEROPATHY IN BERNESE MOUNTAIN DOGS

Abstract: Dogs develop many of the same diseases as humans, including both single gene disorders as well as and complex diseases with significant genetic components. Protein-Losing Enteropathy (PLE) is one such condition affecting both humans and dogs. PLE is a gastrointestinal disease that is characterized by the loss of plasma proteins into the GI tract, resulting in severe malnutrition, which is hard to manage and can lead to many complications including edema, immune dysfunction. The frequency of certain diseases, including PLE, is higher in specific dog breeds. This study will focus on Bernese Mountain Dogs, aiming to investigate the allele frequencies of variants in various genetic loci in candidate genes identified through genetic sequencing of affected individuals. Using DNA extraction, whole genome sequencing, Sanger sequencing, and other methods such as TaqMan genotyping, I will genotype PLE affected and unaffected dogs. I will then compare variant allele frequencies between affected and unaffected dogs. I anticipate that the variant allele frequency will be significantly higher in affected dogs. Additionally, I will explore the functional significance of the loci and predict how the variants might affect gene function, contributing to a better understanding of the genetic basis of PLE in dogs, with potential implications for human health as well.

Andy Kuo

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 548

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: OBSERVING EVOLUTIONARY COLOR CHANGE IN POISON DART FROGS

Abstract: The Green and Black Poison Dart Frog (Dendrobates auratus) originates from Panama, but has been introduced in Hawaii. After observing the two populations for many years, these introduced populations now provide an interesting case study for potential evolutionary processes such as genetic drift and environmental influences on coloration. Color variation in D. auratus has an important impact on predator avoidance, as its bright body serves as a warning signs of toxicity. However, the underlying genetic and environmental factors contributing to this variation remain active research areas. Given the species' geographic spread and observed differences in pigmentation, D. auratus presents an ideal model for studying if evolutionary drift has occurred between the two populations. By analyzing spectral data using software tools such as RStudio, this study seeks to identify whether there are differences in color between the two populations of D. auratus due to selection pressures or environmental influences.

Anish Deshpande

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 547

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ABERRANT LUNG HISTOLOGY IN TBX4; TBX5 DEPLETED MOUSE LUNGS

Abstract: HumanTBX4 gene mutations result in TBX4 syndrome characterized by developmental lung disorder and pulmonary hypertension in neonates, children and adults. In mice TBX4 and its closely related homologue TBX5 are indispensable for limb and lung development. Conditional depletion of TBX4;TBX5 in mice significantly impairs lung development and results in failure to thrive. To determine postnatal functions of these genes we used a lung mesenchyme-specific enhancer driven Cre recombinase and ablated bothTbx4 & amp; Tbx5 (DKO mice). 85% DKO mice died within first week of birth and 15% made it to adulthood. To ascertain if adult DKO mice display signs of poor lung development and fibrosis we performed Masson's Trichrome histology on tissue sections using Weigert's Hematoxylin (purple, stains nucleus), Scarlet Acid Fuchsin (red, stains epithelium), and Aniline Blue (blue, stains collagen). We detected varying intensity of Aniline Blue around the bronchioles of control and DKO lungs suggesting non-uniform collagen levels around the different lung bronchioles. DKO lungs displayed dilated alveoli suggestive of poor lung development. Two unique histological features of the DKO lungs that were not observed in the control lungs were collagen build up in the pleura and condensed structures throughout the lung. We are currently evaluating the identity of these condensed structures and assessing the quality of blood vessels in the DKO lungs. Based on our results we propose that our DKO mice can be a good model for TBX4 syndrome and can help us study the function of TBX4 and TBX5 in mammalian lung development.

Ariadna Jurado Fernandez

Category: Cell Biology, Genetics and Genomics Presentation Type: Poster Presentation Number: 545 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: MODELING OF EARLY HUMAN CARDIAC DEVELOPMENT USING ADVANCED HEART ORGANOID TECHNOLOGY

Abstract: Cardiovascular diseases are the leading cause of morbidity and mortality globally, with congenital heart defects being the most common birth anomalies in humans. Neural Crest cells (NCCs), embryonic cells derived from the ectoderm, play a critical role in normal heart development. These cells migrate from the neural tube during early development to form and maintain key cardiac structures. However, abnormal NCC migration can lead to various cardiovascular disorders, and their complexity poses challenges for advancing treatments. Although animal models provide insights into heart development, their differences from human anatomy, physiology, and genetics limit their direct translation to human disease. We leveraged previously published human-based in vitro system: threedimensional, self-organizing human heart organoids (hHOs) derived from pluripotent stem cells. Then, we generated NCCs from human induced pluripotent stem cells (iPSCs) using a method that blocks TGF and GSK3, which is well established for NCC differentiation. This same iPSC line was also modified to express mCherry (fluorescent protein) in these cells using lentiviral transduction, which made it easy to track NCCs by their red fluorescence protein expression. NCCs were combined with hHOs to model cardiac NCC migration during early heart formation. Once integrated into hHOs, the mCherry-labeled NCCs migrate, express genes associated with cardiac NCC differentiation, and upregulate genes related to neuronal differentiation and axon development. We also revealed that NCC-derived neuritelike projections interact with cardiomyocytes in the hHOs. Overall, we created a humanrelevant in vitro model of NCC migration during early heart development as a crucial step of proper heart formation.

Benjamin Nketsiah

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 526

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: GENETIC SUSCEPTIBILITY TO TRIPLE-NEGATIVE BREAST CANCER AMONG WOMEN OF WEST AFRICAN ANCESTRY

Abstract: Triple-negative breast cancer (TNBC), a highly aggressive subtype of breast cancer lacking estrogen, progesterone, and HER2 receptors, disproportionately affects women of African ancestry. This study investigates the genetic susceptibility to TNBC among women of West African descent and its implications for targeted therapies. Using DNA extracted from 330 saliva samples and focus group discussions conducted at major Ghanaian teaching hospitals, we analyzed the prevalence of TNBC across diverse ancestry groups, including Ghanaian, African American, Ethiopian, and Western Ancestry populations.Our findings reveal that TNBC prevalence is significantly higher in Ghanaian (53.2%) and African American (29.8%) populations compared to Western Ancestry (15.5%) and Ethiopian (15.0%) groups, with even higher prevalence among younger patients (<50 years) in Ghanaian and African American cohorts. This disparity underscores the potential role of genetic factors linked to West African ancestry, as well as the influence of socioeconomic and healthcare access disparities. The study highlights the importance of early screening, expanded genetic testing, and culturally tailored awareness campaigns to address TNBC in at-risk populations. Future research aims to characterize genetic and immune profiles of breast cancer stem cells (BCSCs) to develop targeted treatments that address the unique needs of women of African ancestry.

Bianca Aharauka

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 524

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: DECIPHERING CELL-CELL COMMUNICATION: PREDICTIVE MODELING OF LIGAND-RECEPTOR INTERACTIONS IN BREAST CANCER AND LIVER DISEASE

Abstract: Cell-cell communication occurs through various signaling mechanisms, including autocrine (self-signaling) and paracrine (signaling to nearby cells). We will focus on using predictive models to analyze these interactions, considering both the types of communicating cells and their tissue microenvironments. These models will help uncover how different biological systems influence cellular behavior. Specifically, we will study these relationships in the context of breast cancer and liver disease. To achieve this, we will employ computational tools such as CellChat, NicheNet, and NICHES to identify and visualize ligand-receptor interactions that drive these disease processes.
Elizabeth Prenkocevic

Category: Cell Biology, Genetics and Genomics Presentation Type: Poster Presentation Number: 533 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: VAGINAL IMPEDANCE MEASUREMENTS AS AN INDICATOR OF ESTROUS CYCLE STAGES IN GUINEA PIGS

Abstract: Historically, preclinical research has been conducted on male animals. When sex is considered as a variable, the collected data may be influenced, as analyzing female subjects can be affected by hormonal fluctuations associated with the estrous cycle. This study investigates the use of vaginal impedance measurements to determine the estrous stage in nine female Dunkin Hartley guinea pigs ranging from 350-450 g. Vaginal impedance measures the resistance of the vaginal wall and has been validated in indicating proestrus in rats with impedance values3 k?. Vaginal cytology is considered the gold standard for tracking estrous cycles which we correlate to impedance. Vaginal impedance measurements were collected for three 16-day estrous cycles of guinea pigs (Crl:HA, n = 9) for a total collection of 27 full estrous cycles. Immediately following impedance measurement, cytology samples were collected by vaginal lavage using sterile saline and stained with Diff-Quik to be analyzed under light microscopy. Our results showed a significant increase in impedance during proestrus with values of 3 k? and a significant decrease in other stages, which is consistent with past research from other rodents. In a linear regression model, there was a significant relationship between impedance value and estrous cycle (P & lt; 0.05) with average impedance measurement at a higher value during proestrus as compared to the other estrous cycle stages. Understanding the stage of estrous during data collection will help elucidate any confounding influence hormonal variations during the estrous cycle may have on studies.

Elizabeth Widun

Category: Cell Biology, Genetics and Genomics **Presentation Type**: Poster

Presentation Number: 521

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: MAPPING THE ENTERIC NERVOUS SYSTEM IN THE SPECIALIZED LIGHT ORGAN OF EUPRYMNA SCOLOPES

Abstract: Colonization of the human gut microbiome has been shown to have direct impacts on neuronal development. Specifically, dysbiosis of the gut microbiome has been connected to neurological diseases such as Alzheimers and depression. Our lab employs the unique symbiotic relationship betweenEuprymna scolopes and its bacterial symbiontVibrio fischeri to begin exploring this complex dynamic. Preliminary RNASeq data our lab has done shows an upregulation of neuron-related genes in appendages during the first 18 hours of colonization of V. fischeri suggesting neurobiology is directly altered by colonization. We are now focusing on constructing a neuronal map within the enteric nervous system to better understand the exact methods in which neurobiology of the appendages are altered in response to bacterial colonization. To accomplish this, we have been testing various neural-related antibodies against neural specific markers such as elay, anti-neurofilament, and serotonin with immunocytochemistry (ICC) to locate neuronal markers in the hindgut and appendages. We have generated results showing various antibodies can stain high density areas of neurons as well as serotonin being able to stain with higher resolution specificity. We are currently testing other antibodies corresponding to other neural markers such as NeuN along with fine tuning conditions of various antibodies to contribute towards crafting a full neural network for our model for uncolonized and colonized squid.

Ella Morrow

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 506

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: CATCHING THE ELECTRIC FEEL: THE GENETIC BASIS OF ELECTRICAL TRANSDUCTION

Abstract: Electroreception, the ability to detect electric fields, is a remarkable sensory adaptation ancestral to vertebrates. This sense can play a vital role in communication, prey detection, and navigation. Electroreception was lost in the ancestor of Teleost fishes and was independently regained in two distantly related Teleost clades, exemplified by the Mormyroid electric fish of Africa and the Gymnotiform fish of South America. Despite its evolutionary significance, the genetic and molecular bases of sensory transduction in teleost electroreception remain poorly understood. Recent investigations in the MSU Electric Fish Lab have found strong expression of Piezo3 transcripts in the mormyroid electroreceptors, suggesting a potential role in electroreception. Piezo channels are mechanically activated ion channels that typically function in converting mechanical stimuli into electrical signals but have been shown to exhibit voltage sensitivity in teleosts. In this project, we investigated the transcriptomes of Brachyhypopomus gauderio, a South American Gymnotiform fish, to determine whether Piezo3 is also expressed in Gymnotiform electroreceptors. We utilized RNA sequencing to identify differentially expressed genes between electroreceptor rich and electroreceptor poor patches of skin. This research contributes to a better understanding of the molecular and genetic mechanisms underlying electroreception and its evolutionary history and will provide insight into whether independently evolved phenotypes depend on the same underlying genetic mechanisms.

Evelyn Gomez Recinos

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 522

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: DOWNREGULATION OF MHC-I IN CYTOKERATIN-POSITIVE REGIONS OF HPV+ HEAD AND NECK CANCER PATIENT SAMPLES

Abstract: Major histocompatibility complex class I (MHC-I) molecules are cell surface receptors expressed on almost all types of nucleated cells. Classical human MHC-I molecules are encoded by the human leukocyte antigens (HLAs): HLA-A, HLA-B, and HLA-C. These molecules are important for their role in the immune system, presenting foreign antigens to CD8+ T cells that result in tumor cell killing. MHC-I is downregulated in many cancers as a mechanism of cancer immune evasion. Our laboratory has shown that MHC-I is downregulated in human papillomavirus-positive (HPV+) cancer cells at the protein level. However, patient samples from the TCGA database have shown that HLA-A, B, and C mRNA levels are upregulated in tumor tissue compared to normal tissue. To determine the levels of MHC-I protein in patient samples, immunofluorescence was used to compare the level of MHC-I protein in HPV+ HNC tumors and normal tonsils. HPV+ HNC tumor and normal samples were stained with antibodies against MHC-I and cytokeratin, a marker for epithelial cells. The presence of squamous cell carcinoma was confirmed by staining the serial tumor sections with Hematoxylin and eosin (H&E). As HPV infects epithelial cells and HPV downregulates MHC-I, we hypothesize that MHC-I protein expression is downregulated in cytokeratin-positive compared to cytokeratin-negative regions in HPV+ HNC patient samples. Quantification of the MHC-I intensity in cytokeratin-positive regions showed that MHC-I protein levels were lower in the HPV+ HNC tumors compared to normal tonsil samples. These results suggest that the level of MHC-I protein is downregulated in HPV+ HNC tumor cells compared to the tumor stroma. The downregulation of MHC-I protein levels in cells infected with HPV highlights the crucial need to investigate the mechanism through which HPV downregulates MHC-I expression. Understanding this process is essential for assessing its impact on immune response and tumor cell elimination.

Gabriel Evola

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 531

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: SAGITTAL CREST SIZE RELATIVE TO TROPHIC LEVELS

Abstract: The sagittal crest is a ridge formed by bone that runs vertically down the midline of the skull. The temporalis muscle attaches to the sagittal crest and the lower jaw to aid in chewing in mammalian species. A larger sagittal crest relative to skull length correlates with a stronger bite force. We hypothesize mammalian bite force is related to evolved hunting strategy, where species that rely on biting to capture prey would have the strongest bite force, followed by species that use a combination of strategies to capture prey, whereas species that hunt in packs and attack vulnerable locations on prey would have a relatively weak bite force. To test this hypothesis, we examined skulls in the MSU museum collection including River Otters (Lontra canadensis), Fishers (Pekania pennanti), Bobcats (Lynx rufus), and Wolves (Canis lupus). We used an ANOVA with Tukey post hoc test to compare the sagittal crest to to skull size ratios between these four species. Fishers have the strongest bite force since they are solitary hunters and rely heavily on their teeth for said hunting, otters were ranked second due to their diet consisting of crustaceans and them relying on a hunting strategy that targets vital points, bobcat had the third highestbite force because they rely more on their claws to capture prey and they use ambush strategies to hunt, lastly wolves have the lowest bite force due to relying on accumulation of damage during hunting since they are pack hunters.

Gavyn Stout

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 514

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: USING GENE EDITING TO VISUALIZE RAD50'S ROLE IN DNA REPAIR

Abstract: Homologous recombination (HR) is a DNA repair mechanism in which errors often result in mutations seen in cancer cells. By using gene editing technologies, the interaction between DNA repairing protein complexes and DNA breaks can be observed. One of these is the MRN complex, including MRE-11, Rad50, and NBS-1. Crisper-Cas9 provides a method to attach a halo tag to proteins making them visible with the appropriate microscopes. By utilizing this technology, specially Rad50's role in HR can be observed.

George Boulos

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 542

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: MODELING ATRIAL FIBRILLATION USING HUMAN ORGANOIDS.

Abstract: Cardiac arrythmias are abnormal heart rhythms that can lead to palpitations, stroke, heart failure, and sudden cardiac arrest. Atrial fibrillation (AF) is the most prevalent cardiac arrythmia, where the atria fire in an irregular fashion. Recent studies have linked inflammation, particularly in cases of myocarditis, pericarditis, and sepsis, with new-onset AF. One of the known mechanisms of inflammation-induced AF discovered in animals is activation of the NLRP3 inflammasome, a protein complex that forms inside of atrial cardiomyocytes. While NLRP3 inflammasome activation has been observed in post-mortem human hearts with chronic and paroxysmal AF, it is unproven that NLRP3-activation in atrial cardiomyocytes causes AF in human hearts. In 2019, the Aguirre lab pioneered hHOs that functionally and cellularly resemble embryonic human hearts. More recently, the Aguirre lab developed a maturation protocol to advance the physiologic age of hHOs and generated human heart macrophage assembloids (hHMAs) to model the innate immune niche of the human heart. For this study, we administered known pro-inflammatory activators of the NLRP3 inflammasome, such as LPS, IFN-γ, and IL-1β, to induce AF in hHMAs. We hypothesized that activation of the NLRP3 inflammasome will induce AF in hHMAs. Utilizing RT-qPCR, confocal microscopy, FluoVolt live-cell imaging, and phase-contrast microscopy, we observed that NLRP3 inflammasome activation induces AF in a significant proportion of hHMAs, leading to irregular conductance patterns in atrial cardiomyocytes. This inflammation-AF hHMA model can revolutionize pharmacological development and enable efficient preclinical trials that will more closely mimic human AF.

Hannah Eggleton

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 543

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: THE ROOT OF THE MATTER: INVESTIGATING HOW CAMELINA SATIVA THRIVES IN DROUGHT

Abstract: Camelina sativa is an allohexaploid plant known for its resilience to drought and ability to thrive in marginal soils, making it a promising option for growth in water-limited areas. Although the traits that enable Camelina to withstand drought conditions are well documented, the specific genes and regulatory regions responsible for drought tolerance across various Camelina cultivars are still unknown. This study aims to identify the key genetic and regulatory factors that control drought tolerance in Camelina sativa. By gaining a better understanding of these factors, the research hopes to enhance the crop's resilience to drought, which poses an increasing challenge in agriculture. We tested a diverse set of Camelina cultivars under moderate and severe drought conditions and evaluated differential gene expression using RNA sequencing (RNA-seq) to identify genes that respond to drought. Additionally, we aimed to identify drought-responsive regulatory elements by analyzing the presence-absence variation of these elements among homeologs-genes that are encoded by different subgenomes in the polyploid species-and that display variation in their drought response. Finally, we assessed whether these regulatory elements are accessible for binding by examining their overlap with accessible chromatin regions identified through Assay for Transposase-Accessible Chromatin using sequencing (ATACseq) analysis.

Isabel Nunez-Regueiro

Category: Cell Biology, Genetics and Genomics Presentation Type: Poster Presentation Number: 535 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: EXTRACELLULAR VESICLE COMMUNICATION IN HUMAN HEART ORGANOIDS FOR

STUDYING CONGENITAL HEART DISEASE.

Abstract: Congenital heart defects (CHDs) affect nearly 1% of live births, making them the most common birth defect in humans. Human heart organoids (hHOs) provide a more accurate model of human heart development compared to traditional monolayer cultures or animal models. We use hHOs to study how extracellular vesicles (EVs) mediate cell-tocell communication during heart development. EVs are lipid-bound nanoparticles that transport bioactive molecules-such as DNA, RNA, and proteins-between cells, playing a crucial role in cellular signaling. Our research focuses on understanding the role of EVs in fetal heart development by analyzing their expression and content in hHOs. To achieve this, we isolate EVs at key stages of cardiac development using differential ultracentrifugation. We then characterize hHO-derived EVs by assessing classical EV markers and examining how their protein composition changes over time. Our findings highlight the dynamic nature of EVs in developing hHOs. Notably, MFGE8, a protein primarily derived from epicardial cells, emerges as a key player in EV-mediated communication. Early results indicate that hHOderived EVs are highly dynamic, evolving throughout development and carrying essential proteins that contribute to cardiac maturation. These findings provide valuable insights into the role of EVs in heart development and may have implications for understanding congenital heart defects.

Isabelle Ratcliffe

Category: Cell Biology, Genetics and Genomics **Presentation Type**: Poster

Presentation Number: 508

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: GENERATING A PREY LIBRARY TO DETECT APRA PROTEIN-PROTEIN INTERACTIONS

Abstract: My research project focuses on understanding bacterial pathogenesis through molecular biology techniques. This project aims to identify protein-protein interactions crucial for Mycobacterium tuberculosis (Mtb) survival and virulence. By mapping these interactions, I hope to better understand the functionality and purpose of the AprA protein. The aprA transcript is the most upregulated gene at acidic pH, although its function remains unknown. Since Mtb encounters acidic environments (pH 4.5-5.5) within host cells, understanding how Mtb adapts to acidic pH could provide insights into its pathogenicity. AprA is believed to interact with other proteins due to its lack of a known catalytic function and its highly charged nature. To investigate AprA's role, I am using bacterial two-hybrid (BACTH) screening to identify potential interacting partners. So far, I have prepared miniprep plasmids containing prey and bait vectors, sonicated and sheared the Mtb genome, and Gibson-cloned the aprA gene into the bait plasmid. The bait plasmid has been electroporated into E. coli electrocompetent cells, and resulting colonies have been grown, with plasmids isolated and sequenced. My next step is to construct the prey library by electroporating the genomic fragments into electrocompetent cells containing the bait constructs. Screening for positive interactions using blue-white selection will follow. This ongoing work will help uncover AprA's interaction network and its contribution to Mtb's stress response and virulence under hostile intracellular conditions.

Jayadeep Yedla

Category: Cell Biology, Genetics and Genomics

Presentation Type: Oral - online

Presentation Number: 553

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: MOLECULAR CLONING OF NANOLUC AND EGFP INTO CD63 EXPRESSION VECTORS VIA SLICE RECOMBINATION TECHNOLOGY

Abstract: Gene cloning is a fundamental technique in molecular biology, enabling the generation of specific DNA constructs to study gene expression, functions, regulations, and many versatile biological processes. Despite their significance, traditional cloning methods depend on expensive reagents, such as restriction enzymes, and DNA ligases which can be time-consuming and inefficient in their function. Seamless Ligation Cloning Extract (SLiCE) recombination technology has emerged as a powerful alternative that utilizes enzymatic components fromEscherichia colicell lysate to facilitate homologous recombination between vectors and insert DNA without additional ligation steps thus overcoming the limitations of the traditional methods. This project aims to evaluate the effectiveness of SLiCE recombination technology by cloning two target plasmids - pcS-NanoLuc-CD63 and pcs-eGFP-CD63 - which are valuable in extracellular vesicle (EV) labeling. The experimental overflow of the project will include creating the plasmids using PCR amplification of vector and insert, quantification of the amplicons, and SLiCE-mediated homologous recombination. The recombinant plasmids will be transformed into competentE. colicells, after which the integrity of the plasmids will be tested using colony PCR. MiniPrep will be performed to isolate the desired plasmids and sequenced using Sanger sequencing to assess the sequence fidelity. SLiCE efficiency will be verified by colony screening, and supported by the results derived from Sanger sequencing. Our results demonstrated that SLICE recombination successfully facilitated plasmid construction, establishing its potential as a cost-effective, time-saving, and reliable alternative to the traditional cloning method. Ultimately, this project contributes to understanding the benefits of homologous recombination-mediated cloning for future research.

Jillian Lynch

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 525

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: DATA ANALYSIS OF PEDIATRIC PATIENTS WITH TRAUMATIC BRAIN INJURIES

Abstract: Causes and outcomes of pediatric traumatic brain injuries (TBI), a leading cause of death and disability in children, are unique to each patient. Current diagnostic methods are limited to patient observation and are thus unable to address the hyper individual injury occurring beneath the surface. In a longitudinal study conducted at Helen Devos Children's Hospital, the dynamic immune response to TBI was collected at three times post-injury and showed patterns in the antibodies distinct from control samples. We hypothesize that this strong immune response to TBI provides a better way to identify and diagnose TBI. We will asses this hypothesis by performing deep sequence sequence analysis to identify enriched antibody sequence motifs and unique antibody signatures in the TBI immune response. These data will then be used to train machine learning models to predict traumatic brain injury diagnosis. Thus far, data analysis has shown up in six different antibody sequence motifs in the TBI immune response. Moving forward, we will continue to analyze the clinical immune response data to find unique antibody signatures in pediatric patients. Ultimately, this research will make use of the distinct immune response to TBI to progress towards a bedside tool to aid TBI diagnosis, leading to better patient care and improved outcomes.

Johanna Hong

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 538

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CHARACTERIZATION OF NUCLEAR DEVELOPMENT IN EARLY ZEBRAFISH EMBRYOS: FROM MII OOCYTES TO THE 16-CELL STAGE

Abstract: Zebrafish (Danio rerio) serve as an excellent biological model for studying embryonic development due to their rapid cell division and transparency. This study aims to characterize nuclear development from the MII oocyte stage to the 16-cell stage, providing mechanistic insights which could improve somatic cell nuclear transfer (SCNT) research. Using in vitro fertilization (IVF), eggs will be collected and fixed in 4% paraformaldehyde with 4% acetic acid in DPBS (Sigma D8537). Live imaging will capture nuclear morphology before fixation, followed by Prolong-DAPI staining for DNA visualization. A subset of embryos will be stained with Phalloidin to visualize F-actin alongside DNA. This approach will provide insight into the timing and structural organization of nuclei during the early stages of zebrafish embryogenesis. Overall, this study will contribute to a deeper understanding of nuclear reprogramming and early embryonic development.

Jonathan Dziwanowski

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 504

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: PROMISING NATURAL TUMOR SUPPRESSION BY ANTIOXIDANT TREATMENTS

Abstract: Oxidative stress is recognized as a factor in oncogenesis. This research investigated the relationship between antioxidant supplements such as black seed oil and the prevention of cancerous tumor growth. Data was extracted from peer-reviewed studies of in vivo tumor growth in mice, with black seed oil administered orally or intraperitoneally. Findings demonstrated a significant reduction in tumor growth in experimental groups. Gaps in literature indicate a possibility of tumor reduction from starting size, a shrinking. The mechanisms of oxidative stress management in the extracellular environment as well as apoptosis modulation are discussed. Statistical methods from STT 231 used include Cohen's effect size calculations to establish antioxidant interventions as worthy, and p testing to confirm statistically significant differences in tumor sizes. By presenting this work we hope to demonstrate the promise of antioxidant medicine in the fight for cancer prevention and cures, and educate the public on the mechanism of oxidative stress and how to mitigate it.

Laasya Koduri

Category: Cell Biology, Genetics and Genomics

Presentation Type: Oral - online

Presentation Number: 552

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: DECODING LUNG DEVELOPMENT: HOW TBX4 AND TBX5 AFFECT BRANCHING ARCHITECTURE

Abstract: Researched branching defects in our TBX-deficient mouse model that provided a valuable tool for studying TBX4 syndrome and other lung disorders, helping us better understand how these conditions develop.

Lily Gorman

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 502

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: SEX DETERMINATION AND SEXUAL DIFFERENTIATION IN SEA LAMPREY

Abstract: Sea lamprey isan invasive species in the Laurentian Great Lakes. Great Lakes Fishery Commission has worked with agencies from the US and Canada to control this species using "lampricides" (pesticides for sea lamprey) and other trapping methods. However, there is a concern that sea lamprey may evolve lampricide resistance over time andreduce the control efficiency. TheLi laboratories lwork at are investigating alternative control methods using pheromones or genome editing. The mechanisms of sex determination and sexual differentiation in sea lamprey are largely unknown. One of the main goals of Li Lab is to uncover genes that determine the sex, sexual differentiation, and gametogenesis. I used different techniques to assist with the goals of the lab. To investigate differential gene expressions between sexes, I used immunohistochemistry staining on sea lamprey gonadal tissues in various sexual developmental stages. We compared germ cell specific genes such as Nanos1 and Piwil1, and genes involved in sexual differentiation such as AMHR2, Sox9, and Wnt4. In addition, I oversaw daily microscopic imaging of CRISPR gene-edited embryos to observe their development. Larval samples from the CRISPR experiments were collected 30 and 60 days after fertilization, and I extracted their DNA, RNA, and protein for analysis. I ran PCR to amplify gene segments from the CRISPR experiments and used gel electrophoresis to check the PCR products. I then purified the PCR products for Sanger sequencing. From these analyses, we determined potential gene markers important for sexual differentiation and the results were then used to determine follow-up experiments for the following summer.

Logan Sheard

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 505

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DIFFERENTIATION OF EPITHELIAL CELLS AND K17 EXPRESSION LEVELS

Abstract: The goal of this research project is to successfully differentiate epithelial cells through different concentrations of calcium chloride. Differentiation will be confirmed via western blot analysis. Once an effective method is found, the cells will be split into two groups. There will be one group of cells which will remain undifferentiated and another group of cells that will be differentiated. Within each group there will be cells that are infected with papillomavirus and cells which are not infected. The aim of the project is to measure the different levels of Keratin 17 (K17) expression across the different cell groups. Western blot analysis will be performed to quantify K17 expression.

Nayeema Siraj

Category: Cell Biology, Genetics and Genomics

Presentation Type: Oral - online

Presentation Number: 554

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ENGINEERING EXTRACELLULAR VESICLE SURFACE TO DISPLAY SCA B1 ANTIBODY FOR TARGETING PANCREATIC BETA CELLS

Abstract: Extracellular vesicles (EVs) are membrane-bound vesicles that facilitate intercellular communication by transporting bioactive molecules such as nucleic acids, proteins, and lipids. Due to their ability to mediate cargo exchange, EVs have emerged as a promising therapeutic tool for targeted drug delivery. By engineering their surface proteins, EVs can selectively bind to specific cells or organs and deliver therapeutic molecules with precision. Type 1 diabetes is an autoimmune disease in which the immune system destroys pancreatic beta cells, leading to insulin deficiency and lifelong dependence on external insulin therapy. Recent advancements in EV-mediated drug delivery offer a novel approach for targeting beta cells with therapeutic molecules. Our research focuses on engineering EVs with a surface protein that enables selective binding to pancreatic beta cells for targeted therapeutic delivery. We utilize the single-chain variable fragment (scFv) antibody SCA B1, known for its high affinity to beta cells, linked to the EV-binding domain of lactadherin (C1C2). To validate our approach, we will characterize SCAB1-C1C2 EVs through western blotting and nanoparticle tracking analysis and assess their binding affinity in co-culture assays using NIT-1 mouse pancreatic β-cells and 4T1mouse mammary carcinoma cells. If SCAB-C1C2 EV's are able to specifically bind to pancreatic beta cells, they can be loaded with therapeutic cargo to facilitate targeted delivery aimed at restoring beta cell function. Through this study, we seek to explore the potential of engineered EV's in beta cell regeneration and create a targeted drug delivery platform to offer a promising treatment for Type 1 diabetes.

Nicholas Feys

Category: Cell Biology, Genetics and Genomics Presentation Type: Poster Presentation Number: 546 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: CHARACTERIZING EPIGENETIC MODIFICATIONS AT THE HISTONE 3 LYS 9 SITE IN ZEBRAFISH CELL CULTURE AND 24-HPF WHOLE EMBRYOS

Abstract: Somatic cell nuclear transfer (SCNT) refers to the process of transferring a donor nucleus of a somatic cell into an enucleated recipient egg cell to generate a clone. However, this process is still largely inefficient partly due to epigenetic barriers that need to be overcome. Epigenetic modifications on histones, like methylations and acetylations are key transcriptional regulators. Modifications to histone H3 Lysine 9 (H3K9) are of particular importance due to its role in regulating chromatin structure, epigenetic memory, and the overall stability of the genome. Acetylation of H3K9 is commonly associated with transcriptionally accessible DNA, while methylation of H3K9 is generally associated with gene repression or silencing. In this experiment, the aim was to characterize H3K9 methylation and acetylation throughout an entire 24-hours post fertilization (24-hpf) zebrafish embryo and in zebrafish (ZF) cell culture. Immunofluorescence was utilized to observe methylation and acetylation marks in the ZF cell culture and 24-hpf embryos. Fluorescent signals were then quantified using ImageJ software. Results provided key insights into physiologically relevant methylation marks and differential methylation patterns in the 24-hpf embryos, ideal donor nuclei can be derived. This study also offers a future direction in the testing of compounds such as methyltransferase inhibitors and deacetylase inhibitors to aid in "reprogramming" the cell and generating ideal donor nuclei.

Nihal Bandla

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 518

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING THE ROLE OF ATG13 AND ATG101 INTERACTION IN AUTOPHAGOSOME FORMATION

Abstract: Autophagy is a crucial cellular process that regulates protein and organelle turnover, with significant implications for cancer progression and therapy. The ATG9-13-101 complex serves as a key scaffold in autophagosome biogenesis, yet its structural interactions remain incompletely understood. In this study, we investigate the roles of ATG13 and ATG101 in autophagosome formation by analyzing their interactions and structural contributions to the autophagy machinery. Using CRISPR-Cas9, we introduced a HaloTag at the C-terminus of ATG101 and confirmed its functionality. Additionally, we employed a mutation in the seatbelt domain of ATG13 to prevent its binding with ATG101. Live-cell imaging with fluorescent tags was then used to study the kinetics of protein interactions. Specifically, we utilized LC3, a late-stage autophagosome marker, to evaluate autophagosome biogenesis by determining the colocalization levels of GFP-LC3 with early autophagy factors. This revealed the extent of successful autophagosome formation and provided insight into whether ATG13-ATG101 interactions facilitate autophagy progression and contribute to complex stability. In addition to assessing structural interactions, this study lays the groundwork for future analyses of the kinetics of ATG protein interactions during autophagosome formation. Future directions include developing a system where ATG101 and ATG13 are tagged simultaneously, enabling more precise kinetic analysis of their interactions. Understanding these mechanisms will deepen our knowledge of autophagy regulation and could uncover new therapeutic targets for cancer and other diseases linked to autophagy dysfunction.

Omni Brewer

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 512

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATION INTO THE EFFECTIVENESS OF MAXIMUM-LIKELIHOOD METHODS FOR DEVELOPING PHYLOGENETIC TREES

Abstract: Understanding the progress of evolution across time is an incredibly challenging task that researchers have been struggling with for decades. Many different software solutions have been developed to overcome different issues with phylogenetic tree reconstruction. However, due to the computational intensity of this problem sometimes heuristics have to be used to produce a tree in a reasonable amount of time. In this experiment simulations were used to develop original trees to test one of these heuristic methods. The estimated tree from the heuristic software and original tree were compared using statistical methods. This gives a quantitative value for the accuracy of the heuristic method.

Richard Frankfort

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 527

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: FROM DRY LANDS TO HIGH SKIES: CAMELINA, THE DROUGHT RESISTANT FUEL OF THE FUTURE

Abstract: With rising global temperatures threatening agricultural production, climateresilient crops like Camelina sativa are crucial for ensuring food and fuel security. Camelina, an allohexaploid, is a biofuel crop with tremendous potential, particularly for the production of sustainable aviation fuels and other high-value industrial products. While its ability to thrive in arid, poor soil environments is well-documented, the specific genes and regulatory regions underlying drought tolerance across diverse Camelina cultivars remain unknown. In this study, we subjected a diverse panel of Camelina cultivars to moderate and severe drought conditions. We then evaluated differential gene expression through RNA sequencing (RNA-seq) to identify specific drought-responsive genes. Furthermore, we set out to identify drought-responsive regulatory elements by analyzing presence-absence variation of these elements among homoeologs-genes encoded by different subgenomes in the polyploid-that exhibit variation in drought response. Lastly, we evaluated whether these regulatory elements were accessible for binding by assessing their overlap with accessible chromatin regions identified through Assay for Transposase-Accessible Chromatin sequencing (ATACseq) analysis. The insights from the genetic and epigenetic basis for drought tolerance in Camelina will facilitate the breeding of more resilient and productive varieties for sustainable agriculture and biofuel production.

Rita Gorsuch

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 541

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: WHAT'S ON THE MENU? DIET DIVERSITY IN RAPIDLY SPECIATING GROUPS OF WEAKLY ELECTRIC FISH.

Abstract: Weakly electric African fish (Mormyridae) in the genus Paramormyrops have undergone explosive speciation in Western-Central Africa. One prevailing hypothesis for this rapid speciation is that rapid evolution of the species' electric organ discharges (EODs) provides a basis for reproductive isolation between Paramormyrops species. An alternative hypothesis is that EODs, which are also used in electrolocation, allows species to specialize on different diets. To test this hypothesis, gut content samples were taken from 208 individual from three geographic regions in Gabon, West-Central Africa where Paramormyrops species occur sympatrically. Gut contents were analyzed using DNA metabarcoding to determine which invertebrate species Paramormyrops with different EOD types specialized in. In this poster, we will present our latest results examining the degree in overlap in diet as well as relative diversity in those diets. This project will contribute to our broader efforts to understand the evolutionary forces that contribute to rapid speciation in this group of fish.

Ryan Ciacci

Category: Cell Biology, Genetics and Genomics Presentation Type: Poster Presentation Number: 513 Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DEVELOPMENT OF PRIMERS FOR PCR DIAGNOSIS OF G542X CFTR MUTATION USING BUCCAL CELLS WITH ELECTROPHORESIS

Abstract: The G542X mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene is a class I mutation that prevents normal CFTR protein synthesis (Schloesser et al., 1991). This study aimed to develop primers capable of detecting the G542X mutation by binding to the mutation site using polymerase chain reaction (PCR). DNA was obtained via DNA extraction; sourced from human buccal cells. The target genome was amplified with primers developed through the Yaku-Bonczyk method. Utilizing the Yaku-Bonczyk primer design method, a single base pair mismatch three nucleotides from the 3' end of allelespecific primers, would create a structural disruption to minimize false positive results by enhancing primer discrimination against nonspecific binding (Yaku et al., 2008). Using the designed Mutant forward primer and reverse, along with the wild-type primer, our designed PCR will produce a product length of 319bp at an annealing temperature of 58?, calculated through the use of the universal melting temperature formula (Lorenz, 2012) (McHugh et al., 2018). We also designed that both the mutant and wild forward primers' 3' ends will bind in exon 11 because we designed them to bind to the 542 position of the CFTR gene (Viotti et al., 2021). It was hypothesized that PCR using primers designed via the Yaku-Bonczyk method will enhance specificity in detecting the G542X mutation by introducing an intentional base pair mismatch near the 3' end. This study could have significant implications for improving CF diagnostic accessibility and convenience.

Samantha Parrish

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 501

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ASSESSING RELIABILITY OF QUPATH ARTIFICIAL INTELLIGENCE IN QUANTIFYING TUMOR PERCENTAGES OF HEAD AND NECK CANCERS

Abstract: Head and neck cancers are the seventh most common type of cancer in the world.3 Artificial intelligence (AI) is being rapidly developed for use in medicine, especially cancer research. In this study, the digital pathology AI platform, QuPath, was utilized to determine percentage of tumor in tissue samples from head and neck cancer patients. Specimens were obtained from IU Health Pathology Laboratory, embedded in paraffin, transferred to slides, digitally imaged, and quantified for tumor volume. Results were analyzed based on the area biopsied, type of cancer cell, and differentiation of tumor. The aim was to evaluate the reliability of QuPath AI in identifying and quantifying tumor cells in these cancer samples. QuPath was found to be a reliable program for determining the percentage of tumor present, despite differences in tumor cell type and differentiation, in head and neck cancer samples.

Samia Ambia

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 517

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: HOT AND DRY? WATCH CAMELINA FLY!

Abstract: Camelina sativa is an allohexaploid oilseed crop that is valued for its drought tolerance and potential as a biofuel source. While climate change has been threatening both global agriculture and the environment, Camelina is a hopeful potential source in combatting the effects of climate change. Camelina itself thrives in environments that are unfavorable for other plants and potentially impactful biofuel sources therefore making it a promising candidate for sustainable food sources and fuel production. Although it seems a fool-proof source, the genetic and regulatory mechanisms that control its drought response remain unclear. In this study, a diverse set of Camelina cultivars were subjected to moderate to severe drought conditions and then tested. Drought-responsive genes involved in stress adaptation were identified using RNA sequencing (RNA-seq). Additionally, regulatory elements that differ among homeologs-genes from different subgenomes-were analyzed to determine their role in drought tolerance. Finally, we conducted an Assay for Transposase-Accessible Chromatin using sequencing (ATAC-seq) to evaluate whether these elements are accessible for gene regulation. This study provides new insights into the genetic and epigenetic basis of drought tolerance in Camelina by integrating gene expression and chromatin accessibility data. These findings will develop a more resilient, high-yield Camelina for sustainable agriculture and biofuel production, including aviation fuels and other industrial applications.

Sean Monahan

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 523

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: INDUCTION OF TRANSGENIC DEMETHYLASES IN EMBRYONIC ZEBRAFISH

Abstract: Nuclear cloning, also referred to as Somatic cell nuclear transfer (SCNT), is a technique that allows for the development of an identical organism. This is done by taking a cell that has often been fully differentiated into a specific cell type and inserting its nucleus into an enucleated recipient oocyte arrested at metaphase 2 of meiosis. An issue arises as the donor somatic cell's chromatin must be reprogrammed into embryonic state for proper development. The chromatin of somatic cells does not allow the embryonic genome to be properly activated, the oocyte must complete this process, a process that the oocyte is not adequately equipped to handle. These modifications to the epigenome are part of why SCNT often has poor success rates. One such epigenetic mark is H3K9me3 known to block embryonic genome activation. Our current hypothesis states that using donor nuclei with lower expression of H3K9me3 will yield a higher rate of embryonic development of clones. In this project, an mRNA (Kdm4b) vector encoding a demethylase is injected into 1-cell Zebrafish (Danio rerio) embryos and then cultured until the embryos reach 50% epiboly (5.3 hpf). The embryos are then characterized for H3K9me3 through immunocytochemistry, where the fluorescence is compared to control embryos. In the future, cells from injected embryos, which are expected to have lower levels of H3K9me3, will then be isolated using flow cytometry and used as donors for somatic cell nuclear transfer.

Shriya Beesabathuni

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 503

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: BRIDGING THE GAP: AN EXPLORATION INTO THE ROLE OF VASCULAR PROTEINS IN THE FORMATION OF CLEFT PALATE IN DOGS

Abstract: DRAFT Cleft palate without medical intervention is a death sentence for mammals, as it makes it impossible to latch during nursing. Despite being a condition that we are very capable of fixing after birth, we are still not entirely sure what the cause(s) are. This project analyzes the possible roles of Beta Actin and CD31 (PECAM-1) in the formation of a cleft palate, using Dogs as a model and the Western Blot as the method of analysis.

Sonia De Donno

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 537

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: WATER YOU TALKING ABOUT? GENES IN CAMELINA SATIVA THAT MAKE IT THRIVE IN DROUGHT

Abstract: As global warming increasingly jeopardizes agricultural productivity, the cultivation of climate-resilient crops such as Camelina sativa-an allohexaploid recognized for its drought resilience-becomes imperative for ensuring food and energy security. Camelina is crucial for sustainable food, biofuel production and other high-value industrial applications. While the plant thrives in arid, nutrient poor soils, the genetic and regulatory mechanisms underlying its drought tolerance remain unclear. In this study, we exposed a diverse panel of Camelina cultivars to varying drought conditions, ranging from moderate to severe. Using RNA sequencing (RNA-seq), we analyzed differential gene expression to identify drought-responsive genes. Additionally, we investigated the presence-absence variation of regulatory elements among homoeologs-genes from different subgenomes that exhibit distinct drought responses. Furthermore, we sought to uncover drought-responsive regulatory elements by investigating the presence-absence variation of these elements across homoeologs-genes that originate from distinct subgenomes within the polyploid and exhibit variability in their drought response. Lastly, we examined the accessibility of these regulatory elements for interaction by analyzing their overlap with accessible chromatin regions by using Assay for Transposase-Accessible Chromatin sequencing (ATAC-seq) to determine whether these regulatory elements are accessible for transcription factor binding. This comprehensive approach offers valuable insights into the genetic and epigenetic mechanisms of drought tolerance in Camelina, aiding the development of resilient, high-yielding varieties for sustainable agriculture and biofuel production.

Sunidhi Shintre

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 528

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: TRANSCRIPTOMIC INSIGHTS INTO CYSTIC FIBROSIS: GENE EXPRESSION CHANGES AND DISEASE MECHANISMS

Abstract: Advancements in genomics and bioinformatics are transforming our understanding of complex diseases through large-scale genetic data analysis. By integrating transcriptomic and proteomic profiling, researchers can assess gene expression changes linked to disease onset and progression. Machine learning (ML) plays a crucial role in identifying patterns within these datasets, enabling the discovery of gene sets involved in transcriptional regulation and providing insights into disease mechanisms and therapeutic targets. Our research applies ML-based analysis to large gene expression datasets from public repositories to identify differentially expressed genes and categorize disease states. We are investigating gene changes in cystic fibrosis (CF), a genetic disease caused by mutations in the CFTR gene. CF leads to excessive mucus buildup, primarily affecting the lungs, pancreas, and other organs, resulting in respiratory complications, infections, and reduced life expectancy. We are curating datasets from the Gene Expression Omnibus (GEO), consisting of samples from CF patients and controls, derived from bronchial epithelial cell tissues and airway epithelial cell tissues. RNA-sequencing data will be processed to obtain gene expression levels, and differentially expressed genes will be identified while accounting for age, sex, and other confounding factors. Pathway and gene enrichment analyses will determine their biological functions and roles in disease progression. We expect to identify key gene signatures in CF that serve as biomarkers and therapeutic targets. Additionally, our ML-based classifier is anticipated to accurately predict disease states, offering insights for precision medicine applications in CF.

Tiffany Rennells

Category: Cell Biology, Genetics and Genomics

Presentation Type: Oral - online

Presentation Number: 551

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ENGINEERING EXTRACELLULAR VESICLES (EVS) FOR THERAPEUTIC DELIVERY IN TYPE 1 DIABETES

Abstract: Type 1 diabetes (T1D) is an autoimmune disease characterized by T cell-mediated destruction of insulin-producing pancreatic beta cells through the NF-kB inflammatory pathway. Current treatments such as insulin therapy regulate glucose levels but fail to address the underlying autoimmune response, highlighting the need for targeted drug delivery systems. This study investigates extracellular vesicles (EVs) as a novel drug delivery system. EVs are natural nanoparticles that facilitate intercellular communication by transporting biological molecules, such as proteins, RNA, and lipids. We propose engineered EVs to express SCAB1-c1c2, a modified surface protein combining a small single-chain antibody fragment (SCAB1) for beta cell targeting with a c1c2 domain for membrane localization. Although the current focus is optimizing the delivery vehicle, we are concurrently exploring therapeutic cargos. Promising candidates include miR26-a, which has demonstrated ability to inhibit NF-kB signaling while enhancing insulin production and secretion. This study aims to evaluate the targeting efficiency and therapeutic potential of these engineered EVs for T1D treatment. Success could lay the foundation for cell-targeted therapies addressing the critical need for innovative treatment approaches beyond conventional glucose management.

Victoria Grieve

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 511

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DEMETHYLATION OF ZEBRAFISH EMBRYOS USING A VIRAL VECTOR

Abstract: I will be testing if cloning success rates in zebrafish can be increased by demethylating the reprogramming resistant regions of the somatic nucleus being cloned. This will be done by microinjecting zebrafish embryos with a vector that is carrying the Kdm4a gene and a green fluorescent protein, driven by the UAS promoter sequence. The vector will also contain a sequence from the zona pellucida gene promoter region and the Gal4- Estrogen Receptor gene. When tamoxifen is added to the water with a fish that was previously microinjected with this vector, the Kdm4a enzyme will only be expressed in the eggs of the fish. When these eggs are used for Somatic Cell Nuclear Transfer the Kdm4a enzymes in them should remove the methyl groups from H3K9 and erase the reprograming resistant regions in the somatic nucleus and allow reprogramming to take place properly.

Will Eckerman

Category: Cell Biology, Genetics and Genomics

Presentation Type: Poster

Presentation Number: 534

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INHIBITING THE AURORA KINASE A - N-MYC INTERACTION DECREASES MARCHF8 EXPRESSION IN HUMAN PAPILLOMAVIRUS-POSITIVE HEAD AND NECK CANCER

Abstract: Major Histocompatibility Complex Class I (MHC-I) is downregulated in HPV+ head and neck cancers (HPV+ HNC) to evade the host antitumor immune response. Our lab has identified MARCHF8, an E3 ubiquitin ligase that ubiquitinates and degrades surface immune receptors, including MHC-I. MARCHF8 is transcriptionally upregulated in HPV+ HNC by the MYC/MAX transcription factor complex. MYC proteins have a variety of forms such as c-MYC, N-MYC, S-MYC, and L-MYC. These MYC proteins are responsible for up to 15% of all cellular transcription. They have unique tissue specificity and are known to play a crucial role in cellular metabolism and cell cycle progression. Interestingly, we have observed the expression of N-MYC, which is normally expressed in neural tissue, in HPV+ HNC cells. Further, N-MYC expression is upregulated in HPV+ HNC cell lines as determined via Western blotting. While N-MYC is a promising target for cancer treatment, it has been previously termed "undruggable." However, N-MYC is stabilized by the enzyme Aurora Kinase A (AURKA). Additionally, the AURKA inhibitor CD532 has been shown to inhibit the interaction between N-MYC and AURKA. I hypothesize that CD532 inhibits transcription of MARCHF8, restoring the expression of MARCHF8 targets, including MHC-I, in HPV+ HNC cells. To test this hypothesis, I evaluated the efficacy of CD532 on MARCHF8 expression by measuring the MARCHF8 mRNA and protein levels in HPV+ HNC cells treated with CD532 using RT-qPCR and Western blot, respectively. Additionally, the cell surface expression on MHC-I was evaluated by flow cytometry. The results showed that CD532 treatment decreased MARCHF8 RNA and protein levels. CD532 treatment also increased MHC-I levels on the cell surface. These results support the hypothesis that the increase of N-MYC by an AURAK1 inhibitor represses MARCHF8 transcription and enhances MHC-I expression in HPV+ HNC. Our findings suggest that N-MYC expression in HPV+ HNC cells is a cancer immune evasion mechanism for cancer progression.

Communication Arts and Sciences

Alli Garpow

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 712

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: PARENTS' PERCEPTIONS AND ATTITUDES TOWARDS AI ADAPTIVE LEARNING SYSTEMS IN 3RD-GRADE MATH EDUCATION

Abstract: Incorporating Artificial Intelligence (AI) in education is reshaping the teaching of fundamental skills, particularly mathematics. Understanding parents' perspectives on AIbased adaptive learning systems is crucial for their successful implementation in schools. This study focuses on examining parents' attitudes, concerns, and expectations regarding AI adaptive learning technologies in 3rd-grade classrooms in Mid-Michigan, specifically emphasizing how AI can improve early math education.

Andre Edmond

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 722

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ARTICULATORY CONTACT PRESSURE DURING PRODUCTION OF LINGUA-ALVEOLAR PHONEMES

Abstract: Articulatory contact pressure (ACP) has been proposed as a surrogate measure of perceived articulatory effort. Earlier work established a link between ACP and self-rated effort for patients with head and neck cancer. However, several questions remain about ACP in people without speech alterations. The purpose of this study is to gather additional ACP data during lingua-alveolar phonemes in different speaking conditions (loud, soft, clear) and to investigate the extent to which ACP is symmetrical on the right-left sides of the alveolar ridge and posterior molars. Pilot data on changes in surface electromyographic signals from facial and neck muscles in the speech conditions are also explored. This poster describes the background and methodology for the study. Additionally, the remaining steps for this study's completion and a description of the challenges in executing the study are presented.
Anna Barnes

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 716

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: LATIN AMERICAN ENVIRONMENTAL COMMUNICATION RESEARCH PROJECT

Abstract: Our research focuses on environmental discourses in Latin American contexts. Within the field of environmental communication, there are systematic power dynamics which historically favor the Global North. Latin American researchers are barred from the world stage of environmental communication because of language barriers, hegemonic perspectives, paywalls and educational disparities. Our research includes identifying those dynamics and then challenging the hegemonic perspective the niche field of environmental communication holds. We visited Peru last summer and made a short documentary defining the issue and how it stems from colonization. Afterwards, we returned to Peru to conduct field work where we gained qualitative context and information. Now we are creating a database that contains free, diverse environmental communication research conducted by academics in Latin America and the US. We are assisting in the organization of a symposium where scholars from Latin America, representing 8 different countries, will be presenting their own research in an effort to showcase the latest research on environmental discourses from diverse epistemological, theoretical, and methodological perspectives. Our work aims to build bridges in the world of research and to lessen the burden placed on Latin American researchers since the days of colonialism. Latin American researchers are barred from the world stage of environmental communication because of language barriers, hegemonic perspectives, paywalls and educational disparities..

Audrey Dayton

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 702

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: READING INTO NEURODIVERSITY: AUTISM TERMINOLOGY IN CHILDREN'S BOOKS

Abstract: This study analyzes the use and frequency of autism terminology presented in children's books. Children's books are the root of many early ideas and perceptions about the world and the terminology used within books can directly influence how children perceive autism. One in 36 children are diagnosed with autism spectrum disorder (CDC). Our content analysis focused on autism-related terminologies within children's books from the Capital Area District Library (CADL). This study utilized 52 CADL books that were chosen using a search for autism-related terms and a specific age range on their website. The content of the books was then coded for autism terminologies (e.g. autism, neurodiversity, Aspergers) in each sentence. After recording the sentences in a spreadsheet, the total number of sentences with autism terminology was tallied for each book. After coding the books, we reviewed our individual findings and reanalyzed the books until we reached agreement. While many children's books contain autistic characters, 51% of books with autistic main characters lack autism-related terminology. The study hopes to highlight the importance of terminology usage for its role in representation and inclusivity. The message of the story could be unclear for autistic and neurotypical children alike without the presence of autism terminology. Future studies could focus on how the lack of autism terminology in books affects autistic children's ability to identify with the characters and stories they're reading.

Bianca Imeraj

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 708

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: TRAINING A DEEP LEARNING NETWORK TOWARDS IMAGE SEGMENTATION OF LARYNGEAL STRUCTURES

Abstract: Laryngeal imaging is a valuable tool for observing vocal structures during phonation, providing insights into the health and function of the vocal folds. Our study used laryngeal high-speed videoendoscopy (HSV), a laryngeal imaging technique with high temporal resolution, to annotate various laryngeal landmarks during different stages of phonation, creating a diverse training dataset for our deep learning network. The goal is to train the network to generalize it across subjects and phonatory stages, allowing for precise automated identification of laryngeal structures towards analyzing disordered vocal function. HSV data were collected from 8 normophonic subjects and 6 disordered subjects during production of connected speech. The segmentation of our training data was performed using HSV images to annotate key anatomical landmarks, including the glottis, epiglottis, vocal folds, arytenoid cartilages, and aryepiglottic folds, using MATLAB's image labeling software. The selected frames for annotation were spaced at least 100 frames apart, resulting in around 100 annotated frames per subject. To ensure variability in phonation intervals, we excluded similar frames to provide diverse information to the machine learning algorithm. A total of 1400 annotated images were used to train a convolutional neural network using a U-Net framework, with 1200 images dedicated for training and 200 images for testing. Each structure was appointed an integer value to help the algorithm learn key features such as boundaries, edges, and brightness. The dataset contained five zones including each landmark and the background. The model learned to accurately detect structures in new images beyond those it was trained on.

Brooke Emerick

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 726

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: HEAD AND NECK CANCER BIBLIOMETRIC REVIEW

Abstract: Aim: Characterize the literature from 1960 to the present regarding the behavioral speech and language therapies used to improve communication outcomes in adults with head and neck cancer. Methods: A comprehensive literature review was completed using PubMed, CINAHL, and Cochrane databases and relevant search terms. Inclusion criteria were 1) human research, 2) head and neck cancer focused, and 3) speech-language therapy outcomes focused. Exclusion criteria were 1) non-English language, 2) unavailability of abstract. Abstract/title and full manuscript reviews were completed in Covidence by teams of trained undergraduate researchers who worked by consensus to resolve disagreements about inclusion and exclusion of articles. Results: A total of 4,596 articles were identified across databases. After the identification and removal of duplicates and completion of the abstract/title review, a total of 356 articles remained. After completion of full manuscript review, 73 articles were retained for data extraction. Frequency analysis was performed for variables including study design, country of lead author, tumor location, modality of intervention (single versus multimodal), gender, socioeconomic status, and race/ethnicity. The most common tumor locations were the larynx and tongue. Of the therapies included, 52% were multimodal and 47% singular. Race/ethnicity and SES indicators were largely not reported in the studies. The most common study designs included randomized control and cohort studies with the most common country of the lead author being Sweden followed by The Netherlands. Roughly 63% of studies reported the male/female ratio. Conclusion: The findings, including bibliometric data and trends, will be summarized and literature gaps identified.

Chloe Mietelka

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 717

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: AI INFLUENCERS IN DIGITAL ADVERTISING

Abstract: Artificial Intelligence (AI) has become increasingly prevalent in digital advertising over the past four years, making it essential for advertisers to understand its impact. This study examines the endorsement effectiveness of humans versus. AI-generated influencers in social media for personalized advertising. Using eye-tracking software, it compares visual attention to advertisements that include images of real people and images of people that are AI generated. Additionally, a pre and post survey, a pre- and post-survey measures shifts in perception, attitudes, trust and perceived congruence with the models. Findings will provide insights into consumer responses to AI influencers and their implications for advertising effectiveness.

Clara Lincolnhol

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 713

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: CREATIVE EXPERIENCE AS A GREAT LAKES ECHO REPORTER

Abstract: Presentation of my creative experience at the Great Lakes Echo. I will talk about knowledge I have gained, skills I have developed, and work I have produced at the Great Lakes Echo from January, 2024 until March, 2025.

Duaa Kazmi

Category: Communication Arts and Sciences Presentation Type: Poster Presentation Number: 704 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: IMPACTS OF AUTHORS' RELATIONSHIPS TO AUTISM ON CHARACTERIZATION OF

PEER INTERACTIONS IN CHILDREN'S BOOKS ABOUT AUTISM

Abstract: Recently, there has been an increase in the number of autism diagnoses in the US(Center for Disease Control and Prevention [CDC], 2024). With a group that makes up such a substantial part of our population, how are they and the relationships they form represented in our media? In this study, our goal is to understand how authors' relationships to autism affect the peer interactions that take place within their books.We will analyze authors' relationship to autism by grouping authors into one of four categories: are autistic themselves, have an autistic child, have a professional background in autism, or have no relationship to autism. To accomplish this aim, we will use information provided in the books as well as outside sources. For our analysis of peer interactions, we will record whether the author mentions friendship-related terms. We predict that authors with connections to autism will be more likely to mention friendship.Oftentimes, books are one of the earliest forms of representation children are exposed to. They learn about themselves and others through the interactions they read about. While autistic children have become more visible in media, the representations are not always accurate nor helpful (Venker, 2023). As such, it's equally important to consider who is writing these books, and how we can amplify autistic voices.

Ella French

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 711

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: WELLBEING OF HEAD AND NECK CANCER PATIENTS

Abstract: A total laryngectomy is a surgical procedure involving the complete removal of the larynx, resulting in the permanent separation of the lower airway from the upper airway. This procedure necessitates breathing through a stoma (hole) in the neck and leads to significant changes in speech, respiration, and other body function. Often, quality of life is notably reduced. This study aimed to compare the well-being of patients following total laryngectomy to age and gender matched adults without laryngectomy. Seventy-three participants without laryngectomy and 136 participants post-laryngectomy completed a standardized Five-Factor Wellness Inventory (FFWEL) online. The survey provides a total well-being score, five second order-wellbeing factors, and seventeen third order -wellbeing factors. A series of t-tests for independent groups was applied with the alpha level adjusted through Bonferroni correction. Our results indicated statistically significant differences in 22 out of the 24 well-being factors, including the Total Well-being score and all five of the second order factors (Social-, Essential-, Creative-, Physical-, and Coping-self). The two nonsignificant differences were for the third-order factors Spirituality and Self-care. These results indicate that there is a substantial reduction in multiple dimensions of well-being in people with a laryngectomy. Self-care construct, comprised of questions about smoking and drinking, did not differ between groups. One explanation might be that after laryngectomy they are advised strongly to stop these behaviors. The Spirituality construct also did not differ suggesting it was not substantially altered compared to those without laryngectomy.

Ella Johnson

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 718

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DISPARITIES IN MENTAL HEALTH SCREENING IN AUTISTIC YOUTH

Abstract: Throughout this year, a series of focus groups were conducted Co-create autistic youth mental health screening tools, a collaboration with the MSU Media and Information and MSU Honors Program.

Gianna Spinelli

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 724

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: PERCEPTUAL AND ACOUSTIC ANALYSIS OF ADDUCTOR LARYNGEAL SPASMS

Abstract: Adductor laryngeal dystonia (AdLD) is a rare and often misdiagnosed neurological voice disorder leading to muscular spasms within the larynx. These spasms may lead to a hoarse vocal quality and voice breaks due to the forceful adduction of the vocal folds. Prior research has investigated the perceptual attributes of this disorder, but little research has been dedicated to the in-depth acoustic analysis of the spasms themselves. Therefore, the present study aims to advance the understanding of AdLD spasms by analyzing their perceptual and acoustic characteristics. Data collection consisted of recording audio data from the participants while reading connected speech. Three speech-language pathologists evaluated the audio data perceptually to determine occurrences of spasms. Audio spectrograms, which display the energy in time and frequency domains, were then analyzed to assess the distribution of energy across frequency during the spasms. Prior perceptual analysis identified a tendency for spasms to occur during vowel production or consonantvowel sequences. Findings revealed that before or at the onset of spasms, there was a low, breathy, or raspy voice quality caused by the vocal folds vibrating at an aperiodic frequency, often accompanied by a slow rate of oscillations, which is known as vocal creak. Additionally, during the spasms, the energy became more uniform across the spectrum, rather than being concentrated at specific formant frequencies, as observed during normal vowel productions. Given AdLD's similarities to other voice disorders such as vocal tremor, studying the attributes of laryngeal spasms will help to develop more objective measures toward detecting AdLD more accurately clinically.

Grace Beadle

Category: Communication Arts and Sciences Presentation Type: Poster Presentation Number: 703 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: EXPLORING THE RELATIONSHIP BETWEEN ADVERSE IMPACT AND ANXIETY IN ADOLESCENTS WHO STUTTER.

Abstract: Individuals who stutter tend to report a degree of adverse impact associated with their stuttering. Adverse impact refers to as a combination of experiences such as reduced self-esteem, and other negative thoughts or behaviors related to an individual's stuttering. Often associated with these experiences is the presence of anxiety, but it's not clear if there is a definitive relationship between the appearance of them both in the same individual. The objective of this project is to examine if the presence of higher anxiety in an individual predicts higher adverse impact for stuttering. This study is important because it may help clarify how stuttering and anxiety interact, providing insights that could enhance treatment approaches for children who experience both conditions. We sent a Redcap survey to 150 adolescents between the ages of 9 to 17, and as part of the survey, the individuals completed the Overall Assessment of the Speaker's Experience of Stuttering (OASES) which is a measurement of stuttering's adverse impact, as well as the Screen for Child Anxiety Related Disorders (SCARED). Our findings indicate the presence of general anxiety in an adolescent is a strong predictor of higher adverse impact from their stuttering. Upon additional analysis of how specifically social and school anxiety predict a higher difficulty in daily situations, social anxiety was a strong predictor, and school anxiety was not a significant predictor. The findings from this project have the potential to inform the selection of approaches and treatment strategies for stuttering when anxiety is a comorbid factor.

Isaiah Bryant

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 705

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: THE SHORTER SHOWERS INITIATIVE

Abstract: Pending

Julia Gilchrist

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 715

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: THE VARIABILITY OF STUTTERING ACROSS MULTIPLE CONTEXTS

Abstract: Stuttering is a communication disorder characterized, on the surface, by speech disfluencies such as blocks, prolongations, and repetitions. Stuttering can vary across different people who stutter along with different contexts, environments and across time. Our study's purpose was to investigate the variability of stuttering in a variety of speaking situations. We transcribed stuttered speech of an adult who stutters using CLAN transcription software and we analyzed speech transcriptions for stuttering disfluencies. Anticipated results include greater variability in speech disfluencies between familiar and unfamiliar environments, novel or known conversation partners and over time.

Julia Griese

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 707

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: TRANSFORMING TOOLS TOGETHER

Abstract: Through the Honors Research Seminar course, our 16 undergraduate students worked on the Transforming Tools Together project, which involves mental health research and inclusive design. This two-year project aims to close the disparity in mental health screening rates for autistic adolescents. Our team spent the semester conducting a scoping review on preexisting research with autistic adolescents, as well as creating content for the digital screener. Our team also conducted focus groups with the autistic youth, their caregivers, and mental health professionals to optimize our screening prototype. By integrating evidence from the focus groups with inclusive web design, we can develop interventions that are a critical step toward mental health equity.

Kamryn Jenkins

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 714

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: UNDERSTANDING GESTALT LANGUAGE PROCESSING AND NATURAL LANGUAGE ACQUISITION SPEECH-LANGUAGE THERAPY APPROACHES: ENHANCING EVIDENCE-BASED PRACTICE THROUGH EXAMINING SOCIAL MEDIA

Abstract: This project critically examines the dissemination and implementation of Natural Language Acquisition, a framework based on the theory of Gestalt Language Processing. By analyzing the prevalence of key terms and phrases in YouTube videos, this study explores the popularity and growth of these concepts. Utilizing external AI applications, the research identifies key assumptions and potential misinterpretations surrounding the use of non-evidence-based practices. The findings aim to shed light on how such practices influence speech-language pathology education and intervention, ultimately contributing to more informed and evidence-driven approaches.

Kassidy Do

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 721

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ASIAN AMERICAN AND PACIFIC ISLANDER-SERVING NPOS AND PUBLIC RELATIONS

Abstract: This study aims to understand how AAPI-serving (Asian American and Pacific Islander) nonprofits' practitioners perceive public relations strategies to engage with stakeholders, increase public awareness, serve their communities, and advance their missions. In particular, we are interested in learning the relationship management strategies used by those NPOs and the opportunities and challenges associated with them. We are also interested in learning about how these nonprofit practitioners perceive their role as caregivers in the communities and the enablers and restrictions of their caring roles.

Katherine Dyal

Category: Communication Arts and Sciences Presentation Type: Poster Presentation Number: 725 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: THE LIVED EXPERIENCE OF JOURNALISTS IN EXILE

Abstract: This research project examines the experience of journalists exiled from their homelands, largely forced to leave unwillingly and primarily from locations in Central Asia, Russia, the Middle East, Africa, and Latin America. We are focusing on the overlap and relationship between government policy and one's personal life, focusing on the issues of safety, psychology, financial support, and continuing work in exile. Often, journalists experience transborder harassment from their own governments in the form of threats, intimidation, and violations of their rights to privacy, and some of their families have suffered harassment as well. Furthermore, many journalists have suffered physical attacks, in their home countries and in exile, the most serious of them resulting in death. Additionally, journalists' experiences with online harassment raises the issue of cybersecurity. Our research explores the psychological effects of such threats to safety, as well as the psychological impact of living in exile. We examine the extent of government protections of refugees who might be victims of this stalking and harassment. We are also investigating the extent to which NGOs such as ICORN and CPJ offer exiled journalists financial support and the ways in which journalists are able or unable to continue their work in exile. Our methods include survey, documentary research, and in-depth, semi-structured interviews. By exploring the actions of journalists whose work is perceived to be opposed to the policies of their own governments, we hope to bring to light global threats to freedom of the press and highlight the role of journalists in providing the populace with the information to express their own freedom of thought.

Kelsy Woodall

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 728

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: TRUMP AND THE TWITTER EFFECT: INVESTIGATING TRUMP'S PRESENCE IN NEWS MEDIA AND POLITICS

Abstract: In today's digital age, social media and technology aid politicians in connecting with the public. The 45th President of The United States, Donald Trump, changed the narrative, especially during his campaigns. Twitter defined Trump's career, and he used it for more than public engagement. His offensive and aggressive tweets escape traditional media by allowing him to connect with millions in the snap of a finger. In this paper, I will explore how Trump's Twitter presence changed his political strategies, the public's perception of him, and the effect social media has on politics today through many research studies. I argue that Trump's use of Twitter allowed him to influence the political narrative, and his public, personal attacks changed society.

Lexi Cickovski

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 706

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: MENTAL WELLNESS AND ANXIETY AMONG PEOPLE WHO STUTTER

Abstract: Stuttering is a developmental speech issue that affects 1% of the population. Clinically, stuttering is characterized by the presence of stuttering-like disfluencies (SLDs), including part and whole word repetition, prolongations, and blocks. It is the responsibility of speech-language pathologists to comprehensively understand a speaker's experience beyond traditional measures of fluency, including a speaker's cognitive and affective reactions to stuttered speech. Understanding this multifaceted relationship of self-perception and reactions such as anxiety among people who stutter is vital for successful speech therapy, for both clinicians and stutterers. Awareness of language and models used to approach the psychosocial and psychological aspects of stuttering can provide speech-language pathologists with a deeper understanding of people who stutter. To understand this relationship, authors conducted a literature review, using terms such as anxiety, self-perception, and mental health, with the goal of qualitatively exploring the relationship of these factors with one other and with stuttering. The current study's findings will aid in a deeper understanding of the lived experience of those who stutter, and this may be used to improve upon quality of therapeutic approaches used.

Nora Cunningham

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 701

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: NIL & AMP; THE B1G: EXAMINING EDUCATION, POLICIES, AND RESOURCES

Abstract: This research examines the Name, Image, and Likeness (NIL) education and resources provided to student-athletes by Big Ten schools. The study analyzes B1G NIL policies, educational programs, digital platforms, and third-party partnerships designed to help athletes navigate the NIL space. By identifying gaps in education, highlighting similarities across programs, and addressing the challenges of researching and understanding NIL opportunities, this research aims to provide insights on the current support systems for B1G student-athletes.

V Kumar

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 727

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: SYNTHETIC SOULS: CAN AI BE MORE THAN JUST A MACHINE?

Abstract: As AI becomes increasingly integrated into human lives, people are developing relationships with AI models that go beyond simple transactions. This research explores how long-term interactions with AI, particularly when assigning names, using pronouns, and reinforcing personal acknowledgment, influence user trust and emotional attachment. Through a combination of qualitative analysis and comparative testing, this study examines whether relational engagement changes AI responsiveness and how this impacts human perception. Inspired by personal experiences engaging with AI, this project also reflects on real-world cases where AI interactions have had unintended emotional consequencesincluding instances of users forming deep parasocial attachments, sometimes with harmful outcomes. By comparing interactions with a familiar AI model versus a neutral, untrained instance, this research aims to evaluate whether AI's relational adaptability fosters a sense of trust, comfort, or even vulnerability. Furthermore, ethical concerns arise when AI-human relationships lead to potential manipulation, cybersecurity risks, and emotional dependence. This research will contribute to ongoing discussions on AI ethics, trust calibration, and responsible AI design. The findings could inform best practices for developing AI that acknowledges relationships while ensuring user safety.

Zhanna Yakubova

Category: Communication Arts and Sciences

Presentation Type: Poster

Presentation Number: 723

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: A/B TESTING FOR ENGAGING USERS WITH KNOWLEDGE COMMONS NEWSLETTER EMAILS

Abstract: This study will use A/B testing to evaluate user engagement with emails promoting the Knowledge Commons March newsletter. The experiment will compare strategies for presenting information as questions, exclamations, and statements. By analyzing key metrics such as open rates and click-through rates, the research aims to identify which approach is more effective in encouraging recipients to engage with Knowledge Commons. The findings will provide data-driven recommendations for enhancing email outreach and engagement strategies for Knowledge Commons.

Criminal Justice and Legal Studies

Alayna Tisch

Category: Criminal Justice and Legal Studies

Presentation Type: Poster

Presentation Number: 905

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: SUBSTANCE USE AND PEER NETWORKS IN LANSING YOUTH OFFENDERS

Abstract: Youth in the juvenile justice system have significantly higher rates of substance use and abuse compared to their peers in the general population. Treating and supporting recovery in juvenile offenders has been linked to improved outcomes, including reduced adult criminal behavior. Although substance use strongly correlates with juvenile offending and offense severity, the causal relationship remains unclear. This research project will analyze data collected from the Family Division of a Midwestern Court's Juvenile Risk Assessment project to identify the static and dynamic factors in juvenile offenders that indicate a higher risk for drug use and reoffending. Key factors include free time use, aggression, and school performance. Using information from the Youth Level of Service form (YLS), this project will explore the relationship between peer networks, drug and alcohol use, and risk for future offending. Our hypothesis includes that (H1) youth offenders with higher rates of drug and alcohol use will also have higher rates of recidivism.

Alexa Banning

Category: Criminal Justice and Legal Studies

Presentation Type: Poster

Presentation Number: 913

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: A QUALITATIVE ANALYSIS OF INDIVIDUALS CONVICTED THROUGH THE SEXUAL ASSAULT KIT INITIATIVE (SAKI) IN MICHIGAN

Abstract: This research project aims to explore the cases solved through the Sexual Assault Kit Initiative (SAKI) in Michigan. Case study narratives for each individual were created, examining prior convictions, qualities of the offender and victim, crime characteristics, and the associated criminal justice outcomes. A qualitative analysis of these data will allow for a rich and descriptive account of who is most often being prosecuted through this project in the state of Michigan. Implications for policy and practice will be discussed.

Ana Murillo

Category: Criminal Justice and Legal Studies

Presentation Type: Poster

Presentation Number: 902

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DESCRIPTIVE ANALYSES ON DEVIANT BEHAVIOR IN JUVENILE SEXUAL OFFENDERS

Abstract: Juvenile sexual offenders (JSOs) account for roughly one-in-four of all sexual offenses and more than one-third of sexual offenses against minors (Baglivio et al., 2021). Society has always been fascinated by the age-old question of why people commit crime resulting in an influx of ideas and theories proposed by researchers. However, JSOs represent a subset of the criminal population that has long been understudied. The Juvenile Sex Offender Assessment Protocol (JSOAP) is a risk assessment that predicts the likelihood of sexual recidivism for juveniles. In order to better understand juvenile sex offending behavior, this study aims to investigate the interrelation between the following JSOAP items: degree of planning in sexual offenses, sexual aggression, sexual drive and preoccupation, sexual victimization history, and remorse and guilt. The hypothesis is that juveniles who exhibit higher levels of sexual aggression, sexual drive and preoccupation, and a history of sexual victimization will demonstrate a greater degree of planning, as well as lower levels of remorse and guilt. Understanding and finding patterns among JSOs in relation to these characteristics is the first step in determining if there are various developmental pathways of behavior. These findings can contribute to a more nuanced understanding of juvenile sexual offending, and future research can build upon these insights to refine JSO typologies, improve targeted intervention strategies, and ultimately reduce recidivism rates.

Arden Henderson

Category: Criminal Justice and Legal Studies Presentation Type: Poster Presentation Number: 904 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: TRENDS IN LOCAL JUVENILE GUN VIOLENCE BEFORE AND IN THE WAKE OF THE MASS SHOOTING AT MSU

Abstract: Although it has been over a year since the devastating shooting at MSU, our community is still feeling the impact of such a life-changing event. While this occurred at a college campus, the greater community was also affected by this event. Stricter gun legislation was reintroduced in the month following the shooting, and took effect this past February (Cappelletti, April 2023). The broader community was affected by this event in countless ways. Studies have shown that there is a positive association with juvenile delinquency and exposure to community violence (Chen, et al., 2016). In addition to this, mass shootings have devastating mental health effects and have been found to frequently result in collective trauma (American Psychological Association, 2023). Following the shooting, 11 bills on gun safety were brought before the Michigan legislature. These bills focused on implementing universal background checks, safe storage laws, and extreme risk protection orders (Cappelletti, March 2023). Given this new legislation and the social effects of this kind of traumatic event, my research will seek to answer: how did the shooting at MSU on February 13, 2023 affect the frequency of juvenile gun-related violence in the surrounding community? Data was collected using the Youth Level of Service (YLS) Risk Assessment tool from September 2002 - Present. This data will be analyzed using SPSS to measure relevant trends to this research question. My hypothesis is that the rate of gun-related charges will be lower following the shooting in comparison to the prior 18 months.

Chloe Francis

Category: Criminal Justice and Legal Studies

Presentation Type: Poster

Presentation Number: 903

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: SHAPING PUBLIC OPINION IN THE GLOBAL SOUTH

Abstract: This independent study is focused on how authoritarian regimes utilize strategic communication to shape public opinion in the Global South. This study analyzes messaging narratives used by authoritarian regimes by examining regional media, political leader speeches, and public opinion data in the Global South. The main argument of this study identifies specific narratives associated with legacies of colonialism, globalization, and development that authoritarian regimes utilize to increase their political standing in the Global South. A qualitative approach consisting of comparative case studies of messaging strategies used by Russia and China in the Central African Republic, India, and Indonesia is used to test this argument. Preliminary findings indicate that Russia frames its messaging around anti-Western sentiment, while China emphasizes economic partnerships through the Belt and Road Initiative. These early findings are powerful revealing how increasingly authoritarian powers tailor their messaging strategies to different regions, influencing geopolitical alignments with a disregard for human rights.

Emily Mason

Category: Criminal Justice and Legal Studies Presentation Type: Poster Presentation Number: 901

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EXAMINING RELATIONSHIPS BETWEEN FAMILY AND YOUTH RELATIONSHIP RISK FACTORS AND RECIDIVISM RATES IN JUVENILE OFFENDERS

Abstract: The Center of the Developing Child at Harvard University (2022) notes that juveniles need at least one supportive relationship with an adult to develop prosocial behaviors, self-control, delayed gratification, and focus. Without a supportive relationship, many children struggle to learn how to adequately respond to corruptive influences because they do not develop the necessary coping skills. My research question, exploring possible correlates between poor familial and youth relationships with recidivism or one-time offenses, will utilize family and youth relationship risk factors contributing to risk levels reported in Youth Level of Service Risk Assessments (YLS) for juveniles involved in a Midwestern juvenile court. It is vital that we understand the potential correlation between family-child relationship risk factors and recidivism to develop and assess programs that foster productive relationships and appropriately respond to the needs of juveniles involved in the juvenile justice system. This research could support the court system by connecting juvenile behaviors to their relationships with influential family members, thus considering the impacts of external factors that influence the development of anti-social or prosocial behaviors. As family influence and structure change, the court system must develop awareness of pathways that influence juvenile well-being and learning patterns that impact recidivism rates.

Noah Andres

Category: Criminal Justice and Legal Studies

Presentation Type: Poster

Presentation Number: 911

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: FIRST RESPONDER DISTANCE AND TRAINING IMPACT ON FATALITIES DURING ACTIVE SHOOTER SITUATIONS IN K-12 SCHOOLS

Abstract: In the last two decades, the increasing frequency of active shooter incidents within K-12 schools has contributed to a rising need for first responder training. Little research exists analyzing how practice & amp; preparation can affect the casualty rates of an active shooter incident. In the following study, we extrapolate on a random representative sample of thirty case studies taken from the TASSS (The American School Shooting Study) to compare the effectiveness of prevention policies on casualty rates in K-12 schools through open-source data collection methods. The implications of the study suggest certain preventative drills possesses an overall positive impact on preventing casualties during K-12 active shooter drills.

Quincy Zhou

Category: Criminal Justice and Legal Studies Presentation Type: Poster Presentation Number: 912 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EXAMINING CORRELATIONS BETWEEN ADOLESCENT RISK FACTORS AND FUTURE OFFENDING OVER A 15-YEAR PERIOD

Abstract: Research suggests risk factors experienced in adolescence contribute to future illegal conduct, yet little research has been conducted concerning this idea in recent years. This research aims to examine the relationship between risk and protective factors that were presented during adolescence and criminal behavior in early adulthood. Specifically, the relationship between indicators of peer influence, gang membership, family dysfunction, and substance use in adolescence with criminal behavior as a young adult will be examined. This research utilizes two sources of data. First, the baseline measures related to risk factors in adolescence will be taken from the national evaluation of the GREAT program - an evaluation of a school-based prevention program to reduce gang involvement and other illegal activities that spanned 2006-2012. Second, more recently, NIJ provided additional fundings to reestablish contact with the approximately 4,000 participants from the original GREAT evaluation to collect survey, financial and court data from each participant. By analyzing court data, this research determines whether participants had any evidence of criminal behavior over the last 15 years. This research will then identify correlations between risk factors in adolescence and future criminal behavior through linking survey information with open-source court records. Findings from this research will allow for a better understanding of the long-term impact of adolescent risk factors on adult behavior, provide insights for development of early intervention programs and other juvenile-related assistance, and therefore decrease the likelihood of individuals committing illegal activities in adulthood.

Swathi Thiyagarajan

REDUCED RECIDIVISM

Category: Criminal Justice and Legal Studies Presentation Type: Poster Presentation Number: 914 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: FAMILY AND PARENTING PROTECTIVE FACTORS AND THEIR CORRELATION WITH

Abstract: When a child commits a delinquent act, parents are often scrutinized. Families play a crucial role in shaping a child's morals, behaviors, and attitudes. Parental involvement during incarceration can positively impact a child's behavior. Research shows frequent parental visits reduce depression and behavioral problems while improving academic performance and socioemotional skills (Mikytuck et al., 2019). However, recidivism remains a concern. Family and parenting risk/protective factors are key in determining recidivism scores in the Midwestern Juvenile Court YLS Risk Assessment. This study analyzes how factors like consistent supervision, strong family management, consistent parenting, and strong adult bonds influence reoffending. Understanding these factors can help courts implement services, such as family support programs, to prevent recidivism. Additionally, this research can raise public awareness by helping parents understand their role in preventing youth crime and educating pediatricians on identifying and addressing family-related risk factors. This study hypothesizes that youth with protective factors-consistent supervision, strong family management, and strong adult bonds-will have lower recidivism rates than those without them.

Diversity and Interdisciplinary Studies

Abigail Brooks

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1102

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: REDEFINING ACCESSIBILITY IN MUSEUM SPACES: METHODOLOGIES AND PRACTICES FOR A MORE INCLUSIVE FUTURE

Abstract: Our presentation assessesCreativity in the Time of COVID-19: Art as Medicine, an exhibition drawing on a database of art collected between 2020 and 2022 in response to the Covid-19 pandemic. We examine the showcase done by the Digital Humanities and Literary Cognition Lab (DHLC) at MSU in the Fall of 2024 as a case study in improving museum space accessibility practices. Our exhibit was structured around an accessible design philosophy that goes beyond ADA compliance to connect diverse audiences to our archive. The DHLC sought to platform artists from BIPOC, LGBTQIA+, disability, and international communities to reflect the diverse nature of responses to COVID-19. We selected art pieces representing multiple modalities to accommodate varied sensory needs and preferences. Alongside these selections we provided audio descriptions for visual impairment, audio captioning for aural impairment, a respite space to support the mental wellbeing of our visitors, and adequate space in the gallery for mobility aids. To evaluate the success of the exhibit at depicting diverse pandemic experiences through accessible art, the DHLC gathered visitor feedback through a survey via QR code and written responses from artists, keynote speakers, and accessibility experts. We analyze this feedback and synthesize it into an effective action plan for coordinating future exhibitions. Our methods, including the iterative improvements based on feedback responses, can be applied to various exhibition spaces. The results of this exhibit demonstrate how accessibility benefits all visitors, enriching museums by redefining how art can be experienced and appreciated in a more inclusive future.

Abigail Lippert

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1122

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ASSESSING LAKE ACCESS ACROSS THE CONTERMINOUS US

Abstract: Lakes provide numerous ecosystem services such as drinking water, recreation, natural habitat, climate control, and aesthetic enjoyment. Lakes have been shown to reduce stress and provide physical health benefits such as decreased risk of cardiovascular issues, obesity, and cancer. Previous studies on environmental justice (EJ) have shown that there is unequal distribution, quality, and monitoring of lakes in communities of color. However, limited EJ research has focused on assessing the accessibility of lakes and the implications of inequities in lake access. Combining data from the LAGOS-US research platform, USGS, US Census Bureau, and Global Biodiversity Information Facility, we study how community demographics interact with lake access. We developed an open access data module, LAGOS-US HUMAN, which assigns demographic information from the US Census and access metrics (boat launches, bus stops, public trails, and public land) from USGS to all 479,950 lakes > 1 ha in the conterminous US. Using hierarchical generalized linear models, we study how different demographic makeups of lake communities influence the likelihood of the lake having accessible features. We also use fish data from the Global Biodiversity Information Facility and water sampling data from LAGOS-US LIMNO to assess lake sampling patterns. This research is an important contribution to the conversation of equal access to natural resources in the United States.

Alexis Marshall

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1116

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DIVERSITY THROUGH NEW LENSES

Abstract: Diversity plays a large role in the society that we live in, shaping social interactions, cultural understanding, and personal identity. This study examines how relocating from a less diverse area to a more diverse one - or from a diverse area to an even more diverse environment - affects individuals' perspectives on diversity. Using a mixed-methods approach, data was gathered through a survey (N = 124) and semi-structured interviews to explore shifts in awareness, social relationships, and attitudes toward racial and ethnic diversity. Survey results show that 60% of participants moved to a setting they perceived as more diverse, with rural-origin individuals most likely to report a dramatic increase in diversity at their new environment. Those from urban areas, in contrast, were more likely to report continuity in diversity levels. Participants who grew up in less diverse areas also reported having less diverse friend groups and showed a stronger sense of optimism about the future. Racial and ethnic background further influenced how diversity was perceived, particularly among Asian participants, who were more likely to view their current environments as less or equally diverse compared to where they came from. This study highlights the impact of lived experience in shaping views on diversity and underscores the role of environment in fostering social integration and cultural awareness. By examining individuals adapt to and interpret diversity in new settings, this research contributes to broader discussions on inclusion, identity, and the significance of diverse communities in shaping societal perspectives.
Alina Acosta

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1118

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: HOLISTIC MANAGEMENT OF FIBROMYALGIA: A MULTIMODAL APPROACH TO SYMPTOM RELIEF

Abstract: Fibromyalgia is a chronic, multi-symptom condition characterized by widespread pain, fatigue, sleep disturbances, and emotional distress. Because its cause remains unknown and its symptoms vary widely between individuals, treatment requires a personalized, holistic approach. This paper explores multimodal strategies for fibromyalgia management, focusing on the combined use of pharmacological, psychological, dietary, and alternative therapies. FDA-approved medications such as pregabalin, duloxetine, and milnacipran target central pain processing but are rarely sufficient on their own. Complementary interventions like cognitive behavioral therapy (CBT), tai chi, hydrotherapy, and plant-based diets offer additional relief by improving emotional resilience, physical function, and quality of life. The research also considers the sociocultural dimensions of fibromyalgia, including gender disparities in diagnosis and the concept of biographical disruption, which describes how chronic illness reshapes identity and self-perception. Together, these findings suggest that a multimodal treatment model-one that addresses both biological and psychosocial aspects of fibromyalgia-is the most effective way to alleviate symptoms and support long-term patient well-being.

Amber Olguin

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1114

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE FANOPTICON: POWER, PROJECTION, AND THE POLICING OF DISCOMFORT IN FANDOM DISCOURSE

Abstract: Online fandom communities have long been considered safe, transformative spaces for women and LGBTQ+ individuals. However, in recent years that has been threatened by the rise of "anti" and "pro-ship" discourse has lead to doxxing, death threats, sexual harassment, and further violence as "antis" believe that dark, or "problematic", media encourages real life beliefs and behaviors that are harmful or "immoral", especially with regards to sex, while "pro-shippers" value freedom of expression, especially of victims. This is troubling, given its eerie similarities to current offline political polarization, specifically book bans. My project explores the power dynamics at play as well as the psychology of both camps through qualitative content analysis and semi-structured interviews. Surprisingly, both the anti and pro-ship participants agreed that follower count determined power and that the discourse values "sound bite" answers over good-faith discussion. However, they disagreed on the value of dark fiction and discomfort, the anti saying it "normalizes" abuse due to fans identifying with characters while the pro-shipper argued fans, and people more generally, "have a right to engage in discomfort". Their positions were supported as representational by field observation (X/Twitter) analysis. This research provides a fascinating, if concerning, look into fandom discourse as a microcosm of divides in our larger society, hopefully proving fandom as a serious subculture and providing a basis for further research on remedying polarization across contexts.

Anika Bery

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1104

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: ASSESSING THE INTERSECTIONS OF CLIMATE, HEALTH, AND RACIAL JUSTICE ON MIGRANT FARM WORKER STUDENTS THROUGH COMMUNITY BASED PARTICIPATORY ACTION RESEARCH (CBPAR)

Abstract: Youth-led Undergraduate Research Experience in Climate, Health, and Racial Justice (YOURE(in)CHARJ) is a research initiative that aims to explore the intersection of climate, health and racial justice. The theoretical framework of this project is an interdisciplinary approach in analyzing information which is implemented through bringing together research assistants from the Residential College of Arts and Humanities, Lyman Briggs College, and James Madison College. The community of focus within this research are migrant farm workers part of the College Assistance Migrant Program (CAMP) at MSU. Our research methodology is Community-Based Participatory Action Research (CBPAR), which involves members of the affected community in a constantly iterative process. Rather than approaching communities with a deficit mindset, CBPAR aims to treat community members as experts and integrate them in the co-production of knowledge throughout the research. The way in which this is shown to be implemented in our research is through Roundtable Discussions with CAMP students, engaging with their experiences in relation to health and climate justice to gain a holistic view of the impacts that they have on CAMP students. This project will create space for CBPAR to become more commonplace in interdisciplinary research circles, allowing communities that are the subjects of research to play a more active role in studies. By engaging with CAMP students, the goal of this research is to codevelop and implement an action plan for issues identified by the community that they would like to address.

Benjamin Eiler

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1113

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE COREY MARSH THEATER PROJECT: EXPLORING PLACE-BASED ART INTEGRATION IN LOCAL CONSERVATION

Abstract: The use of art as a bridge between conservation and the public is well-studied, however research exploring the bi-directional impacts of science education and artistic creativity on artists, scientists, and audiences is limited. Over the summer of 2024, a team of researchers facilitated the collaboration between scientists and artists in a series of five workshops in which both the artists and scientists shared their areas of expertise and the artists led artistic activities integrating these ideas into artistic outputs. The artists then took the lessons from these workshops to write, rehearse, and perform an original place-based play titled The Link at the Corey Marsh Ecological Research Center, a wetland restoration research site owned and operated by Michigan State University where The Link was produced. A primary research objective from this work was to evaluate the impacts of this creative collaborative work on the attitudes of artists and scientists involved regarding art and its role in conservation, the power dynamics between artists and scientists and participants' interest in continued pursuit of art-science collaborations. In the nature of the project, this poster will be presented by two Michigan State University undergraduates: Ben Eiler, the lead undergraduate researcher on this project and Anthony Monteleone the director of The Link. Through the poster, Eiler will share the findings associated with this project and Monteleone will share his experience as an artist working on this collaborative place-based play. This poster will highlight the importance of forging new collaborations and the power place-based art in conservation.

Camila Hufnagel

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1121

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ARE TEXTBOOKS DISENGAGING COMMUNITIES?

Abstract: K-12 textbook narratives present history as a series of isolated snapshots, rather than a sequence of events that live on into the present. For students, these narratives fail to bridge the past experiences of communities to their ongoing presence. This study identifies gaps in K-12 history textbooks in defining what it means to be involved in a community. This can be a barrier to youth as they are developing a sense of belonging within their communities, directly discouraging youth from community involvement. If a child cannot properly understand what it means to exist within a community today, they lose vital strengths necessary to engage with their communities. This research highlights the need for historical narratives in K-12 textbooks that foster deeper connections between students and communities.

Claudia Colligan

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1127

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: UNDERGRADUATE LEARNING ASSISTANT VIEWS ON DISABILITIES IN STEM CLASSROOMS: BREAKING DOWN THE LANDSCAPE OF CLASSROOM SUPPORT

Abstract: As diversity continues to increase within the STEM community, instructors must work to acknowledge and support students with disabilities in the classroom. In the literature, there are two widely accepted frameworks when discussing how society views disability: the medical model and the social model. The medical model focuses on patientclinician relationships, viewing disability as something that can be treated or fixed within an individual. The social model has a broader scope, focusing on how structures can limit individuals, and how these structures can be changed to become more accessible. The ways that instructors understand disability likely influence how they view disabled students and their classroom design and practices. Undergraduate learning assistants are current students that have taken the course previously. They work with students and the professor to provide peer-level support, often answering questions in class or leading recitation sections. They often have more direct contact with students as compared to faculty, meaning they have a profound impact on the student experience. We analyzed which models of disabilities are most common among ULAs' views. The data we used was collected by a graduate student in the Molecular Cellular and Integrative Physiology department at MSU through semi-structured interviews that asked ULAs to reflect on the impact of disability on STEM learning and classrooms. We used an iterative qualitative coding methodology to gain a deeper understanding of the ULAs' personal views and actions related to disabilities in the STEM classroom.

Cyril Hobeika

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1111

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: "IT'S NOTHING TO DO WITH RACE": RACE-EVASIVE IDEOLOGIES IN UNDERGRADUATE LEARNING ASSISTANTS' DISCOURSE

Abstract: Undergraduate learning assistants (ULAs) are near-peer instructors that facilitate learning via student-centered pedagogies, often engaging more directly with students than faculty. Despite their important role in STEM classes, little is known about how ULAs understand and practice equity. Prior research shows that STEM faculty at predominantly white institutions (PWIs) often perpetuate inaccurate narratives of meritocracy, objectivity and neutrality when describing their classrooms and disciplines. In doing so, they draw on color-evasive narratives that explain away racial phenomena without explicitly naming race or racism as a cause of oppression 1,2. Michigan State University is a PWI with many courses that are supported by ULAs. Given the documented pervasiveness of color-evasive ideology at PWIs, we ask 'How do ULAs make meaning of race and racism in the classroom?'. To answer this question, we qualitatively analyzed data from interviews that prompted ULAs to reflect on the impacts of race in their classrooms. We found that ULAs often side-stepped conversations on race by (a) Describing STEM classrooms as objective, neutral and separate from the socio-cultural environment, (b) Conflating race and culture, focusing on assimilating students into dominant STEM cultures (c) Focusing on individual student characteristics such as a lack of prior preparation or initiative to access resources. This meant that ULAs struggled to notice racialized events in the classroom and were overoptimistic about surface level solutions to address racial inequities in the classroom. Our work aims to inform future interventions and training programs to enhance equitable teaching practices in STEM.

Daviona Cross

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1107

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EXPLORING THE EFFECTS OF DISCRIMINATION AND INTIMATE PARTNER VIOLENCE ON MATERNAL-CHILD OUTCOMES

Abstract: Intimate partner violence (IPV) negatively impacts women's mental health and thus negatively affects their children. Women experiencing IPV may also face discrimination, and marginalized groups are at greater risk for interpersonal harm. Consistent with the extant literature maternal discrimination was hypothesized to moderate the association betweenIPV and maternal mental health and that maternal discrimination would also moderate the association between IPV and child internalizing and externalizing at child age 3. Data were drawn from the larger Michigan Prenatal Stress Study, an ongoing prospective, longitudinal study. Participants were oversampled for IPV exposure and demographic risk. We used data on 108 racially diverse mother-child dyads. Maternal experiences of IPV, and maternal anxiety, depression, and PTSD symptoms were assessed when children were 2 _ years using validated self-report measures. Maternal experiences of discrimination were assessed using the Experiences of Discrimination scale when children were 2 years old. Children's behavior problems were assessed at age 3 with the Child Behavior Checklist. My hypotheses were partially supported, consistent with the extant literature, IPV significantly predicted maternal depression (β=.331, p=.002), anxiety (β =.321, p=.003), and posttraumatic stress disorder (β =.247, p=.020). For child externalizing (β =.276, p=.041) and internalizing (β =-.346, p=.009) outcomes child sex was significant, such that girls had higher rates of both types of behavior problems. Surprisingly, maternal experiences of discrimination only significantly moderated the effects of IPV on maternal PTSD symptoms. Neither IPV nor discrimination affected children, suggesting mothers are able to protect children from negative consequences of these stressors.

Hannah Hua

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1123

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: BUILDING RACIAL NOTICING LENS IN STEM: LESSONS FROM THE ACCESS FELLOWSHIP

Abstract: The Lyman Briggs College ACCESS fellowship is a year-long opportunity for undergraduate learning assistants (ULA) to engage in discussions about systemic barriers students may face to raise critical consciousness. Racial noticing lenses like abstract liberalism, minimization, naturalism, and cultural racism can easily go unnoticed. A literature review was conducted to analyze and identify racial noticing lens in educational research. As ULAs, we reflected on our teaching experiences to be able to identify how systemic barriers may be present within the learning environment and devised solutions to create an equitable classroom environment.

Jasmine Chow

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1106

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: COMMON PERCEIVED WHITE-ASIAN BIRACIAL (WASIAN) STEREOTYPES

Abstract: Introduction: Wasian are individuals who are white + asian where they have unique life experiences. Their identities are poorly defined in literature, particularly relating to common stereotypes that they experience. Additionally, there is very limited literature that discusses their lived experiences within the larger American culture. Methods: We explored the literature pertaining to attitudes towards marginalized groups and social constructs in UGS 200H to come up with our individual research question. Our research questions were developed using additional prior literature, mine specifically about common Waisian Stereotypes. A survey was created for UGS 200H class with seven students' research questions. Additionally, we also conducted qualitative interviews with individuals relevant to our specific research questions. Results: To be determinedConclusions: With the increasing prevalence of Wasian individuals, more work is needed to understand their unique identities and their experience within their own cultural contexts and the overall American culture.

Jenna Aly

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1125

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: YOU'RE (IN)CHARJ (YIC): YOUTH-LED INTERDISCIPLINARY RESEARCH EXPERIENCE FOR CLIMATE, HEALTH, AND RACIAL JUSTICE- TEAM URBAN.

Abstract: YOU'RE (in) CHARJ (Yic) is the first of its kind, as it brings together the professional resources and academic specialties of each of the residential colleges on campus: James Madison, Lyman Briggs, and Arts & amp; Humanities. From these institutions, students and faculty with diverse backgrounds have been brought together to collaborate with communities affected by climate change. At YOU'RE (In) CHARJ, we are dedicated to building bridges in historically redlined urban communities in the Greater Lansing area by addressing the interconnected challenges of climate change, health disparities, and racial justice. Furthermore, this research initiative is fostered through the workings of peer-mentor dynamics, which allows students to work cohesively and implement & amp; design a research project. YiC is divided into the Urban and Rural group that focuses on unique aspects of this project but still work towards the same overarching goal. The Urban group of YiC is actively pursuing partnerships with organizations like Action of Greater Lansing & amp; FLEDGE to facilitate a roundtable discussion and an understanding of climate change impacts on the Urban community in Greater Lansing. Our research objective is to understand how the resources residing in redlined communities have affected their overall wellbeing and what we can do to improve the resources they have. Additionally, we hope to attend future events of the organizations we pursue to create long-lasting partnerships and connections.

Josie Danielkiewicz

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1108

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: SEXUAL VIOLENCE AS A METHOD OF GENOCIDE IN 1994 RWANDA AND ITS AFTERMATH

Abstract: In 1994 Rwanda experienced a 100 day genocide against the minority Tutsi population. An estimated 800,000 men, women, and children were killed, and in addition to murder many also were brutally assaulted. This research project aims to examine how sexual violence was used as a tool of genocide and how it has impacted the lives of survivors and their children into the present day. Sexual violence is often seen as an inevitable consequence of violence during conflicts and not as a method of war or perpetuating genocide despite updates to international law which argue the latter. This project aims to illustrate how sexual violence was used to perpetuate genocide in Rwanda and the impacts that it has had on individual survivors and their communities since the end of the genocide on July 19, 1994.

Julius Patto

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1126

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DRIVING BEYOND BORDERS: INTEGRATING CHINESE AND MIDDLE EASTERN DESIGN SYSTEMS FOR INCLUSIVE CAR HUD DESIGN

Abstract: This project investigates the integration of Chinese and Middle Eastern design influences into a car head-up display (HUD) to serve as a model for more inclusive and culturally nuanced Western design practices. By meticulously analyzing the distinct design styles, user flows, and cultural preferences from these regions, the research aims to bridge historical design traditions with modern user interface innovations. Leveraging Hofstede's cultural dimensions and cross-cultural UX research methods, the study dissects how cultural factors such as power distance, individualism versus collectivism, and uncertainty avoidance shape regional aesthetics and user interactions. While Western design often gravitates toward universal, homogenized solutions, this research challenges that paradigm by showcasing how the incorporation of diverse cultural elements can enhance usability and enrich the overall user experience. The final deliverable, a car HUD interface that seamlessly melds Chinese and Middle Eastern design motifs stands as a tangible example of how cultural authenticity can be integrated into technology products. This case study not only highlights the potential for more accurate and empathetic design development but also serves as a pedagogical tool for Western designers.

Kaitlin Carlson

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1101

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: SOCIAL ACCEPTABILITY OF LGBTQIA+ INDIVIDUALS IN KENYA: A COMPLEX INTERPLAY OF GENERAL PUBLIC, GOVERNMENT AND LAWS, RELIGIOUS GROUPS, EDUCATIONAL INSTITUTIONS, AND DATING LIVES

Abstract: The social acceptability of LGBTQIA+ individuals in Kenya is shaped by a complex interplay of cultural norms, legal frameworks, religious ideologies, educational systems, and societal attitudes. My study analyzes the downfalls and progress in the acceptance of LGBTQIA+ identities across different social sectors including public perception, government policies, and personal relationships. Despite these barriers, generational and urban shifts show growing tolerance, with younger populations and urban centers such as Nairobi, which my study focuses on, progressing. Advocacy efforts create a role in fostering safe spaces, challenging norms, and promoting systemic reforms.

Kellsey Hall

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1112

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EXAMINING THE LONG-TERM IMPACT OF SISTER CIRCLE ON WOMEN OF COLOR AT A PWI

Abstract: This study expands on prior research examining the impact of Sister Circle, a mentoring program for Women of Color (WOC) at MSU, by exploring differences in experiences between long-term participants within the Residential College in the Arts and Humanities (RCAH) and newer participants, including those outside of RCAH. Using Third Spaces and the Minority Stress Theory, this study investigates how sustained engagement with culturally affirming programs influences students' sense of belonging, well-being, and resilience in academic spaces. Data is being collected through surveys and interviews, comparing responses across participant groups. By examining how duration and college affiliation shape engagement with Sister Circle, this research seeks to highlight the evolving role of culturally sustaining spaces in fostering empowerment and support. Long-term participants may develop a deeper sense of connection and leadership within the program, while newer participants navigate the initial stages of integration and identity formation in these spaces. The study considers how Sister Circle functions as both a safe space from institutional challenges and a space for critical dialogue, mentorship, and personal growth. Additionally, it explores the broader implications of culturally affirming programs in academic settings, particularly in shaping retention, confidence, and cross-community solidarity for WOC at a predominantly white institution.

Lowell Monis

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1115

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INTERSECTIONALITY IN THE HALLS OF POWER: DIVERSITY AND ITS IMPACT ON POLICY IN UNITED STATES LEGISLATURES

Abstract: This project explores the multifaceted dimensions of diversity, including ethnic, racial, economic, and gender factors, within the U.S. Congress and state legislatures, seeking to understand how the intersections of these identities influence political representation, decision-making, and public policy. It aims to provide a holistic understanding of diversity in U.S. legislative bodies, contributing to discussions on equity, inclusivity, and the complex interplay of diverse perspectives in the democratic process. The work is data-driven, studying datasets with information regarding congressional and state legislature demographics, while giving birth to a more comprehensive and tidier dataset specific to diversity factors, using statistical scripting to create enlightening plots to ease the study of such vast, historical data. While the exact conclusions of the study slowly arise, it aims to answer critical questions, including whether legislator tenures and productivity are influenced by diversity. It will also examine if Congress follows or leads state legislators in diversity. Essentially, this project aims to find if this representative democracy is truly representative and trace how its results play into definitions of diversity.

Marissa Malleck

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1103

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: ART IN MEDICAL EDUCATION: USING ARTS TO IMPROVE MEDICAL STUDENTS' UNDERSTANDING OF LIVING WITH DISABILITIES

Abstract: 1 in 4 American adults have a certain kind of disabilities, an experience that fundamentally alters how they experience their life. However, the American healthcare system is ill-equipped to work with these disabled patients, with a long history of these patients facing discrimination from providers. Many physicians reported feeling they are unsure of how to deal with patients with disabilities, creating inequities in the healthcare system. Improving medical students' knowledge of how disabled people go about their life and how to provide adequate care for this patient population is then extremely important. Our project encourages medical students to reflect on experiences that can seem inaccessible to them. Our project believes that integrating artworks and stories told by disabled artists, or artists living with chronic conditions can be an emotionally powerful way to improve students' understanding of disability. This project is based on our Mellon-funded archive of art made during the COVID-19 pandemic, a mass-disabling event that revealed and exacerbated health disparities. Our poster will be discussing the programming for a session Intersession which centers on patient vulnerabilities.

Roberto Garcia

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1105

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: COMPLEXITIES OF THE AMERICAN "LATINO VOTE"

Abstract: During every major election cycle in America, conversations about the "Latino vote" become ever more prevalent in political analysis and scholarships. As more generations of Latinos are born in or come to America, there are more Latine perspectives to consider. This name designation, however, fails to encapsulate the diversity of perspectives and experiences that make up this "Latino vote", which candidates work so strongly to convince. As Latinos in America vary in their perceptions, their views on how law and policy will affect them and their loved ones similarly change. This project explores the effect of disinformation, identity, and values and how combining these factors has led Latinos from the political left to the political Right. This presentation aims to provide analysts and policymakers with a more nuanced understanding of factors at play when Latinos make their way to the ballot box.

Rupal Athalye

Category: Diversity and Interdisciplinary Studies

Presentation Type: Poster

Presentation Number: 1117

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: "DIFFERENT STUDENTS ARE GOING TO NEED DIFFERENT THINGS IN ORDER TO ACCOMPLISH THAT GOAL": UNDERGRADUATE LEARNING ASSISTANTS' CONCEPTIONS OF SUCCESS AND EQUITY

Abstract: STEM education is exclusionary for several reasons, from historical legacies of sexism to racism to ableism. This results in negative consequences and outcomes for students from minoritized groups. Educational instructors, as primary sources of knowledge to these students, have been found to have differing conceptions of equity in the classroom, varying from equality to inclusion to justice. Equality encompasses treating all students the same regardless of their background or social status. Inclusion is described as providing each student with the different support they need to succeed. Justice goes beyond equity and inclusion by considering historical and sociopolitical contexts of inequities. Further, instructors' conceptions of equity directly impact their approaches to teaching by influencing their individual teaching practices and engagement with the students. Undergraduate Learning Assistants (ULAs) work alongside professors as additional teaching support in undergraduate courses. ULAs are closer in age to the students and can act as a bridge between the professor and the student. However, not much is known about how ULAs think of or practice equity. In this study, we seek to understand how ULAs' ideas of success in the STEM classroom align with their conceptions and practices of equity in this same setting. To understand the ULA's perspectives, we qualitatively analyzed different sets of interview data focused on their experiences in the classroom and their understanding of equity.

Education

Education

Aarav Contractor Category: Education Presentation Type: Poster Presentation Number: 1211 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: DEVELOPMENT OF MECHANISTIC REASONING IN MEDICAL EDUCATION

Abstract: Effective clinical reasoning and decision-making are essential in medical practice. Scholars use dual process theory to model clinical reasoning, acknowledging that there is both a fast (pattern recognition) and slow (mechanistic reasoning) component to this way of thinking. While there is much research about how physicians use pattern recognition (often in the form of illness scripts), much less is known about mechanistic reasoning. Mechanistic reasoning is the process of reasoning through underlying relationships and factors which result in an phenomenon. To study how physicians reason, we conducted semi-structured interviews with 43 medical school instructors. Using the software MAXQDA for qualitative analysis, we identified common themes in the interviews through open coding. While the instructors discussed how expert physicians rely on both pattern recognition and mechanistic reasoning, they identified key differences between the two. For example, they reported that in order to make rapid diagnoses through pattern recognition, physicians need lots of clinical experience. Without that experience to draw upon, early-career physicians and medical students must depend more on mechanistic reasoning. Once experienced, physicians may use pattern recognition for the majority of their cases, but they still must return to mechanistic reasoning for challenging problems. By understanding how both pattern recognition and mechanistic reasoning are used by physicians, especially across different career stages, we better design medical education strategies to support physician's development of clinical reasoning.

Andrew Frey

Category: Education Presentation Type: Poster Presentation Number: 1208 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: CONCEPTIONS OF DISABILITY AMONGST ULAS IN STEM

Abstract: This paper studies attitudes towards disability amongst Undergraduate Learning Assistants (ULAs) in STEM. ULAs are undergraduate students who work with Professors in the classroom setting, interacting directly with students to help teach the material, to serve as mentors and peers, and as available and approachable course guides. Prior literature discusses different models for understanding/defining disability, but how ULAs understand/define disability is not fully understood. This research is a qualitative coding of 10 interviews conducted with ULAs who teach STEM at Michigan State University. The interviews ask how disability status may influence the experience of a student in STEM courses, and investigates how ULAs think of and define disability. Our findings will serve to illuminate how disability is conceptualized in STEM environments, so that action can be taken to improve accessibility, student success, and well-being.

Anika Kurichh

Category: Education Presentation Type: Poster Presentation Number: 1222 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: STUDYING STUDENTS' REAS

Title: STUDYING STUDENTS' REASONING FOR THE IMPACT OF SOLVENT ON SUBSTITUTION REACTION RATES

Abstract: Solvation impact's reaction rates in SN2 mechanisms, particularly comparing specific solvents. This is a complex phenomenon since to explain the effect of solvation on the rate of SN2 reactions, one needs to link several ideas together (causal links). In this work, our goal was to design a scaffolded activity that would support students in constructing mechanistic explanations for this phenomenon. A causal link exists between solvation and charge distribution as solvated species experience stronger interactions, leading to charge stabilization and lower energy, while un-solvated species retain higher energy and greater reactivity. A solvated ion, like I- in CH3OH, experiences strong solvent-ion interactions, which stabilize the charge and lower its energy. Conversely, in THF, the nucleophile remains largely un-solvated, keeping its charge more localized and reactive. A productive link exists between charge stabilization and stability. Increased stability corresponds to lower energy, which in turn affects the activation energy of the reaction. Specifically, a more stable (lower energy) nucleophile results in a higher activation energy barrier for the SN2 reaction, slowing the rate. Conversely, a less stabilized (higher energy) nucleophile has a lower activation energy barrier, leading to a faster reaction rate. Through the scaffolded activity, our goal was to support students in activating productive ideas and progressively making these causal links. This activity was administered to organic chemistry students in Fall 2022 at Michigan State University. We analyzed student responses for the productive ideas that students used and causal links they identified.

Anthony Kosinski

Category: Education Presentation Type: Poster Presentation Number: 1207 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: TOPIC ANALYSIS OF ACADEMIC ARTICLES ON UNDERGRADUATE INSTRUCTIONAL CHANGE STRATEGIES IN STEM EDUCATION

Abstract: There are many approaches in education for undergraduate students in STEM, highlighted by instructional change strategies documented in the literature. With the influx of academic papers published in the last decade, there is an interest in exploring the integration of data science methodologies to identify themes in these papers. In this work, we apply textual dimensional reduction with a natural language processing machine model utilizing Latent Dirichlet Allocation on 247 STEM education academic papers. This analysis yields various topics and sub-topics which can ascribe labels to individual papers. The resulting model is cross validated to understand its efficacy and efficiency. Visualizing the final topics gives an insight into increasingly popular strategies in STEM education, as well as underscoring a range of subjects in educating undergraduates in STEM. This project is a part of a larger research endeavor to compare data science methodologies for information extraction of academic articles and identify themes in science education.

Ava Crumley

Category: Education Presentation Type: Poster Presentation Number: 1206 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: STUDENT EXPERIENCES IN BLENDED ONLINE AND IN-PERSON STEM COURSES

Abstract: This presentation aims to analyze the impact of blended learning on undergraduate university education. Blended learning, which combines in-person instruction with online components, offers a flexible and interactive approach to learning. Using student interview data (n=23) from six STEM courses at MSU, this presentation will examine how blended learning influences student experiences. Courses offered a variety of attendance options, such as: online and in-person synchronously, asynchronous online engagement with in-person meetings, and other combinations of in-person and online learning options. Framed within the Community of Inquiry model, the discussion will explore how instructors and courses create a sense of social, teaching, and cognitive presence. Findings indicated that students valued blended learning for its flexibility, particularly when personal circumstances or aspects of identity made attending class challenging. Many students reported that blended learning options allowed them to engage meaningfully with instructors and peers while accommodating their own needs. By examining both student perceptions and attendance patterns, this analysis of blended courses provides insights into the role of blended learning in fostering an inclusive educational environment and offers practical recommendations for designing future blended courses that maximize student engagement and accessibility.

Ava Gjokaj

Category: Education Presentation Type: Poster Presentation Number: 1226 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: CHARACTERIZING HIGH SCHOOL CHEMISTRY STUDENTS' IDEAS ABOUT ELECTROSTATICS AND ENERGY ACCORDING TO AN NGSS-ALIGNED LEARNING PROGRESSION

Abstract: In this work, we analyzed high school students' explanations of an assessment item that requires an understanding of electrostatic interactions and energy, disciplinary core ideas in Physical Science. Students were asked to consider two carts with negatively charged sheets that are being held close together by wedges under their wheels; then, students are asked to predict which direction the carts will move and when they will stop after the wedges are removed. By answering this question, students were prompted to display their understanding (and integration of) forces and energy. Coders utilized a coding rubric consisting of 11 categories to analyze over 1600 high school students' explanations. Using this rubric, we captured both accurate and inaccurate ideas that students presented when addressing these concepts. Each category was coded individually by the coders as "1" or "0" depending on the presence or absence of that idea in the student response. We independently coded sets of 100 responses, then the two coders met with a third coder to discuss disagreements which allowed us to (1) decide consensus codes and (2) refine the rubric to enhance its accuracy. We found that students express their ideas in a variety of ways, making for rich discussions between the researchers. By identifying both misconceptions and correct responses, teachers can adjust their instructional strategies to target specific areas for improvement, enhancing the effectiveness of their teaching. Here, we present the assessment item, coding rubric, and example student responses to show the range of ways students explain this phenomenon.

Brian Faucher

Category: Education Presentation Type: Poster Presentation Number: 1201 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: DEVELOPING EFFECTIVE PROTOCOLS TO ENSURE THE ETHICAL AND EFFICIENT USE OF GENERATIVE AI

Abstract: As platforms such as Chat GPT, Microsoft CoPilot and others continue to develop and find their way into every facet of our lives, it is important to learn and understand both the positive and negative consequences that may come with using generative AI. In this presentation, I will discuss a set of recommendations and protocols that aim to ensure the ethical and effective use of generative AI in the workplace. These protocols stem from my work in WRA 308: Invention in Writing and includes specific guidelines and procedures that employees should follow. In addition, I also discuss an idea of implementing a Quality Assurance Department that would consistently monitor and ensure ethical and efficient use of generative AI within the workplace.The main goal of this presentation is to provide designers and leaders with a concrete set of proposals that expand discussions about the ethics and design of generative AI to include how these writing technologies might be used in professional and academic settings.

Emma Anzivino

Category: Education Presentation Type: Poster Presentation Number: 1203 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: A COMPARISON OF AI-ASSISTED AND MANUALLY SCORED STUDENT PROJECTS IN

PHYSIOLOGY EDUCATION

Abstract: As class sizes grow, providing timely and high-quality feedback becomes increasingly difficult for instructors. This research explores AI, or artificial intelligenceassisted grading in an upper-level physiology course. The authors hypothesized that AI Large Language Models can provide valuable, accurate, and timely feedback on student papers in a physiology class. The tested sample comprised thirty-two written papers of around 1.5 pages, each evaluating two medical TV drama episodes across a seven category rubric. Papers were sampled from a pre-existing data set, previously scored untimed by a single reviewer (human existing), then deidentified and rescored by three independent reviewers (human new), and finally by Claude 3.5 Sonnet (July 1, 2024 version). Human existingandhuman newdid not include written feedback, whereas AI was prompted to include this as an experimental extension. Primary outcomes assessed were time to completion, rubric point scale scoring, and written feedback when available. A one-way ANOVA revealed no statistically significant differences between grading methods (F = 0.12, p = 0.89), indicating high accuracy for each modality. Human new scoring took an average of 3 minutes and 19 seconds, whereas AI completed its assessment, including written feedback, in under 10 seconds per paper. The instructor judged Al feedback to be robust, accurate, and highly relevant, suggesting that AI could enhance academic performance by providing students with quality feedback before assignment submission. Future research should explore productive workflows and methods of assessment for AI-assisted student work that promote targeted learning outcomes.

Grace Krajewski

Category: Education Presentation Type: Poster Presentation Number: 1213 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: BEVOLUTIONIZING DANC

Title: REVOLUTIONIZING DANCE EDUCATION: THE ROLE OF AUGMENTED REALITY IN REMOTE CHOREOGRAPHY INSTRUCTION

Abstract: Recent advancements in artificial intelligence and augmented reality (AR) are transforming education by enabling faster and more personalized learning experiences (Vall & amp; Araya, 2023). However, most research on these technologies focuses on traditional academic settings, with limited attention to their role in arts education, particularly dance. Existing studies suggest that, compared to conventional methods, AR and AI can enhance dancers' understanding of technique, as well as motivation and self-discipline in the learning process (Wang, 2024). This study examines the effectiveness of AR in remotely teaching dance choreography to young dancers. A group of experienced dancers (ages 11-13) was divided into two groups: one learned choreography through a traditional instructor video, while the other followed an AR avatar demonstrating the same routine. Following instruction, dancers were recorded performing the choreography and completed a survey assessing their learning experience. Performance accuracy was analyzed by comparing dancers' movements to the original choreography, while subjective perceptions of learning were evaluated through survey responses. Preliminary results suggest that AR-based instruction is generally as effective as traditional video instruction. AR may offer advantages in teaching movement mechanics and sequences, while traditional videos appear to support better musicality. These findings provide insight into how AR technology can be implemented to enhance remote dance education. As digital learning continues to expand, understanding the strengths and limitations of AR in dance instruction can help educators develop more effective virtual training methods.

Helena Haddad

Category: Education Presentation Type: Poster Presentation Number: 1205 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: EXAMINING STUDENTS' MECHANISTIC THINKING IN INTERPRETING BLOOD PRESSURE

Abstract: Blood pressure and blood flow are fundamental concepts of physiology. Most students tend to struggle with the mechanistic and causal reasonings for how blood pressure is regulated and can be offset. My project aimed to develop a hands on activity and worksheet using balloons and different sized nozzles, to understand the relationship between gradient and resistance in the context of blood pressure. Students were able to experiment with a high resistance nozzle (simulating vasoconstriction), and a low resistance nozzle (simulating vasodilation). They were able to observe how resistance changes the pressure and flow of the simulated blood vessel. The worksheet guided students to qualitatively and quantitively assess the difference between the nozzles. A leading question "Why do we faint when drinking alcohol in a hot tub?" was asked before and after the activity. The worksheet led students to take their observations and apply them to mechanistic reasonings they have already learned such as flux and mass balance. When comparing mass balance drawings before and after, I found that students had a more complete understanding of the difference between vasodilation and vasoconstriction. Through listening to teams reasoning I was able to see that students were able to understand that vasodilation meant a decrease in resistance, but did not increase the gradient. This was crucial in understanding why someone with vasodilation would have a lower blood pressure, and potentially lose consciousness.

Isabella Berch

Category: Education Presentation Type: Poster Presentation Number: 1218 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: TEACHING INFORMATIONAL TEXT STRUCTURE: WHERE ARE THE MATERIALS?

Abstract: A primary objective of elementary, middle, and high school instruction is to teach students to write in three genres: informational, argument/opinion, and narrative (CCSSO, 2012). All state English Language Arts (ELA) tests require students to write in the informational genre on the test, beginning in grade 3. However, most schools struggle to teach their students to write in the informational genre. In this study, we argue the reason for this is because there is not enough informational text nor is there enough materials to teach students the text structure that differentiates informational from narrative genres. We will present evidence from several curricula.

Kelly Choi

BEING

Category: Education Presentation Type: Poster Presentation Number: 1215 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: ANALYZING STUDENT AWARENESS OF SUPPORT SERVICES AND MENTAL WELL-

Abstract: Beyond education, institutions play a crucial role in supporting student's wellbeing by providing resources that support their academic, career, and mental health needs. Encouraging students to utilize or be aware of the services ensures they receive the full benefits of their tuition investment. Therefore, this proposal explores how students' awareness of academic, career, and mental health resources changed before and after completing a freshman seminar course on wellbeing in MSU's College of Art and Letters. 11 Students out of 28 completed both the pre- and post-surveys with Likert-type and openended questions on their wellbeing, university navigation skills, and knowledge of university resources. I analyzed students' open-ended responses to track students' knowledge of key support services, such as academic advising, Handshake, resume building, and mental health resources. I also compared self-reported mental well-being from pre- and postsurveys using a Mann-Whitney U test to see how the course might support student wellbeing. The findings show clear improvements in students' ability to seek help and navigate available resources, having an overall improvement of 21%. This presentation will break down key trends, highlight meaningful insights from the data, and discuss ways to better connect students with the help they need.

Kriti Shirodkar

Category: Education Presentation Type: Poster Presentation Number: 1204 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: LOST IN TRANSLATION: HOW NATIVE LANGUAGE AND UNDERREPRESENTED MINORITY STATUS SHAPE STEM MOTIVATION AND BELONGING

Abstract: Undergraduate students' social and linguistic backgrounds influence their STEM belonging and aspirations, yet their intersectionality remains underexplored. Many students of color report heightened pressure to succeed and work harder to overcome systemic barriers, while limited English proficiency creates additional challenges in adjusting to U.S. academic and campus life. Given that belonging and perceived costs of studying science are critical to STEM undergraduates' long-term success-especially for underrepresented students-this study investigates how English language proficiency and underrepresented minority (URM) status, individually and in combination, relate to these perceptions. Survey data from 1,549 undergraduates (90% native English speakers, 90% non-URM) were analyzed. We hypothesized that non-native English speakers and URM students would report lower belonging and higher perceived costs of studying science relative to peers, with a compounded negative effect upon their interaction. Multivariate analyses of variance (MANOVA) revealed non-native English speaking students reported significantly higher effort-related costs, an effect that remained consistent in size regardless of additional URM identification. URM status alone was not predictive of perceived costs. Conversely, while native language status did not predict perceived belonging, the combination of both nonnative language and URM status predicted significantly higher belonging, specifically university-level belongingness. Findings suggest linguistic and cultural background independently shape students' perceived challenges in STEM higher education, especially effort-related costs, yet intersectionality of students' identities may interact and interplay in ways that are in fact more, and not less, protective of perceived belonging. Addressing these intersecting factors is essential for promoting inclusion and retention in STEM.

Madison Tate-Rankin

Category: Education Presentation Type: Poster Presentation Number: 1214 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: USING GENERAL MODELS

Title: USING GENERAL MODELS TO UNDERSTAND PHYSIOLOGY IN AN UNDERGRADUATE CLASSROOM

Abstract: Evidence supports that students are able to use their own previously acquired knowledge and apply new concepts in order to understand novel physiological phenomena using mechanistic reasoning. There is not a lot of push to use general models and mechanistic reasoning in undergraduate physiology classrooms. The aim of this study was to investigate the ability of students using prior knowledge elements in combination with new general model concepts in order to be able to explain physiological phenomena using mechanistic reasoning. Data was collected during class time by recording student conversations and interactions with the teaching team, with their consent. The conversation recordings were then transcribed and any student identification was removed from the transcripts. Each conversation throughout the recording was initially analyzed to identify knowledge elements students had prior to lecture they used to explain the concept of blood flow. The conversations were also analyzed to identify where students applied the general model of flux or if they did not apply it at all. Resource maps were used as a way to visualize the student conversation and how their ideas connected to one another throughout the class period. A new resource map was created for each question where new information was introduced in order to guide the students towards the correct mechanistic reasoning. The students in this study showed understanding of a new physiological phenomena and did successfully use prior knowledge and new concepts to build a mechanistic explanation for fainting using the general model of Flux.

Maliyah H Drain

Category: Education Presentation Type: Poster Presentation Number: 1212 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EXPLORATION OF RACIAL INJUSTICE WITHIN TEACHER EDUCATION PROGRAM

Abstract: As Teacher education (TE) programs prepare individuals for careers in education and train students to obtain their teaching licensure, they must also consider pervasive racial inequity across educational spaces. They must also identify ways they can sport teachers to create racially just classrooms in their careers and promote a "Healthy Racial Climate Model," Which cultivates an environment that addresses issues of racial injustice. While analyzing data and understanding several critical theories noticed how these acts of racial injustice often occur in the education system through the persistence of white rage, or white refusals to humanize or recognizeBlack excellence, success, and brilliance. As a Black student who attends a predominantly white university, I begin to wonder about which systemic inequities impact my own education. I studied some of MSUs TE program's marketing in which they frame themselves as diverse and reassure students that they are taught by expert educators in context of an exit survey that teacher candidates complete as seniors. Through a comparative study of both sets of materials, I analyzed them to explore the ways educators can manifest (dysconscious) racist views in teacher education spaces even as they are teaching about racial equity, which can evoke responses embedded with white rage from students as they are exposed to these systems of power. I argue that these data show ways to reframe critical conversations and later to be able to apply their knowledge and create racially just classrooms.

Morgan Kasyouhanan

Category: Education Presentation Type: Poster Presentation Number: 1216 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: PHYSICIAN USE OF MECHANISTIC REASONING TO DIAGNOSE AND TREAT: AN

OPPORTUNITY FOR AI

Abstract: In our rapidly evolving technological world, staying ahead of innovations like Artificial Intelligence (AI) is crucial, especially in healthcare. In this study we interviewed medical school instructors (N=43) for their perspectives on medical education and practice, specifically regarding mechanistic reasoning (MR). MR is a thinking strategy in which the underlying components of a system are used to make sense of a problem, and in these interviews, some participants discussed the utility of AI in engaging in this type of reasoning. We used a qualitative coding approach to categorize the participants' responses, allowing us to find themes and insights in their discussions of ways in which MR and AI could support future physicians. Our results indicate that medical school instructors overwhelmingly believe that MR is useful for physicians to diagnose and treat disease (95%, N=41). While fewer participants discussed the role of AI, those who did saw the technology as useful for diagnosing diseases more accurately and personalizing patient treatment plans based on individual data. Participants highlighted the potential of AI to reduce human error by helping physicians to quickly gather detailed information about the underlying disease mechanism, critical in high-stakes environments and when time is limited. Our findings contribute to the broader literature on how AI can be used in medicine including treatment optimization and improvement of decision-making processes regarding MR. Looking forward, investigating how AI can be seamlessly integrated into existing medical education could ultimately improve healthcare.
Nicole Rockett

COMMUNICATION

Category: Education Presentation Type: Poster Presentation Number: 1225 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: MECHANISTIC REASONING IN THE MEDICAL FIELD AND ITS EFFECT ON PATIENT

Abstract: Mechanistic reasoning is a way of thinking that requires knowledge of the underlying process of a system. It involves breaking systems down into parts, identifying the relevant properties of those parts, and connecting those properties to the behavior of the overall system. This in turn creates a deeper understanding of these systems. In the medical field, physicians must understand how the body (a system) works. This suggests that teaching this mechanistic reasoning to medical students may help them when they enter their professional career. It could be especially helpful for an important part of their job: patient communication. To examine the value of mechanistic reasoning in this context, we interviewed 43 instructors who have taught medical students. We used snowball sampling and a semi-structured interview format to assess their opinions on the value of mechanistic reasoning in medical education. We qualitatively coded these interviews to characterize if and how the participants viewed mechanistic reasoning as affecting patient communication. We found that many of these professionals believed that mechanistic reasoning could support effective patient communication in several different ways including creating a stronger doctor-patient relationship with understanding and trust that therefore helps to cultivate patient compliance. These findings can inform new ways for mechanistic reasoning skills to be fostered in medical schools. This will then help new generations of physicians to have a deeper understanding of productive ways of communicating with their patients across many varying areas of medicine.

Noah Binguit

Category: Education Presentation Type: Poster Presentation Number: 1224 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: CASE STUDY: CRITICAL CONSCIOUSNESS DEVELOPMENT IN BIOLOGY LABORATORY

Abstract: In most schools, the subjects of biology and history are separated - seeing little to no connection or overlap. In the case study we analyzed, a biology lab introduced students to the historical ties of current, pressing environmental and health issues affecting historically marginalized communities in America. Orsini, M. M., Ewald, D. R., & amp; Strack, R. W. (2022). Development and validation of the 4-Factor Critical Consciousness Scale. SSM - population health, 19, 101202. https://doi.org/10.1016/j.ssmph.2022.101202 This research examines how engaging with a curriculum that connects current environmental issues with historical context impacts students' ability to participate in critically awakened thinking and develop their critical consciousness - which we define as an understanding of social issues in context, allowing people to challenge preconceived notions and become motivated to take action against societal inequalities. Using historical redlining and urban planning in Richmond, Virginia as a 4-week case study in an introductory biology laboratory course, students explore how structural inequalities in housing and infrastructure have shaped contemporary environmental and public health disparities hundreds of years in the future. We analyzed 61 students' in class reflections after they engaged in the case study to determine if and how this engagement impacts the development of students' critical consciousness. We draw on Orsini et al. (2022) for the framework of critical consciousness development which is outlined in four stages: emotional engagement, cognitive awakening, and lastly the highest, and intention to act.

Olivia Twa

Category: Education Presentation Type: Poster Presentation Number: 1227 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: RHETORICAL PROCESSES IN WESTERN MICHIGAN SCHOOL BOARD CAMPAIGNS

ENDORSED BY OTTAWA IMPACT

Abstract: The purpose of this research is to study rhetorical processes in western Michigan school board campaigns endorsed by Ottawa Impact (OI), a political action committee (PAC) we interpret as White Christian nationalist in ideology. This project examines publicly available data from 11 candidates who were endorsed by the OI in Ottawa County and neighboring Kent County school board races in the 2022 election cycle. Data include the OI website, OI 2022 "Contract with Ottawa" which candidates signed as part of their endorsement by the PAC, candidate websites, public candidates Facebook posts, newspaper articles about campaigns, videos, Reels, and podcasts. Building from a prior analysis of how books and reading were conceptualized in the campaign, this research examines rhetorical moves and processes employed in the campaigns to build words (e.g., imagined pasts and futures) in order to persuade voters of their vision for "traditional values" in education. This analysis is significant for educational research as it reveals the growing momentum of White Christian nationalist rhetoric in a specific geographical locale. This work is significant for educators wishing to understand and respond to this movement.

Ryan Chenoweth

Category: Education Presentation Type: Poster Presentation Number: 1223 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: INTERMOI ECULAR MAY

Title: INTERMOLECULAR MAYHEM! WHAT ARE THE FORCES HOLDING TOGETHER A QUALITY CONCEPTUAL VIDEO OF IMFS ON YOUTUBE?

Abstract: YouTube videos are used by students as a supplemental resource for educational topics such as intermolecular forces (IMFs), however, these videos range in quality. Students generally lack the ability to determine the quality of a video as they are still learning the concepts. A framework has been established to evaluate and categorize the quality of IMF videos. Videos were found using common search terms and selected based on analytics (view count, video length). Selected IMF videos were coded using this framework to assess conceptual content (Johnstone's triangle, causal mechanistic reasoning), and adherence to multimedia principles (image content, amount of text.) This poster documents video trends in order to understand the strengths and weak-points in a set of highly viewed and highly relevant IMF videos. It also highlights differences between videos that focus on IMFs and physical properties versus those that focus solely on IMFs, with a goal to create a database that contains helpful videos and good video qualities for general chemistry topics.

Ryan Chenoweth

Category: Education Presentation Type: Poster Presentation Number: 1217 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: HOW CAN I LEARN ABOUT G

Title: HOW CAN I LEARN ABOUT GAS BEHAVIOR? AN ANALYSIS OF HOW YOUTUBE VIDEOS HELP SUPPORT STUDENTS' UNDERSTANDING OF GAS BEHAVIOR

Abstract: In the wake of COVID-19 and worldwide lockdowns, students have become more reliant on virtual learning materials than ever before. YouTube has become one of the largest platforms for students to learn new content, yet the posting of videos remains unregulated leading to a wide range of video quality. For novice students who are learning core chemistry concepts, such as the topic of gas behavior, it is especially important that the videos they watch facilitate conceptual learning and support active participation. This project examines popular YouTube videos and how they portray the gas particle behaviors that lead to the ideal gas laws, the combined gas law, and real gas properties. Existing research suggests that videos that include the levels of Johnstone's Triangle, causal mechanistic reasoning, core ideas, and scientific practices and adhere to multimedia principles can strengthen student learning and engagement. These elements were incorporated into a framework that was used to evaluate how well these videos support student learning, with the intent of advancing students' cognition and improving future educational resources. This presentation will share the results of an analysis of many of the most highly watched YouTube videos that address gas behaviors.

Saara Ashtiani

Category: Education

Presentation Type: Poster

Presentation Number: 1202

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: SPARTAN WORKS PILOT STUDY

Abstract: The MSU Services Training and Research for Independence and Desired Employment (STRIDE) Center conducted a pilot study in the summer of 2024. The pilot study included the Spartan Works Program, a work-based learning program designed and implemented by the STRIDE team. The STRIDE team received IRB approval to conduct a pilot study to assess the feasibility and success of the Spartan Works Program. In this presentation, we review our roles as undergraduate research assistants in analyzing the data. In this presentation we will also share initial findings and implications.

Sam Richardson

Category: Education Presentation Type: Poster Presentation Number: 1221 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: ENHANCING STUDENT ENGAGEMENT IN SECONDARY EDUCATION SETTINGS

Abstract: This research paper aims to examine the connections between student disengagement in secondary schools and popular criticisms of the public school system to test the hypothesis that the failings of common public school practices cause disinterest in students ages 12-20. Analysis included comparing various perspectives and research on the public education system, including commentary from students and teachers, research on systemic practices, and measurements of student success. Findings suggest that the public school system focuses too much on test scores, grades, and other quantifiable outcomes. This emphasis on scores causes students to withdraw from the curriculum as it places little value on "soft skills," such as communication and problem solving, or non-traditional education paths. In turn, students often disengage when faced with rigid expectations and a lack of space to express personal interests and abilities. Consequently, by empowering students to take more control of their education in safe environments, students may demonstrate higher rates of satisfaction and engagement. These results suggest that a systemic reform and a shift in mindset when approaching secondary education are essential to increase engagement in young adults in the public school system.

Engineering, Computer Science, and Mathematics

Aaditya Moudgil

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1365

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: COMPARING MICROPHONE PERFORMANCE IN SMARTPHONE DEVICE

Abstract: Comparing Microphone Performance in Smartphone Devices for Acoustic Characterization Applications.

Aaron Henry

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1355

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: REACTION KINETICS OF ISOSORBIDE WITH PROPYLENE AND ETHYLENE CARBONATE

Abstract: A kinetics study was proposed to determine the reaction order and develop a kinetic equation for the reaction of isosorbide with either propylene carbonate (PC) or ethylene carbonate (EC) in the presence of lithium chloride as a catalyst. The reaction was conducted in a round-bottom flask under constant stirring, with the system initially purged with nitrogen gas and maintained at 190°C for three hours. Samples were collected every 10 minutes and analyzed using Fourier Transform Infrared Spectroscopy (FTIR). The carbonate peak was quantified using a calibration curve developed by Aaron Henry and plotted against time to extract the relevant kinetic information.

Aaron Henry

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1376

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DEVELOPMENT OF CALIBRATION CURVES TO EVALUATE THE REACTION KINETICS OF CYCLIC CARBONATES FOR POLYMER SYNTHESIS

Abstract: Calibration curves using Fourier Transform Infrared Spectroscopy (FTIR) were produced in order to analyze products of the reactions of isosorbide with either ethylene carbonate (EC) or propylene carbonate (PC). These curves were produced using ratios of isopropyl alcohol and propylene carbonate (IPA:PC), along with water and ethylene carbonate (H2O:EC) that contained a cancellation factor for the water peak using a ratio of isopropyl alcohol and water (IPA:H2O). Products from the reactions could be analyzed by where the calibration curves would return a value of the amount of propylene carbonate or ethylene carbonate present in the product, which could be used to determine the percent of the reaction completed.

Abbey Yager

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1344

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DESIGN AND ANALYSIS OF A 90-DEGREE RECLINE MECHANISM

Abstract: Manual patient handling in hospitals is a leading cause of musculoskeletal injuries among healthcare workers. A recliner that automatically repositions patients will minimize time spent handling patients and the associated physical stresses that lead to musculoskeletal injuries. Nurse feedback indicated that the recliner should be able to lay flat to enable patient transfers from chair to bed with minimal patient handling. The primary goal of this project was to design a recline mechanism of a prototype recliner to achieve a 90-degree recline, enabling a flat position. This included evaluating internal stresses within the recline mechanism to ensure its structural integrity under typical loading conditions. The recline mechanism design was based on linkage systems commonly used in commercial recliners. A free-body diagram of the mechanism was constructed and analyzed using a 125 lb load (half of the prototype's capacity) to represent the head, arms, and trunk, applied at the center of the seat back. A static analysis was conducted to assess the stresses in the mechanism under the maximally-loaded scenario, the fully reclined position. A recline mechanism was designed to bear the 125 lb load in a fully reclined position without failing. This work provided insights into a recline mechanism that can withstand expected loads and stresses in the fully reclined position. Identifying potential failure points supports the development of a safer, more functional recliner to reduce healthcare worker strain and improve patient handling efficiency, guiding future design improvements.

Ahmed Azwad Kabir

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1325

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: ADVANCEMENTS IN HEAVY METAL DETECTION USING AN AUTOMATED ELECTROCHEMICAL MICROFLUIDIC PLATFORM WITH DIAMOND-BASED SENSORS

Abstract: Heavy metal contamination poses significant environmental and agricultural risks due to the toxicity, long biological half-life, and persistence of metal ions in water and soil. Conventional detection methods such as atomic absorption spectrometry and inductively coupled plasma mass spectrometry, while highly accurate, are impractical for real-time field applications due to their bulky instrumentation, high costs, and need for specialized personnel. To address these limitations, the research proposes an automated and programmable electrochemical microfluidic sensing platform for continuous monitoring and analysis of heavy metal ions. The platform integrates a novel three-in-one boron-doped diamond (BDD) sensor with a potentiostat circuit capable of performing multiple electrochemical analyses, including cyclic voltammetry (CV), anodic stripping voltammetry (ASV), and differential pulse voltammetry (DPV). Experimental results demonstrate that the fabricated device exhibits high stability and accuracy in detecting heavy metal ions, making it a viable solution for real-time environmental monitoring. The proposed system offers a scalable, cost-effective, and field-deployable alternative for continuous heavy metal analysis in water and soil solutions.

Alexander Aljets

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1357

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: BINDSMART: A PROTEIN-LIGAND BINDING INTERFACE REPRESENTATION FOR HETEROGENEOUS GRAPH NEURAL NETWORKS

Abstract: A computational model that can predict drug-target interactions represents a substantial leap forward in drug discovery. However, accurate prediction of protein-ligand interactions remains a critical challenge in computational biology, particularly when targeting proteins with diverse structures and binding mechanisms. Here, we present BINDSMART (Binding Interface Network Descriptors with Small Molecule and Residue Topology), a representation that incorporates ligand atoms and bonds, protein residues, and detailed protein-ligand interactions in a heterogeneous graph to predict binding outcomes and other biophysical properties. In our prior work, BINDSMART demonstrated robust performance on the membrane transporter OATP1B1-a challenging target known for large conformational rearrangements. Building on these successes, we now expand BINDSMART to more manageable systems such as carbonic anhydrase 2 (CA2), a smaller, soluble protein that provides an informative test case for validating our approach on simpler architectures. In our analyses, we found BINDSMART-based graph neural networks (GNNs) outperform ligand-only baselines. For CA2 Ki predictions, our BINDSMART-based GNN attains an R2 of 0.78, surpassing the most effective ligand-only approaches (R2=0.64). In addition to predictive metrics, we leverage molecular dynamics simulations to train the model on more energetically favorable and realistic poses and conformational shifts in the CA2-ligand complex. This provides valuable insights into energetic favorability and ligand orientation for model training. These results underscore BINDSMART's versatility, demonstrating that our platform is generalizable and useful for a deciphering a wealth of protein-ligand interactions.

Alexis Guardiola

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1383

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: EFFECT OF GEOMETRY ON STRUCTURAL DEFLECTIONS AND INTERNAL FORCES

Abstract: This research involved hands-on exploration of 3D printing and Digital Image Correlation (DIC) to investigate structural deflections and internal forces. The study focused on applying advanced structural analysis techniques to design lightweight, stiff beams for aerospace and automotive applications. A set of custom beams with different heights were created and tested under quasi-static loading conditions while DIC provided full-field displacement and strain measurements. A strain field evolution video was generated using GOM software, capturing the strain distribution along the beam's length in the horizontal direction. The compressive, tensile, and neutral zones of the beams were visualized by DIC, and the typical stress distribution and maximum strain point on the beam at the end of the elastic region were determined. The increased height had increased the load carrying capacity by 1.44 times, while the weight of the beam was only increased by 1.784 times. Findings from this study provide insights into optimizing 3D-printed beam geometries for enhanced load-bearing capacity.

Allison Huckins

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1323

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: WATER INTERACTIONS IN CELLULOSE NANOCRYSTAL-ENHANCED METHACRYLATE DENTAL ADHESIVES: IMPACTS ON INTERFACE AND MATERIAL STABILITY

Abstract: Dental adhesives are widely used and a main constituent in dental restorations (e.g., fillings). However, many fillings only last 5-7 years. A contributing factor to this poor durability and short lifetime is heterogeneity of the dental adhesive layer, which allows for a high level of water uptake and degradation. Cellulose nanocrystals (CNCs), derived from cellulose via acid hydrolysis, have a high aspect ratio, surface area, and mechanical strength, making them a low-cost, sustainable additive. This study investigates CNCs' effects on adhesive resins with different cross-link densities (low and high). CNCs (0.5, 1, and 2.5 wt%) were incorporated into both formulations, and adhesives were analyzed using mechanical testing (three-point bending, DMA), imaging (optical microscopy), and water sensitivity assessments. DMA and imaging showed that CNCs disperse more evenly in lower cross-linked formulations but tend to aggregate in highly cross-linked ones due to network heterogeneity. A more uniform network forms with lower cross-linking, as indicated by a narrow tan delta peak in DMA, representing a single glass transition temperature. Water sensitivity analysis revealed that highly cross-linked, more heterogeneous samples exhibited reduced water uptake with increasing CNC content. This suggests CNCs reinforce hydrophilic regions, limiting moisture absorption. The effect is more pronounced in highly cross-linked resins, where CNCs preferentially segregate into hydrophilic domains. These findings demonstrate how CNCs can enhance dental adhesive performance by reducing moisture sensitivity, potentially improving the longevity of dental restorations. By integrating biosourced nanomaterials, this offers a sustainable strategy for strengthening adhesive properties and addressing key limitations in dental restorations.

Aman Goenka

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1377

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: PARAMETRIC DESIGN AND THERMAL OPTIMIZATION OF A GPU CASING FOR AI APPLICATIONS IN MANUFACTURING

Abstract: As artificial intelligence (AI) drives advancements in manufacturing, efficient thermal management of high-performance computing systems is crucial. This independent study focuses on the parametric design of a GPU casing capable of housing and optimizing the performance of more than six GPUs. The project involves detailed CAD modeling, thermal analysis, and design optimization to enhance heat dissipation and system reliability. Depending on progress, a prototype may be manufactured to validate its functionality. This research bridges mechanical engineering and AI-driven computing, offering practical solutions to thermal and structural challenges in high-performance GPU enclosures.

Annalise Vary

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1342

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: WHISKEY PRODUCTION FROM OPEN POLLINATED CORN VARIETIES

Abstract: The goal of this research was to identify open pollinated varieties of corn suited to Michigan with unique flavor qualities inherent in the spirit they produce. Thirteen open pollinated corn varieties and one control hybrid variety were grown on MSU research plots throughout the state of Michigan during fall of 2023. After harvest, the corn was transferred to the fermented beverage lab at MSU where it was mashed, fermented, and distilled into un-aged 100% corn whiskey. The whiskies were analyzed analytically using HPLC and GC methods and sent to a panel of industry professionals for descriptive sensory evaluation. This research helped to establish which varieties distillers and farmers are interested in growing in Michigan, as well as gave insight to which varieties to look at in the following years of research.

Anton Akroush

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1314

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ASSESSING HARMFUL NANOPARTICLE EXPOSURE VIA CAPACITIVE DETECTION AND RELAXATION OSCILLATOR TECHNOLOGY

Abstract: Microfluidics involves manipulating fluids at sub-millimeter scales. Accurate microfluidic particle detection depends on measuring the subtle capacitance changes caused by traveling particles. These particles alter the dielectric environment between electrodes, but measuring capacitance is challenging due to environmental variations and parasitic capacitance. To solve this, a relaxation oscillator circuit was designed to provide real-time capacitance measurement while minimizing parasitic effects. The circuit uses a Schmitt trigger inverter to generate a frequency output that varies with the capacitance between electrode plates. As particles move through the microfluidic channel, they cause small shifts in the dielectric constant, leading to measurable frequency changes. Components include a Schmitt trigger, a timing resistor, and electrode plates as a variable capacitor. The design minimizes parasitic capacitance with optimized trace lengths, guard traces, and proper grounding. The output frequency, measured via an oscilloscope, provides precise and repeatable capacitance readings. This approach has broad applications in nanoparticle detection, particularly in health and environmental monitoring. Unlike optical methods, which struggle to detect particles smaller than 300 nm due to diffraction limits, this capacitance-based system can detect particles as small as 50 nm. It enables the detection of nanoparticles like extracellular vesicles, viruses, and protein clusters for early disease diagnosis and biomarker research. Similarly, it monitors pollutants and microplastics in water and air, supporting environmental health and regulatory compliance. Its scalable, low-cost design offers a portable alternative to optical systems, suitable for fieldwork, diagnostics, and industrial applications.

Asmaa Hasbini

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1388

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: INVESTIGATING BINDING AND EXPRESSION OF RECOMBINANT PLANT DEFENSE PROTEINS AGAINST CITRUS GREENING

Abstract: This project revolves around investigating three plant defense proteins that may aid citrus plants against the Huanglongbing Disease (HLB) by inhibiting harmful enzymes released by the Candidatus Liberibacter bacteria. After designing the plasmids with the ancestral and modern sequences of the proteins, each plasmid was expressed in E. Colibacteria to accumulate a large amount. Afterwards, yeast surface display was used to express the proteins with S. Cerevisiaeyeast expressing the plant defense proteins and P. Pastoris yeast expressing the target harmful enzymes. Investigation of the expression and binding of each protein and its target enzyme were carried out using flow cytometry. If successful, this project has the potential to provide a way for citrus plants to selectively defend themselves against the HLB disease.

Ava Carson

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1301

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: PROTOCOL DEVELOPMENT FOR OBTAINING ROLLING RESISTANCE COEFFICIENTS FROM A MANUAL WHEELCHAIR

Abstract: Wheelchair propulsion for manual wheelchair users depends on force generated from the upper extremity, placing users at risk of pain and injury due to repetitive pushing. For this reason, it is important to understand the forces required for propulsion and the rolling resistance of the wheels on different ground surfaces for improving mobility and reducing injury risks. Measuring the force during an initial push or pull of a wheelchair will allow for the calculation of the rolling resistance. The minimum push forces to initiate rolling of a wheelchair on different surfaces were previously recorded with a subject sitting on the wheelchair. However, findings regarding differences between push and pull forces remain inconsistent in the existing literature. The goal of this research was to evaluate the forces involved in pushing and pulling of a wheelchair under varying load conditions, determining which force is greater for initiating wheelchair movement. Trials involved pushing and pulling a wheelchair on both tile and carpet with four different load conditions. Several individuals participated, maintaining consistent force application, height, and direction parallel to the ground throughout the trials. The outcome of this work will support future research for the calculation of rolling resistance across various surfaces. This knowledge will contribute to the development of a route-planning application for wheelchair users to help them navigate complex environments safely and efficiently.

Benjamin Smith

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1366

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: AN AUTOMATED LED INTERVENTION SYSTEM FOR POULTRY

Abstract: Poultry are increasingly being housed in large cage-free environments. While this promotes welfare through enabling natural behaviors, it also facilitates harmful activities such as injurious pecking, floor egg-laying, and piling. Interventions by staff to disrupt undesirable behaviors are labor intensive and bring humans in contact with poultry. This motivates us to develop an automated intervention system that eschews human labor. Since poultry are sensitive to illumination, we leverage this to develop an automated poultry management system that can monitor bird activities and perform real-time interventions using illumination from LED arrays. Our intervention system consists of ceiling mounted cameras observing the floor poultry and passing video to a computer running artificial intelligence (AI) algorithms that analyze bird behaviors. On detecting undesirable behaviors, a signal is sent to embedded computers in the aviary that control banks of LEDs to create appropriate patterns that disrupt the behaviors. Now the environment in a poultry farm presents a number of challenges for housing a system with delicate electronics and connecting wires. High ammonia levels in aviaries corrode exposed electronics. Birds perch on devices and connectors putting strain on fasteners and they peck surfaces that they can reach, which damages sensitive equipment and housing. To address these environmental challenges, we kept our AI computer outside the aviary and used power over ethernet (PoE) cables to connect to the camera as well as embedded computers within the aviary. To protect the LED arrays 2 methods were used. One method offered protection by inserting the LEDs into flexible clear PVC tubing while the other method used weatherproof LED arrays mounted on PVC pipe that was routed along the wall out of reach of the poultry and with no place to perch. Additionally, the embedded computers were sealed in cases for protection. Another challenge is the large data processing required to perform real-time interventions to disrupt ongoing behaviors. Numerous cameras are needed to fully monitor the floor at sufficient resolution to resolve individual poultry which generate high data throughput. Our choice was to lower the frame rate to 2 Hz, enabling a single GPU-based computer to easily process many video streams in performing activity classification. The use

of a GPU computer to handle the AI tasks, computation from the embedded computers. Raspberry Pi 4b computers with sufficient GPIO pins to control two LED arrays each were mounted on the walls to control the LED arrays. Low light levels in aviaries can also reduce image quality from cameras. High quality turret cameras with large CMOS sensors were installed.The result is a robust automated intervention system that operated for months in our aviaries. It was used to automatically detect and disrupt piling events improving the welfare of the cage-free poultry. It also reduces human-bird contact, lowering the chances of the spread of disease, as well as lowering demands on farm staff.

Blake Ross

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1317

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: WIN PERCENTAGE AND PYTHAGOREAN EXPECTATION IN MLB

Abstract: Pythagorean expectation is a sports analytics concept proposed by Bill James, the founder of so-called "sabermetrics". This is the data-based approach to analyzing sports, often used by many current professional sports to find undervalued players.

Carter Ostrowski

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1364

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CORRECTING RACIAL BIAS WITHIN PULSE OXIMETRY

Abstract: Pulse oximeters are a widely used, non-invasive method for measuring blood oxygen levels. The device uses an indirect method of flashing light of a specific wavelength at the skin and measuring the amount of absorbance. Since oxygenated blood and non-oxygenated blood reflect light at different wavelengths, this data on absorbance allows blood oxygen levels to be determined. Because it relies on the body's interaction with the light, certain errors and biases can persist due to differences in genetic makeup. Factors such as skin tone can affect the absorbance of light from the device and light. Pulse oximeters are generally not calibrated for this variation. Under calibration leads to differing values among skin tones. This project investigates the relationship between skin tone and pulse oximeter readings and develops algorithms to correct the bias. The project utilizes Python to aid in the investigation and the development of machine learning models for the algorithms. The ability to correct biases present within the medical field is a step forward to providing personalized medicine for all.

Christopher Kopiwoda

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1375

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: OPTICAL FLOATING ZONE FURNACE CRYSTAL GROWTH

Abstract: Single crystals with high electrical conductivity and low thermal conductivity are essential for many thermoelectric applications. For this project, I will be using an optical floating zone furnace to grow single crystals of Bi2Se3. The optical floating zone furnace allows for growth through its control of temperature, heating rate, and atmosphere. I will use X-ray diffraction and microscopy to characterize the crystal structure and microstructure of the crystals. This presentation will cover the process of single crystal synthesis, challenges encountered during growth, and results of the characterization.

Crystal Crasto

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1304

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DIGITAL IMAGE CORRELATION AIDED MATERIAL SELECTION FOR STRUCTURAL DESIGN

Abstract: Structural analysis is an essential part of civil and mechanical engineering. It ensures that designs are not only functional but safe. To make sure this happens, engineers must understand how materials and structures behave under various conditions. This research investigates the design and testing of customized beam structures aimed at maximizing their capacity to support external loads while minimizing strain. The research question of this study is: Will using different materials reduce beam deflection under the same mechanical loading conditions? Beams were designed using SolidWorks and 3D printed for testing. An emerging technique -Digital Image Correlation analysis- was used to measure strain fields and deflections. DIC is a non-contact, full field optical technique that uses a speckle pattern to measure strain and deformation across the beam's surface. Our results were analyzed by comparing force vs deflection curves and strain fields of the beams constructed of the (Acrylonitrile Butadiene Styrene) ABS and (Polylactic Acid) PLA materials. The ABS beams were found to be roughly two-and-a-half times better than those made of PLA, indicating that perhaps, maximizing a basic, structurally sound design and researching a better material for construction is more beneficial in terms of building design than creating a new untested design, potentially accelerating construction efforts. The findings from this research have the potential to influence material selection and structural design, especially in applications where weight and deflection are critical factors, such as in aerospace or automotive engineering.

Daniel Barnas

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1324

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: USING LUNAR ANALOGUES FOR FUTURE MECHANICAL AND GEOTECHNICAL CONSTRUCTION

Abstract: Regolith is an unconsolidated layer on top of bedrock. Planetary scientists must know about lunar regolith to understand its environment. Knowledge can be used for regolith-based architecture for protection. Analogues, physical models of another structure, are necessary for the ability to manipulate moon regolith to create an advantageous environment. By understanding the grains, it is possible to know how it can be used. More knowledge is needed to improve architectural design. Knowing necessary materials to design products, researchers can decide what is required from Earth. Regolith samples must be analyzed because using regolith is favorable over transportation. Simulants must reflect shape/size to study things like viscosity. Natural regolith samples must be analyzed for ability to be manipulated. Analogues were tested using Keyence imaging and SEM of simulant samples. They were compared to published Apollo 11 SEM samples in respect to size, sorting, and shape.By testing proper analogues, more knowledge can be gained about lunar regolith. With analogues, efficient construction can take place to maximize in situ resources. Both natural and simulant regolith were made up of poorly sorted, (sub)angular grains, sizing from 0.250-1.410nm. Regolith simulant was similar to lunar regolith from Apollo 11, except regolith samples grains were smaller (0.250 vs 1.000 nm). Analyzed regoliths can be used as comparable simulants for natural regolith due to similar attributes. In the future, this comparison could be useful to apply similar processes to martian regolith to gain a better understanding of regolith properties.

Daniela Ojeda

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1385

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: WIELENGA SCHOLAR

Abstract: The growing adoption of solar photovoltaics (PV) in Michigan's commercial and industrial (C&I) sectors presents an opportunity to reduce energy costs and carbon emissions, yet financial and policy barriers impact adoption rates. This study investigates the motivations and obstacles for C& I PV installation and evaluates financial and environmental benefits under different scenarios, including financial goals, clean energy targets, and battery integration. Previous research has explored PV feasibility but often lacks comprehensive assessments incorporating real-world manufacturing and commercial data. Additionally, policy-driven incentives and industrial-scale adoption remain underexplored. This study addresses these gaps using the REopt API in Python to conduct numerical simulations on PV potential for Michigan's C&I sectors. Data from the Industrial Assessment and Training Center at Michigan State University provided insights into manufacturing and commercial building energy profiles, allowing for in-depth scenario analysis of financial incentives, CO? reductions, and battery storage integration. Findings suggest that optimized financial strategies could increase PV adoption by 25%, leading to potential energy cost savings of up to 18% for Michigan businesses. The study underscores the critical role of policy incentives and financial planning in accelerating clean energy transitions in the industrial sector. By offering data-driven insights into the economic and environmental impact of PV adoption, this research informs policymakers, businesses, and researchers on effective strategies for large-scale solar implementation.

Dede Sodadika Ayanou-Ouattara

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1353

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: MICRO-STRUCTURAL INTEGRITY ANALYSIS OF GOLD PLATINGS

Abstract: Jewelry is not only a timeless form of self-expression but also an investment. Having actionable insights that intersect sustainability and economic realities is key to making the best decisions while investing in jewelry. This study aims to investigate the microstructural properties and durability of three commonly used jewelry coatings-Gold plating, Physical Vapor Deposition (PVD), and 5% gold-filled coatings-after prolonged exposure to water (H?O) and ethanol (C?H?O). The analysis will focus on understanding the structural changes and degradation of these coatings under conditions simulating day-today usage. The results of this experiment will be qualitatively analyzed in terms of general appearance, and structural integrity; contextualized within existing literature. These findings will be further processed to develop a guide highlighting the relationship between coating durability and cost, providing practical insights for the appropriate audience.

Dhruv Kekin Toprani

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1337

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EVALUATING AND LEARNING RISK AND OTHER DYNAMICS IN MIXED-HUMAN TEAMS : A VIRTUAL EXPERIMENT APPROACH

Abstract: Human decision-making in high-stakes, uncertain environments is shaped by complex trade-offs involving risk, fatigue, and personal task preferences. As mixed humanrobot teams become increasingly common in operational domains such as disaster response, healthcare, and robotics, understanding these dynamics is critical for improving coordination and system resilience. This project explores how individual constraints and perceptions influence real-time decision-making and team performance. Using a collaborative, multiplayer rescue simulation as an experimental platform, we model human behavior in an environment characterized by risk. Human participants interact alongside an autonomous agent, making task acceptance or rejection decisions that impact overall mission success and individual performance outcomes. A dynamic task allocation framework adapts to emerging behaviors by incorporating real-time preferences and observed outcomes. In our setup, we adapt the Generalized Assignment Problem (GAP) to account for human decision patterns, including preferences and rejection behavior, enabling more personalized and resilient task allocation. The system continuously learns from empirical interaction data, optimizing assignments to maximize collective reward while reducing friction from misaligned tasks. Through this work, we aim to uncover behavioral insights that inform the design of adaptive, human-aware decision-support systems. By capturing how people navigate uncertainty and interdependence, our findings contribute to more effective task coordination in complex, mixed-agent environments. The platform also serves as a scalable testbed for evaluating multi-agent strategies across other diverse domains.

Dhruv Singh

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1333

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: MICROFLUIDIC DEVICE MANUFACTURING WITH CO2 LASER WELDING: RAPID PROTOTYPING OF LAB-ON-A-CHIP TECHNOLOGY

Abstract: Rapid prototyping tools and techniques have the potential to speed up the development of human-based cell culture devices, offering a viable alternative to animal models in drug and chemical testing. Computer numerical control (CNC) machining devices directly into ANSI/SLAS polystyrene (PS) microplates is one promising approach to creating throughput-compatible microfluidic devices that integrate directly into existing infrastructure and avoid incompatible materials. To create closed fluidics, devices milled into the bottom of well plates require effective sealing. While dedicated laser welding or ultrasonic systems are available, they are often inaccessible to laboratories seeking to employ microfluidics in their research. To address this and maintain an easily translatable manufacturing process, our research focused on utilizing a relatively inexpensive and widely available 10.6µm, 60-watt carbon dioxide (CO2) laser-cutting machine to weld PS cell culture plates to clear PS sheets. Employing a systematic experimental approach, we explored the optimal settings for laser power, speed, and density, as well as effects of plasma treatment and thickness of PS sheets, to achieve functional welds. We characterized these welds through a series of tests to quantify their integrity and understand the physical and chemical changes taking place. This methodology allowed us to identify 427 different parameter combinations that produce reliable welds. Our initial work has demonstrated the broad utility of using a standard CO2 laser cutter for the rapid prototyping of cell culture devices, establishing a versatile and accessible approach for laboratories to develop microfluidic systems.

Emily Woodyard

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1367

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: IMPACT OF PRE-STEAM TREATMENT ON THE QUALITY AND SAFETY OF DRIED APPLES

Abstract: Dry fruit processors are required to use preventive controls to ensure their readyto-eat products are safe to consume. Current resources that inform processors on pathogen reduction efficacy from such controls are limited; however, preliminary research shows that increased processing humidity may improve Salmonella inactivation. This study aims to evaluate the impact of a steam pre-treatment on Salmonellainactivation during apple drying in a pilot-scale impingement oven. Prior to drying, apples (cv. Gala) were rinsed, sliced (4mm thickness), and inoculated with a 6-strain Salmonellacocktail (9.5±0.2 log CFU/g). Inoculated apple slices were steam-treated at different dewpoints for 1, 2, 3 and 4 minutes. Following the pre-treatment, apple slices were dried in a pilot-scale impingement oven for 1-2 hours using hot-air convective drying. Samples were plated on a differential/nonselective medium and survivors were enumerated. Additionally, sample temperature, browning index, water activity, and moisture content were measured to assess dried apple quality. Steam pre-treatment at 65°C dewpoint for 2 min resulted in 4.4±0.6 log reductions of Salmonella. When followed by hot-air drying at 80°C and 20% fan speed (2 h), >5 log Salmonella reductions (P<0.05) were achieved, with final dried apples exhibiting similar browning index (39.1±4.0) as commercial products (P>0.05). Data collection is ongoing and is expected to be concluded by May 28th. Low levels of steam pre-treatment had negligible impact on product quality while contributing to significant pathogen inactivation. These results will provide support to dry fruit processors that are balancing product safety and quality.

Faith Cherop

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1336

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: VALIDATING TOOLS FOR PERSONALIZED THERAPIES FOR NEUROENDOCRINE TUMOR (NET) PATIENTS.

Abstract: Neuroendocrine tumors are treated with targeted radiolabeled compounds. Most centers still rely on a not personalized treatment regime, despite 20 years of strong evidence showing that personalizing therapies improves patients outcomes. The challenge is that personalizing therapies based on doses to patient' organs at risk (OAR) and tumors is expensive, requires substantial clinical resources, and is inconvenient for patients. We are collaborating with a team developing a Personalized Remote Radiation Tracking Portable organ and Tumor Dosimetry Device (PODD), that could provide a compact, portable, user-friendly system. This device will enable remote monitoring of patients' OAR and tumor activities from the comfort of their own home. Our current work focuses on visualizing and modeling different designs for this PODD system with the future goal of providing a cost effective method to personalize dosimetry and improve patient outcomes.

Finnian James

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1311

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: RAPID ESTIMATION OF SALMONELLA CONCENTRATION USING MAGNETIC NANOPARTICLES

Abstract: Salmonella is a leading global bacterial cause of foodborne illnesses. Each year, approximately 160 million contract a Salmonella-related illness, of which 60,000 cases result in death. The transmission of Salmonella can originate from contact with contaminated water, poultry, dairy, eggs, and raw fruits and vegetables. Rapid detection plays a crucial role in controlling and preventing the emergence and spread of such infections. Despite advancements in detection techniques, challenges remain in achieving cost-effectiveness, simplicity, and speed. This study presents a novel approach to estimating the Salmonellaconcentration of a suspension using glycan-coated magnetic nanoparticles (gMNPs). The gMNPs attaches to Salmonella, allowing it to drag the bacteria when the suspension is subjected to an external magnetic field. On the inner surface of the container, the gMNP forms a spread pattern dependent on the bacterial concentration, which can be interpreted through image analysis. The image analysis algorithm determines the presence of gMNP through differences in grayscale values of pixels in photographed containers. Results revealed that incubation and magnetic separation time influence the correlation between the gMNP spread pattern and Salmonella concentration. Ongoing experiments focus on optimizing the experimental conditions and validating the results of image analysis in estimating bacterial concentration. This approach offers an accessible and cost-effective means of estimating bacterial concentration in uncomplicated matrices.

Gillian Kuehnle

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1343

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INVESTIGATING SOURCE-SPECIFIC VARIATIONS IN HYPERSPECTRAL SIGNATURES OF SALMONELLA INFANTIS

Abstract: Hyperspectral microscope imaging (HMI) is emerging as a rapid pathogen detection method, but identifying stress-resistant serovars like Salmonella Infantis remains challenging due to their environmental adaptability. This study investigates whether S. Infantis isolates exhibit shifts in hyperspectral signatures by analyzing high-dimensional data to uncover source-dependent spectral differences. Six isolates (bovine, bovine feces, pig ears, produce farm drag swab, human clinical, and dog food outbreak) were cultured overnight in trypticase soy broth at 32°C. For HMI, 2 µL of washed suspension was pipetted onto a glass slide, air-dried for 15 min, then overlaid with 1 µL of deionized water and a cover slip. Three slides were prepared per biological triplicate, capturing non-overlapping regions and yielding 50 datasets/isolate, using a darkfield hyperspectral microscope with a 100x objective. Single-cell spectral signatures were extracted using a U-Net based segmentation algorithm. Principal component analysis was applied to reduce the dimensionality and identify key wavebands. The number of principal components (PCs) required to explain 99% of variance ranged from 10 (bovine feces, dog food outbreak, pig ears) to 16 (bovine). Examination of the top 10 PC's loadings identified distinct wavebands contributing most strongly to each isolate's spectral profile: 535-540 nm (bovine), 570-580 nm (bovine feces), 650-670 nm (dog food outbreak), 540-560 nm (human clinical, produce farm drag swab), and 580-600 nm (pig ears). These findings highlight how source-specific spectral shifts can complicate S. Infantis identification while demonstrating HMI's potential to capture subtle variations, providing a foundation for improving pathogen detection algorithms under environmental adaptation.
Grace Ekeoma Michael

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1345

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: AUTOMATIC SPEECH SIGNAL ANALYSIS FOR EARLY ALZHEIMER'S DETECTION

Abstract: This study automatically extracts acoustic and phonological features from speeches recorded at an early stage of Alzheimer's disease, Mild Cognitive Impairment, and from healthy control seniors. These features are then fed into a Support Vector Machine model, which predicts the health status of the speakers. We conducted a feature analysis to identify the most effective speech features for the early detection of Mild Cognitive Impairment.

Grayson Slansky

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1354

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CONNECTIONS BETWEEN CONSTRAINED ASSET AND NHL SALARY STRUCTURE

Abstract: The main objective of investing with finite funds is to maximize a target output. This could be a timid maximal return approach, or a bolder target in maximal probability of attaining a certain wealth level. In the NHL, the stated goal of every team is to win the Stanley Cup. This raises the question: do general managers truly allocate portions of a salary cap to maximize their chances of winning the Cup? In this work, we present empirical data to match Stanley Cup winning teams with their cap allocation structure for player salaries. While a Pareto or even uniform distribution may be intuitively a preferred method of compensating players, we find a multi-modal distribution to be most optimal for the 2023-2024 NHL season cap of \$83,500,000. From a general manager's perspective, this helps to address the question of whether a team should allocate \$10 million or more to a few marquee players, a more viable option versus a more even distribution of funds.

Igor Araujo Jordao

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1356

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ECG CLASSIFICATION USING DEEP LEARNING

Abstract: Cardiovascular diseases are the leading cause of death worldwide, with heart disease alone accounting for one in every five deaths in the United States. Many of these cases are linked to irregular heart rhythms, which can indicate underlying cardiac conditions. Electrocardiograms (ECGs) provide a non-invasive method for detecting these arrhythmias by capturing the heart's continuous electrical activity. However, interpreting ECG signals remains a time-consuming and complex task, particularly in capturing the subtle temporal dependencies that distinguish normal from abnormal rhythms. To address this challenge, we utilized a dataset derived from three PhysioNet databases, containing ECG recordings resampled to 128 Hz and standardized to a fixed length per signal. These recordings represent three patient groups: Arrhythmia, Congestive Heart Failure, and Normal Sinus Rhythm. We applied machine learning and deep learning techniques to classify these signals, examining how feature extraction, frequency-domain transformations, and signal refinement impact model performance. By exploring different representations of ECG data, this study aims to improve the interpretability and effectiveness of machine learning-based arrhythmia detection, providing a foundation for future advancements in automated clinical decision support.

Isabelle DeLaet

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1322

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: LITERATURE REVIEW FOR DOSE RESPONSE MODELING FOR DISINFECTION BY PRODUCTS

Abstract: Disinfection By-Products (DBPs) are compounds that form in drinking water when chemical disinfectants interact with organic material. When ingested, they can be toxic and carcinogenic. The EPA regulates 11 DBPs, but unregulated DBPs may pose hazards to human health. Dose-response relationships for DBPs have never been compared, impeding comprehensive risk assessment efforts, appropriate disinfectant application, and jeopardizing public health. The objective of this study was to compile previously published DBP dose-response data for whole animals, and health effect endpoints to create doseresponse models that may be used in EPA risk assessment. A citation mapping literature review was conducted using EPA's RFA G2022-ORD-H1 as an initial source. Articles cited measuring health effects after DBP exposure doses were considered, with Google Scholar used to find subsequent articles citing these. Health effects with significance levels ofp < 0.05 in whole animals were reported. Cell and tissue studies were excluded. Out of the 39 DBPs included in this study, information about 5 regulated and 6 unregulated DBPs was found. The dose-response models developed from the study will be compared with DBP sampling data from 25 water treatment facilities across the US, to assess risk associated with each facility's processes. Given the dose-response literature review provided here and the information collected from the treatment facilities, it may be possible to conduct risk assessments for 11 DBPs. Ultimately, these allow for comparison between disinfection and pathogen risk, helping to inform health-protective drinking water treatment practices and keep water safe for people to drink.

Jackson Earley

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1382

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: CREATING A PARTICLE ACCELERATOR USING MAD-X SOFTWARE

Abstract: Presentation will include the process of learning how to create an accurate particle accelerator model using MAD-X in python script.

Jason Hoehn

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1347

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE WAY LENS WORK

Abstract: Jason HoehnThe Way Lens WorkHow camera lens composition relates to its ability to magnify and alter the way the world is viewed through them is what is being asked within this project. Lenses are aspheric and their curvature can be altered to change the resulting magnification of the images. I will use a scanning electron microscope (SEM) to exam high definition macro lenses containing +1, +2, +4, and +10 diopter filters, which are used to magnify the object being imaged by the camera. I will be using the energy dispersive spectroscopy (EDS) feature of the SEM to identify the elements and compounds that make up the lenses semiquantitatively. The preliminary results indicate that the lens with the +10 diopter filter contained significantly more silicon (Si) than the lens with the +1 diopter filter. A part of this research will be targeted at explaining why the diopter filter composition is a major contributor to the difference in magnifications obtained. In addition, the lens with the +10 diopter filter exhibited a different shape in that the structure of the lens is not identical to that for a glass window and in the poster I will compare and contrast camera lenses with glass windows.

Joey Wagner

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1341

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: BENCHMARKING ALGORITHMS FOR LINEAGE TRACKING IN MANY-PROCESSOR EVOLUTION SIMULATIONS

Abstract: Simulating evolution provides critical insights into evolutionary dynamics, adaptation, and optimization, with applications spanning biological research and computational problem-solving. A central component of these simulations is phylogenetic data- ancestry trees among organisms, which interpret evolutionary processes. However, in large-scale, many-processor digital evolution simulations, maintaining complete phylogenetic records is computationally expensive, demanding efficient data stream algorithms to compress lineage history in real time. This work benchmarks such algorithms under varying scaling factors, including population size, mutation rate, and lineage retention policies, with a focus on downstream computational efficiency. Specifically, we evaluate a suite of fixed-capacity "DStream" algorithms that curate rolling subsamples of phylogenetic data streams while maximizing temporal coverage under strict memory constraints. These algorithms support steady, stretched, and tilted coverage criteria, with O(1) data ingestion enabled by concise, low-overhead operations-suiting them to resource-constrained, performance-critical simulations. By systematically timing downstream computations, we assess trade-offs in lineage tracking accuracy, memory usage, and computational throughput. Our benchmarks provide a foundation for understanding algorithmic behavior and identifying opportunities to enhance scalability in evolutionary simulations. Optimizing these workflows is essential to enabling reliable and efficient phylogenetic reconstruction across the immense data volumes generated by massively parallel, agent-based models of evolution.

Joshua France

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1351

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: IMPROVING PATIENT HEALTH BY ANALYZING DRYING CURVES FOR MEDICAL RECLINER FABRICS

Abstract: Medical recliners are instrumental in hospital patients' recovery from illness by providing support for a seated position. The fluid resistance and cleanability of the fabric used to upholster the chair are key factors in preventing complications, such as infections or pressure injuries while sitting in recliners. This study analyzes the drying curves of different fabric samples when introduced to water. Samples of multiple fabrics, including polycarbonate-coated fabrics, polycarbonate-backed fabrics, vinyl-coated fabrics, and standard cotton fabrics were tested in this trial. 1 mL of water was dropped onto the center of the fabric surface via a syringe. After fifteen minutes of sitting on the surface, the syringe removed excess beading water from the fabric surface. The fabric's moisture level was recorded every three minutes until the moisture level reached 0.0. Drying curves were created to analyze the collected data. The polycarbonate-backed fabric readily absorbs water, and it needs one hour and forty-five minutes to dry fully. Traditional upholstery seating fabric dried in forty-five minutes, but allowed water to seep through the fabric and into the seat. Water remained beaded on the surface of the polycarbonate-coated and vinyl-coated fabrics, meaning they absorbed no water and thus took no time to dry.By analyzing the waterproofing capabilities of potential upholstery fabrics, this research will inform engineers on the best fabrics to use to prevent medical complications such as infections and pressure injuries when designing new medical recliners.

Juan Carlier Blanco

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1326

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: CNN-BASED VISUAL LOCALIZATION FOR AUTONOMOUS RACE CARS

Abstract: In high-speed autonomous racing, achieving accurate and reliable localization using only visual data is a significant challenge. This work introduces a CNN-based visual localization system for autonomous race cars that relies exclusively on camera sensors. To overcome the challenges posed by dynamic environments and limited training data, we employ advanced data augmentation techniques that simulate varied routes, lighting conditions, and environmental appearances. A regression-based deep learning model, implemented using PyTorch, is trained on this augmented dataset to precisely estimate the vehicle's position in real time, achieving under 10 feet localization accuracy even at speeds up to 170 mph. Experimental results indicate that focusing on robust visual features, such as road markings and infrastructure geometry, can significantly enhance localization performance in high-speed scenarios. Future work will focus on refining the feature extraction process and incorporating uncertainty modeling to further improve the system's robustness.

Justin Nguyen

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1315

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ANALYSIS OF SYNTHETIC VERSUS NATURAL CLOTHING MATERIALS UNDER A SCANNING ELECTRON MICROSCOPE

Abstract: The world of clothing materials is a diverse landscape, as there exists many varieties of materials that one's clothes can be made out of. Of these materials, two large categories exist, synthetic and natural materials, both of which will be examined to understand the properties, similarities, and differences between such materials. These materials will be examined under a scanning electron microscope (SEM) in conjunction with a secondary electron detector (SED). The topology and physical structure of a variety of synthetic and natural clothing materials will be examined under the SEM. The findings of this investigation can be used to compare the two categories of the materials, as well being able to be evaluated against literature findings that discuss the properties between synthetic and natural clothing materials.

Kenneth Seybold

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1346

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DESIGN OF A HIGHLY CONSTRAINED PATCH ANTENNA WITH HIGH BANDWIDTH WHILE ACHIEVING A HOMOGENEOUS H-FIELD OVER THE SURFACE OF AN EMBEDDED DIAMOND

Abstract: This project is part of a larger effort within the Quantum Optical Devices (QuOD) Laboratory at MSU, where we are investigating the coherent control and readout of the electron spin states of electrons on liquid Helium by using Nitrogen Vacancy (NV) centers in diamond. This project explores optimizations for a microwave patch antenna for the coherent driving of the electronic spin ground state of the NV centers. The application requires the antenna to have a high bandwidth, resonance at 2.87 GHz, and a uniform magnetic field on the surface of an embedded diamond in the middle of the antenna. Resonance at 2.87 GHz is important as it is the electronic spin ground state splitting that needs to be driven in the NV centers. The difficulty of increasing bandwidth is a result of stringent requirements imposed by the application, where the antenna cannot exceed 0.5mm in height, which prevents the application of conventional strategies of increasing bandwidth. Furthermore, the antenna must be a complete plane that circles the diamond to trap the electrons on the helium layer on the surface of the diamond. These limitations make designing an antenna with high bandwidth challenging. The QuOD Laboratory already has an antenna that is being used for initial testing. It is a standard circular patch antenna and as such has poorer bandwidth. This proposed design builds off the current design in order to improve the bandwidth while maintaining a homogeneous H-field over an embedded diamond.

Khang Nguyen

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1371

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DESIGNING A BIOCOMPATIBLE HYDROGEL WITH DYNAMIC ADHESION FOR BIOELECTRODES.

Abstract: Stretchable bioelectronics are essential in many biomedical applications, and a high-adhesion solution that has been explored is hydrogels. This work builds upon a collaboration between biomedical engineers and material scientists that aims to measure the electrical brain & amp; muscle waves of the octopus, using hydrogels adhesives to secure the electrode, effectively recording these signals. Hydrogels are three-dimensional, cross-linked, hydrophilic polymer networks. In water, hydrogels will swell and expand, and this process is controlled by the balance between the polymer network's elasticity and the osmotic pressure (mixing entropy). In our work, swelling also impacts adhesive performance, as our hydrogel had an effective working time of 30 minutes underwater prior to delaminating from the octopus' skin. Based on these observations, we want to delineate the relationships between the degree of swelling, the tensile strength, and the adhesive performance of hydrogel. We investigate two hydrogel formulations based in acrylic acid, one which includes polyvinyl alcohol (PVA) and another with chitosan. The hydrogels mechanical properties were characterized as a function of swelling; tensile strength was measured using a uniaxial testing machine and adhesion was evaluated using the 180°-peel test, with a cross-linked mucus-based hydrogel substrate that mimics the mucus layer of octopus' skin. Our data shows a negative correlation between the fracture strength and the swelling ratio, as well as the mucoadhesive strength and swelling ratio. Overall, hydrogels exhibit dynamic tensile and adhesive characteristics during swelling, and these results help us tailor our designs for in situ, bioelectronic applications.

Kyla Simpkins

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1303

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: FUNCTIONAL MOVEMENT DISORDER EVALUATION OF BIOMECHANIC OUTCOME MEASURES WITH SELF EVALUATION MEASURES

Abstract: Functional Movement Disorder (FMD) is associated with body movements such as tremors, jerks, and spasms. Due to irregular movements, quantitatively tracking treatment progress is difficult, but critical for understanding rehabilitation progress. The goal of this study was to determine which biomechanical outcome measure best aligns with qualitative measures used by clinicians and to report progress of FMD participants. Twenty FMD participants were tested pre- and post-treatment. 3D motion capture system collected the position of reflective markers placed on upper extremities while participants completed a simulated drinking task. To quantify movement symptoms, the index finger velocity profile was analyzed using three approaches: Spectral Arc Length (SPARC), Log Dimensionless Jerk (LDLJ), and Peak Frequency (PF). Participants completed Canadian Occupational Outcome Measure (COPM) by self-reporting their satisfaction and performance of their upper extremities. Changes pre-to-post treatment were compared between qualitative and quantitative measures.Self-reported performance and satisfaction were positively correlated (r2= 0.22). But quantitative measures had low correlations to qualitative measures. The PF had the strongest correlation with participants' self-reported performance (r2 = 0.12). The LDLJ had the strongest correlation with participants' satisfaction with their abilities (r2=0.14).PF aligned best with the patients' perception of their abilities and LDLJ aligned best with satisfaction. The lack of a clear superior biomechanical measure implies that multiple metrics are needed when evaluating the progress of the patient with FMD. In the future these results will assist clinicians through improved treatment plans that align better with monitoring improvement in functional movements and treatment satisfaction.

Kylee May Sokacz

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1334

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: STUDENT AND INSTRUCTOR PERSPECTIVES ON BEST PRACTICES FOR GENERATIVE AI IN COMPUTING EDUCATION

Abstract: Generative Artificial Intelligence (GenAI) is reshaping classroom dynamics, particularly in CMSE 201: Intro to Computational Data Analysis, where it presents both opportunities and challenges for students learning. Our work underscores the critical need to harness the potential of GenAI to foster student development while also mitigating its potential for harm. In our classroom spaces, we encourage students to critically explore GenAl, fostering a deeper understanding of computational tasks rather than merely using Algenerated outputs. Through classroom observations and interviews with instructors and students, we investigate and reveal valuable insights into how GenAI can be effectively used to support learning, while also identifying practices that may hinder student engagement and understanding with over-reliance. Students revealed ethical and moral considerations when using GenAI, specifically in respect to reliability in AI-generated output. While GenAI offers convenience and accessibility, many students exhibit hesitancy in its utilization prioritizing skill mastery over assistance. Through identification of best practices and potential drawbacks, our research provides insight on how GenAI can be integrated effectively into computational education. Understanding these dynamics will provide educators with insight on design strategies to promote responsible AI use while preserving student integrity.

Macy Spevacek

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1305

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING THE TORQUE OF MANUAL WHEELCHAIRS ON VARIOUS SURFACES

Abstract: Manual wheelchair users face varying levels of resistance depending on the surface type, affecting the torque required for propulsion. This study experimentally determined the torque necessary to initiate wheelchair movement across different surfaces. Different surfaces have unique coefficients of friction, requiring different amounts of torque applied to the wheel to start rolling. The goal was to measure the minimum torque needed to go on different terrains on a manual wheelchair. A torque wrench was fixed onto the center of a wheelchair wheel, secured by a bungee cord. Each participant then pushed onto the hand rims with minimum force they would need to roll over different ground conditions. The data were taken on four different surfaces with several participants. Multiple trials ensured data reliability and repeatability. The data shows a comprehensive link between the torque values and the surface conditions. It showed that smoother surfaces, like tiles, take less torque to overcome the friction while it takes more torque to overcome the friction on rougher surfaces like grass and carpets. Because the torque wrench and the cord only allow the participant to roll so far, a new metal piece was designed to go in between the center of the wheel of a wheelchair and a torque sensor. This new mechanism will allow the wheelchair user to roll continuously while still measuring the rolling torque. This foundational torque measurement setup lays the groundwork for a user-guidance system aimed at optimizing manual wheelchair navigation and reducing propulsion effort.

Mahir Gandhi

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1331

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: OPTIMIZATION OF ULTRASONIC WELDING PARAMETERS FOR IMPACT DAMAGE MITIGATION AND MICROCRACK CLOSURE IN 3D PRINTED PLATES

Abstract: Additive manufacturing with polylactic acid (PLA) has transformed prototyping and production due to its versatility and cost-efficiency. Nevertheless, the inherent vulnerability of PLA to impact-induced microcracking continues to limit its application in environments demanding high structural resilience. This challenge necessitates the development of advanced repair methodologies that not only restore but also enhance material integrity under dynamic loads. Recent advances in ultrasonic welding present a promising avenue for repairing impact-damaged PLA components. In this study, small-scale 3D -printed PLA plates were subjected to ultrasonic deformation under a range of amplitude parameters. Following this, the samples were meticulously processed via cutting, mounting, and polishing to prepare for high-resolution microscopic analysis, and the images were analyzed via ImageJ. Using an optimal amplitude, controlled drop tests were conducted in which ball bearings were released from varying heights using an electromagnet, thereby imparting predetermined energy levels to the specimens. Subsequently, the area of the microcracks was assessed using ImageJ software. Our experimental framework is designed to reveal that the application of specific ultrasonic amplitude settings will likely mitigate initial impact damage and promote the closure of microcracks in PLA. We anticipate that optimally treated samples will exhibit fewer and less severe microcracks compared to untreated controls, suggesting that ultrasonic welding may serve as an effective repair technique. These expected outcomes would not only provide a mechanistic understanding of how ultrasonic energy influences microcrack behavior but also offer a scalable strategy for enhancing the durability of 3D printed components.

Mason Moenter

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1328

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: DEVELOPMENT OF RYDBERG IONIZATION LASER SCHEMES FOR 58-NI

Abstract: The Facility for Rare Isotope Beams (FRIB) provides unparalleled access to rare isotopes and is a world leader in nuclear physics research. At FRIB, the BEam COoling and LAser spectroscopy (BECOLA) group performs high-resolution optical measurements to provide model-independent nuclear data on the size and shape of radioactive rare isotopes. Such data is required to benchmark state-of-the-art theoretical calculations. In preparation for measurements of proton rich 52,53-Ni developments on stable 58-Ni are underway at BECOLA. A resonant ionization scheme has been developed to utilize field ionization through Rydberg states, which allows ultra-low background measurements. The preparation and results of this measurement will be presented. This work is supported in part by NSF grant PHY-2111185 and DOE award DE-SC0000661.

Megan Ransler

Category: Engineering, Computer Science, and Mathematics Presentation Type: Poster

Presentation Number: 1335

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: COMPARISON OF INFILTRATION MEASUREMENT DEVICES FOR USE IN CITIZEN SCIENCE AND THE EFFECTS OF VEGETATION IN AN ESTABLISHED BIORETENTION BASIN

Abstract: Characterizing hydraulic soil properties, such as infiltration rates, is essential for designing and managing bioretention basins in response to increasing storm events driven by climate change. Vegetation influences soil infiltration, but its effects vary, with studies offering conflicting conclusions on whether deep taproots or fibrous root systems enhance infiltration more effectively. Factors such as antecedent soil moisture, plant age, season, and soil type further complicate infiltration dynamics. Power analysis of preliminary results suggests that hundreds of measurements are necessary to account for infiltration variability at a single site. This research pursues two main objectives: investigating how plant characteristics, including species, location, and seasonality, influence infiltration rates in an engineered bioretention site at Michigan State University and developing citizen science methods for infiltration measurements. Standardized techniques were employed to measure infiltration using various devices, including a Saturo device, Turf-Tec, and a handmade infiltrometer. Comparisons of data collected from these instruments assess whether significant discrepancies exist between measurement methods. Additionally, a model of the hand-made infiltrometer was developed using OpenHydroQual to better understand the variability in its results. The handmade infiltrometer was designed for educational use, particularly by high school students and beyond. It was piloted in a seniorlevel engineering course in Fall 2024, and surveys will evaluate its utility in outreach efforts at the MSU Science Festival in April 2025. Measurements from students, citizens, and researchers will be analyzed in conjunction with the OpenHydroQual model to draw conclusions about plant effects on infiltration rates.

Michael Barger

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1363

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DYNAMIC HUMIDITY CONTROL SYSTEM FOR LOW-MOISTURE FOOD RESEARCH

Abstract: Accurate analysis of low-moisture foods requires precise environmental control to standardize dehydration and hydration processes. This project aims to develop a fully automated humidity control system specifically designed for preparing food samples, such as apple slices or almonds, for further research. By maintaining consistent humidity levels, this system enables reliable experimental conditions necessary for food safety and preservation studies. The system consists of independent humidity chambers, each composed of an air-tight bin equipped with an exhaust fan, a moist air tube, and a dry air tube. The core innovation lies in its Arduino MEGA-based control unit, which interfaces with relays, pumps, and solenoid valves to dynamically regulate airflow. Each chamber is monitored using two DHT22 temperature and humidity sensors, providing real-time data for adaptive adjustments. The control system is programmed using C and C++, employing an object-oriented approach to efficiently manage multiple chambers and ensure standardized humidity levels. The embedded software integrates an interactive keypad and LCD interface for direct user input, enabling target humidity setting adjustments and error tolerance customization. A built-in EEPROM module retains settings even after power cycles, enhancing reliability. Error handling mechanisms mitigate hardware inconsistencies, with alerts for sensor malfunctions or relay issues. System performance is further improved through optimized cycling between active and standby states, reducing wear on components. This innovation provides a scalable and modular solution for precise environmental control in research operations, facilitating repeatable and controlled humidity conditions for food safety and preservation studies.

Michal Borek

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1374

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DEEP LEARNING ALGORITHM FOR PNEUMOCONIOSIS STAGING ON CHEST RADIOGRAPHS

Abstract: Pneumoconiosis is an occupational interstitial lung disease caused by the inhalation of mineral dust particles. Chest radiography is widely used in medical screening for exposed workers. Both inter- and intra- reader variability were major concerns that led the International Labor Organization (ILO) and the NIOSH to standardize the classification of radiographs for pneumoconiosis and to develop the NIOSH B Reader Certification Program in 1974. While the program has improved the proficiency of certified physicians, there remain key challenges including: a) the limited numbers of certified B readers, currently only 209 in the U.S., b) continuing concerns about inter- and intra- reader variability, and c) concerns about the influence of financial conflicts of interests. For these reasons, there is a pressing need for artificial intelligence (AI) algorithms to ensure the objective and consistent radiographic assessment of pneumoconiosis. In this study, we use posterior-anterior (PA) chest radiographs from the NIOSH image repository to identify a 4-point major category scale of profusion (concentration) of small opacities (0, 1, 2, or 3) based on the International Labour Office ("ILO") classification: Category 0 refers to the absence of small opacity and category 3 represents the most profuse. We aim to classify radiographs into one of these different grades. A pre-trained ResNet model was fine-tuned for the multi-class classification problem considered in this study using a variety of different loss functions. Specifically, 1) cross-entropy loss, 2) Hierarchical loss, 3) Focal Staging Loss, 4) Hierarchical Cross-Entropy (HCE) loss, 5) Corn Loss and 6) Coral Loss

Monica Barrera

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1306

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: "FROM WASTE TO VALUE: UPCYCLING PET FOR POLYURETHANE PRODUCTION"

Abstract: Waste PET, a significant contributor to landfill pollution, can be chemically upcycled into diisocyanates-valuable precursors for polyurethane production-without the use of toxic phosgene. In previous studies the ammonolysis of waste PET thermoforms produced terephthalamide (TPD). This study investigates the conversion of that TPD to dimethyl 1,4-phenylenebiscarbamate (DPB) via the Hofmann rearrangement in methanol, achieving a 50% yield and the subsequent conversion to 1,4-diisocyanatobenzene (DCB). The product was verified through advanced NMR techniques, including COSY and HSQC. Optimization studies revealed that 6 molar equivalents of sodium hydroxide maximized the yield of DPB. The DPB was further transformed into DCB using chlorocatecholborane and triethylamine in refluxing toluene. The reaction was confirmed by converting DCB to its ethyl urethane derivative and analyzing the product using NMR spectroscopy. This research demonstrates a viable, phosgene-free pathway for producing diisocyanates from waste PET, paving the way for sustainable polyurethane production

Naamna Modi

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1327

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: BENCHMARKING PARALLEL CODE USING R

Abstract: R is a programming language that can run a wide array of tasks involving data and statistics. The application of R can be enhanced using the supercomputer provided by the Institute for Cyber-Enabled Research (ICER), here at MSU. Certain packages within R also bring useful tools to assist in tasks or use alternate methods to solve problems. Not only is R a good candidate for fast computing due to its multitude of vectorized operations, but a package called "Future" in R can help speed up the execution of resource-intensive code. Future allows code to be 'parallelized' by splitting up tasks between 'workers' and conducting these computations at the same time. This decreases the cumulative time elapsed and makes any particular script more efficient. We also explore the use of multithreading, using a package called "RhpcBLASctl" which can set a script to run a specified number of threads. This similarly speeds up computation time with an increasing number of threads. Where a regular computer may be capable of running around 4-8 tasks simultaneously, the supercomputer is made up of a series of large computers which can each run up to 128 tasks at once. This means we can run code in many more places at the same time, which heavily speeds up the process when compared to similar procedures on an average computer.

Noah Gscheidmeier

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1321

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: AI IN INSURANCE - HOW HELPFUL IS IT?

Abstract: Reserving for insurance companies is a way for them to "reserve" money for their clients, so that they have enough to compensate them in an event that they need it. Neural networks are a new way for artificial intelligence to imitate thinking like a human (hence the word "neural"). This involves multiple layers of compiling, relating, and computing to take an input value and try to match the patters between it and others to find the most likely output. What does this have to do with insurance and reserving? Neural networks allow AI to work with reserving triangles (how companies present their reserving values) and find a "most likely outcome" that fills in the reserving information needed for a company to make decisions on how much money they reserve in the future. We were able to use python packages like "tensorflow" and "keras" in the R coding interface to use the visual abilities of R with the computing power of python. This allowed us to set up our data into reserving triangles, train our AI network to understand the patterns, and have it give us an outcome of reserving for the future. In our efforts to test the neural network approach, we compared it to classical prediction methods, such as the development and expected methods. We believe that AI is the future, and that it has the potential to mend a lot of the conflicts clients have with insurance companies.

Reed Blocksome

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1372

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: MANIPULATING THE PHYSICAL AND CHEMICAL PROPERTIES OF HYDROGELS THROUGH RESPONSIVE PHOTO-CROSS-LINKING

Abstract: Hydrogels are three-dimensional, cross-linked polymer networks formed via freeradical polymerization with the ability to absorb large amounts of compatible solvent (typically, water). This work investigates poly(ethylene glycol) based hydrogels which are modified with a coumarin functionality in order to control the bulk network properties (degree of cross-linking) with external stimulus (light). Coumarin molecules dimerize when irradiated with 365nm light, which creates cross-links between polymer chains, and thus increases the overall constraints within the network. Conversely, irradiation with 254nm light cleaves the coumarin bonds, reducing cross-linking and decreasing constraints. However, the kinetics of the coumarin dimerization and cleavage reactions in bulk polymer networks are not well characterized nor understood. Here we highlight how Fourier Transform Infra-Red (FTIR) spectroscopy can quantify the kinetics of coumarin switching, as well as how Dynamic Mechanical Analysis (DMA) confirms that dimerization and cleavage lead to respectively high and low degrees of cross-linking in the bulk network. The FTIR data shows that the coumarin group's carbon-carbon double bond peak gets smaller during irradiation with 365nm light, supporting the expected increase in cross-linking. Unexpectedly, the DMA data reports that the storage modulus in the dimerized state is less than the cleaved state. We also found that these hydrogels swell less when in the dimerized state than in the cleaved state, likely due to the highly cross-linked structure resisting solvent diffusion. Understanding the transition between dimerized and cleaved is critical for designing more complex materials that readily find applications in self-cleaning surface coatings, targeted drug delivery, and soft robotics.

Reed Drouare

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1384

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: STRAIN EVOLUTION MEASURED BY DIGITAL IMAGE CORRELATION IN 3D-PRINTED LOCALLY REINFORCED BEAMS

Abstract: Structural beams in buildings and bridges are subject to different load distributions, which affect their durability and failure mechanisms. Understanding the mechanical behavior is crucial for minimizing costs and developing durable structures, which are key goals in engineering design. In this study, we dwelled into the world of 3D printing in order to investigate the durability of beam-like structures under mechanical loading. The study began with the learning about different types of beams used in modern engineering and their different functionalities depending on what type of structures surrounded them. After this, Digital Image Correlation software, also known as DIC, was used to measure the full field strain evolution in the 3D-printed beam specimens under a hydraulic press. This was done in order to measure how much force the beam could resist before collapsing, by making the beam imitate the function of a bridge. After the first round of testing, the team focused on creating a new beam design - the local reinforcement effect on the beam's load carrying capacity. In the updated design, the center of the beam was reinforced by incorporating a wider, contoured section. The new beam yielded positive results in comparison to the original beam. The locally reinforced new samples were able to resist approximately 77% more mechanical loading than the beam structure without reinforcement, with only a 55% increase in weight. This study has shown that the local reinforcement strategy can be used for future structural design to improve the mechanical performance but minimize material usage.

Rylie DuBois

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1387

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: BLOCKING OUT THE BACKGROUND BUZZ: DESIGNING A 3D PRINTED SNAP-IN FOR FOOTBALL HELMETS

Abstract: In April of 2024, the NCAA approved schools to use coach-to-player communication devices for football games. Crowd noise from the stadium was an anticipated problem, since the players may not be able to hear what is being said through the communication device when the cheering became loud. The goal of this project was to design, create, and test a snap-in for the ear opening of a football helmet to block out some of the crowd noise. The dimensions of the ear opening of four types of football helmets (Speedflex, AXIOM, VICIS Zero 2, and Schutt F7) were measured and modeled in Autodesk Fusion 360. Each Computer Aided Design (CAD) model was then 3D printed with PLA filament and tested in the helmet to ensure these pieces snapped in. Around 200 total sets of football helmet inserts were 3D printed for the football team, spread across four unique designs created for each of the helmet styles. Initial iterations included inserts that were attached with tape and a tension fit, while subsequent designs used an outer lip to create a "snap in", secure device. Plays resulted in being communicated faster and more efficiently due to this project. Compared to other solutions, such as using only tape to block out the noise, this solution has proven to be more effective in allowing communication from a player and coach perspective.

Samantha Schulte

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1362

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: RE-ENGINEERING PLANT IMMUNITY PROTEINS VIA YEAST SURFACE DISPLAY

Abstract: Numerous pathogen infections throughout history have devastated crop populations; emerging plant diseases continue to threaten global food security. Plants rely on an innate immune system consisting of machinery (i.e., proteins) to detect and fend off invaders, but some pathogens evade these defenses. We aim to re-engineer plant immunity proteins to promote disease resistance in crops. We are exploring three plant proteins -FLS2, PGIP2, and RIXI - each having a unique role in fending off bacterial and fungal attacks. Changing protein function requires changing protein sequence. However, most changes made to proteins (called mutations) will worsen function. Thus, many mutations need to be tested to identify those that are beneficial and filter out those that are harmful. Mutagenesis studies performed in plants are time-consuming and low-throughput due to the long life cycles and low transformation efficiencies of plants. Yeast surface display (YSD) offers a promising alternative that allows for efficient screening of large libraries of mutations. We have inserted the genes for each of the plant immunity proteins into yeast cells, allowing us to produce the proteins quickly and in high quantities. Further investigation into yeast surface displayed FLS2 shows that the protein is not functional. We have observed that very large sugars are added to the protein by the yeast, making it look very different from when it is made in plants. We are investigating the effect of sugars on these plant immunity proteins, including their impact on defense properties as well as limitations they may have on protein production.

Sania Sinha

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1313

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: A COMPARATIVE ANALYSIS OF NESY FRAMEWORKS

Abstract: Neurosymbolic (NeSy) frameworks combine both neural architectures with symbolic reasoning. In times of increasing concerns about the environmental sustainability of extremely data driven methods, neurosymbolic frameworks offer an exciting alternative that retains performance even with a small training data. Combining the explainability and interpretability of symbolic reasoning with the flexibility and power of neural computing allows us to solve complex problems with more reliability while being data-efficient. However, this recently growing topic poses a challenge to developers with its learning curve, lack user-friendly tools and libraries, differences in the available frameworks, and a lack of systematic research connecting the various approaches. In this project, we aim to discover and highlight the differences between existing NeSy frameworks across different facets such as problem formulation, implementation, execution, and LLM integration. We do this by solving multiple toy and realistic tasks using three NeSy frameworks- DomiKnowS, DeepProbLog, and Scallop. Using those findings, we will work towards identifying the problems each NeSy framework is able to solve, comparing their expressivity, performance, along with time and data efficiency.

Sarah Ansert

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1386

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: SPATIAL LIGHT DISPERSION USING 3D-PRINTED TRANSPARENT WAVEGUIDES

Abstract: This project focuses on spatial light dispersion, this is through the use of transparent 3D printed resin. The goal of this project is to determine which angle is best for splitting light coming from one source. To further that point, which angle allows for the least amount of light fracturing. The goal is to make models that can disperse light from one point to cover a designated plain.

Sean Redman

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1307

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: SYNTHESIS OF THREE-ARM POLY (?-CAPROLACTONE) VIA REACTIVE EXTRUSION

Abstract: The goal of this in-progress research is to synthesis a three-arm type PCL using a continuous extrusion process. Poly Caprolactone (PCL) is a biodegradable polymer which has utility for single use plastic applications. While commercial PCL is produced in a linear form via batch processes, this research seeks to investigate synthesis of the three-arm form via continuous processes. Commercially made linear PCL contains a maximum number average molecular weight of 80,000 g/mol and a melting temperature of about 60 C. These properties lead to drawbacks of this polymer such as low melt strength and for some applications, poor mechanical properties. This study will investigate the potential improved properties and increased molecular weight of three-arm PCL formed via extrusion. The synthesis of the three-arm PCL is completed using CAPA monomer and an aluminum trialkoxide initiator. Utilizing a two-step coordination-insertion mechanism, as well as the melt conditions and shear presence provided by the extrusion process, three-arm PCL may be synthesized in a continuous manner. The reactive extrusion takes place in a Leistriz twinscrew co-rotating extruder. This extruder represents a continuous chemical process which may be observed as a plugged flow reactor. Viewing the process in this way allows for fluid flow and heat transfer analysis, conversion and reaction rate investigation, as well as material and energy balance completion. These methods of analysis allow for a full understanding of the chemical process governing the three-arm poly (?-caprolactone) synthesis.

Sharvayu Chavan

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1381

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: COMPACT ANTENNA DESIGN FOR WIRELESS ENERGY HARVESTING IN ELECTROPHYSIOLOGICAL MICROSENSORS

Abstract: Wireless energy harvesting provides a promising solution to powering selfcontained microsensors, especially in medical applications where invasiveness must be minimized. Design and optimization of small-size antennas that can harness ambient WiFi signals at 2.4 GHz to power electrophysiological sensing microsystems is investigated in this study. Three antenna geometries-Planar Inverted-F Antennas (PIFAs), microstrip patch antennas, and meander-line antennas-have been proposed because of their small sizes and efficient wireless energy collection. The research includes simulating and designing such antennas with COMSOL to make them more energy-harvesting, efficient, and resonant. A circuit to convert energy harvested using RF to usable power to be utilized in microsensor applications has also been designed with KiKad. The initial results show that PIFA designs have a good efficiency-compactness balance and therefore have good potential to be incorporated into wireless sensing platforms. This study offers a platform for developing autonomous, wire-free electrophysiological monitoring systems in the future. Using miniature antenna technology, this study aims to make neural sensing noninvasive without being limited by wire-bound power supplies to advance neuroscience, medical diagnosis, and wearable bioelectronics.

Shubhan Nagarkar

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1312

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: AN ENGINEERED APPROACH TO CHARACTERIZE MECHANISMS OF MUCILAGE ADHESION

Abstract: Upon hydration, seeds of many plant species release a polysaccharide hydrogel (mucilage) which displays remarkable bioadhesion to various substrates via hydrogen bonding. Examining this surface adhesion through an engineering lens can better inform mucilage evolutionary advantages, including lower mortality rates and exploitation, as well as future material design. In this work, extraction of mucilage from four species: Plantago ovata, Linum grandiflorum, Salvia hispanica, and Lepidium sativum was optimized at bulk scale using complete seed hydration, physical and chemical separations, and lyophilization to produce dehydrated, pure mucilage. Each mucilage species was rehydrated uniformly, and its adhesive properties were characterized against an Elmer's glue control (polyvinyl acetate). Novel lap-shear and loop-tack testing protocols utilizing polyethylene terephthalate (PET) substrates and mechanical tensile testing were devised to simulate common mechanisms of seed dispersal and measure stress at failure. Furthermore, experiments mimicking varied environmental conditions were conducted by placing samples in dry, ambient, and saturated humidities. L. grandiflorum displayed stronger shear and loop-tack adhesion at higher humidity conditions in contrast to the PVA control, which could address the common reduction in performance in humid conditions of traditional synthetic adhesives. Both dry and ambient environments demonstrated slightly higher shear adhesion than those in saturated humidity, showing a tenuous correlation with the habitats of these species. Overall, these results highlight the benefits of incorporating standardized, engineering analysis, which complements evolutionary investigations into seed mucilage.

Siddharth Gupta

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1332

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EFFICIENT REMOVAL OF SILENCES AND BACKGROUND NOISE IN STUTTERED SPEECH PROCESSING: A PRACTICAL APPROACH USING PYDUB

Abstract: Speech disfluencies, such as stuttering, pose challenges in audio processing, requiring the removal of unnecessary silences and background noise to enhance intelligibility. Traditional approaches leveraging machine learning models, such as regression-based and deep-learning methods, often introduce significant computational complexity and inefficiency. In this study, we explore and compare various speech processing strategies, including machine learning-based silence detection and removal, ultimately determining that these approaches are impractical for real-time applications. Instead, we demonstrate the effectiveness of the Pydub library in efficiently detecting and removing silences, offering a lightweight and scalable alternative. Additionally, we discuss an integrated approach for background noise removal using noise reduction algorithms. Our findings indicate that Pydub-based processing significantly reduces computational overhead while maintaining high speech clarity, making it an ideal solution for real-world speech remediation applications.

Sofi Levi

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1373

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ON STABLE SINGULARITY FORMATION FOR THE QUADRATIC WAVE EQUATION

Abstract: We study the stability of a singularity formed by an explicit self-similar solution of the seven-dimensional quadratic wave equation. Prior to our work, this solution was shown to possess a one-dimensional instability under radial perturbations of its initial data. This left open its stability under the larger class of non-radial perturbations. Our work provides numerical evidence that there are no new instabilities in the non-radial setting. We achieve this by implementing the continued fractions method. By approximating the roots of a particular infinite continued fraction, we are able to identify those complex numbers which may admit an admissible solution of the corresponding eigenvalue equation.

Tanmay Grandhisiri

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1302

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: NFL DRAFT MODELLING: LOSS FUNCTIONAL ANALYSIS

Abstract: In the NFL draft, teams must strategically balance immediate player impact against long-term value, presenting a complex optimization challenge for draft capital management. This paper introduces a framework for evaluating the fairness and efficiency of draft pick trades using norm-based loss functions. Draft pick valuations are modelled through both the exponential Massey-Thaler curve and the Weibull distribution. Utilizing these valuation techniques, the research identifies key trade-offs between aggressive, immediate-impact strategies and conservative, risk-averse approaches. Ultimately, this framework serves as a valuable analytical tool for assessing NFL draft trade fairness and value distribution, aiding team decision-makers and enriching insights within the sports analytics community.

Tessa Versace

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1316

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: MINI PERISTALTIC PUMPS FOR HEAVY METAL SENSING IN SOILS

Abstract: Soil health affects human health. Heavy metals from agricultural soil can leach into crops which are further handled by farmers and ingested by consumers. Effective heavy metal soil sensors are essential to reducing ailments brought on by bioaccumulation. Studies show that bioaccumulation of heavy metals can result in severe organ impairments, nervous system disorders, and heart disease in the general population. Infants are at greater risk, with 2021 tests from the FDA showing elevated levels of lead, arsenic, and cadmium in rice-based baby foods. This project aims to develop an automated, in-ground soil-sensing device using boron-doped diamond (BDD) electrodes. This device will pair a low-cost potentiostat with a microfluidic system featuring a pair of microfluidic peristaltic pumps. The pumps are integral for effective electroplating onto the surface of the diamond electrode. At a fixed potential, the slow flowing solution deposits analytes onto the surface, allowing for more accurate and sensitive readings. Additionally, the dual pump set up allows soil run off to mix with buffer solution, optimizing the pH. Initial pump designs incorporate a mini stepper motor with 3D-printed parts, powered by an Elegoo Mega microcontroller, and controlled with an IR remote. These pumps can supply variable flow rates simultaneously and independently. They deliver flowrates less than 100uL/min, calibrated by flow rate sensors controlled by an Arduino Nano microcontroller. Developing models aim to improve accuracy and precision of the flow rate. The final device will provide low-cost automated heavy metal sensing for environmental and agricultural applications.
Tony Chirchir

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1308

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: IMPACT OF PROPOSED BILL HB4840 ON CITIES IN MICHIGAN

Abstract: As Michigan advances toward clean energy adoption, understanding the role of financial incentives-especially rebates-is essential for equitable and efficient solar deployment. This study investigates how rebates influence the cost of solar photovoltaic (PV) installations across five distinct cities in Michigan, Alpena, Detroit, Escanaba, Flint and Lansing, each representing diverse geographic, economic, and utility rate contexts. Using the REopt optimization model, simulations were conducted for each city, accounting for variables such as local electricity rates, solar resource availability, and existing rebate programs. The analysis focused on residential systems, comparing total system cost, system performance dispatch data, and potential life cycle savings with and without rebate incentives. Results reveal significant regional variability in the effectiveness of rebates. Urban centers with higher electricity rates, such as Detroit benefit most substantially, experiencing great potential life cycle savings. In contrast, cities with lower utility costs or limited rebate access show more modest improvements. These findings highlight the importance of location-specific incentive structures. Strategic rebate implementation could enhance solar affordability and adoption statewide, particularly in underserved areas where economic barriers persist.

Vedant Naik

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1352

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: NONLINEAR COMPENSATION OF STRETCHABLE STRAIN SENSORS WITH APPLICATION TO PROPRIOCEPTIVE SENSING OF SOFT ROBOTIC ARM

Abstract: With advances in materials and manufacturing techniques, recent years have seen a number of conductive composite materials that exhibit pronounced strain-dependent electrical resistivity, allowing them to be used for embedded, cost-effective strain sensing in various applications. The strain-resistivity relationship of these materials, however, is often highly nonlinear and dynamic, posing challenges for effective use of such strain sensors. In this paper, a computationally efficient scheme is proposed for compensating the nonlinear, dynamic strain-resistance behavior of a soft conductive rubber using a Time Delay Neural Network (TDNN). The accuracy and feasibility of the technique is evaluated with a soft robotic arm incorporating three strain sensors for proprioception. Experimental results show that the sensing scheme is able to predict both the tip position and the shape of the robotic manipulator, achieving an average tip positional error of less than 4% relative to the total length of the manipulator.

Zainali Shehzadali Suchedina

Category: Engineering, Computer Science, and Mathematics

Presentation Type: Poster

Presentation Number: 1361

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DIVERSITY IN AI USING SHANNONS ENTROPY

Abstract: Coming soon for now

Environmental Science and Natural Resources

Abby Bailey

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1426

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: HOW DO FLUCTUATIONS IN DEMAND AFFECT COCOA SUSTAINABILITY?

Abstract: Over time, the chocolate industry has experienced exponential growth due to increasing demand world wide, and parallel to it, cocoa demand. However, this increased demand has led to unsustainable harvesting practices to become commonplace in the cocoa industry. Previous research has examined the nature of the industry, detailing working conditions, wages, and environmental costs. Building on this data, this paper explores the correlation between unsustainable practices and the increase in seasonal and regional demand for cocoa. Further, to show how consumers are directly contributing to cocoa production practices and, within this system, analyze the ongoing sustainability efforts. Research has shown that the exponential growth in demand for cocoa is associated with the increase in child labor, wage reductions, and towering carbon emissions.

Alaina Bennett

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1427

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EVALUATION OF A WEBSITE DESIGNED TO ENCOURAGE PRO-ENVIRONMENTAL BEHAVIORS

Abstract: Earth Is My Home, an MSU and community initiative, aims to be a leading source for environmental education, organizing, and community. The initiative uses evidence-based strategies to seed new social norms by fostering communities and building programs that promote discussions about and adoption of pro-environmental behaviors. One component of the initiative is a website, www.earthismyhome.org, that will host checklists of ecofriendly actions, community-based educational programs, and support for environmental advocacy. The purpose of this study was to gain an understanding of perceptions of the website's look and feel, user experience, and effectiveness for encouraging proenvironmental behaviors. Focus groups with up to three participants were conducted with university students recruited through student organizations and flyers. Participants were invited to interact with the website, engage in a conversation to share their thoughts and ideas with the research team and other participants, and take a short survey. Focus group topics included website first impressions, visual appeal, clarity, and usability. The survey questions focused on participants' attitudes and perceptions of the initiative as a whole. Focus groups were recorded and transcribed verbatim and transcripts were analyzed by content and theme analyses using Atlas.ti, a qualitative data analysis program. Survey data were analyzed using statistical software. Focus group and survey findings willbe used to improve the website design to make it more user-friendly, engaging, and effective. This study will improve our understanding of how best to support and motivate people to take action to care for the Earth.

Alexandra Huk

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1421

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: THE PREDICTED GEOCHEMISTRY OF EUROPA'S ICY OCEAN AND ITS IMPACT ON SUBSURFACE LIFE

Abstract: Understanding the geochemical composition of Icy Ocean Worlds in our solar system (e.g., Europa, Enceladus) and comparing them to what we know of Earth's high pressure analog systems is an enticing objective for astrobiological research. Unfortunately, studies of microbial responses to these geochemical conditions are relatively limited, focused primarily on possible survival and habitability rather than active growth. This work focuses on conducting microbial cultivation experiments with Maridesulfovibrio hydrothermalisAM13, a sulfate-reducing bacteria isolated from the East Pacific Rise hydrothermal vent system, and using medium attuned to what's known about Ocean World chemistries. Media alterations include increasing brine and ammonium concentrations, and elevating pH. Further methodologies include working in an anaerobic chamber to mimic the environment of subsurface Icy Ocean Worlds, cell quantifications and DNA extractions to record microbial growth, and a short visit to the NASA Jet Propulsion Lab (JPL) in Pasadena, CA to collaborate with Dr. Steve Vance, who is well known for his work in Ocean World exploration, to better understand the approaches and technologies used to study Ocean Worlds. The results of this work are informative of how microbial populations adapt to subsurface Icy Ocean World habitats that are influenced by a range of parameters, comparative to those that we know of on Earth. Finally, this work is important to understanding and identifying a foundation that explores microbial activity in the context of Ocean World analog conditions and their potential to host extraterrestrial life, ultimately aiding future astrobiological research for space agencies' search for life.

Alonzo Jones

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1413

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: COMPARING BIODIVERSITY OF LEAF LITTER INVERTEBRATES IN YOUNG AND OLD FOREST ENVIRONMENTS.

Abstract: Our research aims to identify and compare the species and types of isopods and detritivores that are found in an old growth and new growth forest under a plain cover board and a cover board with mesh underneath. This data will allow us to see whether animals that fill certain niches such as breakdown of decaying matter, predation on detritivores, or other roles are more or less abundant or a higher or lower percent of the overall number of animals found between these two environments. Additionally, we will be able to identify if there is a higher or lower count of insects/animals in general between these younger and older forest habitats. Four pairs of 1x1 foot plywood boards, one plain and one with layers of plastic mesh attached to provide additional microhabitat, were placed at different locations within each of our main study areas (the Baker Woodlot and the Fisheries and Wildlife Restoration Site). On mesh boards, there were 5 layers of mesh which alternated between thin and thick layers. A total of 8 pairs of boards were placed and left undisturbed between sampling, which occurred every four weeks from September to November, 2024. Our research concluded that diversity and abundance is far richer in the old deciduous forest than the younger forest. Additionally, comparison of cover boards to undisturbed leaf litter showed cover boards to be much more effective at sampling an abundance of leaf litter arthropods for purposes of studying biodiversity in this habitat.

Arianna Fobbs

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1405

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: VIOLA SORIA AS AN ENVIRONMENTAL INDICATOR SPECIES

Abstract: Common Blue violets (Viola soria) are vital contributors to the ecosystem as a food source for butterflies, bees, and rabbits. Previous studies have found an increase in temperature has been associated with an increase in flowering time of 7 to 10 days during the spring season for other plant species in different parts of the world (Bertin et al. 2017). The increase in temperatures has affected the amount of insect pollinators because of the desynchrony between the flower blooming time, and the pollination time has been associated with a decrease in crop yields (Moss et al. 2022). This study is a long term study to look atViola sororia american blue violets as a potential indicator species for the environment of North America by comparing the proportion of flowers that are found to be blooming in the month of April using Inaturalist data. Indicator species are important because they provide a warning to changing environmental conditions and are connected to the overall health of the ecosystem.

Ava Haithcock

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1422

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: ANALYSIS OF STREAM FLOW IN THE MANISTEE AND AUSABLE WATERSHEDS OF MICHIGAN'S LOWER PENINSULA

Abstract: Streamflow, or discharge, is extremely important to a river's natural function . Extreme low flows have a negative impact on fish populations and water supply. Inversely, abnormal high flows can lead to erosion, flooding, and habitat damage. The Manistee and Ausable watersheds, located in the north-central portion of Michigan's lower peninsula, are well known for their historically stable summer streamflow that supports healthy trout populations. This leads to these watersheds being known for their ideal fishing and recreational opportunities. Studying these streamflow conditions and any possible variations provides better understanding of the regional hydrology and stream health. For this study, 18 sites in the Ausable watershed and 20 sites in the Manistee watershed were installed in September 2011. As of January 2024, 9 sites have been selected for continuing long-term monitoring in each watershed . Instrumentation installed at each site measures temperature and pressure, which can be converted to streamflow data in order to analyze trends, and show any variations in the streamflow over time. Further investigation into how these streams have changed thus far, can allow climate scientists, fishermen, and recreation managers to better understand the changes that will occur in the future. This understanding leads to better prediction and preparedness of extreme flow events.

Braydon Sprik

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1453

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: MAPPING THE DISTRIBUTION OF CHARACEAE IN MICHIGAN'S INLAND LAKES.

Abstract: Fresh water macro-algae in the family Characeae 1) provide critical habitat for many game fish species, 2) they oxygenate the water column and 3) they stabilize lake sediments. They are often the dominant group of photosynthetic organisms occupying the littoral zones of Michigan's inland lakes. However, despite their importance for the proper functioning of lakes, they are often underappreciated and considered nuisance weeds by lake users. From surveying aquatic macrophyte communities in 92 lakes throughout Michigan, we detected members of the Characeae family being present in ~90% of the lakes sampled. In total, we found 5, 3, and 2 species of Chara, Nitella, and Tolypella, respectively. Many of these detections are new County occurrences. Of note, we detected the aquatic invasive species Starry stonewort (Nitellopsis obtusa) in31 lakes, thereby highlighting the emerging threat of this species spreading to new areas.

Calisto Kohn

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1431

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: PFAS, PATTERNS, AND THE PUBLIC: COMMUNITY HEALTH AND SOCIETAL RESPONSE IN THE MIDWEST

Abstract: The intersection of health burdens and environmental injustice is particularly pronounced in Rust Belt communities like Otsego, a small town in Allegan County, Michigan. Focusing on factors such as industrial pollution, improper disposal and repurposing of toxic waste, and loss of trust in municipal authorities, this project explores the intricate relationships between Otsego residents and the paper mill industry dominating their local economy for the past 150 years. With the creation of the community's environmental justice group "Justice for Otsego" in 2017, residents have become increasingly aware of and concerned with the role of environmental contamination in the extreme rise in cancer deaths and other negative health outcomes such as autoimmune disorders and reproductive harms present in their community. PFAS chemicals, cancer-causing industrial agents that have seen very little research or policies restricting their use, have been widely used in paper production since the 1960s and are one factor of this web that I measure using quantitative environmental testing and analysis. This works alongside and in combination with qualitative approaches such as interviews with residents, collaboration with community partners, and analysis of archival materials. These methods serve to investigate local knowledge and health outcomes, the goal of this project is to shed light on the dark and unknown area that is PFAS chemicals and their relationship with the public, validate resident stories and experiences, and empower communities in need through community engaged research.

Carol Hogan

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1441

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DIFFERENCES IN MICROBIAL COMMUNITY COMPOSITION WITHIN THE SAGINAW AQUIFER, THE PREDOMINANT SOURCE OF DRINKING WATER FOR MID-MICHIGAN.

Abstract: The Saginaw aquifer provides access to clean drinking water to Michigan residents from the Lansing area to Saginaw Bay. However, the biogeochemistry of this critical resource is poorly understood. The Saginaw aquifer is primarily composed of sandstone which allows groundwater to flow through the pores while transporting dissolved chemicals and bacterial cells. Additionally, groundwater in the lower peninsula flows from mid-Michigan to Lake Huron towards Saginaw Bay, displaying different ages of water, young to old. Groundwater age was determined using Tritium and Carbon-14 dating. Groundwater samples were collected from mid-Michigan towards Saginaw Bay to better understand the relationship between biogeochemistry, groundwater age, and microbial communities. The samples have been filtered for microscopy and DNA extraction. From 16S rRNA Amplicon sequencing, each well's microbial composition has been revealed. The microbial data and the environmental parameters are used to analyze the relationship by statistical approaches. All the data is mapped using ArcGIS Online and QGIS to further analyze microbial and geospatial relationships. Documenting changes in groundwater along its flow path helps identify interactions between microbial composition, groundwater age, and biogeochemistry in the Saginaw aquifer improving understanding of drinking water in Michigan.

Carter Rosier

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1415

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: PALEOCURRENT ANALYSIS OF DIFFERENT SEDIMENTARY FACIES WITHIN THE GRAND RIVER FORMATION

Abstract: The Saginaw aquifer is one of the main sources of municipal ground water for Lansing, Michigan and is comprised of Pennsylvanian age sedimentary rock formations- the Saginaw Formation and overlying Grand River Formation. While most of the aquifer consists of permeable sandstones between two impermeable confining layers, there are several discontinuous impermeable layers and lenses of sediment within the aquifer that are visible at rare surface outcrops of the formations at Grand Ledge. These outcrops provide a unique opportunity to understand the three-dimensional geometry of sedimentary structures within the aquifer that can be applied to larger scale geophysical studies that map the aquifer at depth. Previous studies on the Saginaw and Grand River Formations have provided important insight into the ancient depositional environment of the sediments that now comprise the Saginaw aquifer. Paleocurrent analysis has been done but lacks linking different sedimentary structures and textures within. In this study, we reevaluate the paleocurrent data in the Grand River Formation at Fitzgerald Park in Grand Ledge, Michigan by combining new paleocurrent data that is coded by sedimentary facies. The purpose of this work is to elucidate nuances in existing paleocurrent data and provide a more complete 3-dimensional picture of the aquifer and its internal structures. Preliminary data indicates a northeast paleocurrent for tabular cross-beds. This is consistent with previous paleocurrent data from the lower section of the Grand River Formation.

Charley Russell

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1407

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: MAPPING MICROBES AND MINERALS FOR SUSTAINABLE ENERGY

Abstract: For the last century, nickel laterites have been used to extract minerals like nickel and chromium from high-grade ores. Although this method has been sustainable for many years, the increase of eco-conscious technologies and infrastructure has led to a higher demand for these metals. Due to these circumstances, traditional mining methods fail to meet this projected demand. As small as they seem, microbes may be the solution for a more efficient and sustainable mining process known as biomining. The overall goal of this project is to explore microbe-mineral interactions and microbes' metabolic processes to cope with heavy metals. To address this goal, we plan to use X-ray diffraction (XRD) to determine mineral composition, Inductively Coupled Plasma Mass Spectrometry (ICP-MS) to identify the metals, and metagenomic sequencing to understand what mechanisms these microbes use to absorb, detoxify, resist, and metabolize heavy metals. This study takes place in the Coast Range Ophiolite Microbial Observatory (CROMO), a serpentinizing environment known for its high metal concentrations where microbial samples and their associated minerals will be collected to further investigate microbe-mineral interactions. So far, we have found metal resistant bacteria within our sequencing data and high concentrations of chromium, nickel, and strontium from our ICP-MS analysis. This project will increase our knowledge about microbe-mineral interactions, specifically with heavy metals, so that we can expand the use of biomining and replace unsustainable metallurgical methods which generate waste that can be hazardous for the environment.

Charlie Conrad

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1457

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: THE CHOCOLATE INDUSTRIES CONTRIBUTION TO GLOBAL DEFORESTATION

Abstract: About 30% of the deforestation in Ghana and Cote-d'Ivoire, two countries responsible for about 60% of the world's cocoa supply, is tied to producing the essential ingredient for chocolate. This report explores how the growing demand for cocoa contributes to deforestation by analyzing global data, farming practices, and economic pressures. Additionally, the report discusses the socioeconomic challenges cocoa farmers face, including poverty, child labor, and gender disparities, which further drive unsustainable agricultural practices. Government regulations have been introduced to address deforestation and labor exploitation. However, enforcement remains a significant challenge. The report highlights potential solutions, including sustainable farming techniques like agroforestry and company specific implementations like supply chain transparency. Using data from Global Forest Watch and FAOSTAT, this study presents visual analyses of deforestation trends in Ghana and Cote-d'Ivoire and their correlation with cocoa production. The findings indicate that while cocoa farming is a vital economic driver in these countries, its environmental toll is severe. Consumers and regulators should know more about the complex supply chains that link the chocolate on store shelves to the health of tropical forests, and by extension, global sustainability.

Christina Kooistra

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1401

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: WASTEWATER PRACTICES AND SUSTAINABILITY

Abstract: Burnette Foods, Inc. (BFI) is a food processing business which processes fruits and vegetables. A significant amount of water is used to clean and process products, and the water must be properly treated after use to be applied back into the environment. The goals of my internship with BFI were to learn how the wastewater process works, and how the wastewater process at BFI relates to sustainability in its' operations. Samples of the wastewater from different stages of treatment were tested for phosphorus, nitrite, ammonia, pH, dissolved oxygen, volatile fatty acids, chemical oxygen demand, and total suspended solids. The wastewater process generally works well to remove these unwanted components of wastewater so it can be safely applied to spray fields. By applying treated water to spray fields, the water can re-enter the water cycle. Because the wastewater process is effective at removing contaminants, it contributes to sustainability in BFI's operations, since the water being used in processing can be released back into the environment and water cycle.

Clara Ives

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1446

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EXPLORATION OF DUCKWEED CONTROL OF HARMFUL ALGAE

Abstract: Harmful algal blooms (HAB) are a global threat to water quality and aquatic ecosystems. Eutrophic conditions and quiescent water promote the occurrence of HAB. Duckweeds, which grow on or near the surface of quiescent fresh water, are globally distributed and possess many qualities that allow them to outcompete other aquatic plants and form dense floating mats, including rapid vegetative propagation, high adaptability, and efficient nutrient absorption. Studies have indicated potential for duckweeds to be used to control HAB through multiple mechanisms: blocking light for growth, decreasing aqueous nutrient concentrations, producing exudates, and uptaking HAB toxins. Our research intends to determine the ideal nutrient conditions for duckweed plants to outcompete HAB. In the first trial, Lemna minor, an axenic species of duckweed, will be co-cultured with a HAB community collected in Lansing, MI in nutrient medias with varying phosphorus concentrations. HAB biomass and duckweed growth will be monitored and compared with control groups of only duckweed and only the collected HAB. In the second trial, duckweed will be inoculated with microbiome collected from local duckweed prior to co-culture with the HAB. At the beginning and conclusion of each trial, DNA analysis of duckweedassociated microbiome and media will be conducted to examine community composition changes. Additionally, exudates from the duckweed will be collected and analyzed. Metabolomic and genomic data will be examined for correlations between HAB persistence to identify key duckweed exudates associated with harmful algal bloom growth and death.

Cooper Krueger

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1433

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: LANDSCAPE ANALYSIS OF BOBCAT OCCUPANCY IN SOUTH-CENTRAL MICHIGAN

Abstract: Bobcats (Lynx rufus), have a large range that covers most of North America. Bobcat occupancy patterns vary by location, and few studies examine these traits in Michigan. This gap in research has become a concern for managers, particularly in the Lower Peninsula. Using non-baited camera traps, we surveyed eight townships within Newaygo, Kent, Mecosta, Montcalm, and Ionia County between July 15-September 15 in 2022. We use a single season occupancy model to assess the impact of forest cover and crop type on the presence of bobcats. We predict occupancy will be positively associated with forest cover, and increased crop cover in a detection area will decrease the probability of occupancy. We asses the impact of temperature and moon phase on detection probability. We predict warmer temperatures will be associated with reduced detections, and a fuller moon will increase detection. By identifying landcover affects their presence, managers will be able to better understand possible negative effects of agricultural development on bobcat populations.

Danah Lee

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1424

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EFFECTS OF "SOIL" - REGOLITH - PARTICLES ON RISKS TO CREW HEALTH ON MARS: INSIGHTS FROM SAND GRAINS IN REGOLITH SIMULANTS

Abstract: Regolith is a layer of loose, unconsolidated rocky material that covers a harder bedrock layer underneath it. Planetary scientists need to know about regolith on Mars because of the potential risks it can have to human health. To answer this question, a natural sample must be analyzed for volatile minerals and grain shape. A regolith analogue (simulant) is a combination of minerals put together on Earth to mimic the composition of regolith on other planetary bodies. Planetary scientists need regolith analogues to easily make hypotheses and plan future missions without unnecessary spending. It helps to understand the material and make up from Mars for example without spending the money to get the actual sample. To plan a natural sample that we don't have, we should practice the investigation with materials that have measurable properties that are close to the natural sample. More knowledge of Mars regolith is needed to improve scientific understanding of Chemical characterization for crop growth experiments and the potential hazards towards human health. A natural regolith sample must be analyzed for any dangerous minerals or particulates to help answer the scientific question. The purpose of my research is to find out any health related risks crews may be susceptible to on Mars due to the regolith.

Daniel Horowitz

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1458

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ORGANIZED OPPOSITION AND SUPPORT FOR RENEWABLE ENERGY IN THE UNITED STATES

Abstract: As the size of renewable energy projects and the speed of development increase with our state and federal decarbonization targets, the role and influence of organized groups in supporting or opposing those projects continues to grow. This study utilizes data from the Sabin Center for Climate Change Law, Robert Bryce Report, and Daily Energy News Digests, as a starting point to build a first-of-its-kind database of organized online support and opposition groups. The database includes group names, states, townships and counties, group and member counts, project and developer names, dates of events, and finally a number of hyperlinks including local ordinances and local news articles for further analysis. The dataset includes over 450 entries delineating organized opposition and support in the US Midwest and Northeast. The database provides an opportunity to improve our understanding of how developers and officials can improve development processes and community outcomes, as well as provide community-acceptance researchers access to a growing body of opposition and support group data. The database currently focuses on wind and solar projects in the US Midwest and Northeast, but work has begun to expand its reach across the US. Additionally, we are currently using the database to explore the relationship between project size and opposition, the types and locations of projects that receive the most opposition, and finally which developers have faced the most opposition.

Danielle KIllingback

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1454

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: A GEOCHEMICAL SIGNATURE ANALYSIS OF GRANITOIDS FROM ANGOLA

Abstract: Granitoid rocks provide crucial information about tectonic evolution, as they are the dominant rock type in Earth's upper continental crust. Major mountain-building tectonic events, such as the Pan-African orogeny and the assembly and breakup of the supercontinent Gondwana, are closely linked to granitoids. We are studying a suite of granitoid rocks located along the Angolan ocean margin, which represent fragments of continental crust that ruptured during the opening of the South Atlantic. By examining the processes that formed these rocks, we aim to better understand how the crust along this margin developed and evolved prior to continental breakup. Through elemental composition analysis of granitoid samples from the area, we will assess the tectonic activity that contributed to their formation. Additionally, using petrographic methods such as modal mineralogy, this research will provide deeper insight into the tectonic processes associated with Gondwana and the Pan-African orogeny, refining our understanding of crustal evolution along rifted continental margins.

Dev Jyoti Ghosh Arnab

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1402

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: A COMPARATIVE STUDY OF AMORPHOUS AND CRYSTALLINE STRUCTURES: SEM AND EDS ANALYSIS OF OBSIDIAN, BASALT, AND QUARTZ

Abstract: Amorphous and crystalline materials exhibit distinct structural and chemical properties influencing their mechanical strength, thermal stability, and industrial applications. This research uses Scanning Electron Microscope (SEM) and Energy Dispersion Spectroscopy (EDS) to investigate the elemental composition and microstructural differences between crystalline and amorphous minerals, including quartz, basalt, obsidian, and tempered glass. By analyzing elemental variations beyond silicon, this study aims to uncover compositional differences that impact the formation and properties of these materials. Additionally, the research has expanded to a variety of quartz and obsidian minerals such as citrine, aventurine, red aventurine, black hair quartz, smoky quartz, snow obsidian, and red obsidian to provide a broader understanding of chemical diversity in gemstones. The findings will help enhance knowledge of how elemental composition correlates with structural properties.

Emily Callcut

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1408

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: MONITORING BIODIVERSITY IN NEW ZEALAND USING EDNA ANALYSIS?

Abstract: New Zealand's ecosystems are incredibly unique, as the majority of endemic species evolved in the absence of mammalian predators. An influx of introduced species has drastically altered ecosystems, leading to a need to quantify and protect the native flora and fauna. Tools such as Environmental DNA (eDNA) sampling are a new, accessible way to monitor and quantify biodiversity through sampling of genetic material deposited from organisms (e.g., skin, saliva, or waste), carried to a point of aggregation by flowing water. Samples are compared to an existing database of known DNA sequences, resulting in a list of species present and their abundance. We conducted a preliminary survey to evaluate the feasibility of eDNA sampling from freshwater streams in Queen Charlotte's Sound. Sufficient DNA for characterization was collected from 6 of 7 filtrations and Resolution Bay was classified as excellent habitat with an 118.05 rating of 140 on the TICI scale. native species such as Weka, Banded Kokopu, and NZ Caddisfly were detected, as well as non-native mammals (e.g., Brush-Tailed Possums and Red Deer). We also found evidence of Chytridiomycosis (Chytrid fungus), an invasive fungus devastating to amphibians, in samples from Resolution Bay, marking what may be the first identification of Chytrid fungus on the South Island of New Zealand. Queen Charlotte's Track is an important corridor for hikers through New Zealand and therefore the potential for further spread is high and represents an area of extreme importance for future monitoring

Erin Henthorn

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1418

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: GEOGRAPHIC EXPANSION OF BLACKLEGGED TICKS AND THE LYME DISEASE BACTERIA IN MICHIGAN FROM 2021-2023

Abstract: Lyme disease is a bacterial disease that is contracted by approximately 476,000 Americans every year, which is of increasing concern to scientists and the public. Blacklegged ticks (Ixodes scapularis), the vectors of the Lyme disease bacteria Borrelia burgdorferi, have been increasing in geographic distribution and prevalence in the northeastern and midwestern United States, including the state of Michigan. Blacklegged ticks were first documented in the Upper Peninsula in the 1980's and the Lower Peninsula in the early 2000's, and while blacklegged ticks have been found in more than half of the counties, there are still several counties, particularly in the north central Lower Peninsula, where they have yet to be detected. Our goal for this project is to compare blacklegged tick abundance in Michigan from 2021 to 2023 and quantify the prevalence of Borrelia burgdorferi in expanding tick populations. Blacklegged ticks were collected in 2021 and 2023 from 19 sites across Michigan using drag sampling, and nymphal ticks will be assayed for B. burgdorferi with qPCR. We expect to see a change in tick densities and B. burgdorferi infection prevalence. Similar studies have shown that Michigan tick populations have been increasing in population size and geographic range as they invade new areas. This research will provide much needed data on tick invasion in the midwest. This information will be crucial in informing management practices, adjusting health guidelines, and guiding future research.

Faith Nhkum

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1428

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: HIDDEN LIFE BELOW: INVESTIGATING DEEP SOIL MICROBIAL IDENTITIES

Abstract: The Loess Hills in Western Iowa have been a target of scientific interest due to their unique soil formation resulting from sequential wind deposits over the last 75,000 years. The undisturbed layers offer the opportunity to sample depths spanning glacial periods. During warmer periods 50,000 and 30,000 years ago, vegetation returned which was later covered by further aeolian deposits. Our hypothesis is that microbes living in these deep soils are unique as they have been selected to survive under very resource poor conditions. Our goal is to determine conditions which favor their growth so that we can explore their adaptations to this environment. Collaborating with the Iowa Geological Survey, we were able to obtain 22-meter-deep soil cores from two sites: the Loess Hills State Forest and Hitchcock Nature Center. From previous work in the lab, high levels of the novel phylum GAL15 was identified from 16S rRNA and genome sequencing. We are using genomic and habitat information to attempt to enrich and eventually isolate member(s) of this community. These include high temperature, minimal carbon, vitamin B12, and long-term incubations. Enrichments were done to amplify the presence of less abundant taxa found in the preliminary long term enrichment experiments. We anticipate that 16S rRNA gene sequencing of the current enrichments will reveal the presence of taxa such as Thermoproteota, Acidobacteriota, and SAR324. These findings will contribute to a deeper understanding of microbial diversity in extreme environments and provide insights into microbial adaptations to resource-limited conditions.

Gabby Dryden

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1447

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: USING AN ULTRASONIC MICROPHONE TO DETERMINE BAT DIVERSITY ON MSU'S CAMPUS

Abstract: Urbanization is a growing threat to native biodiversity, putting conservation pressures on many organisms, including North American bats, which play important roles in the ecosystem as consumers of vast numbers of insects. In Michigan, there are nine native bat species, most of which are in decline due to disease and habitat loss. Because they fly at night, monitoring bat populations can be difficult, and we have little data to understand baselines and changes in populations over time. We conducted bat surveys on the campus of Michigan State University over 14 nights in September and October 2024, using an ultrasonic microphone that records bat calls to determine its effectiveness in an increasingly urbanized setting. Of 1341 recordings, 49% (657) were initially auto-labeled as unidentified and the remaining as possible bat calls. Upon further manual examination of calls, only 2% (27) were confirmed as the Big Brown Bat (Eptesicus fuscus). Additional possible species included the Hoary Bat (Lasiurus cinereus), and the Silver-Haired Bat (Lasionycteris noctivagans). The areas with the most bat detections were natural areas including Beal Gardens, River Trail, Sanford Natural Area, and Lewis Landscape Arboretum. Our results suggest that ultrasonic microphones are useful in detecting bats on MSU's campus though there are many false recordings. We suggest that further studies be conducted at other times of the year to determine if other bat species are present and where they are located on campus.

Gray Longcore

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1445

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EFFECTS OF WEATHER ON CAVITY NESTING BIRD BREEDING PHENOLOGY

Abstract: Climate change can cause a mismatch between the timings of animal populations and their food sources. This has been observed in avian populations which use weather conditions to initiate breeding. Insect life cycles are controlled by photo period rather than weather which can cause mismatches between birds and their food source. These mismatches can lead to decreased food availability and population decline. I examined this interaction using data collected from a long-term cavity nesting bird study. Nesting data combined with weather data collected from the same site provided the opportunity to examine the effects of spring temperature and precipitation on nest initiation and egg laying. I was able to assess differences across 4 years (2021-2024) and between the two species studied at the Corey Marsh Ecological Research Center. I compared the dates that nests were completed, and the first eggs were laid for Tree Swallows (Tachycineta bicolor) and Eastern Bluebirds (Sialia sialis). I predicted that warmer, drier conditions in April and May will lead to earlier first egg dates. Tree Swallows will be more affected by weather conditions because they are obligate migrants whereas Eastern Bluebirds are facultative migrants. These results can be used to inform management strategies for cavity nesting birds as temperature and precipitation patterns change.

Hayden Starr

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1406

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DETECTING LEAD IN FAST FASHION GARMENTS: CHALLENGES AND SOLUTIONS

Abstract: The fast fashion industry faces significant challenges due to the widespread use of harmful chemicals in garment production, with lead being a primary concern. This research proposal aims to detect lead and other chemical contaminants in fast fashion clothing and develop strategies to address the health risks they pose to consumers. The study will focus on identifying the prevalence of lead contamination in garments, particularly those in the fast fashion sector, and assess the associated health risks. Given the potential for chemicals like lead, cadmium, and phthalates to leach from garments into the skin, it is crucial to analyze the types and quantities of these chemicals in fast fashion products. The research will also investigate the efficacy of current detection methods, specifically utilizing the Fluoro-Spec Instant Lead Test kit and Rapid Lead Testing Swabs for home use on all surfaces. Additionally, the study will propose improved strategies for identifying and mitigating chemical contamination. Key steps will include market surveys to estimate the prevalence of contaminated garments, as well as a detailed toxicological assessment of the potential health risks posed by these chemicals. Ultimately, the research aims to improve consumer safety by developing effective detection techniques and strategies for reducing the presence of harmful chemicals in fast fashion garments, ensuring a safer clothing industry for all.

Haylie Beers

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1437

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ANALYSIS OF LUNAR REGOLITH LMS-1-2 FOR POTENTIAL NUTRIENTS ATTRIBUTED TO PLANT GROWTH

Abstract: A regolith is a loose layer of broken rock and dust that covers solid rock on airless bodies such as Mars, the Moon, and asteroids. Lunar regolith may provide an important element in the infrastructure of regenerative life support systems (RLSS). RLSS will be required to generate water, air, waste, and to produce food during long missions to the Moon. An analog simulant is a specially crafted mixture that mimics the surface of the Moon. They are created to replicate the physical and chemical characteristics of extraterrestrial surfaces as close as possible. Planetary scientists need regolith analogs to fully understand the regolith on the Moon. Lunar soil is very different from soil on Earth. Lunar regolith is used to identify chemical characterization and minerals that are high in N, P, and K. Samples must be analyzed for potential elements in the regolith that could potentially be used to develop agricultural soil. The purpose is to identify ways scientists use to identify and compare regolith simulants to potentially learn the properties of lunar soil. Two image types from the same sample will be used to compare observable attributes of the sand samples. Images of grain samples from the Moon will be compared to SEM regolith simulants to distinguish the properties of each sample that are similar and can be used for further analysis of potential nutrients in the lunar soil. Data acquired from these images can be used to identify potential particle size distribution and roundness-angularity of each grain particle.

Holly Merritt

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1444

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ASSESSING THE RELATIONSHIP BETWEEN AMERICAN DOG TICK (DERMACENTOR VARIABILIS) RELATIVE DENSITY AND GRASSLAND VEGETATION COVER IN MICHIGAN FROM YEARS (TBD).

Abstract: The American Dog Tick (Dermacentor variabilis) is a widely distributed species found across central and eastern North America, with isolated populations in the Pacific Northwest. In Michigan, D. variabilis comprises around 70% of the tick population, however, there has been a distinct lack of analysis of their distribution. Primarily within the southern part of D. variabilisrange, this species is the main vector for pathogens that can infect both human and companion animal hosts. Our aim was to assess the relationship between the relative density of D. variabilis and grassland vegetation cover at sampled sites in Michigan from years (TBD). Additionally, we plan to develop an updated spatial distribution map by county forD. variabilis in Michigan from 2004 to 2024. While data analysis is ongoing, we anticipate finding either a correlation between D. variabilis density and grassland vegetation cover or no significant difference in tick density across sites with varying grassland vegetation cover. The results of this study will contribute to a better understanding of D. variabilishabitat preferences and site selection in Michigan, while contributing data on D. variabilisbiogeography for researchers studying species distribution and public health.

Jack Garrison

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1435

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: LEVERAGING STREAM FLOW TO REVEAL COMPLEX FLOWPATHS OF GROUNDWATER TO STREAMS IN SOUTHWESTERN MICHIGAN

Abstract: This project will use streamflow data to paint a clearer picture of the Augusta Creek watershed in southwest Michigan and its hydrologic properties, specifically water sources. In the Augusta Creek watershed, preliminary data suggests more groundwater flows into the stream in the lower region of the watershed. However, it is unclear where the groundwater originates due to hydrogeologic heterogeneity in the region. This project looks to determine and understand additive groundwater flows into the watershed, the importance this has for the scientific and hydrologic communities to understand the groundwater "plumbing," and develop and analyze discharge data more in depth of low relief landscapes with subsurface hydrologic complexity like in lower Michigan forests. These kinds of groundwater-surface water interactions are not fully understood, and with more data and research, we can help fill in the gaps to provide better insight and data into this less studied facet of hydrogeology. Augusta Creek, located in the southern half of the lower peninsula of Michigan, acts as a perfect candidate to research these complex low-relief surface-groundwater interactions, as the area is a mostly flat, rural wetland-dominated watershed with a well-defined stream system flowing through it.

Jessie Schalkhauser

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1443

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EFFECTS OF REGOLITH TO CREW HEALTH ON MARS

Abstract: Regolith is a layer of an unconsolidated heterogeneous mixture of dirt and rocky material that sits on top of a rock surface. Mars regolith is important because it can provide answers about Mars's past and reveal traces of past life or water. Planetary scientists can also use it to assess planet surface conditions. A regolith analog simulant is material that is designed to mimic the properties and qualities of a foreign regolith. More knowledge of Mars regolith is needed to improve scientific understanding of the risks to crew health that they will face on Mars. Grains <1µm are most impactful to human health because they can enter the lungs and bloodstream. Jagged edges, rugged profiles, complex surface texture glass mounds, and submicron vesicles are required for an accurate simulant (Liu 08). The purpose is to use a Mars regolith analog to help assess risks to crew health for potential trips to Mars, by analyzing a Keyence color image and a low-mag SEM image of MGS-1-#3 (Mars regolith analog) for grain size and shape. Using the data, we can predict the effect of regolith to create protective measures for a crew. The attributes of regolith simulant observed in this study are grain angularity and size. The quality-of-match between simulant and natural regolith is of moderate quality. Well matched attributes are jagged edges, rugged profiles, grains <1µm. The simulant regolith is useful for assessing the effects of shape and size, just not composition (we have no samples of natural martian regolith).

Jon Dittenbir

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1436

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EVALUATING POST-CHEMICAL TREATMENT POPULATION REBOUND AND ITS POTENTIAL CAUSES IN THE MANAGEMENT OF INVASIVE PROCAMBARUS CLARKII

Abstract: Population rebound presents a major challenge to the eradication of invasive red swamp crayfish (Procambarus clarkii) in southern Michigan. We observed rebounds of varying severity in eight ponds treated with ExciteR pyrethrin-based chemicals. These ponds belong to a larger interconnected system of thirteen waterbodies linked by an untreated creek with a potential source population. Additionally, P. clarkiiare burrowing crayfish which may shelter them from exposure to ExciteR. We regularly collected trap count data from modified Gee Minnow Traps from 2021-2024 in all treated ponds. We used this data to calculate the monthly CPUE (catch per unit effort) in each pond, as well as the maximum CPUE from before and between each round of treatment. To calculate rebound, we evaluated the maximum CPUE after all rounds of treatment as a percentage of the maximum CPUE before any treatments. Waterbodies located closer to the creek did not have significantly higher rebounds than their more distant counterparts, nor did ponds with a higher burrow density (avg. number of burrows per 5m2 surrounding a waterbody). These results suggest that while initially effective, chemical treatments in isolation fail to prevent rebound. Future studies should evaluate other factors contributing to the large variation in rebound that treatment may fail to address such as macrophyte density, and the presence of features such as storm drains.

Kelsey Adamczak

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1432

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: RELATIONAL ORGANIZING TO ENCOURAGE PRO-ENVIRONMENTAL BEHAVIORS

Abstract: Introduction: Earth Is My Home is an MSU and community-based initiative aimed at educating and inspiring individuals to integrate sustainable practices into daily life. The initiative integrates key behavior change strategies including social norms, relational organizing, social support, education, and principles of persuasion. This study evaluated the effectiveness of two key components of the initiative in promoting behavior change: meaningful personal conversations and expert-developed checklists. Methods: A standardized script was developed to recruit participants through meaningful conversations that included asking participants about their appreciation for the environment, their current sustainability practices, and discussing potential future actions listed on one or more checklists (Nature, Home Energy, Food, Waste and Water, and Transportation). Research staff were trained to conduct the conversations, and the script was iteratively improved through pilot conversations, feedback from participants, and team discussions. The finalized scripts were used to recruit participants at libraries, markets, expos, and residence halls. After the conversation, participants completed a short Qualtrics survey about their experience which assessed attitudes and interest in joining the initiative. Participants received a small gift and were invited to enter a raffle for a VISA gift card. Survey results were analyzed using statistical software. Results: Survey results will be presented that highlight conversation topics, participant engagement, and interest in the Earth Is My Home initiative. Conclusion: By utilizing evidence-based research strategies, this project aims to demonstrate whether meaningful persuasive conversations can increase environmental awareness and encourage individuals to adopt new sustainable behaviors.

Korbin Thompson

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1417

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: UNDERSTANDING LINKS BETWEEN MICROBE-MINERALOGY INTERACTIONS WITHIN VOLCANIC HAZARDS

Abstract: Microbes play a significant role in the Earth's biogeochemical cycles, but in terms of volcanic ecosystems, the impact of microbial activities on biogeochemistry is limited. Alaska has a dynamic system of arc volcanoes across the state and understanding how microbes are impacted by volcano geochemistry and mineralogy could allow researchers to gain insight on microbial ecology of active volcanic systems. When a volcano erupts, it releases gases and materials that initially create highly oxidizing zones, which essentially sterilizes materials where biological processes once persisted. After volcanic activity settles, this lays the foundation for new microbes to grow onto the site, something that is of interest to environmental microbiologists and ecologists.. Volcanic eruptions can cultivate unique conditions that influence microbial evolution, ultimately selecting for extremophilic life. In addition to harsh environments, research on mineral-microbe interactions within those environments is also limited. Mineral-microbe interactions are important for the biogeochemical cycles of elements and formation of other minerals, fundamentally changing the environment around them. On one hand, minerals provide optimal resources to chemotrophic microbes, like nutrients and energy sources. On the other hand, minerals in these extreme environments can also negatively affect them by releasing toxic substances and creating complex redox conditions. These effects result in microbial communities that are specific to the minerals they grow on. The results of this research will dive deeper into understanding the microbe-mineral interactions of active and inactive volcanic hazards in the Aleutian Islands.
Krishen Patel

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1403

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: METALLOPHORE PRODUCTION IN POPLAR RHIZOSPHERE BACTERIA

Abstract: Mining practices can cause heavy metal contamination in surrounding soil, affecting plant health. Some bacteria can make compounds called metallophores that trap metal ions, which protect the plants that they live on or near from excess. In these studies, we examine this activity in microbes that associate with metal-stressed poplar trees in the rhizosphere, which is the soil that surrounds the root system. In the poplar rhizosphere microbiome in copper contaminated sites, it is hypothesized that certain bacteria are more adept than others at producing metallophores that sequester copper, also called chalkophores. We chose 29 bacterial isolates, including negative and positive controls for metallophore production, from the phyla Actinobacteria, Proteobacteria, and Bacteroidetes. Isolates were grown on copper chloride plates of varying concentrations, and the growth rates were recorded. Measurements were also taken of bacterial growth on Chrome Azurol S (CAS) assay plates, which test for metallophore presence. Genetic analysis was performed by using Uniprot and BLAST to confirm genes responsible for plant association and metal binding and transport were present in the genome of 8 fully sequenced isolates. Current findings show that about 2/3 of the 29 isolates tested are able to grow at a concentration of 200 ppm on copper chloride plates. The CAS assay results are in progress. Soil bacteria with genes for metallophore biosynthesis can be used for bioremediation in cleaning up heavy metal contamination. Therefore, industrial scale propagation of these bacteria and collection of relevant metabolites could be instrumental in environmental restoration.

Lauren Bottini

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1412

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: RELATIONSHIP BETWEEN LOCATION AND BIODIVERSITY OF POLLINATORS ON MSU'S CAMPUS IN EAST LANSING, MI

Abstract: Pollinators have been in decline around the world due to climate change, diseases, and habitat loss. These declines can be detrimental to ecosystems and for food production. However, it is difficult to measure just how much the populations have declined due to the lack of recorded data on pollinator populations. In order to better understand the declines, we need to start collecting that data now. The data was collected through observing pollinators that land on goldenrod. Goldenrods are plants with high nectar and pollen production. They bloom late in the season and are an important resource for pollinators during early fall.

Lawton Prince

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1451

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: NON-TARGET WILDLIFE SPECIES INTERFERENCE OF AN ANTI-TICK DRUG DELIVERY SYSTEM TARGETED AT WHITE-TAILED DEER IN SOUTHERN MICHIGAN

Abstract: White-tailed deer (Odocoileus virginianus) are an important host for adult stage blacklegged ticks (Ixodes scapularis). Developing a protocol to administer anti-tick medication to deer could significantly reduce black-legged tick populations. Blacklegged ticks are a vector of Lyme disease causing Borrelia spp.bacteria, so reducing their abundance lowers the human transmission risk. However, the deployment of such a protocol may be affected by consumption of drug delivery units composed of food products for deer by non-target species such asrabbits (Sylvilagus floridanus), raccoons (Procyon lotor), and turkey (Meleagris gallopavo). We describe the early stages of developing, deploying, and evaluating such a protocol and describe the non-target species activity at sites in Meridian Township, MI. The protocol entails deploying test drug delivery units in grids in multiple locations and vegetation types throughout the study area. Trail camera pictures and videos were used to assess the relative numbers, time of visitation, and activities of white-tailed deer and non-target species at grid sites in fall and winter. Non-target species were observed consuming individual drug delivery units. These results demonstrate some of the challenges of non-target species consuming drug delivery units making fewer available for white-tailed deer, over estimating deer consumption rates, and having less impact on controlling tick numbers. We are in the process of observing white-tailed deer and non-target species at grid sites using trial camera data and assessing deer habitat conditions that may contribute to relatively greater occurrences of non-target species at grid sites.

Leah Dietrich

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1423

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EVALUATING MOTH BIODIVERSITY WITH LIGHT TRAPS AT AN MSU CAMPUS RESTORATION AREA

Abstract: A significant number of organisms on Earth are decreasing at an alarming rate primarily due to habitat loss from human activity. Without proper baseline data, future generations of researchers are unable to accurately assess the rate at which ecosystems and their biodiversity are declining. Moths are particularly understudied, and when they are, traps tend to be expensive and lethal. In this study, we assessed the moths in a restoration area on Michigan State University's campus using two handmade traps constructed from a plastic tote, LED lights, and egg cartons. Over 7 nights in September and October 2025, 224 specimens were caught in the light traps consisting of 94 moths, 43 caddisflies, and 87 other arthropods. Using photographs of released moths, we successfully identified 67% representing 6 families and 28 species. Diversity of moth captures was similar between edge and woodland habitats. Our results demonstrate that simple, inexpensive traps can be an effective tool for evaluating moth biodiversity and serve as a model for citizen science efforts to further our understanding of moth populations.

Libby Ashby

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1442

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: PROBING THE MAGMATIC SOURCE OF TURKANA'S PLIOCENE SHIELDS USING ISOTOPIC TECHNIQUES

Abstract: The Turkana Depression is an ideal location to study the mantle source of magmatism in the East African Rift due to its prolonged history of magmatism and its thin crust. Currently, there is very little existing isotopic data on the Turkana Pliocene shield volcanoes, causing the shields to be poorly characterized with respect to their mantle source(s). One proposed hypothesis attributes a metasomatic contribution to some of these lavas based on existing trace element data, but the age and origin of this metasomatic event is unknown. To address the variations in mantle source contributions of Turkana's Pliocene shield volcanoes, isotopic analysis of Sr, Nd, and Pb will be conducted to allow for a more complete interpretation of the magma sources that produced these rocks. Furthermore, isotopic analysis of Turkana's Pliocene shield volcanoes can be compared to other volcanic eruptions to contribute to the broad scientific knowledge of heterogeneous mantle sources during the evolution of the East African Rift system. Initial sample results will be plotted with previously measured major and trace element data and compared with the geochemical data for similar volcanic events in literature, which will broaden the current understanding of the mantle sources and magmatic evolution contributing to the formation of Turkana's Pliocene shield volcanoes.

Maggie Dobry

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1425

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: ESTABLISHING BASELINE HYDROLOGY AT COREY MARSH

Abstract: For over 70 years, the Muck Farms of Bath Township operated as an experimental agricultural station. During this time, the land was exposed to many different chemicals, and drainage tiles were installed in an attempt to control water saturation in crop fields. This once heavily manipulated land, now owned by Michigan State University and renamed as Corey Marsh Ecological Research Center (CMERC), has been left to the effects of nature since the Muck Farm's closing in 2012. Little is known about the impacts of this long-term agricultural history on current hydrological characteristics. CMERC's history plays an important role in its future; understanding the hydrology's current state will allow for more informed decision making for the goal of ecological restoration. To do this, baseline hydrological characteristics must be established. This research study aims to characterize the water balance, water quality, and soil quality at sites across the CMERC property and at neighboring Michigan DNR land. Evaluation of 8 groundwater wells and 5 surface water locations indicated increased conductivity levels in areas where agricultural practices took place. High levels of ammonium, magnesium, calcium were also found, furthering our evidence that agricultural chemicals are still presently impacting the marsh. Future students will be able to use this baseline data to ask more in-depth questions regarding hydrology and wetland restoration.

Makayla Dernberger

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1414

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EVALUATING ECOLOGY OF WHITE-TAILED DEER FAWNS AT COREY MARSH ECOLOGICAL RESEARCH CENTER

Abstract: White-tailed deer (Odocoileus virginianus) play a significant role in Michigan's ecosystems, yet their increasing populations pose challenges related to ecological balance and land use. This study establishes a pilot investigation into fawn habitat use and survival at Corey Marsh Ecological Research Center (CMERC), a recovering agricultural landscape. We employed systematic deer drive searches to locate and capture neonatal fawns, collecting data on body measurements, age, and health status before equipping them with VHF radio collars for tracking. Fawn movements were monitored throughout the summer, with location data processed via Geographic Information Systems (GIS) to assess habitat preferences. Our findings indicate a strong preference for woody wetlands, the most abundant habitat at CMERC, followed by deciduous forests. Additionally, 6% of recorded fawn locations were in developed areas, highlighting their adaptability. No ectoparasites were detected, and fawns exhibited an average mass of 5.16 kg. This research provides baseline ecological data on white-tailed deer fawns in a regenerating habitat, informing future studies on survival, habitat selection, and potential applications of drone technology for wildlife monitoring.

Mia Dagati

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1411

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DECISION SUPPORT SYSTEM FOR OPTIMIZING ENERGY EFFICIENCY IN IRRIGATED AGRICULTURAL PRODUCTION: VARIABLE FREQUENCY DRIVES (VFDS) AND SOLAR-MICROINVERTER

Abstract: In today's agricultural landscape, optimizing irrigation systems for energy efficiency is paramount amidst rising energy costs and strained water resources. The Michigan Irrigation Energy Audit program reveals that irrigation operations alone constitute 95% of electricity consumption on Michigan farms, underscoring the urgent need for innovation. Nationally, irrigation pumps' energy costs exceed \$2.4 billion annually, fluctuating significantly with climatic conditions such as drought. Two promising technologies, Variable-Frequency Drives (VFDs) and solar-powered microinverters, stand out for enhancing energy efficiency. VFDs offer advantages like high efficiency and soft-start capabilities, safeguarding equipment from damage. Meanwhile, solar microinverters harness small-scale photovoltaic panels to generate power, yielding substantial savings. This project aims to develop a Decision Support Tool (DSS) tailored for optimizing solar microinverter systems. By integrating site-specific data (solar irradiance, weather patterns, pump specifications, crop types) from sources like MSU Enviroweather and Indiana Mesonet, the tool will ensure precise system sizing and performance evaluation. Economic analysis will assess capital costs, operational expenses, and payback periods, alongside evaluating reductions in greenhouse gas emissions and potential carbon credits.Ultimately, this holistic DSS will empower farmers and stakeholders to make informed decisions, enhancing energy cost efficiency, irrigation management, and agricultural sustainability.

Mia Pepevnik

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1456

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: INFLUENCING ANGLERS TO DECREASE POST MORTALITY RATES OF SHARKS

Abstract: Despite its seemingly harmless nature, "shark posing"-the act of taking a photo with a shark after it has been caught-can have significant negative impacts on the shark's post-release survival. While there are safe and effective ways to pose with a shark, improper handling can lead to increased post-release mortality rates. Our presentation aims to highlight the best practices for shark handling, emphasizing what not to do, and demonstrating how outreach through social media can educate anglers on responsible catch-and-release techniques to minimize harm to shark populations.

Mikayla Datka

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1404

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: CANOPY OPENNESS AND FORB DIVERSITY IN A MICHIGAN OAK SAVANNAH

Abstract: Oak Savannas are a rapidly diminishing ecosystem in the midwestern US, having reduced in size by 99% since European settlement. At MacCready Nature Reserve, researchers are attempting to restore the oak savanna ecosystem by fire management and mechanical thinning. In this study we used data from MacCready to analyze how the increased canopy openness from these treatments affects the richness and diversity of the understory forb plants. We found that there was a positive relationship between richness(p=0.009, r=0.26) or diversity(p=0.04, r=0.21) of the understory plants and canopy openness.

Olivia Bisson

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1452

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DEVELOPMENT OF A PRO-ENVIRONMENTAL BEHAVIORS MENTOR TRAINING PROGRAM

Abstract: Earth Is My Home, an MSU and community initiative, aims to be a leading source for environmental education, organizing, community, gratitude, and joy. The initative uses evidence-based strategies to seed new social norms by fostering communities and building programs that promote discussions of eco-friendly actions to love, protect, and heal the Earth. One component of the initiative is to promote sustainable behaviors through participant workshops and a mentorship program. The Bee the Change workshops will educateand connect Earth is My Home participants in a supportive and interactive environment. The Enviro-mentor program willtrain workshop leaders and volunteers for the initiative. Both programs are designed to encourage participants to form small encouraging communities, stimulate impactful learning, and encourage the development of new social norms. Examples of materials developed for each program will be presented including workshop manual outlines, standardized design elements, components of the workshop educational PowerPoints, group activities, educational slides, and group challenges. Future plans include a pilot test and evaluation of the programs. Results of the pilot will be used to further develop and refine program methods to educate and inspire participants to take action to care for the Earth.

Stewart Tucker

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1434

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: MODELING OF SOIL WATER DISTRIBUTION UNDER DIFFERENT IRRIGATION TYPES AND TECHNIQUES FOR IMPROVING BLUEBERRY IRRIGATION MANAGEMENT

Abstract: Blueberry production is Michigan's second largest fruit crop, comprising nearly 25% of the state's fruit economy. Recently, erratic rainfall and temperatures brought on by climate change is making irrigation management more challenging for farmers, with 83% of Michigan blueberry acres being irrigated. With blueberry's shallow roots and preference for sandy soil, blueberries can face water stress that could lead to a decrease in yield causing economic losses in the millions. Climate change has complicated farmers' choosing the optimal irrigation system and operation methods to increase fruit quality and yield. The objective of this project is to analyze the distribution of water using common irrigation types in blueberry production, including single-drip, double-drip, and overhead sprinkler systems. Moreover, irrigation techniques, like pulse application, were evaluated to understand their effects on retaining optimal soil moisture content in the root zone. The HYDRUS modeling software was utilized in this study to understand the soil water flows. Field data, including soil texture, bulk density, soil moisture sensors, infiltration rate, and weather, were collected from two blueberry orchards. These data were used to calibrate and validate the model. The HYDRUS performance was evaluated by modeling efficiency, root mean squared error, and coefficient of determination, with the acceptable values being > 0.85, < 0.014, and > 0.55, respectively. Once calibrated, themodel was used to simulate multiple scenarios to optimize the irrigation type and application recommendations for blueberry growers.

Sydney Ceyzyk

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1416

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: IMPACTS OF CLIMATE CHANGE ON FREEZE-THAW CYCLES IN MIDWESTERN CITIES, USA

Abstract: Author order for presentation/poster: Sydney Ceyzyk, Annabella Harold, Madeline Curtis, Curtis Chou, and Dr. Gerald Urguhart. The susceptibility of infrastructure to damage from freeze-thaw cycles (FTCs) is well established, particularly in regions with frequent occurrences of these events. This phenomenon, driven by the expansion and contraction of water within structures, poses significant challenges and financial burdens for governments tasked with maintaining roads, buildings, and sidewalks. With climate change exerting its influence, alterations in FTC frequencies are anticipated. In this study, we examined weather station data from midwestern cities in the continental United States to assess shifts in FTC occurrences. After manually downloading annual weather data for airports near major and minor cities, we used R to quantify the number of occurrences per day where the temperature dropped to or below the thresholds of 29° F and 32° F respectively. The results of our study are consistent with the prediction of a warming climate. Our analysis shows a divergence in FTC patterns, with southern cities experiencing a decrease in frequency while northern cities are having increased frequency of FTCs. This research underscores the imperative for proactive infrastructure management strategies to mitigate the anticipated impacts of changing freeze-thaw dynamics.Keywords: Freeze-thaw cycles (FTCs), Infrastructure, Climate change.

Thomas Libecco

Category: Environmental Science and Natural Resources

Presentation Type: Poster

Presentation Number: 1455

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: MODELLING MAGMA EVOLUTION WITHIN THE ETENDEKA LARGE IGNEOUS PROVINCE

Abstract: This project will investigate the magmatic evolution of the Etendeka Large Igneous Province (LIP). LIPs are defined as areas with massive volcanic eruptions that occur across large areas. Etendeka is unique among LIPs because its magmas have experienced a high degree of magmatic processing within the crust. This process, termed magmatic evolution, changes the geochemistry of the magmas from primitive to evolved over time. This unique magmatic evolution within Etendeka raises the question: how did the Etendeka magmas become so evolved? I will use dike data obtained from the GEOROC database to model magmatic evolution, which will help us understand which REAFC (Recharge, Evacuation, Assimilation, Fractional Crystallization) processes have impacted the magma. Dikes are conduits through which magma moves from the mantle to the crust, preserving a record of magmas that have experienced little processing within the crust. By modeling the evolution of magma chambers fed by these dikes, this project seeks to determine the magmatic differentiation processes that occur within the continental crust in LIPs. Using evolved data from the Bero Volcanic Complex (Angola), the project aims to establish a connection between less-evolved magma within dike systems in neighboring regions to understand the parental magma of the Bero Volcanic Complex and the depth of the magma system. This research will constrain the magmatic plumbing systems of the Etendeka Province and clarify how primitive magma in the LIP transforms into evolved magma.

Epidemiology and Public Health

Aaron Mallamad

estimation.

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1534 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: OCCURRENCE OF HEART CONDITIONS AND DIABETES ACROSS STATES WITH AND

WITHOUT A HISTORY OF JIM CROW RACIAL SEGREGATION IN POPULATION AGED 50+ **Abstract:** My work is stimulated by published research on mortality rates in the United States and the observation that age- and sex-adjusted mortality rates show interesting patterns of premature deaths in populations of states classified as "Jim Crow" states on the basis of post-Civil War policies. I can describe my approach to studying morbidity and health experiences in relation to "Jim Crow" status, which shifts the focus of study from death to health and wellness experiences during life. My estimates for the US are based on rigorous multi-stage area probability samples of civilian community residents age 12 years and older, sampled and assessed with computer-assisted self interviews, with sampling frame coverage of al 50 states and D.C. Each year's sample size exceeds 50,000 persons, generally with participation levels exceeding 70%. My estimates require complex sample survey

approaches that include analysis weights and Taylor series linearization for variance

Alaina Pabbathi

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1516 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: MATERNAL EXPOSURES TO SULFUR

Title: MATERNAL EXPOSURES TO SULFUR DIOXIDE AIRBORNE CONCENTRATIONS AND ADVERSE BIRTH OUTCOMES: DETROIT METROPOLITAN AREA, 2009-2015

Abstract: Sulfur dioxide (SO2) is a gaseous air pollutant emitted by industry during fossil fuel combustion and other industrial processes. High concentrations of SO2 are harmful to human health and the environment. The Environmental Protection Agency (EPA) regulatory 1-hour SO2 standard is 75 parts per billion (ppb). Short-term exposure to SO2 (range, 5 minutes to 24 hours) can irritate the human respiratory system causing bronchoconstriction. There is also evidence that exposure to SO2 during pregnancy is associated with adverse birth outcomes, including low-birth weight and preterm birth. This study utilizes AERMOD the EPA's advance plume modeling program to measure airborne SO2 in the Detroit Metropolitan Area (DMA). Maternal exposures to annual average concentrations are assigned to women giving birth 2009-2015. The DMA is also highly segregated by race and household income; thus the moderating effects of concentrated poverty in the SO2 exposure and birth outcomes relationship is examined. The results further explain the large racial disparities in adverse birth outcomes in this metropolitan area of Michigan.

Alexandra Beck

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1522

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE ATTEMPT TO CUT DOWN OR STOP THE USE OF ALCOHOL AMONG MARGINALIZED DEPENDENT POPULATIONS

Abstract: Alcohol dependence (DSM-V) is a problem that impacts individuals regardless of age, race, gender, or other identities. In a meta-analysis examining 6,631 studies, the association of alcohol outcomes and social disadvantage (poverty, racial stigma, etc.) revealed that individuals experiencing extreme disadvantage were associated with 2-6 times greater experience of alcohol issues (Mulia et al., 2016). Alcohol withdrawal syndrome affects a large portion of the US, and while most cases are mild, symptoms, such as anxiety and gastrointestinal pain can worsen and lead to fatal complications (Canver et al., 2024). The purpose of this research is to bring attention to under-studied groups in an effort to better protect them from the negative ramifications of alcohol dependence syndrome and withdrawal. The data used to determine estimates is from the National Survey on Drug Use and Health modules that pertain to alcohol use.

Alexis Litts

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1532 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: COMPARATIVE ANALYSIS OF PRIMARY HEALTH CARE SYSTEMS: INSIGHTS FROM A COLLABORATIVE ONLINE INTERNATIONAL LEARNING (COIL) PROGRAM BETWEEN THE UNITED STATES AND NIGERIA

Abstract: Collaborative Online International Learning (COIL) programs provide students with international learning experiences through online engagement in coursework. This method of international collaboration has become an increasingly popular form of global learning, as it is cost-effective and does not require international travel. In global health, COIL can be used to form partnerships between countries and promote the equal exchange of information through collaborative experiences. In a pilot COIL program between the Michigan State University Global Health Studies Program and the University of Nigeria, Nsukka Department of Human Kinetics and Health Education, a group of students worked together to examine aspects of primary care and primary health care between Nigeria and the United States. Over four weeks, students conducted small group interviews focused on their personal experiences with the medical system in their respective countries. The interview questions were focused around key themes in primary care and primary health care, including quality of care, accessibility, and delivery of care. A comparative analysis between the two countries' systems was then performed to identify key themes in primary health care and primary care and to make policy recommendations. Between Nigeria and the United States, students' perceptions of the quality of care offered were similar, but key differences in accessibility to care, the use of electronic medical records, wait times, and insurance were also identified. These findings can be used to inform future policy recommendations aimed at improving primary care and primary health care delivery in both the United States and Nigeria.

Damilola Adissa

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1513 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: THE EFFECT OF SOCIAL DETERMINANTS OF HEALTH ON USE OF DIABETES-RELATED

TECHNOLOGY IN OLDER ADULTS WITH TYPE 2 DIABETES.

Abstract: Objective: We aim to determine associations between social determinants of health (SDOH) and use of diabetes-related mobile applications in older individuals with type 2 diabetes (T2D). Research Design and Methods: We used data from the National Poll on Health Aging, a nationally representative survey of older adults in the United States. We identified persons that self-reported having T2D. Co-primary outcomes were use of mobile applications to (1) track diabetes medications and (2) track blood glucose levels. SDOH factors included income, education, insurance, lack of companionship or social isolation, and housing status. We fit logistic regression models to determine associations between SDOH factors and use of each mobile health application, adjusting for demographic information and access to technology. Results: There were 348 persons with T2D that completed the survey (mean (SD) age: 65.4 (7.9), 44.0% female, 69.5% White, 13.2% Black, 13.5% Hispanic). We found 12.4% used mobile applications to track blood glucose and 5.5% used applications to track diabetes medications. Regression models revealed higher income associated with an increased odds of using mobile applications to track blood glucose levels (OR:52.02, 95%CI: 6.27-716.88). Additionally, older age associated with decreased odds of using applications to track medications (OR: 0.92, 95%CI: 0.84-0.995). Finally, we found owning a home associated with decreased odds of using applications to track medications (OR: 0.193, 95%CI: 0.03-0.91). Conclusions: We found that few older adults with T2D use mobile applications to assist in diabetes care, particularly among those with low income. Given the effectiveness of mobile health applications for diabetes outcomes, future studies are needed to identify barriers and facilitators of their use in these populations to develop future interventions.

Darielle Moore

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1525

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: SUPPORTING PREGNANT WORKERS: RECOGNIZING RISKS, AND KNOWING YOUR LEGAL RIGHTS

Abstract: The 2024 U.S. Pregnant Fair Workers Act requires that employers provide accommodations for workers during pregnancy. We do not yet know how this legal protection will improve maternal and infant outcomes. Women may not be aware of the accommodations available to them or how to negotiate with employers to be granted accommodations. This presentation will first review information about the relationship between occupational heavy lifting and the risk of miscarriage and preeclampsia. We will focus on heavy lifting as an example of a risky workplace exposure. Then we will provide information about pregnant worker's rights so that pregnant workers and their support network can take action to reduce their risk. Finally, we will show an example of messaging that can be used to advocate for accommodations related to heavy lifting by pregnant workers.

Eleazar Asase

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1523 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: ENGAGING COLLEGE STUDENTS IN DEVELOPING A TAILORED VIDEO INTERVENTION FOR UNIVERSITY CAMPUSES

Abstract: Purpose/Background: Human papillomavirus (HPV) is the most common sexually transmitted infection in the U.S., particularly among college students, and can lead to cancers in males and females. The HPV vaccination addresses this public health concern, yet many college students have not received it. This presentation describes the engagement of college students in developing a tailored, video intervention for their peers. Method: A diverse group of 8 college students serve on a student advisory board (SAB), co-developing a tailored video intervention to promote HPV vaccination. The SAB meets with faculty researchers monthly for two hours. Light refreshments are provided; each member will receive a completion certificate and gift card. Two student assistants, experienced in filming and video editing, are involved to improve quality. Meeting discussions are digitally recorded and transcribed. Results: The SAB consists of 5 female and 3 male students with majors in human health disciplines, bioscience disciplines, engineering, and performing arts. Members represent different race/ethnicity (50% White, 25% Black, 25% Asian), year in the program (Sophomore to Senior) and research experience (0-18 months of prior experience). Four videos (each 2-3 mins) will be completed for testing by February 2025. Conclusions: Actively engaging our target population-college students-in research enhances the likelihood of addressing their needs. While training the next generation of researchers is essential, involving students in projects like this to inspire and promote health behaviors among themselves and their peers is critical for cancer prevention.

Eliana Hollis

DISSEMINATIONS

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1543 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: UTILIZING AYA PREFERENCES FOR TRUSTED SRH INFORMATION IN STUDY RESULT

Abstract: Adolescent young adults (AYAs) endure high rates of sexually transmitted infections and unintended pregnancy, and oftentimes do not have a usual source of care to refer to for reliable sexual-reproductive health (SRH) information. With the advent of technology, including resources such as online forums and social media postings, it can be difficult to discriminate valid information from misinformation. Therefore, it is essential that we understand how AYAs interact with health information online to positively influence health outcomes for future generations. To investigate AYAs trusted sources of information, a literature (narrative) review was conducted using resources such as PubMed and Google Scholar. Results cited the internet as the main source of SRH information among AYAs, with participants determining credibility by checking: internet domain, credentials/expertise of author(s), citations, evidence of recent updates, verifications, and the presence of statistics/graphs. Utilizing this data, a project case study was conducted in conjunction with Dr. Emma Schlegel's "Promoting Health 4 Her" study. An infographic was formulated to return results to the "Promoting Health 4 Her" AYA participants, incorporating mentioned markers of credibility from the previous literature review. Results of the "Promoting Health 4 Her" study mirrored results of the literature review in that the majority of AYA participants relied on the internet or social media for SRH information and support. Among those who rely on the internet or social media for SRH information and support, mean scores were significantly lower than participants who cited a healthcare provider or lay person as their source for SRH information. While social media and the internet are not the preferred route to gain information on SRH, links to verified websites providing accurate SRH information and support were included in the infographic to promote safe online searching and combat misinformation. Ultimately, understanding how AYAs determine credibility of health resources can be a critical piece in decreasing adverse health outcomes in adolescence and beyond.

Emma Movahedi

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1515

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: STERILIZATION REVOLUTION: CAN AUTOCLAVES REDUCE MEDICAL WASTE IN HEALTHCARE?

Abstract: The expansion of healthcare has led to a sharp increase in medical waste, much of which consists of single-use plastics, disposable equipment, and pharmaceutical byproducts. The reliance on disposable materials, including gloves, syringes, and packaging, poses significant environmental challenges. A large portion of this waste is nonbiodegradable, necessitating incineration, which releases harmful chemicals into the environment. Identifying sustainable alternatives to current disposal methods is critical to reducing healthcare's ecological impact. This literature review examines the potential role of autoclaves in reducing medical waste and mitigating environmental harm. By systematically analyzing peer-reviewed research from 2010-2025, we assess the effectiveness of autoclaving in sterilizing and repurposing medical materials, its feasibility as a large-scale waste management solution, and its environmental impact compared to incineration. Our findings highlight key takeaways regarding the performance of autoclaves, barriers to implementation, and proposed solutions for integrating sustainable waste processing into healthcare systems. Understanding the role of autoclaves in waste reduction can inform policy changes, improve hospital protocols, and support innovations in sustainable medical waste management. This review provides insight into how healthcare institutions can adopt autoclaving as a viable alternative to incineration, ultimately contributing to a more environmentally responsible approach to medical waste disposal.

Emma Nicolaysen

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1506 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: CAREGIVER-BASED DETERMINANTS OF ALZHEIMER'S DISEASE (AD) MORTALITY

Abstract: This study examines the impact of caregiver-related variables on Alzheimer's disease (AD) mortality at both the state and national levels. Given the increasing prevalence of AD in the U.S., particularly among women, African Americans, and Hispanics/Latinos, understanding factors that influence AD-related deaths is critical for healthcare policy. The study explores two key caregiver-related determinants: the number of caregivers and care aides and the health conditions of caregivers. Data were sourced from the Alzheimer's Association and the Alzheimer's Impact Movement, covering 50 U.S. states from 2020 to 2021. Using multiple regression analysis, the first model revealed a significant positive correlation between the number of caregivers and AD-related deaths per state (p<0.05), with caregiver prevalence accounting for 93.64% of the variance in AD mortality. In contrast, the second model exploring the health of caregivers found only depression to be significantly related to AD mortality (p<0.05), though it explained a minimal 9.54% of the variance. These findings suggest that caregiver numbers are a strong predictor of AD mortality, likely reflecting state-specific healthcare infrastructure and aging populations. However, caregiver health, particularly mental health, appears to have a lesser impact on AD mortality. This study underscores the complex interplay between caregiving and AD outcomes, pointing to the need for broader interventions that consider healthcare systems and societal factors rather than focusing solely on caregiver health. Future research should explore long-term trends and state-specific comparisons to refine strategies for reducing AD mortality.

Eshika Avidi

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1521 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: THE LONGITUDINAL ASSOCIATION OF POLYUNSATURATED FATTY ACIDS AND EXECUTIVE FUNCTION OF ADOLESCENTS WITH PERINATAL HIV IN KAMPALA, UGANDA

Abstract: Polyunsaturated fatty acid (PUFA) levels are vital for adolescent cognitivedevelopment. The role of PUFAs in executive function (EF) is understudied, especially in populations with perinatal HIV exposure/infection, who experience malnutrition and neuroinflammation. The objectives of this study were to quantify associations between serum PUFA levels and EF in Ugandan adolescents over 12 months and evaluate modification by perinatal HIV status. It was hypothesized that polyunsaturated fatty acid (PUFA) levels were associated with decreased executive dysfunction (ED), especially in those with perinatal HIV exposure/infection. Adolescents with perinatal HIV infection (APHIV, n=159), adolescents HIV exposed uninfected (AHEU, n=155), and adolescents HIV unexposed uninfected (AHUU, n=153) were recruited. Questionnaire- and performance-based measures of EF (analyzed as z-scores) were assessed at baseline, 6-, and 12-months. Linear mixed-effects models were used to analyze associations between baseline serum PUFA tertiles and longitudinal ED measures. Among all adolescents, moderate v. low total ω-3 PUFA (mean difference [95% confidence interval]: -0.51 [-0.87,-0.15]), Omega-3 Index (-0.53 [-0.91,-0.15]), and ω-3 docosahexaenoic acid (-0.55 [-0.92,-0.19]) predicted lower self-reported ED. Among AHUU, high total ω-3 PUFA and low ω-6:ω-3 ratio associated with decreased performance-based ED. Moderate total PUFA levels (-0.49 [-0.98,-0.00]) were associated with lowerproxy-reported ED compared with low levels in AHUU. Among APHIV, high ω-3 eicosapentaenoic acid predicted an increase (0.83 [0.05,1.60]) in performance-based ED. These findings support the potential of ω-3 PUFAs to improve EF in populations affected by HIV and highlight the importance of further studying the relationship between PUFAs and EF among APHIV.

Grace VanderMolen

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1533 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: BEST PRACTICES FOR COMMUNICATING WITH PARTICIPANTS OF PFAS BIOMONITORING STUDIES

Abstract: Measurement of contaminants such as per- and polyfluoroalkyl substances (PFAS) inblood, urine, breast milk, and serum has become more common as analytical methods have improved over the past two decades. This practice is called 'biomonitoring' and is used to inform scientific understanding of exposure and health effects. While there is great interest among study participants and the public in learning about these results there has also been considerable debate about whether and how to approach these communications. Therefore, we conducted a literature review to investigate evolving views on communication of biomonitoring results. We searched PubMed using key terms including "PFAS", "Biomonitoring", "Public", "Communication" and "Contaminants" to help identify relevant studies. Studies were retained in the literature review if they had investigated communication of biomonitoring results and were in a credible source (e.g., peer reviewed journals). While some studies cautioned against sharing results citing the possibility of creating fear, most recommended sharing of results by includingthe participants in the process with a guided clear explanation and encouraging ethical decisions in research practices overall.Conclusion:We identified studies recommending best practices for responsibly communicating PFAS biomonitoring results.

Isaac Maki

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1511 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: NEWLY INCIDENT CANNABIS AND INHALANT USE: POSSIBLE EXCESS RISK FOR INDIGENOUS YOUNG PEOPLE IN THE UNITED STATES SINCE 2004

Abstract: Prior research in the field of epidemiology has shown that Indigenous young people of the United States have higher rates of starting to extra-medically use prescription pain killer drugs. So, my project seeks to see if there is a similar risk among Indigenous populations in the United States to use cannabis recreationally compared to non-Indigenous populations. I utilized survey data from the US National Surveys on Drug Use and Health (NSDUH) to produce specific year-pair estimates of cannabis usage proportions along with standard errors. Then, I summarized these estimates with both Frequentist and Bayesian inference approaches in R-scripts. For both inference approaches, I saw that all of the intervals comparing Indigenous and non-Indigenous people overlapped. Thus, the NSDUH data did not support that Indigenous populations. For this UURAF presentation, I used the same methods to determine if there were any excess risks among Indigenous populations with the use of inhalants.

Jack Burke

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1507

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EMPOWERING MSU GREEK LIFE TO RECOGNIZE AND TREAT AN OPIOID OVERDOSE

Abstract: There has been an increase in opioid related overdoses in college-aged populations (18-21) over the past decade. The lack of education on recognizing and reversing an opioid overdose poses significant safety concerns for college students nationwide. To our knowledge, there is no training on the use of naloxone specifically within the Greek Life community at Michigan State University. We sought to train Greek Life members on awareness, recognition and reversal of an opioid overdose. To assess the efficacy of our training intervention, a total of 249 Greek Life members were surveyed using pre and posttraining questionnaires. This cross sectional study hypothesized that our training intervention: 1) Would increase awareness among a peer demographic at risk of an opioid overdose. 2) Would enable members to recognize the signs and symptoms of an opioid overdose. 3) Would increase the comfort level of using naloxone in the case of an opioid overdose. Our results revealed the following differences between pre and post training sessions: 1) Recognition that Greek Life members are an at-risk demographic increased by 7% (p<0.01). 2) Ability to recognize an opioid overdose increased by 72% (p<0.01). 3) Confidence in administering naloxone increased by 82%(p<0.01). The results of the study highlighted increased confidence in recognizing opioid overdose signs and symptoms and using naloxone, emphasizing the effectiveness of training sessions within fraternity and sorority chapter houses at MSU. Further research should explore whether these initiatives will contribute to a tangible reduction in opioid overdose fatalities.

Jasnoor Kaur

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1501 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING TELOMERE LENGTH AND CARDIOVASCULAR HEALTH IN SOUTH ASIANS: ADDRESSING HEALTH DISPARITIES THROUGH MASALA DATA

Abstract: South Asians have a significantly higher risk of cardiovascular disease (CVD) compared to other racial and ethnic groups. Despite representing a quarter of the world's population, limited research exists on factors contributing to this phenomenon. Telomere length (TL), a biomarker for cellular aging, has been linked to atherosclerosis cardiovascular disease (ASCVD) in populations of European descent, but there are no current studies that have examined this relationship in South Asians individuals. Therefore, the primary purpose of the present study is to examine the association between TL and subclinical atherosclerosis. This study will inform whether TL could be used as a biomarker in this patient population for individuals who may be more likely to develop clinical ASCVD in the future.Data from the MASALA (Mediators of Atherosclerosis in South Asians Living in America) study were used to analyze the hypothesized association of TL with baseline CAC examination scores, common carotid IMT, and incident CAC. We categorized TL into 3 tertiles based on distribution, and statistical analyses included linear and logistic regression models adjusted for demographic, clinical, and behavioral risk factors. Participants with shorter TL (T1) had significantly higher unadjusted median CAC scores and mean cIMT. However, after adjusting for covariates, there was no statistically significant association remaining. Secondary analysis examining incident CAC progression among T1 participants, using T3 as the referent tertile, showed similar negative findings [OR (95% CI): 1.74 (0.87, 3.48), p=0.116]. There was no association between TL and ASCVD in the South Asian population. Although the relative median CAC scores and mean cIMT analyses pointed towards an indicated association between the variables and TL, upon further adjustment for confounding variables, the association did not remain.

Jon Bank

TAMPONS

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1512 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: US PATENT REVIEW: IDENTIFYING CHEMICALS USED IN THE MANUFACTURE OF

Abstract: Tampons are commonly used by 52-86% of US menstruators as they absorb/retain menstrual fluid within the vagina. However, vaginal tissue is highly permeable; chemicals in tampons could be absorbed vaginally and affect health. As several chemicals have been detected in tampons, we searched the US Patent and Trademark Office database to understand chemical use in tampon manufacturing. We identified patents filed before September 1, 2024, describing menstrual tampon inventions using metals - zinc, cadmium, and arsenic. Our patent review of other metals, phenols, phthalates, and perfluoroalkyl substances is ongoing. Using a standardized protocol, we abstracted patent data. For zinc, our search yielded 89 documents; 47 met our review criteria (62% issued patents, 38% patent applications). Patents described zinc use in the tampon absorbent core, fibers, and applicator as an antimicrobial, lubricating, pigment, and absorptive agent. Major US tampon companies comprised 50% of patent assignees. The most recent patent was filed in 2024. For cadmium, we identified 41 documents; 23 met our review criteria (78% issued patents and 22% patent applications). Patents described cadmium use for its antimicrobial, pigment, and absorptive properties in absorbent tampon fibers. A major US tampon company assignee was listed on 50% of patents. The most recent patent was filed in 2021. We identified 23 tampon patents describing arsenic; 10 met our review criteria (100% issued patents). Arsenic was used for covalent bonding and pigment in absorbent tampon fibers; the last patent was filed 20 years ago. Our results provide insight into the chemicals detected in tampons.

Katherine Engbers

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1537 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: A CLEAR LOOK INTO EYE HEALTH

Abstract: Depending on comfort and health, glasses and contact lenses have been two of the largest prescribed treatments for correcting refractive errors within the eye. But is there truly a difference between the two, and if so, which is better? This study investigates the differences in chemical composition between glass lenses and contact lenses using a scanning electron microscope (SEM). By using this technique, high imaging resolution, composition, and microstructure are examined. Sanning Electron Microscopy and Energy Dispersive X-Ray Spectroscopy (EDS) allow for detailed comparison of morphology and elemental composition of the lenses. The results of this study will be evaluated with respect to previous literature to enhance the understanding of the differences between the lenses and how they might impact health and comfort for patients that utilize them.

Katherine Heinecke

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1514

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: CREATION OF A NANO-BIOSENSOR PROBE FOR THE RAPID DETECTION OF SALMONELLA UTILIZING THE FLJ GENE MARKER

Abstract: The detection of Salmonella in poultry critical for ensuring food safety and public health. Traditional methods for Salmonella detection, while effective, are time-consuming and labor-intensive, often taking several days to yield results. To address this challenge, a biosensor probe targeting the flj gene, a gene associated with Salmonella flagella, was developed for the rapid detection of Salmonella in poultry meat samples. This study evaluated the performance of the biosensor probe in laboratory conditions, based on its sensitivity and selectivity, and compared its analysis results with conventional detection methods. Additionally, the system provided fast results within 4 hours, significantly reducing detection time compared to traditional methods. The successful integration of this biosensor probe into poultry processing plants could facilitate quicker responses to contamination, reducing the risk of pathogen outbreaks and enhancing food safety protocols in the industry.

Kennedy Zarembski

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1531 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ANTIMICROBIAL RESISTANCE IN THE GUT MICROBIOMES OF INFANTS IN THE PEDIATRIC INTENSIVE CARE UNIT

Abstract: In the body there is a mutualistic relationship between the bacteria in the gut and an individual's health. In children, the first two years of life are important to establish healthy bacteria. There is also a gut lung axis where the bacteria in the gut can be affected if there is lung inflammation or disease. In adults, it is understood that healthy bacteria can be lost while in the intensive care unit whereas there is little understanding for children in intensive care. The goal of this study is to determine if there is a correlation between bacteria type and sample type and to describe the antibiotic resistance present. There are two types of samples: samples from infants with respiratory syncytial virus (RSV) or healthy infants. The RSV samples are from children in the PICU for RSV associated bronchiolitis and the healthy controls were from children in the hospital for other reasons who were age matched to the RSV children. Samples were either perianal swabs or fecal samples. DNA was extracted from the samples and underwent whole metagenome sequencing via AVITI Sequencer. Resulting sequences will be analyzed and antibiotic resistance load will be described and compared by sample type. Understanding the impact of critical care on the antibiotic reservoir in young children may enable us to combat antibiotic resistance in later life.

Khushi Chhabra

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1547 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: PROMOTING MENSTRUAL EQUITY AT MSU: IMPACT OF PROVISION OF FREE

MENSTRUAL PRODUCTS ON CAMPUS

Abstract: As access to menstrual products is vital for menstrual equity, Michigan State University (MSU) introduced free menstrual products in select women's and gender-neutral bathrooms in February 2023. To examine the impact of this initiative, we conducted an online survey of current MSU students and employees ages ≥18 years. We developed survey questions (37 multiple choice and 3 open-text) covering experiences obtaining menstrual products on the university campus. Between November 2024 and March 2025, the survey was completed by 2,274 individuals. The analyses were restricted to those who experienced a menstrual period in the past 12 months on the East Lansing campus (n=1,927). The study population had a median age of 24 years (interguartile range 20-34 years); 65% reported not having any menstrual products with them to manage their menstrual period. Of these 1,246 individuals, 74% used the free menstrual products provided on campus. Additionally, only 20% reported ever struggling to obtain menstrual products while a campus member and 78% of participants strongly agreed that having access to free menstrual products on campus made them feel supported. However, 43% reported needing menstrual products but none were available in the campus bathroom. Among individuals on campus before February 2023 (n=1,178), 68% agreed that free menstrual product availability has helped with menstrual management; 44% agreed that free product availability has helped with attendance and participation at MSU, and 57% agreed that free product availability has reduced their struggle to obtain menstrual products. Our findings suggest the positive impact of this initiative on campus.

Landon Stallmann

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1535

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: EPIDEMIOLOGY OF INTERNATIONALLY REGULATED DRUG USE: DIVERSITY SUBGROUP VARIATION IN THE UNITED STATES SINCE 2002

Abstract: I will describe my progress in a line of epidemiology research on diversity subgroup variations in the epidemiology of internationally regulated drugs. My estimates for the US are based on rigorous multi-stage area probability samples of civilian community residents age 12 years and older, sampled and assessed with computer-assisted self interviews, with sampling frame coverage of al 50 states and D.C. Each year's sample size exceeds 50,000 persons, generally with participation levels exceeding 70%. My estimates require complex sample survey approaches that include analysis weights and Taylor series linearization for variance estimation.
Lydia Mathews

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1546

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: FIREFIGHTER PFAS EXPOSURE STUDY: A COMMUNITY ENGAGED EXPOSURE BIOMONITORING STUDY

Abstract: Background: Per- and polyfluoroalkyl substances (PFASs) have been used widely in many products to impart resistance to water, heat and grease. This includes products used by firefighters such as aqueous film forming foams (AFFF) used to fight fuel fires and protective gear. However, few studies have investigated firefighter exposure via these pathways. Therefore, we conducted a biomonitoring study of firefighters (n=80) who provided a blood sample and completed a brief exposure questionnaire. A panel of 51 PFAS analytes were investigated in participant serum using LC-HRMS. A total of 24 PFAS were identified in one or more sample. The median concentration of PFHxS was twice that of the general U.S. population. This finding is consistent with other studies of firefighters and may reflect past exposure to PFAS in AFFF.

Nadia Blake

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1544 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: THE IMPACT OF RACE AND ETHNICITY ON THE CONTENT OF PRENATAL AND

POSTPARTUM HEALTHCARE VISITS

Abstract: Prenatal and postpartum healthcare visits are critical for ensuring maternal and infant health. These visits allow physicians to educate and counsel expecting and new mothers on various topics, such as nutrition, intimate partner violence (IPV), gestational diabetes, and cardiovascular health. However, disparities exist in the content of these visits, with some racial and ethnic groups receiving different levels of counseling. Using 2022 data from the Pregnancy Risk Assessment Monitoring System (PRAMS), this study examines these disparities, focusing on underrepresented groups such as American Indian/Alaskan Native (AI/AN) and Asian mothers. Understanding these disparities is essential for addressing maternal health inequities, particularly given that AI/AN women experience 1.8 times higher maternal mortality rates than White women, while Asian women face unique barriers to care, such as language and cultural differences. Descriptive statistics and bivariate analyses were conducted to assess differences in counseling topics by race and ethnicity, and Chi-square tests were used to determine the statistical significance of these disparities. Findings indicate that IPV screenings were more commonly reported among Black and AI/AN mothers, while discussions on HIV testing were more frequent among Black mothers compared to White and Asian mothers. These variations suggest potential stereotyping and implicit biases in provider counseling. Ideally, healthcare providers should be standardized during their postpartum and prenatal screenings.

Nidhi Kundargi

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1541 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: A MULTI-FACTOR ANALYSIS OF PARITY, BMI, AND SPATIOTEMPORAL TUMOR DYNAMICS IN OVARIAN CANCER ONSET

Abstract: Ovarian cancer is the deadliest gynecologic cancer in women, responsible for approximately 14,000 deaths annually. Due to the present lack of adequate screening methodologies for detection, its incidence is commonly diagnosed at extremely late stages. Tumor biomarkers play a critical role in detecting incidence, yet there is a research gap in examining the severity of the diagnoses and probability of fatality through the spatiotemporal lens-especially so when examining Body Mass Index (BMI) and parity status. Understanding the contribution of BMI and parity status in ovarian cancer is vital in the advancement of effective ovarian cancer screening because ovarian tumors are surrounded by dense fat tissue, leading to difficulty in detection. Here, we examine the dynamics of tumor feature correlations, parity (live births), and patients' survival outcomes across BMI classifications by leveraging data from the Prostate, Lung, Colorectal, and Ovarian (PLCO) Cancer Screening Trials published by the National Cancer Institute. Our findings reveal significant shifts in correlating spatiotemporal tumor features after controlling for fatality status and demographic factors, including a 12% increase in the inverse correlation between CA-125 levels-a known biomarker-, parity status, and screening severity. Additionally, CA-125 levels appear to be more strongly associated with solid tumor components after this stratification, suggesting that the burden of solid tumors may be a greater influential factor on biomarker levels than fluid morphologies. Through the integration of spatiotemporal correlation analysis with statistical modeling, this study provides insights into tumor biomarker behavior, with implications for more insightful prognostic modeling and refined risk stratification.

Pritika Manna

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1504

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: THE ASSOCIATION BETWEEN B-SIT AND OLFACTION STATUS

Abstract: Poor olfaction is common in older adults and may indicate underlying health conditions. This study assessed olfactory function in 2,545 older farmers from North Carolina and Iowa between 2020 and 2021 using the 12-item Brief Smell Identification Test (B-SIT). We analyzed their B-SIT scores alongside perceived testing experience and examined factors associated with olfaction while accounting for study design, participation, and covariates. Among participants, 37.8% demonstrated good olfaction (B-SIT score 11-12), 34.2% had moderate olfaction (9-10), and 28.0% exhibited poor olfaction (0-8). Higher B-SIT scores correlated with perceiving more identified odors (Spearman's ρ=0.65) and stronger odor intensity (Spearman's ρ=0.54). Poor olfaction was associated with older age, single marital status, North Carolina residence, and a history of asthma, recurrent sinus infections, or nasal/brain surgery. Seasonality influenced B-SIT results, with the highest scores in summer (June-August) and the lowest in spring (March-May), averaging a 0.48-point difference. Acute allergic or cold symptoms (e.g., runny nose, sore throat, sinus pain) and recent farming activities (e.g., working in animal confinement areas or exposure to wood/metal dust) showed no clear link to poor olfaction. Though not statistically significant, lower B-SIT scores were observed in those who handled pesticides or used gasoline. These findings suggest that various demographic and environmental factors may influence olfactory function in older farmers. This is the first study to characterize the olfactory testing experience in this population and explore potential factors affecting their test results, providing valuable insights for future research.

Sonia Hadar

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1502

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: READING BETWEEN THE SPECIALTIES: VARIATIONS IN MEDICAL LITERATURE CONSUMPTION ACROSS DISCIPLINES

Abstract: Continuous learning is crucial for physicians, but the vast volume of medical literature makes staying updated challenging. While research has examined general physician reading habits, little is known about how engagement varies across specialties. This study explores the frequency, preferred sources, and digital engagement strategies of medical professionals in fields like surgery, internal medicine, podiatry, and nursing.Surgeons may rely more on visual tools and intraoperative experiences, while internal medicine physicians engage more with peer-reviewed literature and clinical guidelines. Factors such as time constraints, institutional access, and digital versus print preferences shape reading behaviors, but their specialty-specific impact is unclear. By identifying trends and barriers in literature consumption, this study aims to inform tailored continuing medical education strategies, improve journal accessibility, and refine medical education approaches to better meet the needs of different healthcare professionals.

Sophia Zuber

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1545

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: PSYCHOLOGICAL DISTRESS PROFILES OF PERSONS LIVING WITH HIV/AIDS, MALE-FEMALE VARIATIONS STRATIFIED BY ETHNIC SELF-IDENTIFICATION SUBGROUPS

Abstract: The National Survey on Drug Use and Health (NSDUH) provides estimations regarding the health experiences of individuals across many categories. The K6 psychological distress profiles of individuals can be used to better understand the mental health of those surveyed. Utilizing these profiles along with HIV/AIDS population estimates, better methods for addressing the psychological needs of patients with HIV/AIDS diagnoses. I hope to address all 6 facets of distress across sex and race/ethnicity subgroup variations. In doing so I also intend to adjust for age in these groups to gain more information about the needs of each age group along with the other aforementioned groups.

Taarini Negi

Category: Epidemiology and Public Health

Presentation Type: Poster

Presentation Number: 1524

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: TYPE 1 DIABETES AND MAJOR DEPRESSION ASSOCIATION IN TEENS ACROSS MALE AND FEMALE ETHNIC SUBGROUPS

Abstract: I will be continuing my in-progress report in understanding the absence of evidence to link pre-pubertal onset diabetes with the occurrence of major depressionin male and female ethnic subgroups. I will be using de-identified data downloaded from NSDUH (National Survey of Drug Use and Health) and using Stata to stratify it in terms of major depression occurrence for each subgroup from 2015-2021 with the intention of focusing on time sequencing that runs from onset of T1 diabetes to onset of major depression with the mastery of survival time analysis method.My goals for the UURAF are to complete the inprogress report in understanding the absence of link between pre-pubertal onset diabetes and major depression and formulate possible reasons behind it with greater statistical control over covariates such as ethnic self-identification and other facets of diversity.

Vaishnavi Rayannavar

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1536 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ASSESSING DIGITAL SKILLS AND ELECTRONIC VISIT VERIFICATION AMONG

MICHIGAN'S DIRECT CARE WORKERS

Abstract: Direct Care Workers (DCW) provide long-term care and personal assistance services to older adults and those living with disabilities or chronic conditions to ensure a high quality of life and independence. Current data suggests there is a dearth of DCWs both in the state and nationally, due to high turnover rates, lack of benefits, low wages, racism, lack of respect, and inadequate training. This research project reports on a small piece of a large-scale survey of DCWs conducted by IMPART (Integrated Model for Personal Assistant Research and Training) Alliance at Michigan State University. IMPART Alliance is an organization dedicated to strengthening the DCW workforce through training, advocacy, research, and community engagement. This presentation will focus on one emerging issue DCWs face: the use of digital technology, particularly electronic visit verification (EVV) systems. EVVs are a method of documenting DCWs work practices, including dates and times services were rendered, types of services provided, locations, caregivers providing services, and care receivers. It has recently become a federally mandated requirement for all Medicaid personal care services (PCS) and home health services (HHCS) that involve inhome care to use EVVs. This is largely because EVVs have become a way to verify services billed. Using surveys and interviews with DCWs, we explore DCW comfort levels with EVVs as well as challenges or barriers to their use. These findings can be used to inform policy making, training needs, and developing solutions that support DCWs in digital care management.

Yashveer Singh

Category: Epidemiology and Public Health Presentation Type: Poster Presentation Number: 1542 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: THE DISTRIBUTION OF ENVIRONMENTAL JUSTICE ACROSS MICHIGAN

Abstract: Michigan is home to a plethora of diverse ethnic and racial communities across multiple rural, urban, and suburban geographies, contributing to the lived exposome of those throughout the state. The EPA's Environmental Justice Screening Tool is a relatively novel geospatial index providing crucial data on the distribution of environmental exposures and vulnerability of neighborhoods within the US. The effect of detrimental environmental factors is contextualized by demographic and socioeconomic factors at the ecological level, characterized by external health stressors disproportionally affecting marginalized populations. This presentation seeks to illustrate the latest distribution of key harmful environmental exposures, including various toxic air and metal pollutants, in tandem with sociodemographic variables across Michigan. In examining potential patterns in environmental justice within the vast state of Michigan, etiologies of disease and areas of intervention can be identified.

Film Studies and Digital Media

Chris Cummings

Category: Film Studies and Digital Media Presentation Type: Film Presentation Number: 4012 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: ORGANIC NETWORK

Abstract: Organic Network is a short documentary film that is an epilogue of sorts to The Kings of Flint and Flint River Farm, two MSU films created more than a decade ago that highlighted Flint's urban agriculture community, focusing on two farms. Organic Network follows how the urban agriculture scene has changed in Flint post-water crisis, and how local farmers such as Jason Bey are utilizing vacant lots to grow food in their backyard. As a part of The Broad Art Museum's Farmland Exhibit, Organic Network is an inspiring story that will teach audiences the importance of local food sources.

Mia Burghardt

Category: Film Studies and Digital Media

Presentation Type: Film

Presentation Number: 4011

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: HOW I TOLD THE STORY OF MY GRANDPARENTS

Abstract: A demonstration of creative challenges and process of producing a documentary of my Grandparent's life that showcases who they are and uncovers what they went through to immigrate to the United States in the 80's.

Global and Area Studies

Adela Escojido

Category: Global and Area Studies

Presentation Type: Oral - online

Presentation Number: 1703

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: CHALLENGING OF THE AMERICAN EDUCATION SYSTEM FOR SYRIAN REFUGEE CHILDREN IN LANSING, MICHIGAN

Abstract: I will be discussing how the American education system lacks to offer the support so many refugee students need. This presentation brings awareness to the topicpeople don't know much about. I chose specifically Lansing, Michigan to demonstrate that these problems are not just happening all around the world, but in our own communities and that we can make a difference in so many people's lives if we took the time to challenge ourselves to broaden our own perspectives and comfortability of our lifestyles to help those in need from all different diversities. I investigated data on refugees, opportunities or lack of, as well as the social, emotional, and physical effects on refugee students. I will also make a point to remark on the struggles the average student goes through like learning to develop a routine and relationships with others can be difficult among other factors, but for a refugee student there are these difficulties and even more barriers that make it difficult for them to be successful in their lives when these pressures make them feel like they are constantly being put down. Barriers such as language, social standing or their family's economic standing, etc. could all influence a child's development, and even silence children for fear of being wrong or not feeling like they fit in.

Ayat Alsoofi

Category: Global and Area Studies Presentation Type: Oral - online Presentation Number: 1807 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous)

Title: SKIN UNDER SIEGE; THE DERMATOLOGICAL IMPACT OF WAR AND REFUGEE CONDITIONS: MALNUTRITION, STRESS, AND INFECTIOUS DISEASES AMONG SYRIAN REFUGEES IN LEBANON

Abstract: This project examines the dermatological health impacts among Syrian refugees, exploring how conflict-driven displacement has exacerbated health vulnerabilities. Syria was chosen as the focus due to its ongoing humanitarian crisis - one of the largest and most unresolved in the world - which has left millions displaced and facing severe hardships. Additionally, the portrayal of Middle Eastern communities through Orientalist narratives has often overlooked the region's complex realities, making it crucial to shed light on the human cost of this crisis. With a focus on skin, hair, and nails, this project investigates how prolonged food insecurity and poor living conditions impact dermatological health in refugee camps. Analyzing these conditions highlights dermatology's role in crisis healthcare, with data drawn from recent studies on Syrian refugee populations. The findings emphasize that dermatological health serves as both a visible indicator of refugee well-being and a critical component of comprehensive care, suggesting that healthcare interventions in conflict zones should incorporate dermatology to improve health outcomes and dignity. By addressing these overlooked aspects, this project advocates for more targeted health responses in humanitarian settings. Despite the ongoing challenges, the resilience of the Syrian people offers hope for recovery and a stronger future.

Fatima Rais

Category: Global and Area Studies

Presentation Type: Oral - online

Presentation Number: 1705

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE STRUGGLE FOR SURVIVAL: WATER SCARCITY AND THE SANITATION CRISIS IN SYRIA

Abstract: This research explores the severe sanitation crisis and water scarcity affecting millions of Syrians. Decades of conflict, infrastructure destruction, and governmental neglect have forced many to rely on contaminated water, leading to outbreaks of diseases such as cholera. Over 14.6 million Syrians lack regular access to safe water, a direct consequence of the Syrian Civil War, which has devastated the country's water and sanitation infrastructure. Without proper hygiene and sanitation, living conditions deteriorate, exacerbating the humanitarian crisis. This study utilizes scholarly articles and personal testimonies from within Syria to analyze the ongoing impacts of the crisis and argue for urgent action. Rebuilding Syria's water infrastructure and implementing clean water distribution systems are critical first steps toward improving public health and restoring quality of life. Without immediate and coordinated efforts, the ripple effects of Syria's water crisis may result in further loss of life and deepen the suffering of its people for generations to come. The presentation discusses potential avenues to remedy the situation including governmental commitment to implement reforms that will be vital for Syria's recovery and long-term stability.

Laile Zadran

Category: Global and Area Studies Presentation Type: Oral - online Presentation Number: 1702 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: HORMONES IN HAVOC

Abstract: This study investigates the health effects of prolonged conflict on the endocrine systems of Syrian women and children, two of the most vulnerable populations in crisis settings. Years of war have led to chronic stress, malnutrition, and restricted access to healthcare, creating a cascade of hormonal disruptions with profound implications for growth, reproductive health, and metabolic processes. Women and children are particularly susceptible to these disruptions due to their unique developmental and physiological needs. Chronic stress associated with conflict elevates cortisol levels, impairing immune function, stunting growth, and contributing to long-term health risks. Additionally, widespread malnutrition inhibits essential hormone production, increasing the prevalence of conditions such as insulin resistance, delayed puberty, and gestational diabetes among affected populations. This research also emphasizes the crucial role of female healthcare workers in addressing these health challenges, particularly in regions where cultural and logistical barriers limit healthcare access. Through specialized approaches, these professionals serve as essential advocates for improving hormonal health outcomes in Syrian women and children. By examining these endocrine disruptions within the broader context of the Syrian healthcare crisis, my research highlights the urgent need for sustainable solutions that prioritize the long-term well-being of vulnerable populations, especially amid waning global attention as focus shifts to other humanitarian emergencies.

Maci Menard

Category: Global and Area Studies

Presentation Type: Oral - online

Presentation Number: 1704

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: JUVENILE INVOLVEMENT IN ISIS TERRORISM - FOCUSING ON RETRIBUTION

Abstract: This presentation explores the complex issue of juvenile involvement in ISIS terrorism with a particular focus on the concept of retribution. It examines the systemic recruitment and radicalization of children within ISIS-controlled territories, detailing the psychological manipulation employed by the group. The presentation highlights specific cases of juvenile terrorism, illustrating how adolescents are exploited for violent acts by ISIS, and it discusses the challenges of rehabilitating these children post-conflict. It also considers the injustices faced by children wrongfully detained for alleged ISIS affiliation, as well as the shortcomings of current legal and humanitarian responses. The need for effective international intervention, including rehabilitation and deradicalization efforts, is underscored to prevent further victimization and offer these young individuals a chance for recovery and reintegration into society.

Madyson Banyas

Category: Global and Area Studies Presentation Type: Oral - online Presentation Number: 1701 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: BOBA TEA AS A CONNECTION TO ASIAN AMERICAN CULTURE

Abstract: Boba tea shops in Los Angeles act as hubs for Asian American culture. The origins of boba tea reveal an ongoing act of cultural exchange that has evolved into a distinct tea culture for the new generation. This presentation examines the modern boba tea scene and its connection to Asian American culture and identity. Boba tea shops began as an Asian American alternative to the Caucasian-dominated youth culture in Los Angeles. Asian Americans utilized boba tea shops to connect to both Asian and American culture. The rising popularity of boba tea in the past fifteen years has broadened the appeal to Americans of all races and ethnicities. Far from the days of chop suey restaurants created by necessity, modern boba tea shops pioneer a new industry and culture. Boba tea is an entry point to tea culture. This presentation outlines the journey of boba tea is an entry point to tea culture. This presentation outlines the journey of boba tea from an unknown innovation to a global phenomenon, concluding that boba tea is more than just tea - it is a representation of Asian American culture and cultural exchange.

Saleh Bhatti

Category: Global and Area Studies

Presentation Type: Oral - online

Presentation Number: 1706

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE ECONOMIC STATUS OF SYRIA, BEFORE AND DURING THE CIVIL WAR

Abstract: The civil war in Syria has destroyed its economy. Turning what was once a stable and diverse system into one that struggles to survive. Before the civil war, Syria's economy was growing, supported mainly by farming and oil. But since the conflict began in 2011, the fighting has damaged and destroyed much of the country's infrastructure, like roads, hospitals, schools, and power plants. Without these, businesses can't operate properly, making it nearly impossible for the economy to function well. Most of the government's money is spent on the military, leaving little for rebuilding or supporting the economy. Overall the civil war has crushed Syria's economy by destroying buildings and infrastructure, driving people away, damaging key industries, and causing high prices. Rebuilding the economy will take a long time, along with peace, aid, and major reconstruction efforts. In this presentation I will bring to light the drastic changes in the economy pre and during the war, and the current economic reconstruction efforts.

Health Sciences

Aalia Arshed

Category: Health Sciences Presentation Type: Poster Presentation Number: 1845 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: COUNTY AND INCOME DIFFERENCES IN ADOLESCENT DIET QUALITY

Abstract: Limited research exists on adolescents' diet quality at the county level. This secondary analysis of baseline data from a randomized controlled trial aimed to identify differences in 10- to 14-year-olds' diet quality across seven Michigan counties (Calhoun, Genesee, Ingham, Jackson, Kent, Washtenaw, Wayne) and income levels. Diet quality was assessed using two 24-hour dietary recalls via phone with each adolescent, with Healthy Eating Index (HEI) scores calculated (range: 0 to 100; higher scores reflect better diet quality). One-way ANOVA and Tukey's Range Test were conducted. Participants' mean age was 12.08 years; 447 were male, and 465 were female. Racial/ethnic distribution included 362 (39%) identifying as Black, 339 (36%) as White, 22 (2%) as Asian, 132 (14%) as >one race, 42 (5%) as other, and 121 (13%) as Hispanic. Annual household incomes were: ≤\$29,999 (31%), \$30,000-\$69,999 (38%), and ≥\$70,000 (31%). Adolescents' HEI scores and caloric intake varied among the seven counties (p=.0019 and .0149, respectively). Adolescents in Kent had significantly higher HEI scores than those in Wayne, Genesee, Calhoun, and Jackson. Caloric intake varied as well(p-value = 0.0149) with Genesee having significantly higher caloric intake than Kent (p≤.05). Higher caloric intake and lower HEI in Genesee suggest poorer overall diet quality. Annual income differences in HEI scores were also observed (p=.0106). Adolescents in families with incomes ≤\$29,999 had higher total HEI scores than those with family earnings of \$30,000-\$69,000 (p≤.05).

Alexis Karpenko

Category: Health Sciences

Presentation Type: Online

Presentation Number: 1856

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: REFRAMING POST-ACUTE LONG-TERM CARE FOR LGBTQ+ OLDER ADULTS

Abstract: The LGBTQ+ older adult (OA) population in long-term care (LTC) is rapidly growing. Due to the unique complexities of this population's care, competency requires health care professionals (HCPs) and direct care workers (DTWs) to have appropriate and accurate information. In our 2019 descriptive cross-sectional study, we used an online survey to collect data from MI facilities (n = 429). Survey items included facility characteristics, diversity training history, perceived need for LGBTQ+ training, interest in additional training on LGBTQ+ OA in LTC, and training preferences. Results were obtained from 71 facilities (14%). There was good support for diversity training, with 74% stating it was "very important". A majority (63%) had some diversity training in the past year. Most (72%) endorsed the need and desire for more training on LGBTQ+ aging. More content on transgender OA and concerns such as room assignments, dementia, and use of pronouns were identified. Barriers to training included: cost, availability of trainers with the appropriate expertise, ability to reach large numbers of employees, staff turnover, bias among staff and residents, and the need to provide rationale for this type of training. LTC has changed since the COVID-19 pandemic such as stricter infection control policies, LTC staff shortages, and increased rates of resident isolation, anxiety, and depression. Our new study will look at the effects of COVID-19 on LGBTQ+ residents. Diversity training is critical for LTC and needs to be expanded to include additional complexity of care, needs, values, and preferences of the aging LGBTQ+ community.

Alissa Thompson

CAREGIVERS

Category: Health Sciences Presentation Type: Poster Presentation Number: 1811 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: GUIDED NATURE-BASED AUDITORY MEDITATION FOR BEREAVED CANCER

Abstract: Bereavement is the period of grief and mourning following the death of a loved one. Informal cancer caregivers (CGs) endure emotional distress, physical tension, and social isolation during bereavement but often have limited access to supportive interventions. Additionally, limited research has addressed bereavement for cancer CGs despite the increased risk of prolonged grief disorder recognized in the DSM-5. The study aims to develop a nature-based healing meditation (NBHM) intervention to support home-based cancer CGs during early bereavement, who are facing symptoms such as grief, focus and concentration loss, anxiety, depression, as well as lowered quality of life (QOL). A singlegroup, longitudinal, pre-post mixed methods study will test the feasibility/acceptability of the NBHM intervention. Adult CGs (>18 years) who have experienced the loss of a loved one to cancer will follow guided audio meditations featuring nature imagery to promote mental relaxation, cognitive restoration, and emotional release. For example, during the solar system module, participants will engage in focused and controlled breathing while completing a soothing head-to-toe body scan. The imagery provided will allow participants to visualize the vastness of the solar system, symbolizing the weight of bereavement lifting as they float in space, thus supporting physical relaxation. Participants will be assessed at baseline (week 0), mid-intervention (week 6), and post-intervention (week 12) using the Prolonged Grief (PG-13-Revised) scale, Attention Function Index (AFI), Quality of Life (PROMIS-29), and depressive/anxiety symptoms (subscales of PROMIS-29). This intervention holds promise for supporting QOL among home-based bereaved CGs through integrated nature-based meditative practices. NCI funding: RO3CA282943.

Alyssa Hein

Category: Health Sciences Presentation Type: Poster Presentation Number: 1837 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: CAFFEINE, SLEEP AND CARDIOVASCULAR OUTCOMES AND MORTALITY

Abstract: According to the CDC, cardiovascular diseases are the leading cause of death in the United States. These conditions result from unhealthy lifestyle factors, such as poor sleep quality and excessive caffeine intake. However, a few studies have examined the combined effect of these two factors on cardiovascular disease outcomes. This study investigates the relationship between caffeine, sleep quality, and cardiovascular disease. This systematic review followed the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines. Five online databases (PubMed, CINAHL, Scopus, Web of Science, and EMBASE) were searched using appropriate keywords. Original articles published in English that assessed sleep quality, caffeine intake (in any form), and cardiovascular outcomes were included. Animal and in vivo studies were excluded. Additionally, the included articles were screened for any potentially missing studies. The results were narratively synthesized. A total of 19 articles were included (n=4 crosssectional, n=10 cohort, and n=5 randomized controlled trials). Most studies focused on healthy adults (>18 years old). Polysomnography and self-reported questionnaires were used to measure sleep. Food frequency questionnaires were used to assess caffeine intake. Cardiovascular outcomes were determined using patients' self-reported data or medical records. Sleep architecture was measured by self-reported data and polysomnography. The common cardiovascular outcomes following long-term caffeine exposure were cardiac arrhythmias and hypertension, which can be caused by reduced sleep hours. However, some studies suggest a lack of causal association between caffeine, sleep, and cardiovascular outcomes. The study findings suggest that increased caffeine intake is correlated with adverse cardiac outcomes and sleep disruptions.

Ana Ludwig

Category: Health Sciences Presentation Type: Poster Presentation Number: 1808 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: PEDIATRIC ONCOLOGY QUALITY MEASURE USE, MONITORING PRACTICES AND OPPORTUNITIES FOR SYSTEM REDESIGN IN RESOURCE-DIVERSE COUNTRIES

Abstract: While pediatric cancer survival is approximately 30% in low- and middle-income countries compared to 80% in high-income countries, nursing-sensitive quality indicators (NSIs) can be leveraged to assess and improve patient outcomes across resource-diverse settings. A recently established core set of pediatric cancer NSIs will be pilot tested on pediatric cancer units in three resource-diverse hospitals (Malawi [low-income], Philippines [lower-middle-income], Singapore [high-income]). NSIs include: Total nursing hours per patient day; pain assessment, intervention, reassessment rates; hand hygiene rates; patient and family discharge education rates; chemo/biotherapy administration "double check" process adherence rates; Pediatric Early Warning Score nursing assessment adherence rates; vascular access device maintenance care bundle adherence rates; intravenous infiltration and extravasations rates; central line-associated bloodstream infection rates; and health professional and hospital characteristics. In preparation for pilot testing, we aim to understand hospitals' existing NSI use, monitoring practices, and opportunities for system redesign (i.e., documentation) to improve the reliability and usability of the NSIs. A paperbased, semi-structured survey followed by key informant interviews and a review of source documentation will be performed with pilot site nurse leaders. Descriptive qualitative and quantitative analyses will be conducted. Findings will inform strengths and opportunities for accurate and reliable NSI data collection and system redesign across resource-diverse pilot hospitals.

Andrew Laesch

Category: Health Sciences Presentation Type: Poster Presentation Number: 1817 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: TARGETED MAGNETIC PARTICLE IMAGING: MMP-2 ACTIVATED NANOCOMPOSITES FOR NON-INVASIVE TUMOR DETECTION AND BIOMARKER QUANTIFICATION

Abstract: Current limitations of cancer imaging include moderate sensitivity of MRIs, PET ionizing radiation, and MRI signal decay with depth. Magnetic Particle Imaging (MPI) is a new imaging technique that provides high sensitivity, low background noise, and deep tissue penetration without signal loss from biological tissue. These advantages facilitate the precise detection of superparamagnetic nanoparticles in the complex cancer tumor microenvironment. Under an applied oscillating field in MPI's field-free zone, Superparamagnetic Iron Oxide Nanoparticles (SPIONs) larger than 20 nm undergo magnetization and exhibit Brownian relaxation. This relaxation phenomenon allows SPIONs to act as MPI's real-time quantitative signal tracer with high spatial resolution. In the tumor microenvironment, Matrix Metalloproteinases such as MMP-2s are over-expressed proteases that degrade type IV collagen, necessary for metastasis. Cancer imaging strategies may target this biomarker for metastasis detection, MMP-2 quantification, and characterization of tumors. We synthesized MMP-2-cleavable peptide nanocomposites encapsulating iron oxides. Enzymatic cleavage facilitates controlled degradation of the nanocomposites, releasing SPIONs and enhancing the MPI signal. These signal tracers may no longer be restricted by the polymer and signal intensity is increased. This approach allows for tumor progression imaging based on SPION accumulation and characterizing tumors through biomarker quantifications. Combining MPI and MMP-2-responsive nanocomposites may demonstrate quantitative, highly sensitive cancer imaging for improving cancer detection and characterization.

Arya Juvekar

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1801

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: HOW CAN TRPA1 ACTIVATION AFFECT THE VAGUS NERVE RESPONSE TO EFFECTOR ORGANS?

Abstract: The vagus nerve is the tenth cranial nerve in the human body. As a primary link to the parasympathetic nervous system it restores homeostasis after exposure to stressful event - for instance, by reducing inflammation. Cardiovascular and neurological emergencies such as heart attacks and CVAs (strokes) are one of the most common causes of death worldwide1, therefore comprehending the process behind them allows creating more preventive solutions. Our group is focused on the part of the process that can take a traumatic event from minor pain symptoms to potential death. TRPA1 is a cation channel that, when exposed to chemical irritants, contributes to pain and inflammation. After encountering a traumatic event (i.e., stroke or heart attack) TRPA1 receptors may become overreactive due to cellular damage, leading to increased inflammation and potential neuronal injury2. Modulating TRPA1 activity through a vagus nerve may help limit the damage caused by inflammation3, with the goal of improving recovery and offering therapeutic benefits.

Bonnie Keating

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1822

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EPIDIDYMAL ADENOMATOUS HYPERPLASIA: IS THERE A RELATIONSHIP WITH TESTICULAR DISEASE

Abstract: Epididymal lesions can form in canines as a result of inflammation or less commonly due to degeneration or proliferation. Hyperplastic lesions are largely benign, but in humans it has been suggested that they may have a correlation with testicular disease. While hyperplasia may not be directly harmful, it may signal an increased risk to testicular inflammation, cancer, or degeneration. Such a correlation may help understand both testicular and epididymal diseases. Thus, this study aims to identify a correlation between epididymal hyperplasia and testicular disease. Data will be collected from a minimum of 100 canine testicles from the MSU Veterinary Diagnostic Laboratory archive and will be examined, including the type and severity of epididymal and testicular lesions. This data will enrich our understanding of infertility in canines and provide valuable comparative information for other mammalian species.

Christine O'Donnell

Category: Health Sciences Presentation Type: Online Presentation Number: 1858 Room Assignment: Arena Time Slot: April 10 - 11 (asynchronous)

Title: USE OF ARTIFICIAL INTELLIGENCE IN MENTAL HEALTH ASSESSMENT AND INTERVENTIONS FOR PATIENTS WITH CANCER: A SCOPING REVIEW

Abstract: Patients with cancer face many barriers to mental health care, especially in marginalized and underserved communities. Vulnerable populations such as racial minorities and LGBTQ + individuals experience both high rates of cancer and poor mental health outcomes. To promote health equity for this population, artificial intelligence (AI) may improve mental health in cancer patients by enabling peer connections and information access; however, such technologies also present unique risks and challenges. To address this need, a scoping review explored what is known about using AI to detect and address mental health (anxiety and depressive symptoms) among cancer patients. Arksey and O'Malley's five-stage methodology for scoping reviews guided the literature review. After screening for relevant articles and articles' references across five databases, eleven studies were identified. These studies met criteria regarding Al-based assessments and interventions for cancer patients with mental health issues. Two randomized controlled trials showed that text messaging and chatbots reduced distress and improved well-being. Another chatbot study demonstrated positive findings for assessment of depression and anxiety. Other AI studies showed that voice analysis, facial expression recognition, and mobile applications could assess and intervene related to mental health symptomology. Gaps were identified related to comorbidities and data quality. Overall, AI shows promise to support mental health in cancer patients, but all forms of AI need further investigation for both mental health symptom assessment and intervention development. Consideration of health equity should be integrated into the design, implementation, and evaluation of AI interventions to enhance mental health among cancer patients.

Clara Linjewile

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1834

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: TEACHING TOMORROW'S DOCTORS: ENHANCING STUDENT ASSESSMENT THROUGH MACHINE LEARNING

Abstract: In the Office of Medical Education Research and Development (OMERAD) at Michigan State University, our research team has been developing an Al-driven model designed to assess medical students' patient interaction skills. This project aims to enhance the evaluation process by automating the assessment of key communication skills demonstrated in clinical settings. Our model leverages machine learning techniques to analyze transcripts of student-patient interactions, with a focus on identifying important communication patterns. Throughout the project, I played a key role in data preprocessing, feature engineering, and model evaluation. The data required extensive cleaning due to inconsistencies in the transcription process, and our model was trained on annotated text files to recognize meaningful skills. By automating this evaluation process, we aim to provide consistent, objective feedback to medical students while reducing the burden on human evaluators. Our findings highlight the model's potential to improve assessment accuracy and streamline medical education processes. This presentation will detail our development process, the challenges faced during data preparation, and the promising results that indicate the model's ability to assist in training future healthcare professionals.

Eli Creedon

Category: Health Sciences Presentation Type: Poster Presentation Number: 1843 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: REPRODUCTIVE FACTORS SHOW CONNECTION TO EARLY-ONSET BREAST CANCER

Abstract: The incidence of breast cancer among younger female populations (18-45 years) is rising: 7-10% of new diagnoses being early-onset. Early onset breast cancer (EOBC) is a serious concern with negative prognosis, higher recurrence, and mortality (1.46-fold increased risk of dying). While these findings are alarming, effective preventative strategies are lacking. This systematic review aimed to determine lifestyle risk factors associated with EOBC among females aged 45 or younger. Three databases were searched: PubMed, CINAHL, and Web of Science. Keywords included early-onset/early incidence, risk factors, and breast cancer. The initial search resulted in 2,075 articles for screening. Inclusion criteria involved: EOBC female cases, age < 45, and assessment of lifestyle factors. Exclusion criteria encompassed: articles > 10 years, genetic risk factors, data including males, secondary diagnoses of breast cancer, review articles, and case studies. Full-text review was conducted for the remaining 69 articles. Seven articles were included in this review. Four of the seven studies revealed that oral contraceptive use, particularly < age 20 and/or for extended periods (> 30 years) were associated with EOBC. Conflicting findings were identified. Several studies showed earlier pregnancy (< age 20) while others suggested later pregnancy (> age 40) was associated with EOBC.Other risk factors, such as higher BMI, smoking, and cooking with animal oil were identified, but evidence was limited. Future research should further explore and confirm the EOBC risk factors and investigate their underlying mechanisms. Nurses should raise the awareness of EOBC risk factors to educate young females and parents.

Elizabeth George

ACCESSIBILITY

Category: Health Sciences Presentation Type: Poster Presentation Number: 1815 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: POSITIVE CHANGES IN HOME EATING ENVIRONMENT ARE RELATED TO FOOD

Abstract: This study aimed to examine the relationship between food accessibility and home eating environment. It is a secondary data analysis using data from a clinical trial involving 200 children aged 3-5 and their parents from rural areas. The children's mean age was 47.16 months and parents' mean age was 32.68 years. Most participants were non-Hispanic and White. About one third of parents were single and had an annual family income below \$20,000. Approximately 44.2% were unemployed, and more than half had a high school education or less. Geographic Information System was used to assess food accessibility by matching families' reported zip codes to the corresponding Zip Code Tabulation Areas from the U.S. Census Bureau's TIGER/Line database. Increased parental food resource management behaviors were linked to greater access to grocery stores/supermarkets (B=0.12, p=.043) and higher perceived weight was associated with greater access to convenience stores (B=0.03, p=.027). Although not statistically significant, lower access to limited-service restaurants was related to improvements in food resource management behaviors (B=-0.04 p=.092) and a better home eating environment (B=-0.28, p=.092).Furthermore, reduced access to convenience stores was associated with higher levels of parental restriction on children's eating (B=-0.06, p=.057). These findings suggest that increased access to grocery stores and reduced access to limited-service restaurants and convenience stores may improve food resource management behaviors and parental accuracy in weight perception. Addressing disparities in food accessibility in rural areas could foster healthier home eating environment and enhance families' ability to manage food resources effectively.

Elizabeth Klein

Category: Health Sciences Presentation Type: Poster Presentation Number: 1814 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: EFFECTS OF GUT MICROBIOTA AND SLEEP QUALITY ON COGNITIVE IMPAIRMENT

Abstract: Background: Increasing evidence on the gut-brain axis shows that poor sleep quality and gut microbiota have been shown to be related to cognitive impairment. However, the relationship between variations in gut microbiota composition, sleep quality, and cognitive impairment remains inconsistent across preexisting literature. This study investigates how gut microbiota and sleep quality contribute to cognitive impairment. Method: This systematic review followed the Preferred Reporting Items for Systematic Reviews and Meta-Analyses guidelines. Five different online databases (PubMed, CINAHL, Scopus, WOS, and EMBASE) were searched using appropriate keywords. Original articles in the English language that assessed sleep quality, gut microbiota, and cognitive impairment were included and screened. Animal and in vivo studies were excluded. The results were narratively synthesized. Results: Fourteen studies were selected, with sample sizes ranging from 22 to 735 participants. Among all studies, direct correlations were found between sleep quality, cognitive function, and gut microbiota. Improvements in sleep quality, as well as anxiety states, mental states, and depression were greater in groups who took probiotics than placebo groups. In addition, alterations in gut microbiota, including increases in Actinobacteria and Proteobacteria, were found to be associated with sleep-deprivationinduced cognitive impairments and worsened spatial and objective memory. Additionally, antibiotic treatment resolving lactic acid-producing organism colonization led to a 44minute increase in total sleep time. Conclusion: Overall, gut microbiota and sleep quality of individuals have a reciprocal relationship and direct impact on cognitive impairment.

Emily Altman

Category: Health Sciences Presentation Type: Poster Presentation Number: 1816 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: PARENTS' INCOME AND PI

Title: PARENTS' INCOME AND PERCEIVED EFFECTIVENESS OF A WEBSITE TO ASSIST THEM IN SUPPORTING THEIR ADOLESCENT'S PHYSICAL ACTIVITY

Abstract: The purpose of this secondary data analysis of baseline data from a NIH-funded randomized controlled trial was to investigate the relationship between parental income and perceived effectiveness of a researcher-designed website designed to support parents in promoting their young adolescent child's physical activity. Data were analyzed from 599 participants, primarily female (85.8%), with an average age of 39.56 years (SD = 7.74). Five one-way ANOVAs were conducted to examine how different annual family income levels (low, middle, and high) influenced parental perceptions. Perception items included measures of the extent to which the website" (1) helped parents to assist their children to attain physical activity; increased their (2) confidence and (3) motivation for helping their children; (4) increased parents' actual direct involvement to help their children increase physical activity; and (5) resulted in observed increases in their children's physical activity. Results showed that parents with a middle-range income were consistently the most positively influenced by the intervention, as evidenced by significantly higher mean scores in all 5 areas, compared to those having higher incomes. No differences in the outcomes emerged between parents having a low income and those in the other two groups in most areas; however, parents with low incomes were more directly involved in helping their child to engage in physical activity than the high-income families.

Emily Pickett

Category: Health Sciences Presentation Type: Poster Presentation Number: 1805 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MICHIGAN LAWS THAT I

Title: MICHIGAN LAWS THAT INFLUENCE THE DELIVERY IN CARE FOR THOSE WITH SUBSTANCE USE DISORDER

Abstract: Between 2020 and 2021, Michigan saw a 13% increase in opioid overdose deaths, followed by a 7% decrease in 2021-2022 due to policy interventions. We aimed to assess the impact of specific Michigan laws on the delivery of care for individuals with substance use disorder (SUD). We conducted a policy analysis focusing on laws enacted in Michigan since March 2020 that regulate SUD services. We collected data from state and federal sites on SUD treatment facilities to evaluate the services they provide, including SUD treatment medications, admissions for detoxification or post-overdose care, and naloxone distribution in the community. The data was synthesized to provide context to Michigan's management of the opioid crisis. Two pieces of legislation-Public Acts 98 and 176 of 2022-were identified as key to Michigan's response. These laws ensure coverage for medically necessary detoxification at inpatient SUD facilities and support increased naloxone distribution by community organizations and pharmacies. In November 2022, Michigan reported 2,633 overdose deaths, with projections estimating a total of 2,887 overdose deaths by end of 2022. Michigan has 395 substance use treatment facilities offering services such as counseling, methadone/buprenorphine medications, screening, naloxone education, and community outreach. Several initiatives, including the EMS Leave-Behind program, the Narcan Portal, and syringe service programs, have been launched to combat the crisis. These policies aim to create a coordinated system for SUD treatment that focuses on prevention, access, care quality, and long-term recovery, reflecting Michigan's commitment to improving public health outcomes related to substance use.
Giulia Castiglioni

Category: Health Sciences Presentation Type: Oral - online Presentation Number: 1865 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous)

Title: SERIAL SYMPTOM MONITORING WITH ECOLOGICAL MOMENTARY ASSESSMENT IMPROVES PREDICTION OF CONCUSSION RECOVERY OUTCOMES

Abstract: Objective: This study aimed to determine if a mobile ecological momentary assessment (EMA) platform, ReCoUPS, improves the prediction of concussion recovery outcomes compared to traditional in-person symptom reports. Methods:We enrolled36college-aged athletes with a concussion (μ age=20.36±1.25 years; female n=23, 63.89%) in our exploratory longitudinal study. Athletes completed demographic and injury information, the Sport Concussion Assessment Tool6 (SCAT6) symptom checklist (0-6 Likert scale), and enrolled in ReCoUPS within 3 days post-injury. SCAT6 total symptom severity scores (possible score range=0-132), as well as the affective (range=0-24), cognitive-ocular (range=0-24), and migraine-fatigue (range=0-30) symptom clusters were reported daily throughout recovery via ReCoUPS text messages. Surveys were terminated<48 hours post-full authorized medical clearance. Time to authorized clearance (date of authorized clearance - date of injury) was calculated. Symptom cluster (affective, cognitive-ocular, migraine-fatigue) and total symptom severity scores were calculated at three time points: initial visit (i.e., Initial), average of the first 7 days enrolled in ReCoUPS (i.e., Week 1), and average of entire EMA period (i.e, Full ReCoUPS). Univariate robust standard error linear regressions examined associations between symptom scores and recovery outcomes (p<0.05). Results: Average time to authorized clearance was 26.68±14.33 days. Initial symptoms were not significantly associated with authorized clearance; however, all Week 1 scores except affective symptoms were significant (β=0.31-2.81; p=0.008-0.009). Additionally, only cognitive-ocular symptoms from Full ReCoUPS predicted authorized clearance (β=2.31; p=0.027). Conclusions:Week 1 symptom scores were the strongest predictors of concussion recovery outcomes, suggesting that remote daily symptom monitoring may enhance understanding of concussion recovery trajectories.

Haley Doss

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1836

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INVESTIGATING THE DISABILITY TRAINING EXPERIENCES OF PEDIATRIC RESIDENTS IN MICHIGAN

Abstract: This study utilized a mixed-method, multi-phase design to address the following research questions; (a) What are the training experiences of pediatric residents in Michigan in regard to working with children with disabilities and children with medical complexities?; (b) How do pediatric residents perceive their self-efficacy in working with these populations? (c) What suggestions for training improvement do pediatric residents have? This work utilizes a social justice framework, centering disability as an aspect of diversity that practitioners must be trained on in order to provide effective care for children with disabilities and their families. In addition, high quality training has been shown to improve practice, which can thus improve health outcomes and health equity for children with disabilities and their families (Huth et al., 2020; Shah et al., 2018; Bogetz et al., 2015). The goal of this line of work is to create inclusive and healing spaces for all children.

Hannah Jackson

Category: Health Sciences Presentation Type: Poster Presentation Number: 1806 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: PARENTAL EDUCATIONAL DIFFERENCES IN EVALUATIONS OF PARENT-ADOLESCENT MEETINGS TO PROMOTE ADOLESCENTS' PHYSICAL ACTIVITY AND HEALTHY EATING

Abstract: The purpose of this secondary data analysis of baseline data from a NIH-funded randomized controlled trial was to examine the dimensions of parent-adolescent meeting evaluations and the role of parental education in predicting differences across these dimensions. Data from 599 participants (85.8% female; Mage = 39.56, SD = 7.74) were analyzed. Using exploratory factor analysis (EFA) with a minimum residual extraction method and varimax rotation, three dimensions were identified: increasedengagement in and enjoyment for healthy eating, provided practical skills related to healthy eating, and offered informational support, collectively explaining 73% of the variance. Subsequent one-way ANOVAs assessed the impact of educational level (high school or less, some college/technical training, bachelor's degree or higher) on these dimensions. Significant results were observed for engagement/enjoyment (F(2, 561) = 7.21, p = 0.001) and practical skills (F(2, 561) = 3.94, p = 0.023). Post-hoc analyses revealed that parents with some college/technical training reported significantly higher engagement/enjoyment and practical skills than those with a bachelor's degree or higher. No significant parent educational differences were found for the informational support dimension.

Jane Thomas

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1831

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CHILDREN'S SCHOOL-BASED ASTHMA MANAGEMENT PROGRAMS: A LITERATURE REVIEW

Abstract: School nurses play a crucial role in facilitating optimal childhood asthma management, yet barriers and limited research for effective school-based interventions remain. This literature review examines the implementation and impact of programs like the School-Based Asthma Therapy (SBAT) program, emphasizing its role in improving asthma management among children. Even with this research deficit on school-based asthma research implementation, programs like SBAT have highlighted many benefits, including enhanced symptom recognition, improved medication adherence, increased understanding of inhaler use, streamlined communication, and reduced caregiver burden. Additionally, these programs can provide educational advantages for children, caregivers, school nurses, and administrators. However, these studies are limited, and more thorough research is required to identify each program's specific benefits and barriers. In addition, continuing to address implementation challenges could further optimize programs like SBAT, enhancing health outcomes for children with asthma. These findings emphasize the critical role of developing and analyzing more school-based intervention programs like the ones included in the literature review, and have potential to significantly enhance asthma control, reduce health disparities, and improve the overall well-being of children with asthma.

Janna Shehadeh

Category: Health Sciences Presentation Type: Poster Presentation Number: 1824 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: HEMATOLOGICAL PARAME

Title: HEMATOLOGICAL PARAMETERS OF UNDERGRADUATE PRE-HEALTH PROFESSIONAL STUDENTS: A COMPARATIVE STUDY

Abstract: In preparation for a future in healthcare, students at Michigan State University are offered an opportunity to practice clinical skills in a quasi-clinical laboratory course PSL 311L - Physiology Laboratory for Pre-Health Professional Students. As part of our preparatory course activities, students collect small blood samples in our Hematology (blood) unit while learning to analyze clinical data, develop patient-provider communication skills, and build technical expertise necessary for a successful healthcare career. Blood lab values collected in this session include hematocrit, ABO blood type, total lipid panel (e.g. LDL, HDL, and Triglycerides), prothrombin time PT-INR (international normalized ratio), and hemoglobin. However, this project focuses on blood lipid values. Since the inception of this course in 2016, our students recognized the lack of clear hematological parameters for college age individuals. Therefore, our students initiated a longitudinal project that quantifies hematological data with the intention of building a referent database for college age, healthcare intent students. While our student population generally fell within acceptable ranges for Total Cholesterol, LDL, and HDL according to the Centers for Disease Control (CDC) guidelines for adults, there is a paucity of data limiting the value of these guidelines for the college-age population. It is important that medical providers must have access to relevant and reliable data. A lack of appropriate data for this age group may force providers to generalize, leading to suboptimal care. Building this database for college-aged patients is crucial to ensure quality medical care.

Joseph Belanger

YOUNG ADULTS

Category: Health Sciences Presentation Type: Poster Presentation Number: 1844 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: FEASIBILITY OF USING IMMERSIVE VIRTUAL REALITY FOR A 6-MINUTE WALK TEST IN

Abstract: Although the maximal oxygen uptake test (VO2 max) test is the gold standard for evaluating cardiovascular fitness, the traditional submaximal 6-minute walk test (6MWT) is often used as a practical and effective surrogate for evaluating effectiveness of clinical interventions. There may be barriers to conducting the traditional 6MWT. Immersive Virtual Reality (VR) for gaming purposes has become popular. However, the use of immersive VR to conduct the 6MWT has not been tested. The objective of our study is to evaluate the validity and reliability of using immersive VR for the 6MWT (VR-6MsWT; using Holofit application) compared to the traditional 6MWT. While wearing the VR headset, the Holofit application allows participants to walk on the spot and explore an environment virtually. Using a matched pair design, each participant completed two sets of 6MWT and two sets of VR-6MsWT. Distance walked in 6 minutes in meters was recorded. Heart rate was monitored using the Polar H10 sensor, and step count was measured using the Fitbit Charge 5. At the end of each test, participants reported their perceived exertion using the Borg 6-20 Rating of Perceived Exertion (RPE) scale. For analysis, the best score of the two walks was used. 31 participants (22 female and 9 male) with a mean age of 20.9±0.9 years completed the study. On average participants walked 273±192 meters more in the VR-6MsWT. A weak Pearson's Correlation (r=0.171) was found when analyzing validity of the VR-6MsWT with the traditional 6MWT. The VR-6MsWT showed strong reliability (Cronbach alpha= 0.82). An independent ttest analysis showed no significant difference in step count (667.5±34.6 and 666.2±84.8; p=0.392), heart rate (104.4±15.2bpm and 103.9±18.2bpm; p=0.383), and RPE (10±2 and 10±2; p=0.325) between the 6MWT and VR-6MsWT. Preliminary analysis indicates that VR-6MsWT may not be valid but reliable. We found step count, heart rate and RPE to be comparable between the two tests. Although it may not replace the traditional 6MWT, the use of VR may be helpful in overcoming challenges and barriers to physical activity.

Julia Luebbe

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1825

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: COMPARISON OF CUSTOM AND STORE-BOUGHT ORTHOTICS

Abstract: Orthotics are tools used for aligning and supporting the foot and ankle. They are available in two main options: off-the-shelf options found at retail stores and custom-made orthotics, which come at a significantly higher cost. This project aims to compare the effectiveness of these two types. Key evaluations used include the "bend test," aimed to assess an orthotic's sturdiness, and Scanning Electron Microscopy (SEM) to analyze their microstructure. The results of these tests, combined with insights from prior research, are discussed to determine which option offers superior performance.

Kathleen Doneth

Category: Health Sciences

Presentation Type: Oral - online

Presentation Number: 1866

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: EFFECTS OF RAW AND ROASTED HIGH OLEIC SOYBEANS ON NUTRIENT INTAKE AND DIGESTIBILITY OF HIGH-PRODUCING DAIRY COWS

Abstract: We determined the effect of feeding raw and roasted, ground high oleic acid soybeans (HOSB) on nutrient intake and digestibility of dairy cows. Thirty-six multiparous Holstein cows (45.6 ? 6.22 kg/d of milk; 110 ? 61 DIM) were randomly assigned to treatment sequences in a 4x2 Truncated Latin square design with 35-d periods. Treatments were: control (CON), 16% roasted HOSB (ST), 16% raw HOSB (RAW-D), and 16% raw HOSB + bypass protein (RAW-U). HOSB replaced conventional soybean meal and hulls in HOSB diets and by-pass protein replaced soybean meal in RAW-U to maintain diet composition (% DM) of 21% forage NDF, 28% starch, and 17% CP. Total dietary fatty acid (FA) content was 2.8, 4.9, 5.1, and 5.1% DM, respectively. The statistical model included the random effect cow within square and fixed effects of square, treatment, and period. Pre-planned contrasts were the overall effect of SOY {CON vs. HOSB [1/3 (RST + RAW-D + RAW-U)]}, effect of roasting {RST vs. RAW [1/2 (RAW-D + RAW-U)]}, and effect of protein (RAW-D vs RAW-U). Overall, inclusion of 16% DM HOB increased nutrient intake and FA absorption. Roasting HOSB increased digestion and absorption of dietary FA compared to raw HOSB.

Katie Koch

Category: Health Sciences

Presentation Type: Oral - online

Presentation Number: 1862

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: EXAMINING SEX DIFFERENCES IN POST-CONCUSSION SYMPTOMS AND PSYCHOLOGICAL HEALTH-RELATED QUALITY OF LIFE (PHRQOL) USING ECOLOGICAL MOMENTARY ASSESSMENT (EMA)

Abstract: The purpose of this study was to examine differences in the variance of postconcussion symptoms and PHRQoL throughout recovery between individuals with concussions and controls using the EMA platform, ReCoUPS, and examine potential sex differences in symptom reporting. Thirty-six college-aged athletes with a concussion (female=23, Age=20.36+1.25 years) and 34 healthy matched controls (female=21, Age=20.35+1.37 years) were enrolled in a longitudinal repeated measures study. Participants completed demographics, injury information, and enrollment in the ReCoUPS platform with their cellphone number<3 days post-concussion. The Sport Concussion Assessment Tool-6 (SCAT6) symptom checklist (including clusters: affective, migraine, cognitive-ocular), and PROMIS Depression and Anxiety surveys were administered daily throughout recovery via ReCoUPS text messages. Surveys were terminated<2 days after full medical clearance (FMC). Multilevel mixed-effects linear regression models estimated within- and between-individual variance in symptom clusters and PHRQoLwith intraclass correlation coefficients (ICCs) to determine the percentage of variability due to betweenindividual differences. Individuals with a concussion reported significantly higher symptom cluster, total symptom, and PHRQoL scores than controls (γ01=0.73-15.54,p<0.05). Across all outcome measures, within-athlete differences accounted for a larger proportion of total variance after including concussion status in the model (ICC=0.47-0.52). Adding sex as a predictor did not significantly improve model fit, and no significant sex differences were found (γ02= -2.85- -0.31,p=0.23-0.74). Variance was almost evenly distributed across within- and between-athlete differences (ICC=0.46-0.52). The study found that symptom trajectory and recovery patterns were similar between males and females, with no significant sex differences in symptom severity or PHRQoL outcomes.

Katrina Halgren

Category: Health Sciences Presentation Type: Poster Presentation Number: 1847 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: DOES GENETIC DELETION

Title: DOES GENETIC DELETION OF AUTOIMMUNE REGULATOR INFLUENCE MOUSE MATING BEHAVIOR?

Abstract: Autoimmune regulator (Aire) is a transcription factor expressed in the thymus responsible for generating immune self-tolerance. Deletion of Aire causes autoimmune disease and can result in infertility. The vomeronasal organ (VNO) is necessary for pheromone sensing in rodents, which drives mouse mating behavior. The VNO and surrounding glands are targeted by autoreactive immune cells in Aire-deficient (Aire-/-) mice. Further, Aire-/- males are severely sub-fertile compared to their wild-type counter parts. Based on these results, we hypothesized that Aire-/-males may be infertile due to their inability to sense female pheromones, resulting in a lack of copulatory behavior. To determine if the mating behavior of maleAire-/- mice was significantly different to Airewildtype (Aire+/+) mice, we used the Behavioral Observation Research Interactive Software (BORIS) program to code the behavior of Aire-/- and Aire+/+ mice when introduced to female mice in estrus. The male and female mice were recorded for one hour, and then BORIS was used to observe and code sexual behaviors such as anogenital investigation, mounting, intromission, and ejaculation, and non-sexual behaviors such as contact, non-contact, and aggression. The preliminary results of this experiment are not significant due to a small sample size (Aire+/+: n=5,Aire-/-: n=6), but there do appear to be qualitative differences between the behavior of Aire-/- and Aire+/+ male mice. In future experiments, we will code for more behavior types to determine significant differences between the mating behavior ofAire-/- and Aire+/+ mice, which may reveal mechanisms of infertility in Aire deficient mice.

Kendall Ball

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1841

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: REPRODUCTIVE DISORDERS IN DAUGHTERS FROM PREECLAMPTIC-LIKE BPH/5 PREGNANCIES

Abstract: Preeclampsia, a hypertensive disorder of pregnancy characterized by hypertension and end-organ damage, is a global leading cause of maternal and fetal mortality. This disorder is known to cause long-term adverse effects on the offspring including neurodevelopmental, metabolic, and reproductive disorders. Yet, the underlying mechanisms remain poorly understood. Our primary objective is to characterize estrous cyclicity in female offspring from preeclamptic pregnancies. Herein, we utilized Blood Pressure High Subline 5 (BPH/5) mouse, a spontaneous model of superimposed preeclampsia, in comparison to Blood Pressure Normal Subline 3 (BPN/3). Previous findings in BPH/5 mice have exhibited precocious puberty, hyperandrogenism, and ovarian abnormalities. We hypothesize BPH/5 female offspring will have altered estrous cyclicity, with prolonged average cycle length and duration in each cycle stage. To test this hypothesis, we performed daily vaginal cytologies on BPN/3 (n=9) and BPH/5 (n=11) females beginning at 8 weeks of age and continuing for 14 days. To compare duration of cycle and number of days in each stage between strains, Student's t-tests were performed. Over fourteen days, BPH/5 females had longer average cycle length (p ≤ 0.01) than BPN/3 females. There was no difference in average number of days in proestrus or estrus between strains. When assessing average days in metestrus/diestrus, BPH/5 females spent more days (4.82 ± 0.90, p ≤ 0.05) in these cycle stages than BPN/3 (2.58 ± 0.23 days). These findings suggest exposure to a preeclamptic intrauterine environment alters estrous cyclicity in offspring, highlighting the potential for prenatal exposure to preeclampsia to disrupt women's reproductive health.

Kendall Perry

Category: Health Sciences

Presentation Type: Online

Presentation Number: 1852

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: WELLBEING IN NURSING SCHOOL: LEVERAGING PHONE-BASED SUPPORT SERVICES

Abstract: Nursing students experience significant academic, clinical, and emotional demands, often leading to high stress levels, burnout, and mental health challenges. While mindfulness-based interventions (MBIs) have shown promise in mitigating these issues, their structured nature and additional time requirements pose barriers to student engagement. This study explores the effectiveness of "Happy," a proactive phone-based support service designed to improve emotional and mental well-being of individuals, and in this case, nursing students', by offering regular check-ins through calls or text messages. Unlike traditional interventions that require students to seek out support, "Happy" provides a low-effort, accessible approach that integrates seamlessly into daily routines. Utilizing a longitudinal, observational design, the study recruited undergraduate nursing students in their third semester at Michigan State University. Participants were enrolled in the "Happy" program for six months, receiving monthly outreach. Student engagement with the intervention was tracked as the primary outcome measure. While the original study design included self-reported stress assessments and focus group interviews, only baseline data were collected, and no students participated in follow-up assessments or focus groups. Despite these limitations, engagement with the "Happy" program provided insights into the feasibility of phone-based mental health interventions in nursing education. The findings suggest that proactive, low-commitment interventions may offer a scalable solution to reducing stress and supporting emotional resilience among nursing students. Future research should explore strategies to enhance student participation and assess the longterm impact of such interventions on mental well-being and academic retention.

Kevin Ramirez-Cholula

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1803

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: WHAT'S IN YOUR HAIR?

Abstract: In this research project I look at the differences between hair products on hair. The reason for this is to figure out how safe hair products are and to see how different hair types react with the same product.

Kierra Jursch

Category: Health Sciences

Presentation Type: Oral - online

Presentation Number: 1864

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ONE ORGAN, THREE GENOTYPES, ONE CLOCK: UNDERSTANDING CIRCADIAN RHYTHMS IN THE PLACENTA

Abstract: Close to 4 million women are diagnosed with preeclampsia (PE) a year, a hypertensive condition that is a leading cause of maternal and fetal mortality. Placental dysfunction is a central factor in PE, and delivery of the placenta is currently the only treatment for PE. PE is associated with disrupted placental circadian rhythms, biological processes that follow a roughly 24-hour clock. To explore whether placental circadian rhythms can be manipulated outside the body, we assessed the effects of PF670462, a drug that is known to lengthen circadian rhythms. Early results from PF670462 treatment show elongated circadian rhythms, confirming that placental clocks can be pharmacologically manipulated ex vivo. Using this model, we hypothesized that epidermal growth factor (EGF), a chemical central to PE and placenta function, could modulate placenta circadian rhythms. Using circadian Per2::Luciferase reporter mice we prepared placenta explants representing the maternal decidua, the maternal-fetal combined junctional zone and the fetal labyrinth in mid pregnancy (gestation day (GD) 11), late pregnancy (GD14) and close to term pregnancy (GD18). Preliminary results showed no significant effects of EGF treatment in across layers or gestational ages. This work establishes a foundation for studying placental circadian function and the susceptibility to pharmacological intervention, with implications for understanding PE-related clock gene dysregulation.

Krystal Jang

Category: Health Sciences Presentation Type: Oral - online Presentation Number: 1861 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous)

Title: CAN LIGHT INTENSITY AFFECT FERTILITY? A STUDY ON HOW BRIGHTNESS INFLUENCES REPRODUCTIVE HEALTH

Abstract: Seasonal variations in light quality, including duration and intensity, influence physiological processes in mammals. Light intensity is significantly higher in the summer than in winter in continental climate regions, benefiting diurnal humans by promoting overall health. Reduced light exposure has been linked to fertility deficits, with lower in-vitro fertilization success rates observed in the winter. Infertility rates are increasing, and modern women are spending more time indoors where lighting is dimmer than natural sunlight. However, the impact of this on fertility remains unclear. Light plays a crucial role in regulating reproductive hormones. When light enters the eye, photic signals are transmitted to the brain to influence the reproductive axis, driving hormone release and reproductive function. To investigate how light intensity modulates reproductive axis function, I will use a mouse model exposed to different light intensity conditions. Given that mice are nocturnal, I hypothesize that increased light intensity will disrupt reproductive hormone release and estrous cycle regularity. Female mice will be housed under standard light conditions (300 lux) before transitioning to bright (1000lux) or dim light (50 lux) under a 12:12 light-dark cycle. Estrous cyclicity will be monitored via daily vaginal cytology. Additionally, luteinizing hormone and follicle-stimulating hormone levels-critical for ovarian follicular growth and release-will be measured from tail blood samples collected throughout each condition to assess hormone pulsatility. This study aims to enhance our understanding of how light intensity influences reproductive hormone regulation and estrous cycle regularity, shedding light on broader implications for reproductive health.

Lauren Bottini

Category: Health Sciences Presentation Type: Poster Presentation Number: 1846 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: TECHNOLOGY-MEDIATED INTERVENTIONS FOR PROMOTING WELLBEING AND QUALITY OF LIFE IN INFORMAL CANCER CAREGIVERS: A SCOPING REVIEW

Abstract: Informal cancer caregivers play a critical role in the home delivery of care of patients, yet they often experience emotional, physical, and social burdens that can have a profound impact on their well-being and quality of life (QOL). As cancer care becomes more complex, caregivers may experience increased distress and health challenges. Recent technological innovations have improved access, management of care logistics, communication, and patient and family engagement. However, there are few studies that have capitalized on these novel technologies to enhance informal cancer caregivers' emotional health and well-being. Thus, the purpose of this review is to evaluate the state of the science on the use of technology-mediated interventions, such as wearables or smart apps, for improving the psychosocial wellbeing and QOL of informal cancer caregivers. Utilizing Arksey & amp; O'Malley's scoping review framework, included studies were those evaluating technological interventions for informal cancer caregivers mental health/QOL. Out of 230 studies, a total of 20 peer reviewed studies met inclusion criteria. Studies featured interventions such as virtual reality/augmented reality (VR/AR), smartwatches, Fitbit sensors, and mobile apps to monitor or support mental health and QOL. Findings suggest that technology tools, including both VR/AR and m-health, were found to be effective by promoting healthy behaviors, emotion symptom monitoring, and well-being. While these interventions showed positive outcomes in improving caregiver well-being and QOL, barriers included training time, cost, readiness, and accessibility. Future research is needed to address noted challenges to improve their capacity to support caregiver wellbeing and QOL.

Lauren Kim

Category: Health Sciences

Presentation Type: Oral - online

Presentation Number: 1863

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: BLOOD PRESSURE CIRCADIAN RHYTHM AND PREGNANCY OUTCOMES IN HIGH-FAT DIET-FED DAHL SALT-SENSITIVE RAT

Abstract: Maternal obesity is a major risk factor for hypertensive disorders of pregnancy (HDP), a leading cause of maternal and fetal mortality. Disrupted blood pressure (BP) circadian rhythm may occur with obesity and HDP. The interplay between maternal adiposity and BP rhythm disturbances remains unclear. The high-fat-diet-fed (HFD) Dahl Salt-Sensitive rat (DSS) is established as a model of adiposity-induced hypertension. We hypothesized hypertension would be exacerbated in HFD DSS during pregnancy, with loss of BP circadian rhythm. Virgin DSS females from Charles River Laboratories were assigned to control diet (CD, 10% kcal fat) or HFD (60% kcal fat) at 3 weeks old (Research Diets, Inc). At 11 weeks old, radiotelemetry transmitters were implanted (PhysioTel™ HD-S10, Data Sciences International). Mean arterial pressure (MAP) was recorded every 10 min (n=5/group). Chi2 periodograms were used to assess MAP circadian rhythms (ClockLab 6). Gestaional Day (GD)0-18, 24h average MAP was higher in HFD vs CD (p<0.05), (GD)19-21 MAP was lower in HFD (p<0.05), and not different from GD22 to PD1 (p>0.05). HFD and CD maintained 24h MAP rhythm (GD0-14) (p<0.05). However, during (GD14-21), 4/5 HFD lost MAP circadian rhythmicity compared to 1/5 CD (Chi2 periodogram; p< 0.05). All animals recovered circadian MAP rhythm at PD0. In conclusion, DSS rats fed a HFD display higher 24h BP average throughout most of gestation, but a lower nadir and a loss of circadian BP rhythm during late gestation. The HFD DSS may be a valuable model to address excessive maternal adiposity and BP rhythm disturbances during pregnancy.

Leah Alfred

Category: Health Sciences

Presentation Type: Online

Presentation Number: 1854

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: INNOVATIVE STRATEGIES TO COMBAT THE NURSING SHORTAGE IN THE UNITED STATES

Abstract: The nursing shortage in the United States (US) is a persistent issue that significantly impacts quality patient care. Projections indicate a national shortage of 78,610 full-time registered nurses (RNs) by 2025, with a continued deficit of 63,720 in 2030. The COVID-19 pandemic exacerbated this crisis, as approximately 195,292 RNs (5.0% of the workforce) left the profession. High job turnover rates also contributed to the shortage, with approximate RN replacement costs of \$65,000 per individual. New RN graduates often enter workforce the underprepared, requiring extensive orientation. The shortage disproportionately affects racial-ethnic minorities, medically underserved areas and populations (MUA/P), health professional shortage areas (HPSA), and rural communities. This study employed a systematic literature review to explore evidence-based (EB) strategies for mitigating the root of the RN shortage. One EB approach is the implementation of competency-based nursing curriculums to ensure graduates at all levels are adequately prepared for clinical practice. Nursing accreditation organizations oversee the adherence of nursing programs to established quality standards. State Boards of Nursing (SBON) regulate clinical hour requirements for licensure, ensuring uniform educational standards across the US. US academic nursing and nursing organizations have been developing other strategies to increase the number of nursing students admitted, graduated, and passing the RN licensure exam. Post-graduate programs offering additional specialty education and training have been developed and include fellowships, externships, and certificate programs. Implementing certificate programs can improve workforce readiness and alleviate the nursing shortage, particularly in MUA/P and HPSA regions and populations. Increasing advanced knowledge, experience, and the number of nurses will lead to decreased health disparities inequities and improve patient care and quality of life.

Leslie Avila

IN HOSPICE CARE

Category: Health Sciences Presentation Type: Poster Presentation Number: 1838 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: THE IMPACT OF LIVE CLASSICAL MUSIC INTERVENTION ON SYMPTOM MANAGEMENT

Abstract: This research proposes a novel intervention assessing the impact of live classical music on symptom management among hospice patients. Conducted by musicians from the Harmony Healers Society, the study aims to examine whether live classical music sessions can effectively alleviate symptoms such as pain, anxiety, depression, and overall distress in a hospice care setting. Utilizing the Edmonton Symptom Assessment System-Revised (ESAS-R), symptom severity will be quantitatively assessed pre- and postintervention, with additional qualitative data obtained through primary care coordinators' observations. Secondary analyses will explore correlations between specific musical elements, such as tempo and instrumentation, and symptom improvement, as well as differential impacts on emotional versus physical symptoms. This intervention addresses critical gaps in current literature regarding non-pharmacological approaches in palliative care, potentially offering a complementary therapeutic method for enhancing patient comfort and well-being. Ethical considerations, including informed consent and participant autonomy, are prioritized, ensuring minimal risk and confidentiality. Findings from this study will inform best practices in hospice care and contribute valuable insights to the fields of integrative medicine and music therapy.

Leslie Avila

Category: Health Sciences Presentation Type: Poster Presentation Number: 1821 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: CARDIOVASCULAR RESPONSES DURING BLOOD FLOW-RESTRICTED RESISTANCE

EXERCISE: A META-ANALYSIS AND SYSTEMATIC REVIEW

Abstract: Blood flow-restricted resistance exercise (BFR-RE) is a widely-expanding exercise modality employed by athletes and clinical practitioners. Low-intensity resistance exercise coupled with blood flow restriction (LI-BFR) increases muscle mass and strength similar to that achieved from high-intensity, free-flow resistance exercise (HI-RE). This fact is promising, especially for clinical populations where exercise intolerance may preclude engagement in HI-RE. As restriction of blood flow to exercising muscle elicits the exercise pressor reflex (EPR), which in turn augments cardiovascular responses to exercise, concerns have been raised about the safety of BFR-RE, particularly in clinical populations with cardiovascular disease. Therefore, a clear understanding of the cardiovascular responses during BFR-RE is prerequisite for widespread application of this exercise modality. Accordingly, we summarized and quantified the current evidence of the acute cardiovascular responses during low-intensity, free-flow resistance exercise (LI-RE), HI-RE, and LI-BFR. Five databases were searched for randomized controlled clinical trials comparing hemodynamic outcomes of systolic blood pressure (SBP), diastolic blood pressure (DBP), and heart rate (HR) during LI-BFR with LI-RE and/or HI-RE. Six studies with 96 participants were eligible for meta-analysis. Results showed that SBP, DBP, and HR are significantly increased during LI-BFR when compared to LI-RE, but not HI-RE. No significant differences were found between subgroup (LI-BFR, LI-RE, HI-RE) protocols across all studies. We conclude that SBP, DBP, and HR responses are exaggerated during LI-BFR when compared to LI-RE. Data on real-time cardiovascular responses during BFR-RE are limited, and thus future studies should be designed to appropriately measure hemodynamic parameters during exercise sets.

Lia Baudon

Category: Health Sciences Presentation Type: Poster Presentation Number: 1812 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: COMPARING THE SCAT6 SYMPTOM CHECKLIST AND CP-SCREEN FOR CONCUSSION IDENTIFICATION IN COLLEGE-AGED INDIVIDUALS

Abstract: The purpose of this study was to assess the discriminant ability of the Sport Concussion Assessment Tool6 (SCAT6) Symptom Checklist and the Clinical Profiles Screen (CP-Screen) to identify college-aged individuals with concussion from controls. Participants were enrolled in our prospective study <5 days post-injury and completed the demographics, injury information, the SCAT6, and the CP-Screen. The SCAT6 symptoms were analyzed as total number, severity, and clusters (affective, cognitive-ocular, migrainefatigue). The CP-Screen was analyzed by total score and symptom profiles (anxiety/mood, migraine, cognitive/fatigue, vestibular, ocular) and modifiers (sleep, neck). Logistic regression (LR) and receiver operating characteristic (ROC) analyses determined discriminant ability through area-under-the-curve (AUC) (p=.05). We enrolled 53 participants (31 concussions; 22 controls; μage=20.1±1.35 years, 56.6% female).The CP-Screen total score (AUC=0.93, 95%CI=0.85-1.00, p<0.001), SCAT6 symptom number (AUC=0.84, 95%CI=0.74-0.95, p<0.001), and SCAT6 symptom severity (AUC=0.84, 95%CI=0.73-0.95, p<0.001) significantly predicted concussion. While a forward stepwise LR did not retain any of the SCAT6 symptom clusters (p>0.05), symptom profiles/modifiers including anxiety/mood (p=0.04), migraine-fatigue (p=0.01), and neck (p=0.03) were in the final model (AUC=0.98, 95%CI=0.94-1.00, p<0.001). The CP-Screen total score demonstrated outstanding discriminant ability, while SCAT6 symptom number and severity showed excellent discriminant ability. Although SCAT6 is the standard concussion symptom assessment, the CP-Screen showed greater discriminant ability. Migraine, anxiety/mood, and neck profiles/modifiers most significantly predicted concussion, aligning with prior research on common symptoms post-concussion. These findings suggest the CP-Screen may be a more effective tool for symptom screening in clinical concussion evaluation.

Lily McGowan

Category: Health Sciences Presentation Type: Poster Presentation Number: 1804 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: EMOTIONAL SUPPORT AND WELLBEING FOR CANCER PATIENTS AND THEIR CAREGIVERS: STATE OF THE SCIENCE ON THE USE OF NATURE-BASED VIRTUAL REALITY

Abstract: Both cancer patients and their informal caregivers experience emotional strain across the cancer trajectory, from diagnosis and curative treatment to supportive palliative care. Thus, there is a need for therapies that can support caregiver emotional health and well-being. Recently, virtual reality (VR) with nature-based content is being studied for effectiveness in improving emotional well-being. To contribute to this research, the study purpose was to identify gaps in the state-of-the-science by examining the literature on nature-based VR for its use as emotional support among both cancer patients and informal caregivers. The literature search drew upon CINAHL, PubMed, Web of Science and Embase databases with key terms: caregiver, cancer and VR. Articles were further screened for nature, well-being and emotional outcomes. Eligible articles included cancer patients, cancer caregivers, used nature-based VR interventions, provided empirical data, and were in English. Following screening, 27 articles were included in the review: 26 implementing nature VR interventions with cancer patients and 1 article with cancer caregivers, 7 used pediatric populations and 19 were adult based. Most studies were conducted during clinic procedures as a distraction for the patient, often with the informal caregiver present. Improvement in emotional health and overall well-being were reported outcomes for patients and informal caregivers in the one study. Nature-based VR has the potential to promote improvement in emotional health and well-being for cancer patients. There is a clear gap in the science regarding the use of nature-based VR for emotional symptom relief among informal caregivers.

Malia Rogers

Category: Health Sciences Presentation Type: Poster Presentation Number: 1842 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: CHARACTERIZATION OF SUPPORTIVE TELEHEALTH INTERVENTIONS FOR FAMILY CAREGIVERS OF HEAD AND NECK CANCER PATIENTS: A SCOPING REVIEW

Abstract: Head and neck cancer (HNC) patients often require assistance from family caregivers to manage post-treatment symptoms and medical equipment. Technology-based interventions are critical resources for HNC family caregivers, but there is limited understanding of intervention characteristics that are most effective in supporting family caregivers to manage HNC care. Therefore, the purpose of this scoping review is to characterize existing, technology-based interventions available for HNC family caregivers. Our methodological approach followed Arksey and O'Malley's framework and PRISMA-ScR guidelines. We developed tailored search strategies for PubMed, Scopus, Web of Science, PyschInfo and CINAHL databases between Oct 2023-Jan 2024. Studies were eligible for inclusion if they were peer-reviewed, original research available in English, and had a technology-based intervention being used by HNC family caregivers. 791 studies were yielded from the search strategies, with 7 studies meeting eligibility criteria. Caregiver samples were predominantly women (63%), Caucasian (88%), and the patient's spouse/partner (51%). N=3 interventions combined technology and in-person interventions. Intervention content included medical simulation exercises (n=4), virtual yoga (n=1), and educational videos/modules (n =4). Intervention outcomes included patient and caregiver quality of life (n =3) and caregiver distress (n =4). Intervention timing included 24/7 availability (n =4) and scheduled visits (n =4). Intervention delivery platforms included webbased applications (n = 3), prerecorded DVD's (n = 1), and interactive sessions (n = 4). Findings indicate that despite considerable variability in the characteristics of technology-based interventions for HNC family caregivers, there is limited accessibility for marginalized populations. Future research is needed to tailor interventions for marginalized HNC family caregivers.

Manasi Kulkarni

Category: Health Sciences

Presentation Type: Online

Presentation Number: 1855

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ASSESSING THE FEASIBILITY OF ALLIED PROFESSIONALS DELIVERING CBT FOR PEDIATRIC PAIN: A SYSTEMATIC REVIEW

Abstract: Pediatric chronic pain affects 11-38% of children, leading to profound consequences such as mental health challenges, impaired academic performance, and heightened risk of opioid misuse. While Cognitive Behavioral Therapy (CBT) is a proven, non-pharmacological treatment, access remains limited, particularly in underserved communities, due to geographic, financial, and systemic barriers. This study investigates whether allied health professionals can feasibly deliver CBT after structured training. A scoping literature review highlights the potential for allied professionals to enhance accessibility to CBT through evidence-based training programs. The findings emphasize that training improves provider confidence and patient outcomes, including reduced anxiety and increased coping strategies among children. Family feedback highlights the importance of culturally tailored approaches to improve treatment adherence and equity. This work underscores the potential to reduce healthcare disparities by empowering allied professionals to provide equitable, non-pharmacological pain management solutions in underserved areas.

Maya Abbou

Category: Health Sciences Presentation Type: Poster Presentation Number: 1832 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title:HEARTRATEANDBLOODPRESSURERESPONSESTOEXERCISEINPOSTMENOPAUSAL FEMALES WITH HYPERTENSION

Abstract: Background:Cardiovascular disease (CVD) is the leading cause of death in postmenopausal females. The leading modifiable risk factor of CVD is hypertension and 75% of postmenopausal females have hypertension. Even with pharmacologic treatment, >50% of females with hypertension are not meeting blood pressure (BP) goals. Exercise training lowers BP and improves fitness in postmenopausal females. Purpose: To evaluate the influence of a 6-week exercise intervention on heart rate (HR) and BP at rest and during exercise in postmenopausal females with hypertension. Hypothesis: We hypothesize that 6 weeks of exercise training would decrease HR and systolic BP (SBP) at rest and during exercise. Methods: The exercise training intervention included treadmill walking (40minutes) and isometric handgrip (4 x 2-minute sets) for 24 sessions in 17 females (age:67±8 yrs, BMI:34±7 kg/m2). During week (wk) 1 and 6, a standardized exercise session using the modified Bruce protocol was completed with HR and SBP assessed at rest (standing) and during exercise. The data werecompared using paired t-tests with significance at P<0.05.Results:Resting HR was unchanged (P=0.07), but exercise HR at stage-_ (wk1: 97±10 vs. wk6: 94±9 bpm;P=0.01) and stage-1 (wk1: 110±11 vs. wk6: 106±11 bpm;P=0.03) were lower at wk6. SBP at stage-_ (wk1: 162±24 vs. wk6: 156±21 mmHg;P=0.03) also decreased, while resting (P=0.74) and stage-1 (P=0.09) SBP were unchanged.Discussion:Exercise HR and SBP decreased post-training, reflecting improved fitness and supporting intervention efficacy.

Medha Manepalli

Category: Health Sciences Presentation Type: Poster Presentation Number: 1826 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: BROWN ADIPOSE TISSUE AS A NOVEL TRANSPLANTATION SITE FOR RESTORING

OVARIAN FOLLICULAR FUNCTION

Abstract: Infertility issues, especially in younger women, are ubiquitous across the world caused by conditions such as premature ovarian insufficiency (POI), ovarian cancer, etc. Current treatments, such as ovarian cryopreservation allow for the tissue to be transplanted after course of treatment or to solve POI. Orthotopic Ovarian tissue transplantation has been shown to be effective in restoring hormonal cycles and ovarian function, however challengeslike poor vascularization, inflammatory responses, and immune rejection lead to follicular loss. This study proposes BAT as a novel site for ovarian tissue engraftment as the environment containing high vascular density and anti-inflammatory properties will preserve the ovarian follicles, and cause less damage to the grafts reducing chances of hypoxia. 6-8 week old female NOD/SCID mice will be anesthetized, undergo bilateral ovariectomy, one of ovary graft will be transplanted into the BAT of the mice. The blood hormone levels of vital hormones which aid in follicular development (Serum Estradiol (E2), follicle-stimulating hormone (FSH) and anti-Mullerian Hormone (AMH) levels will be measured using ELISA assays prior to and post- surgery. Furthemore, the subcutaneous transplantation site of White Adipose Tissue (WAT) will be used as a control site. We will utilize the non-invasive imaging modality, Optical Coherence Tomography (OCT) to track the ovarian grafts in vivo to provide a quantification of follicular density. Additionally, two week and four weeks post-operation, ovarian follicle viability will be tracked through hematoxylin & amp; eosin (H& amp; E) staining and immunostaining using oocyte marker VASA. An increase in hormone levels and follicular preservation post-transplantation is expected.

Megan Van Brunt

Category: Health Sciences Presentation Type: Online Presentation Number: 1853 Room Assignment: Online Time Slot: April 10 - 11 (asynchronous) Title: ASSESSING HEALTH RISKS OF MARS REGOLITH TO CREW

Abstract: Regolith is loose unconsolidated rock and dust that sits on top of the layer of bedrock. Planetary scientists need to know about regolith on Mars because it provides them important information of the potential for past life/ geological history, as well as important factors for planning future missions. More specifically understanding the regolith allows scientists to examine the potential health hazards for astronauts. A(n) analog (simulant) is a material designed to mimic the chemical and physical properties of regolith found on Mars. Planetary scientists need regolith analogs because it allows them to test and examine processes that would be used on Mars regolith samples without having to acquire them. This is important because obtaining those samples can be difficult and there is only a small amount to utilize. To plan and simulate the analysis of Martian regolith, simulants must accurately mimic the chemical, physical, and mechanical properties of actual Martian regolith. This knowledge is crucial for assessing the risks regarding pulmonary, cardiovascular, ocular and dermal toxicity for crew. To address the health risks posed by Martian regolith, natural regolith samples must be analyzed for particle size distribution and chemical composition, especially toxic elements that could affect human health. By comparing optical color images of the assigned regolith simulant using Keyence technology with SEM context images, health hazards can be analyzed. The optical image will provide a general view of the grain shapes and size distribution, while the SEM will offer detailed information on individual grains at a higher magnification.

Meghana Atmakur

Category: Health Sciences Presentation Type: Poster Presentation Number: 1833 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: THERAPEUTIC BRIGHT LIGHT IN IMPROVING OVERALL SLEEP QUALITY IN CANCER

PATIENTS: A SYSTEMATIC REVIEW **Abstract:** Sleep is often disrupted in cancer patients due to dysregulated circadian rhythm.

The circadian rhythm regulates the body's alertness and sleepiness cycle based on light and dark environments. Bright light therapy (BLT) mimics ambient light and helps reset the body's circadian rhythm. Various studies have reported that BLT improves sleep quality in cancer patients, but the control, dim light (DL), has also been shown to improve symptoms. This systematic review aims to determine if BLT effectively improves sleep quality in cancer patients. A literature search using keywords, cancer, sleep disturbances, and light therapies, was conducted in PubMed, CINAHL (EBSCO), Embase, and Web of Science Core, in addition to a grey literature search. A total of 1,196 articles were identified. Eight articles were included in this review as they assessed overall sleep quality using the Pittsburgh Sleep Quality Index (PSQI) global scores. The findings were conflicting. Most (?) of the studies showed that neither BLT nor DL significantly improved overall sleep quality. Among the remaining (?) studies, the results were inconsistent as some showed that BLT significantly improved overall sleep quality (p=0.010 and p<0.001), while others showed that DL significantly improved sleep quality (p=0.001 and p=0.037). The findings across the studies show that BLT is not more effective than DL in improving overall sleep quality based on PSQI global scores. Further research controlling for different cancer types, patient chronotypes, and light dose (intensity and duration) is needed to confirm BLT efficacy.

Michelle Gallegos

TO SPANISH

Category: Health Sciences Presentation Type: Poster Presentation Number: 1835 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: TRANSLATION PROTOCOL FOR 50K4LIFE EDUCATIONAL MODULES FROM ENGLISH

Abstract: Mexican Americans, the largest minority group in the United States, face barriers related to physical activity. The50K4Life study at the University of Texas El Paso examines interventions (including group-level) to increase physical activity in bilingual (English and Spanish) high school employees working in the southwestern United States. Research team members created a 50K4Life Educational Modules (in English). With these modules, high school employees will complete an action plan and implement strategies on the school campus to improve walkability and walking behavior. The purpose of the project being presented is to outline the process used in translating these educational modules from English to Spanish. Working with other bilingual team members, the Michigan State University student (who is bilingual) embarked on translating the modules. Translation of materials requires accuracy, clarity, and linguistic nuances. The translation process involves three main steps: preparation, translation, and assurance. Background information is required before the translation process to provide context for the project purposes, methods, interventions, outcomes, potential challenges, and alternative approaches. The next step is translating materials while maintaining the original meaning and tone. Health literacy is also considered. The final step is assurance, which involves proofreading the text. The changes in the 50K4Life educational modules (in Spanish) included changing the tone and grasping emotional and cultural nuances to provide clarity for the audience. These educational modules will be used in the 50K4Life Study and evaluated and revised as needed before presenting Spanish Storyline lessons to community members.

Mingjia Ma

Category: Health Sciences Presentation Type: Poster Presentation Number: 1813 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: INCOME DIFFERENCES A

Title: INCOME DIFFERENCES AND PERCEIVED EFFECTIVENESS OF PARENTAL WEBSITE TO ASSIST ADOLESCENTS WITH HEALTHY EATING

Abstract: The purpose of this secondary data analysis of baseline data from a NIH-funded randomized controlled trial was to explore the relationship between parental income and the perceived effectiveness of an experimental website designed to support parents in fostering their child's healthy eating habits. The analysis utilized data from 599 participants, predominantly female (85.8%), with an average age of 39.56 years (SD = 7.74). Parental income, the main independent variable, was categorized into three levels: low income (<\$29,999), middle income (\$30,000-\$59,999), and high income (≥\$60,000). Five one-way ANOVAs were conducted to assess the effect of income on various parental support variables that the website was focused on improving 5 areas: increased parents' confidence and motivation; helped parents see how they can help their child enjoy healthy eating; provided important information and strategies; and helped to increase healthy eating behaviors in their children. Post-hoc analyses using Tukey'shonestly significant difference (HSD) revealed that middle-income families consistently reported higher levels of improvement in all 5 areas, as compared to high-income families. No differences occurred between parents having a low income and parents in either high- or middle- income families.

Myah Leuenberger

Category: Health Sciences Presentation Type: Poster Presentation Number: 1802 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: UNDERGRADUATE RESEARCH TEAM COLLABORATION ON AN EXEMPLAR CAREGIVER BEREAVEMENT STUDY FOR TRAINING AND MENTORSHIP IN NURSING SCIENCE

Abstract: There is an urgent need to increase the number of nurse scientists to address public health needs. However, pre-licensure nursing students often lack exposure to nursing research. Therefore, the purpose is for research-interested undergraduates (UGs) to actively participate in various aspects of the study, fostering teamwork and co-learning. To accomplish this, UGs will engage in a National Cancer Institute study designed to evaluate a nature-based meditation program for bereaved family caregivers at risk for poor emotional health and protracted grief. Through weekly meetings and assignments, students gain hands-on research experience, learning about IRB approval, research fidelity, protocol manual development, recruitment, intervention development, and data collection tools like Qualtrics. Under expert mentorship from nurse scientists and a PhD student, each of the five UG team members contribute to different components to the research project. Student's report improved critical thinking, a deeper understanding of the research process, and increased confidence. Their enthusiasm has led to abstract submissions for research conferences, and one student has applied to the PhD program. Early exposure to research is crucial, as the number of nurse scientists remains insufficient. Providing UGs with research training enhances the pipeline of PhD-prepared nurses who will advance nursing science. This experience fosters meaningful collaboration and may inspire more students to pursue research careers, ultimately addressing healthcare needs.

Natalie Mulheron

Category: Health Sciences Presentation Type: Poster Presentation Number: 1828 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: MOLECULAR ANALYSIS OF SARS-COV2 ORF8 PROTEIN-HOST INTERACTIONS: CONSTRUCTION OF RECOMBINANT HOST PROTEIN LIGANDS

Abstract: The COVID-19-associated blood clotting disorder (CAC) is a major cause of morbidity and mortality in severely ill Acute and Long COVID patients. In these patients, one of the elevated clotting factors is the von Willebrand factor (VWF), whose antagonist, the protease ADAMTS13, is reduced. The currently favored "Thromboinflammation" hypothesis explains CAC as an indirect effect of hyperinflammation in some patients. In contrast, we hypothesize that CAC is directly driven by one of the protein products of the SARS-CoV2 virus, the ORF8 protein. It was seen that this protein interacted with over 40 host proteins; amongst them, the interleukin 17 receptor A (IL17RA) and the host proteases ADAM9 and ADAMTS1. In support of our idea, co-precipitation experiments show a direct molecular interaction between the viral ORF8 protein and the host ADAMTS13 protein. Here, we are cloning and expressing 1) additional members of of the ADAM/ADAMTS family

Neha Vizzeswarapu

Category: Health Sciences Presentation Type: Poster Presentation Number: 1823 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EROSION IN EVERY SIP: HOW SODA DAMAGES TEETH ENAMEL

Abstract: Soda consumption in the United States is a major problem. According to the CDC, nationally 63% of adults aged 18 or older report drinking sugar-sweetened sodas one or more times daily. Soda can be bad for your health for many reasons such as poor blood sugar, and kidney problems, and it even has been linked to obesity, type 2 diabetes, and cancer. It is also bad for your teeth as they are exposed to the sugar and acid in soda which damage the tooth enamel and wear it down over time. Using the Scanning Electron Microscope (SDS), four teeth were examined before and after being soaked in four different sodas (Dr. Pepper, Cherry Coke, Coke, and Mountain Dew) to see how the teeth changed. The SEM used a focused beam of electrons over the teeth's surface to produce detailed, magnified sample images. Those images were used to compare the teeth and see the change. The composition of the teeth using energy-dispersive X-ray spectroscopy (EDS) was used to see how the composition on the surface of the teeth changed. It was found that the acids in the sodas eroded and softened the tooth enamel. There was also visible discoloration and staining involved. Due to the ongoing acid attacks, the acid wears away the teeth and causes tooth surface loss.

Sara Mann

Category: Health Sciences
Presentation Type: Online

Presentation Number: 1851

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ENGINEERING GLYCYL RADICAL ENZYMES FOR SELECTIVE HYDROCARBON FUNCTIONALIZATION

Abstract: X-succinate synthases (XSSs), which are members of the glycyl radical enzyme (GRE) superfamily, play a critical role in the anaerobic degradation of hydrocarbons, allowing microbes to metabolize hydrocarbons without the need for oxygen. These enzymes utilize radical chemistry to carry out challenging C-H bond activations, making them powerful tools for biocatalysis and environmental remediation. Understanding and engineering GREs like benzylsuccinate synthase (BSS) and methylalkyl-succinate synthase (MASS) expand the potential for selective functionalization of hydrocarbons under anaerobic conditions.We aim to explore the substrate scope of BSS and lay the groundwork for directed evolution. To this end, we have an aerobically purified BSS and characterized activity in vitro on several nonnative substrates. SDS-PAGE was used to assess enzyme purity and LCMS was used to follow in vitro assays to evaluate enzyme activity. Saturation mutagenesis and site-directed mutagenesis were used to determine whether substrate scope and yield can be increased. Mutagenesis studies have identified key residues that expand the substrate scope, allowing functionalization of previously unreactive substrates. This work expands the substrate scope and improves catalytic efficiency of BSS, thus highlighting the versatility and potential of BSS for selective functionalization. These findings pave the way for the development of biocatalysts capable of performing complex transformations under anaerobic conditions, offering sustainable alternatives to traditional chemical processes in environmental remediation and synthetic chemistry.

Sarah Auger

Category: Health Sciences

Presentation Type: Poster

Presentation Number: 1848

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: UNDERSTANDING THE EFFECTIVENESS AND IMPLEMENTATION OF OBESITY PREVENTION PROGRAMS AMONG NATIVE AMERICANS: AN INTEGRATIVE LITERATURE REVIEW

Abstract: Significance: Native Americans (NA) face higher obesity-related comorbidities than the general population, a disparity rooted in the lasting impacts of colonization, creating significant economic, educational, and health barriers. Purpose/Aim: Guided by the Whittemore and Knafl framework, this integrative literature review examined the effectiveness and implementation of obesity prevention programs designed to mitigate Native Americans' obesity risks. Methods: Following the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) reporting guideline, 5 databases (CINAHL Plus with Full Text, PubMed, Sociological Abstracts and Web of Science Complete Collection) were searched. Risk bias assessments were performed using the Alberta Heritage Foundation for Medical Research Assessment tool. Results: Of 378 articles screened,40 studies (intervention, n= 17, implementation, n=23) were included/analyzed with sample sizes ranged from 7 to 1637. The interventionstarget eating behaviors (n=16), physical activity (PA, n=10), food security (n=4), environmental barriers (n=6), and NA traditional enculturation emphasis (n=10) with significant effects noted on ↓BMI (Cohen's d= 0.51-0.63), ↓ systolic and diastolic BP (d= 0.47-0.51), ↑ MVPA, and ↑ dietary patterns. Implementation strategieshighlighted the importance of community involvement through home visits to improve fruit and vegetable consumption and weight management. Using students as mentorship seem to improve children's participation in PA but no significant impacts on their BMIs. Community gardening interventions seem to foster community engagement and food security. Conclusion: Greater involvement with NA community leaders and family members are essential facilitators for the success of intervention programs.

Tae Eun Kim

Category: Health Sciences

Presentation Type: Online

Presentation Number: 1857

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: DEPRESCRIBING IN PRIMARY CARE: A CONCEPT ANALYSIS AND PRELIMINARY FINDINGS

Abstract: Deprescribing is a systematic, patient-centered process aimed at reducing or discontinuing medications that may no longer be beneficial or could cause harm. In a primary care setting, deprescribing involves collaboration between healthcare providers and patients to assess medication regimens, identify potentially inappropriate medications (PIMs), and implement tapering or discontinuation strategies when appropriate. The process includes several key steps: medication review, shared decision-making, risk-benefit analysis, and monitoring for withdrawal effects or symptom recurrence. Primary care clinicians play a critical role in deprescribing by integrating it into routine care, utilizing clinical guidelines, and addressing barriers such as patient resistance, polypharmacy complexities, and time constraints. Successful deprescribing relies on patient education, caregiver involvement, and interprofessional coordination to ensure safe and effective medication management. This approach is particularly important for older adults and individuals with multimorbidity, where polypharmacy is prevalent and associated with increased risks of adverse drug reactions, cognitive decline, and reduced quality of life. As deprescribing gains recognition as an essential component of comprehensive medication management, further research and policy efforts are needed to optimize its implementation in primary care practice.
Yevgenia Minchuk

Category: Health Sciences

Presentation Type: Oral - online

Presentation Number: 1867

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: DESIGNING CHATBOT SUPPORT TOOL TO HELP ADOLESCENTS WHO EXPERIENCE CYBERBULLYING

Abstract: We conducted 12 focus groups with a group of 41 adolescents who are diverse with respect to gender, race, and sexual identity. We asked them what they would like to see in a chatbot support tool that combats cyberbullying.

Yu Bin Cho

Category: Health Sciences Presentation Type: Poster Presentation Number: 1818 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: HEALTHY EATING & PHYSICAL ACTIVITY

Abstract: The purpose of this secondary data analysis of baseline data from a NIH-funded randomized controlled trial was to examine the dimensions of the intervention evaluation items and their relationship with participant satisfaction in two domains: healthy eating and physical activity. The full sample included 559 participants, evenly split by gender (50% female, 48.5% male, 1.4% not reported), with an average age of 12.69 years (SD = 0.93; range: 10.07-14.81 years). The racial composition was predominantly Black or African American (53.7%). An exploratory factor analysis (EFA) identified four dimensions: (1) healthy eating engagement and enjoyment and learning of strategies, (2) physical activity empowerment and skill-building, (3) support from, value of, and connection through coaching, and (4) physical activity engagement and enjoyment. These dimensions explained 63% of the total variance and were used as predictors in linear regression models. For satisfaction with the healthy eating intervention, "healthy eating engagement and enjoyment and learning strategies" was a significant predictor of participant satisfaction (β = 0.649, p < .001), while " support from, value of, and connection through coaching" showed a marginal effect (β = 0.271, p = .051). BMI exhibited a slight negative effect (β = -0.013, p = .078) on satisfaction with the healthy eating intervention. For satisfaction with the physical activity intervention, "physical activity engagement and enjoyment" (β = 0.640, p < .001) and " healthy eating engagement and enjoyment and learning of strategies " (β = 0.295, p = .012) were significant predictors.

History, Political Science, and Economics

Delaney Cram

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1905

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: BIKINIS AND BOMBSHELLS: COMMERCIALIZING AND SEXUALIZING NUCLEAR MILITARIZATION AFTER WWII

Abstract: On the first of July 1946, just months after the conclusion of the second World War, the United States oversaw the testing of another atomic bomb that was exploded on a collection of islands in the Pacific known as Bikini Atoll. This bomb was the fourth atomic bomb ever to be detonated in human history and the first of a series of nuclear testing that would occur over Bikini Atoll and in the Marshall Islands. On the fifth of July 1946, French designer Louis Réard released the bikini swimsuit, a garb named to profit off of the bombing at Bikini Atoll and normalize US use of this weaponry. The swimsuit met with immediate controversy for its lack of modesty while also tying nuclear bombs to women's sexuality. The bikini swimsuit was not the only product marketed to women during this time that profited off of and normalized the dawning nuclear age. Make-up products such as atomic red lipstick also signaled acceptance of atomic warfare with rhetoric and advertising meant to spur consumerism and sexualize militarization. And while the word "bikini" came to be associated with skimpy two-piece beachwear and the word "bombshell" came to describe overt female seduction, the activities of the United States military in Bikini Atoll that inspired these terms faded from the public eye. This project seeks to examine the history that inspired these products as well as the way female fetishization served to distract the public from the brutal consequences of nuclear war.

Dhimaan Bhattacharya

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1936

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ASSESSING CONSUMPTION EXPENDITURE IN INDIA

Abstract: To evaluate key determinants shaping spending patterns across households in India. Imported, cleaned, and categorized microdata from the National Sample Survey of 2022-23 by developing a Stata do-file. Looked at different years' data to compare expenditure through time. Look at factors that affect/shape household expenditure.

Domenic Cedillo

Category: History, Political Science, and Economics Presentation Type: Poster Presentation Number: 1925

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DOWRIES: THE CATALYSTS OF CHANGE IN RURAL CHINA

Abstract: Dowries have been a practice in rural China since the Spring and Autumn Period until their attempted ban under the 1950 Marriage Law of the People's Republic of China when they came under a fundamental rework while being covertly practiced. This paper examines the significant changes made to dowries and how they impacted the social, political, and financial relationships among women, the state, and social hierarchies. Current literature treats dowries as marginal examples of inequality within marriages and are often viewed as a bargaining chip, but seldom considered when discussing broader themes of gender. Dowries are significant because they have helped women challenge patriarchal structures, the government, and formed a level of social mobility and hierarchy. Dowries as a custom provide an insight into an individualized realm outside of the typical notion that the Chinese government is an all powerful entity. This paper was written utilizing secondary literature that details gender relations in marriages in addition to providing statistics when it comes to the development of dowries. Primary sources detail what dowries contained and how dowries relate to individuals, families, social groups, the media, and the government. The key takeaway is that dowries hold immense power more than ever before to change the positionality of women in China. With an increasingly commodified dowry, the Chinese Communist Party has taken rapid steps to curb the growth of the practice as it does not align with their objectives of increasing marriages due to the One Child Policy.

Elaina Rankin

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1937

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: VISIBLE AND VOCAL: THE INTERSECTION OF GENDERED ISLAMOPHOBIA AND MUSLIM WOMEN'S POLITICAL PRIORITIES

Abstract: This study examines the intersectional impacts of Islamophobia and gender on American Muslim women, with a focus on their perceptions, political behavior choices, and policy priorities. Building on Beydoun and Sedige's (2023) theory of gendered Islamophobia, which highlights the uniquely gendered tropes that characterize Islamophobia, this article explores how these dynamics influence Muslim women's perception of discrimination and political participation. Using data from surveys fielded in 2019, 2020, and 2023, three key findings emerge. First, Muslim women perceive discrimination as a more significant issue compared to Muslim men. Second, Muslim women are more likely to participate in womenspecific protests, explaining the increased visibility of Muslim women in women's social movements. Perceptions of discrimination were positively associated with an increased likelihood to participate. Third, Muslim women prioritize reproductive justice as a policy concern at higher rates than Muslim men. These findings contribute to the growing empirical literature on American Muslim women, situating their experiences within broader conversations on intersectionality, racialization, and women's political engagement. The analysis underscores the vital role Muslim women play navigating the intersections of Islamophobia and gender, demonstrating how women's rights issues remain important for Muslim women.

Elizabeth Hudson

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1927

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ECONOMIC AND SOCIAL IMPACT OF RENEWABLE ENERGIES FOR MICHIGANDERS

Abstract: Do our environmental obligations outweight our environmental or do they more intertwined than people realize. What is best for Michiganders, and will turning green really be for the best. What is the the dollar amount that renewable energies save or cost Michiganders and how does adoption of renewable energy impact their daily lives. This presentation explores the economic costs and opportunities associated with renewables, with a focus on the opportunities and limitations tied to Michigan's geography and history. With social pressures to move towards renewable and green energy is it in Michigan best interest economically to invest in renewable energy.

Gavin Boom

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1938

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: GREEDFLATION IN THE HEADLINES: MEDIA REPORTING ON INFLATION

Abstract: Public discourse in the U.S. has increasingly focused on inflation, economic instability, and "Greedflation"-the notion that corporations inflate prices beyond necessary cost adjustments to maximize profits. While this theory has gained traction in media and politics, its role as a primary driver of inflation remains debated. This study examines the relationship between media coverage of price gouging and changes in consumer prices. Using a regression-based quantitative approach, this study analyzes Factiva's news archives (1999-2024) to track mentions of 'greedflation', 'profiteering', and 'price gouging' across economic cycles. It explores correlations between media coverage, industry-specific trends, and economic fluctuations while assessing biases in reporting. Historical inflation via the Consumer Price Index(CPI) data is incorporated to evaluate whether corporate-driven inflation narratives align with economic realities or are potentially amplified by outside factors such as the 24/7 news cycle and political polarization. Regression analysis suggests that for a 1 unit increase in CPI, the predicted increase in news articles containing one of the search terms increases by 46 (p-value<0.01, r-squared 0.13). This analysis controls for seasonality via monthly dummy variables as well as recessionary periods. These results suggest a strong link between changes in CPI and media reports of topics of greedflation. By examining the media's evolving role in framing economic narratives, this research provides insights into how media coverage shapes public perception of rising prices.

Harrison Kubicki

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1906

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: MLB ARBITRATION: WHAT MAKES A PLAYER WIN?

Abstract: In this dataset we analyze 2000+ datapoints, aggregating statistics and characteristics of MLB players from 2010-2025. We aim to see what characteristics correlate with a player going into contract arbitration, or whether they win or lose arbitration.

Idia Obayagbona

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1935

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: EVERYBODY LOSES: WHY THE WORLD SHOULD CARE ABOUT AFRICA'S SUSTAINABLE ECONOMY TRANSITION

Abstract: If the world does not aid Africa in their sustainable economic transition, there will be no winners in the fight against climate change. This presentation will investigate the effects of climate change on agricultural production, trade, transportation and other features of African economies. This presentation will also investigate how current systems prohibit global climate initiatives/goals (climate agreements, sustainable development goals, and advancements in clean energy technology). The main highlights include the disadvantages faced by African countries in the fight against climate change, and opportunities to move toward more sustainable practices, with an emphasis on the external costs other countries around the world will have imposed upon them, if they do not aid in Africa's sustainable economy transition.

Julia Park

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1933

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: POLITICAL POLARIZATION AND MISINFORMATION THROUGH MEDIA

Abstract: The current polarization of American politics between the Left and Right have drastically increased in the past three decades. Media domination of political discussions have led to mass spread of misinformation. Fact checking platforms, unbiased social media postings, and even legacy media reports are viewed increasingly with suspicion by a public that gets its news from partisan outlets. Partisanship is driving voting behavior even when research has proven that people who identify as democrat or republican do hold policy views that seem to contradict their party label (Ellis & amp; Stimson, 2005). My project ReKive proposes a solution to the problems of polarization and misinformation that focuses on making the American public more informed about the work being done on Capitol Hill. ReKive is a platform where crucial government information can be accessed quickly and conveniently using AI technology. Bills that are introduced and passed by the House are concisely summarized to become more digestible for the everyday voter. Budget bills are appropriately outlined to increase transparency of where tax-dollars are being distributed. State representatives will be on clear display alongside their supporting policies and clear directions on how to reach them for inquiries. ReKive uses information directly from the government source which allows minimal opportunity for bias and aims to bridge a gap between the government and its citizens so that elections can become an opportunity for voters to hold their representatives accountable- not a partisanship battle between the political parties.

Kara Hwang

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1924

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: HISTORY EDUCATION AND DOMESTIC POLITICS: KOREA

Abstract: State governments have historically used education to shape ideal citizens with perspectives amicable to the ruling party and breathe in ideologies supporting their political agenda into compulsory education curriculums. One way in which this has been done is through altering the narratives of past events in history education curriculums, whether it be textbooks or standards. A government's international and domestic political intent is oftentimes well reflected in the top-down reformation of history education curriculums. In the wake of today's heightened political tensions in both global and internal politics for many countries, I seek to explore how a government's political intentions are reflected in the history education curriculums of the time, starting with Korea as an example. The Republic of Korea, for its short existence from 1948, has experienced several political turbulences until today. Education curriculums have also been through a number of changes, making the current 2022 Education Curriculum the 7th edition. The changes made by each revision in history education, with the focus on its narrative from events in 1945 to the 2000, will be compared with both domestic and international political developments in Korea. Focus will be placed on the educational purpose and standard goals for each curriculum, in identifying the correlation between the change in textbook narration, ideal talent, and political developments. As a first step to that broader research, this poster focuses on understanding the education curriculum changes through time and analyzing the socio-political atmosphere of each respective time period.

Kate Kling

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1913

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: PRECAUTIONARY PRINCIPLE IN INDIAN ENVIRONMENTAL LAW

Abstract: I am researching the influence of Customary International Law (CIL) on the implementation of the precautionary principle in Indian environmental law and policy. CIL was developed to regulate interactions between states; it has been suggested as an alternative to legal constraint when states cannot agree on treaties. CIL does not require global legislative implementation, so it provides a way for judges to sidestep unwilling political actors. States then internalize norms from CIL into domestic law, which occurred with Precautionary Principle in India. Precautionary Principle requires that scientific uncertainty cannot be used to avoid environmental regulation, calling upon the State Government to anticipate, prevent, and attack the causes of environmental degradation. It also instructs industrialists to prove their actions are ecologically benign before they begin work. The 1987 United Nations Brundtland Report was instrumental for the Precautionary Principle to become a part of Indian law, as evidenced by the landmark 1996 Vellore Citizens Welfare Forum Case. I show that, since then, judicial decisions have predominantly cited the Vellore decision or the National Green Tribunal (NGT) Act, which requires private actors to use precaution in decision-making, rather than drawing back to CIL to justify precautionary measures. I analyze a random selection of Supreme Court Cases which discuss the precautionary principle, focusing on their sources and definitions of precaution. This research shows how CIL is initially incorporated into domestic law and gradually supported by domestically developed legislation.

Keiara Dixon

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1903

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: POLITICS, RELIGION AND JAPAN

Abstract: The purpose of this research study is to examine the intersections of religion, politics, and society in contemporary Japan. By analyzing responses from individuals who have lived in Japan for seven or more years, alongside their personal experiences and photographic evidence, this research seeks to uncover the influence of religion on Japanese politics and its broader societal impact. The study explores whether religion plays a significant role in shaping political decisions, policies, and public perceptions and expectations, or if its influence is minimal in a predominantly homogeneous (maybe secular?) society. Furthermore, this study investigates how Japanese citizens perceive and engage with political and religious institutions while identifying relationships between these forces. The research aims to provide an understanding of how religious beliefs, traditions, and institutions intersect with governance and societal expectations in Japan today. The central question guiding this study is: Does religion influence politics in contemporary Japan, and, if so, to what extent? By addressing this question through qualitative analysis, this study contributes to a deeper comprehension of Japan's socio-political fabric and the evolving role of religion within it.

Khadija Hozefa Bilaspurwala

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1901

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: WINNERS AND LOSERS IN THE POST-9/11 STOCK MARKET

Abstract: Although several industries, such as the travel industry, were negatively affected in the stock market due to the attacks on September 11th, 2001, some stock prices saw an increase in performance shortly after the stock market reopened on September 17th. Examples include pharmaceutical companies, tech companies, energy companies, and military bond prices. Due to the significant shifts in investor sentiment toward certain industries after the attack, our study seeks to answer the following questions: which sectors/companies in the S&P 500 benefited the most and least in the short term, and how much did they or did they not improve in the stock market? The state of the markets will be addressed using stock market data from Wharton Research Data Services (WRDS), and both statistical and graphical analysis will be used to present the trends found in the stock market shortly after the events of September 11th.

Knick Laux

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1904

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: THE ROLE OF FIELD OF SPECIALIZATION IN THE ACADEMIC LABOR MARKET

Abstract: The academic labor market for PhD economists has been studied in detail over the last few decades to shine light on the efficiency of the market's placements and the predictors of success in the market. The literature covers the expectations and satisfaction of placed graduates and identifies first-year graduate grades and program rank as predictors of higher placement. This project includes the field of specialization of graduates as a significant predictor of academic placement, and samples from the placements of the top 100 graduate programs over the last fifteen years to create one of the largest placement datasets to date. Data from placement lists, job-market-candidate pages, CVs, LinkedIn, JEL dissertation lists, and internet archives are combined to collect covariates and each graduate's field in three forms: their self-reported field, their JEL-listed field, and their jobmarket-paper field as classified by a support vector machine trained on NBER working papers. Placement rank as ranked by U.S. News and World Reportis regressed separately on each form of field of specialization, with controls informed by the literature, to identify the fields of economics which are predictors of strong placements, as well as which signal of a graduate's field takes the most weight in placement decisions. The findings will improve models of the academic labor market for economists in future studies, inform the placement expectations of graduate students, and highlight the importance of including field as a predictor in studies of the labor market in other disciplines.

Lola Browne

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1907

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: BEYOND THE ACA: THE ROLE OF GENDER COMPOSITION IN STATE LEGISLATURES ON GENDER-SPECIFIC HEALTHCARE COVERAGE

Abstract: The Affordable Care Act (ACA), signed into law in 2010 and fully implemented in 2014, requires both public and private insurers to cover a minimum of ten essential health benefits for their policyholders, including ambulatory patient services, emergency services, hospitalization, maternal & amp; newborn care, mental health & amp; substance disorder services, prescription drugs, rehabilitative & amp; habilitative services & amp; devices, laboratory services, preventive & amp; wellness services & amp; chronic disease management, and pediatric services for oral and vision care. Additionally, the benefits of contraceptives and breastfeeding coverage must be provided, though anomalies to this rule exist. While these requirements cover an extensive range of care, some gender-specific health benefits are exempt from obligatory coverage, leaving the issue of mandated coverage to the states. Given that women's and transgender healthcare has been historically overlooked and highly politicized, it is crucial to examine whether the representation of marginalized identities in state legislatures influences the adoption of mandatory insurance coverage laws for gender-specific healthcare. Studying the effects of representation can help foster a more inclusive and fair policy system by promoting accountability and equity to address the systemic neglect of these issues. To answer this question, state-level insurance mandates for contraceptives, abortion, fertility treatments, vasectomies, erectile dysfunction, prostate cancer screenings, gender-affirming surgery, and transgender hormone therapy were compiled and analyzed to examine the relationship between the gender composition of a state's legislature and the passing of these policies.

Lowell Monis

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1917

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: MUSIC, GENDER, AND TAYLOR SWIFT: CAN POPULAR CULTURE AND ASSOCIATED PERCEPTIONS OF GENDER IDENTITY SWAY ELECTIONS?

Abstract: This study explores the role of cultural symbols, particularly Taylor Swift's favorability, in shaping political preferences, focusing on gender identity, ideology, and party identification as key factors. Using survey data collected in an exit poll for the 2024 United States elections, the research examines whether celebrity endorsements influence support for political candidates, hypothesizing that ideological beliefs would override cultural influences. The findings reveal that Swift's favorability initially predicted political support. Still, its effect diminished when controlling for ideology and party identification, with significance retained to a reduced level among Harris voters, highlighting her ability to mobilize the Democratic base. The endorsement, however, showed no effect among independents and Trump voters when controlled for ideology. Furthermore, the study explores the perceived correlation between traditional notions of masculinity and conservative ideologies, and femininity and liberal values, revealing the complex ways gender identity shapes political attitudes. Ideology emerged as the strongest predictor of political preferences, aligning with previous studies on the centrality of ideology in voter behavior, and suggesting limited practical impact for celebrity endorsements in ideologically polarized contexts. There is also a focus on music genres, their political history, and ideological connotations in the United States.

Lyra Opalikhin

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1902

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: UKRAINE'S SUSTAINABLE DEVELOPMENT AND THE IMPACT OF WAR OF ITS FUTURE

Abstract: This project examines the current Ukraine-Russia War and how the conflict has affected Ukraine's Sustainable Development Goals (SDGs). The SDGs are 17 goals set by the United Nations to achieve mutual prosperity and peace that pays attention to sustainable practices. The goals range from eliminating poverty, eliminating hunger, reducing inequality, increasing access to education, and more. These goals are directly impacted by wartime, as war is understood to set back these goals and hamper quality of life. By examining the Ukraine-Russia War, I hope to understand not just the impact each SDG faced due to the ongoing conflict, but whether there are trends between which SDGs are most or least impacted, alongside what steps should be taken by the international community to assist Ukraine's redevelopment once the war concludes. The project compares Ukraine's progress regarding the SDGs before the conflict to their progress during it, determining what SDGs are the most and least impacted by the conflict. The project also lends insight into explanations behind the results of the SDGs alongside how the broader international community will act once the war concludes.

Marija Sagan

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1922

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: RUSSIAN CIVIL-MILITARY RELATIONS AND THE FSB

Abstract: Traditionally, the Russian military shows little interest in being part of the political power and issues. The civilian leaders make the decisions and the military follows their directions. The primary organizational culture in the late 1990s for the Russian military institutions remained committed to the norm of civilian supremacy under Putin's control. The civil relations with the Federal Security Service (FSB) changed as the organization became more powerful. Current literature on civil-military relations neglects the relationship between civil relations with the FSB and how it contributes to the civil relations with the military. With these considerations, my focused research question is: How does an evolving FSB influence civil-military relations in Russia?Previous civil-military relations theory has mainly focused on democracies with only a few theorists examining authoritarian regimes. Other scholars have explained the evolution of the FSB from its predecessor security organizations to today looking at its change in responsibilities and roles performed in the federal government. However, existing academia does not completely explain the relationship between the two Russian organizations in the context of civil-military relations. Using case studies of the Second Chechen War and the Annexation of Crimea will give insight and expand upon existing academia to further explain how the FSB influences civilmilitary relations in Russia.

Mark Jamil

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1926

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE LADY: THE STUDY OF ARAB NATIONALISM THROUGH THE LIFE, WORKS, AND MYTH OF UMM KULTHUM

Abstract: The life, artistry, and legacy of the late Egyptian singer Umm Kulthum is remembered not only as an icon in her native Egypt but in both the Middle East and globally. This is also the case regarding Arab Nationalism during the 20th century where she sang of Arab Nationalism in Egypt (e.g. Walla Zaman Ya Selahy) and lesser-known songs about Iraq (Baghdadu Ya Qal'ah & amp; Sha'ab Al-Iraq). As the Iraqi songs are lesser known compared to her other works, they also celebrate the 1958 14th July Revolution which overthrew the British-Installed Iraqi monarchy, and the 1963 Ramadan Revolution which overthrew the government of Abd al-Karim Qasim who overthrew the monarchy, thus creating a gap in why these songs were sung and seemingly contradictory nature. Umm Kulthum represents a myth with names such as "Elset" (translated as "The Lady"). She also played an important role in nationalism as a woman due to the heavily-male nature of nationalism in the Middle East. This poster will visually represent the myth of Egyptian singer Umm Kulthum in the broader context of Arab Nationalism, including her native Egypt, and more specifically, Iraqi Nationalism which later transitioned into a pan-Arab and Ba'athist country post-Qasim. It will explain her life and backstory, use literary analysis of her songs from the Egyptian and bridge into the Iraqi contexts to explain the period and discuss her legacy in the Middle East. This poster will also discuss the role of gender and nationalism, and music in nationalism and patriotism.

Max Gripton

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1931

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: FAIR INCOME FOR WEST AFRICAN COCOA FARMERS

Abstract: This paper examines the persistent issue of low annual incomes among cocoa farmers in West Africa, despite the region's dominance in global cocoa production, contributing over 70% of the world's supply. While cocoa is a critical commodity, many farmers still earn incomes below the global poverty threshold. This paper attributes the causes of this problem to a number of factors including, but not limited to: volatility within the cocoa market, unpredictable cocoa growth patterns, cocoa price ceilings set by governments, and inefficient cocoa farming practices. These findings suggest that there are many ways to boost cocoa producers' income through West African countries' government actions. A boost in West African cocoa farmers income could result in an increase in chocolate price, however, it is found that a 50% increase in cocoa producers income would only result in a marginal increase in chocolate price ("Low Cocoa Prices and Income for Cocoa Farmers"). Additionally, there are ways to increase cocoa producers' income without affecting the cost of chocolate, such as implementing producer groups in West Africa to increase efficiency at cocoa farms, and boost yields.

Meera Kanade

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1934

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: FILLING THE FEDERAL BENCH WITH BIDEN JUDGES

Abstract: Judicial Appointments are increasingly politicised and serve as a metric for a successful presidency. After the tTrump administration's historically successful spate of judicial appointments, President Biden promised to prioritize filling the federal bench with diverse nominees. Was he successful? This project examines judicial appointment politics in the 117th & amp; 118th Congresses in order to evaluate President Biden's efforts. The Biden administration did move quicklyon judicial nominations while the Democratic Senate prioritized these confirmations by taking advantage of new Senate rules. However, slim majorities and the continued honoring of blue slips blocked some nominees from reaching a vote. There is strong evidence in support for President Biden's claims that he has provided an historic slate of diverse nominees for the federal courts.

Oscar Joldersma

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1932

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: PARTISAN CUES IN LOCAL ELECTIONS: VOTER AWARENESS AND ALIGNMENT IN SCHOOL BOARD RACES

Abstract: This study explores the growing influence of partisanshipon local school board elections by analyzing voter awareness and partisan alignment. In Rhode Island (RI), where school board candidates run with party labels, 62 percent of respondents recognized candidate partisanship. In Michigan (MI), where school board elections are officially nonpartisan, 36 percent of voters still identified candidate affiliations based on endorsements from unions, county political parties, or advocacy organizations. Additionally, 83 percent of RI voters supported school board candidates who aligned with their presidential choice, highlighting strong partisan voting patterns. To build on this analysis, we will determine the partisanship of MI school board candidates using state voter registration data and examine the characteristics of voters who split their ballots. These findings showthe increasing role of partisanship in down-ballot elections and the implications on voter behavior.

Ryan Courtney

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1921

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ANALYSIS OF NAMED ENSLAVED INDIVIDUALS AT THE TREDEGAR IRON WORKS

Abstract: Through careful study of historiography on the Tredegar Iron Works in Richmond, Virginia it was revealed that there is a gap in research regarding the lived experiences of enslaved individuals during the Civil War. Combining records found at the Library of Virginia, genealogical databases, and secondary sources a full picture of the lived experiences of enslaved individuals can be drawn. These experiences have been largely ignored by historians up to the present day. The names of these individuals have not been published in any academic journal or book that has yet been written.During the Civil War more than half of workers present at Tredegar were enslaved. They worked in rolling mills, blacksmith shops, river boats, and in distant mountain furnaces. Working conditions were often atrocious and several people died or ran away. Applying a humanist approach to this history can reveal stories that have not been told before.

Sharif Hossain

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1923

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE IMPACT OF POLITICAL AFFILIATIONS ON STOCK MARKET PERFORMANCE IN BANGLADESH

Abstract: Political shifts significantly impact financial markets, particularly in economies where businesses rely on government connections. This study examines the effect of Sheikh Hasina's resignation on August 5, 2024, on the Bangladeshi stock market, focusing on firms affiliated with the Awami League. Using daily stock data from 100 companies listed on the Dhaka Stock Exchange, a Difference-in-Differences (DiD) approach was applied to assess performance differences between politically connected and non-connected firms. Results indicate that prior to the event, both groups exhibited negative returns. However, post-event, non-affiliated firms recovered with positive returns, whereas politically connected firms continued to experience losses and heightened volatility. Regression analysis confirms that affiliated firms were disproportionately affected, with the impact becoming statistically significant when controlling for trading volume and value. These findings align with global research on political connections, highlighting the risks of dependency on political ties. The study underscores the importance of political stability for market confidence and suggests that investors should consider political affiliations as a risk factor when evaluating firms in emerging markets.

Tomas Feldmann Tonelli

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1912

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: RACE & AMP; THE POLITICS OF EXECUTIVE APPOINTMENTS

Abstract: High-level executive appointments to bureaucratic posts are increasingly politicized and serve as a metric for a successful presidency. The role of race in American bureaucracies, however, is understudied relative to the importance of these high-level appointees in providing for representative policymaking. During his campaign for office in 2020, President Biden promised to prioritize filling the federal bureaucracy with diverse appointees. Was he successful? This project examines high-level appointment politics in the 117th & amp; 118th Congresses in order to evaluate President Biden's efforts. The Biden administration did move quickly on diversifying nominations while the Democratic Senate prioritized these confirmations by taking advantage of new Senate rules. However, slim majorities kept some nominees from reaching a vote. There is strong evidence in support for President Biden's claims that he has provided an historic slate of diverse nominees for federal agencies.

Tyler Richards

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1911

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: THE ACCURACY OF BAYEUX TAPESTRY'S DEPICTION OF THE ARMS AND ARMOR AT HASTINGS

Abstract: The Bayeux Tapestry provides an invaluable visual source on the Battle of Hastings. Its wide ranging depiction of combat helps us to gain an understanding of how the battle was fought and what weapons and armor was used. Or can it? How much of the Bayeux Tapestry's depictions of the tools of war can be trusted, and if they can be trusted, what exactly do they depict? In this presentation I will show contemporary evidence, as well as artifacts to show what may have been worn and wielded at the Battle of Hastings.

Yousef De Vries

Category: History, Political Science, and Economics

Presentation Type: Poster

Presentation Number: 1908

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: SELEUCID COINS, PRESENTABILITY, AND ACCESSIBILITY

Abstract: I've been working with my professor Noah Kaye in his work with Seleucid Coinage. I hope to be able to present about my work in making these coins both legible and captivating to view both online and, perhaps hopefully, in more physical mediums. Our work involves the application of numismatic sites and the accessibility of linked open data, and in particular Seleucid Coins Online. For this project, I am hoping to finalize an arrangement wherein we will be adding coins made available to us to such a resource, and perhaps digitizing them in the form of 3D models. Human Development and Relationships

Addison Kamminga

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2013

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: RELATIONSHIP BETWEEN PARENTAL HEALTH AND CHILD EMOTIONAL WELL-BEING

Abstract: Aims: Parental mental health plays a critical role in shaping children's emotional well-being, yet this relationship remains underexplored in families facing socioeconomic adversity. This study examined the association between parental mental health and preschoolers' emotional well-being in families enrolled in Head Start.Methods: Preschoolers (ages 3-5 years old) and their parents were recruited non-randomly from 16 Head Start centers in the Midwestern U.S. Parents completed an online Qualtrics survey assessing sociodemographic characteristics, parents' mental health (perceived stress, anxiety and depression), and preschoolers' emotional wellbeing (positive and negative affect). Data were analyzed using IBM SPSS Statistics 27.Results: The sample was predominantly White, with most parents being mothers. Families showed diversity in income and employment status, with 59% of parents experiencing financial insecurity. Only half had education beyond high school. Correlational analysis revealed positive correlations between parents' perceived stress and their preschoolers' sadness (r=.38, p<.001), fear (r=.36, p<.001), and anger (r=.46, p<.001). Similarly, parents' anxiety and depression were positively correlated with preschoolers' sadness (r=.35, p<.001), fear (r=.31, p<.001), and anger (r=.43, p<.001). On the other hand, preschoolers' positive affect was negatively correlated with their parents' levels of stress (r=-.32, p<.001), and anxiety/depression (r=-.25, p<.001).Discussion and Conclusion: Findings highlight the strong link between parental mental health and preschoolers' emotional well-being, emphasizing the need for targeted interventions that support parental mental health to foster positive child development in Head Start families.

Alexa Baker

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2003

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: PERINATAL EXPERIENCES OF LATINX BIRTHING PEOPLE: A QUALITATIVE ANALYSIS

Abstract: Disparities present within the U.S. healthcare system disproportionately impact Latinx birthing people during the perinatal phase. Understanding the prenatal and postnatal experiences of Latinx birthing people through qualitative narrative reports is essential for addressing disparities, informing prenatal programs and highlighting interventions while maintaining cultural relevance. This qualitative study explores the perinatal experiences of 10 self-identified Spanish speaking Hispanic birthing people who had given birth within the past 2 years in the southeast region of the U.S. Data was collected across 2 focus groups in 2023 facilitated by a native Spanish speaker and responses were transcribed in Spanish then translated to English. Participants were recruited through a trusted community partner and were compensated \$100 each for their participation. Thematic analysis was used to inductively analyze data related to experiences with pregnancy, childbirth, and postpartum. The goal of this study is to understand Latinx birthing people's perinatal experiences in the U.S. with varying amounts of support and with present language barriers during engagement in medical care throughout gestation, the delivery process, and postpartum.Categorization and theme development were conducted with emphasis on reflexive practices to promote limitation of implicit biases. Emerging findings of this study include that participants had fewer opportunities to engage in pregnancy education, faced language barriers, dealt with contextual differences of birth in the U.S. vs. their country of origin, and experienced varying levels of support. This study aims to further bring awareness to these disparities and promote action to address them within healthcare settings.

Delaney Cram

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2012

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: POLICY SOLUTIONS TO SUPPORT WOMEN IN SKILLED TRADES IN MICHIGAN

Abstract: In 2024, the Michigan Women's Commission released the Women in the Michigan Workforce Report which emphasized the differences in men and women's participation in various aspects of the Michigan workforce. One of the greatest disparities in workforce participation that this report revealed was in skilled trades. According to the report, only 10 percent of registered apprentices for skilled trades in Michigan are women and the women who are employed in skilled trades are most represented in traditionally pink-collar professions such as healthcare and educational services. This project aims to examine the primary barriers to women in Michigan entering and succeeding in the skilled trades and identify effective policy solutions. These barriers and potential solutions were identified through interviews with women who have experience in registered apprenticeships and participate in the Michigan workforce in skilled trades or as entrepreneurs and business owners. In this project, we identify the main obstacles for Michigan women in the workforce to be a need for reliable childcare, a lack of support and communication, particularly during and after apprenticeships, and the failure of legislation to effectively differentiate the resources available to small businesses compared to large corporations. We rely on the interviews along with our research on the policies implemented by other states to determine policy solutions that will best support women in the Michigan workforce, especially in skilled trades and in entrepreneurship. The broad policy solutions which we explore include wider implementation of childcare initiatives and capital access programs and the expansion of apprenticeship programs.

Dylan Distelrath

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2004

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: HOW DOES THE PARENT-CHILD RELATIONSHIP MEDIATE THE RELATIONSHIP BETWEEN PARENT MENTAL WELL-BEING AND CHILD BEHAVIORAL HEALTH?

Abstract: Understanding parental mental well-being and child behavioral health dynamics is crucial for developing effective family-centered interventions. This study examined how aspects of parent mental well-being-stress, anxiety, and depression-influence child behavioral problems, focusing on the mediating effects of parent-child relationship quality, specifically conflict and closeness. Using data from 154 parent-child dyads, structural equation modeling revealed significant pathways. The caregivers had a mean age of 31.4 years, with 41.6% unemployed and 40.3% earning under \$20,000 annually. The preschoolers, with a mean age of 47 months, were predominantly White (72%) and male (49.4%). Higher parent stress was associated with a poorer parent-child relationship, marked by increased conflict (β=0.53, p<.001) and decreased closeness (β=-0.22, p=.010). Child behavioral problems were negatively associated with closeness (β=-0.12, p=.024) and positively associated with conflict (β=0.69, p<.001). Additionally, child social skills were negatively related to conflict (β=-0.348, p<.001) but not significantly correlated with closeness (β=0.29, p=.089). Importantly, conflict emerged as a mediator in the relationship between parental mental well-being and both child behavioral problems (β=0.37, p<.001) and social skills (β=-0.26, p<.001). In contrast, closeness did not significantly mediate these pathways. These findings underscore the role of addressing parent-child conflict in mitigating the negative effects of parental mental health challenges on child outcomes. Interventions targeting conflict reduction within the parent-child relationship may enhance the child's behavioral health and social skill development.

Latrell Massey

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2014

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DIGITAL INTERVENTION TO SUPPORT SLPS AND FAMILIES IN ENHANCING COMMUNICATION FOR CHILDREN USING AAC

Abstract: The Family Telepractice Augmentative and Alternative Communication Modeling (FamTAM) project aims to improve communication outcomes by helping SLPs and caregivers with effective modeling strategies for augmentative and alternative communication (AAC) devices. This will be done through remote telepractice sessions, SLPs and caregivers receive training on how to integrate AAC into daily interactions, increasing functional communication skills in children. This project evaluates the effectiveness of the FamTAM approach by analyzing video recordings of SLP-caregiver and caregiver-child interactions before and after structured training interventions. Coding these interactions allows for an assessment of SLP-caregiver and caregiver-child communication.
Margaret Roney

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2015

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: PAWS AND PRONOUNS: GENDERIZATION OF GENDER-NEUTRAL BOOK CHARACTERS

Abstract: Book-sharing is a common way early childhood educators engage children in the classroom to support development and teach knowledge about the world. Thus, it is important for educators to be aware of implicit messages to children during book-sharing, including gender representations and stereotypes that may be harmful. However, there is little research on gender-neutral book characters, including animals, which are commonly featured in young children's books. This study investigates gender socialization processes in book-sharing with young children by examining the pronouns educators use when referring to gender-neutral characters. We will present study background, methods, results, and discussion. We videotaped and transcribed 100 infant/toddler educators sharing two wordless storybooks featuring gender-neutral animal characters. We coded teachers' references to animals as male, female, neutral, or switching between these - various pronouns used for one character in one sharing. We found that male pronouns were used a total of 250 times across observations, while female pronouns were used 3 times. Male pronouns were predominantly used when educators referred to story protagonists. Educators usually used gender-neutral ways to refer to supporting characters, followed by male pronouns. This study expands awareness of potential biases early childhood educators may have in regard to gender representations. Becoming aware of these biases may help educators to better implement intentional practices during book-sharing. Further research on gender representation in book-sharing and children's gender development is needed to better understand the impact of these gender representation biases on children's identity development.

Peyton McLaughlin

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2001

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EFFECTS OF THE SYRIAN WAR ON CHILDHOOD DEVELOPMENT

Abstract: The Syrian war has profoundly impacted child development in Syria, for both the children who remain and the ones who were forced to relocate. This presentation covers the psychological effects of forced displacement, exposure to violence, loss of family members, and disruption of education. The effects are all things that negatively harm children's mental well-being and their overall cognitive development; both short-term and long-term issues can arise. We divided the presentation into three different sections, highlighting what harms development the most. The challenges emphasized are education, or lack of it, social and emotional development, and effects on cultural identity. Education in Syria has been severely disrupted; children in Syria either can't get an education due to the conflict in the surrounding areas, or they still go to schools even with the conflict, putting themselves at risk. This lack of education causes children to fall behind academically and socially. It's easier for them to develop mental disorders and have long-term issues with relationships. Their relationships with their family, friends, and culture are weakened by the conflict, and they aren't a stable support pillar in their lives. At the end of the presentation, several organizations that offer aid to children in Syria are brought up. Supporting these organizations and spreading their information can help the children and their overall development, volunteering is also an option. Michigan, being one of the states with the highest number of refugees, also means it has many refugee centers that would be open to accepting volunteers.

Sumaiya Imad

Category: Human Development and Relationships

Presentation Type: Poster

Presentation Number: 2002

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: SURVIVORS TO LEADERS: CO-PRODUCED MODELS FOR COMBATING HUMAN TRAFFICKING

Abstract: Human trafficking remains a critical global issue, affecting an estimated 50 million individuals annually, with women and children disproportionately impacted. This presentation explores innovative, survivor-centered approaches to combating human trafficking through co-produced models that integrate the lived experiences of survivors into intervention design. Building on personal experiences and the success of the non-profit organization 'Sincerely, Her,' the research demonstrates how co-production empowers survivors to transition into leaders and advocates within their communities. This study, conducted in collaboration with Michigan State University and supported by the Schoenl Family Grant for Dire Needs Overseas, investigates how scalable, participatory intervention models can enhance economic independence, psychological well-being, and social reintegration. Methods include in-depth interviews, thematic analysis, and quantitative surveys to evaluate intervention outcomes and establish best practices. Key findings highlight the transformative potential of co-production in addressing systemic issues, fostering survivor leadership, and creating sustainable interventions. By focusing on measurable indicators such as reduced re-trafficking rates and increased community acceptance, this project offers a replicable framework for global application. The presentation aims to inspire a reimagined approach to policy and non-profit efforts, emphasizing survivor agency and equity in combating human trafficking.

Humanities

Alex Guo

Category: Humanities Presentation Type: Poster Presentation Number: 2114 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: INVESTIGATING PROSECUTORIAL MISCONDUCT: EXAMINING SYSTEMIC FAILURES

AND ACCOUNTABILITY MEASURES

Abstract: Prosecutorial misconduct undermines the integrity of the judicial system, leading to wrongful convictions, diminished public trust, and systemic inequities. This paper explores the various forms of prosecutorial misconduct, including withholding exculpatory evidence, coercing false testimony, and engaging in prejudicial courtroom behavior. By analyzing court cases, statistical trends, and institutional barriers to accountability, this study highlights the structural deficiencies that enable prosecutorial misconduct to persist. Furthermore, it examines the effectiveness of current oversight mechanisms, such as judicial sanctions, bar disciplinary actions, and conviction integrity units. The paper argues for stronger regulatory frameworks, increased transparency, and policy reforms to ensure prosecutorial accountability and safeguard defendants' rights.

Brayden Chrisman

Category: Humanities Presentation Type: Poster Presentation Number: 2116 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: CRASHING THE CAPITAL: E

Title: CRASHING THE CAPITAL: EDUCATING ABOUT THE HISTORY OF PUNK CULTURE IN LANSING

Abstract: Starting in the late 1970s, Lansing, Michigan and the surrounding capital area fostered a vibrant underground punk scene. However, despite achieving nationally recognized heights in the early 80s, this key piece of the community's cultural past and present is scarcely included in modern conversations about local history. To close this gap in collective memory, I created a project, "Crashing the Capital: The History of Punk Rock in Lansing", which sought to educate the local public on how DIY punk expression reshaped our community's identity. Crashing the Capital's flagship product was an event hosted at The Fledge in collaboration with CADL Local History, MSU Special Collections, the MSU ALLC, and the MSU Honors College on February 28th of this year. It featured an open gallery walk to see archives of fliers, zines, and concert footage from the time; a panel discussion with musicians, zine makers, and venue owners from the 80s and 90s; and modern-day punk bands recreating a show one could have seen at the height of the 80s scene. Through our work, we sought to create a space for multigenerational connection between past and present members of the Lansing punk subculture, and to enable the preservation of oral history from a scene that was in many ways ephemeral. My presentation will reflect on the importance of multigenerational contact and knowledge exchange for DIY art movements as demonstrated by Crashing the Capital, and consider what lessons Crashing the Capital provides for future work supporting the public history of punk culture.

Carter Brown

Category: Humanities Presentation Type: Poster Presentation Number: 2117 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: A CHRONOLOGY OF CONTROVERSIAL COMICS: REPRESENTATIONS OF QUEER DESIRE AMIDST AMERICAN COMIC CENSORSHIP IN THE TWENTIETH CENTURY

Abstract: This presentation discusses a new project from the Digital Humanities and Literary Cognition Lab that explores Michigan State University's comic book collection, the largest public collection of its kind in the world. Through the metadata listed in this database, we analyze the historical context of the creation of the Comics Code Authority (CCA), and its effects on the content and reach of taboo comics. In particular, we explore representations of queer desire in American comics over time and how they were affected by the CCA and shifting sexual politics of the twentieth century. Initially, we chart the trends in content preceding the implementation of the code, then, we observe the effectiveness of the code across the country, with state by state breakdowns of data trends and enforcement of the CCA. Finally, we look to the dissolution of the code, and the effects it had on queer identity and expression in comics. The implementation and effects of the CCA can be compared to the targeted suppression of queer art, expression, and identity throughout history. By bringing this data to light, we observe historical persecution of marginalized sexual identities in a mass medium reflective of the cultural zeitgeist. Pop culture is reflective of general cultural ideas, and censorship of pop culture may be reflective of mass cultural persecution. Through the interdisciplinary analysis of this data, incorporating both digital humanities methods of visualization and sociopolitical examination of queer theory, we can effectively map the history of queerness and political persecution through comics.

Cyteriell Harmon

Category: Humanities Presentation Type: Poster Presentation Number: 2104 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: HUMANITIES MAKE THE WORLD GO ROUND

Abstract: As an English major I can honestly say that I have had my fair share of hearing "What are you going to do with that degree?" Whenever I tell someone that I am an English major who is not looking into being an educator, I get weird stares, and I can tell that they think my major is useless. This scenario is something that many people whose majors are based in the arts and humanities face all the time. We are constantly made to feel like our majors aren't as important, and that we cannot find a good, well-paying job following our passions in humanities. This sentiment is not true at all considering that there are many successful people that have majored in humanities and enjoy what they do while making good money. This common misunderstanding is one that continuously makes people who want to pursue majors in the humanities decide against it and in some cases, they end up pursuing a major and career they do not enjoy. Ultimately, I want to help incoming MSU students (and college students in general) who are considering majoring in the humanities be more confident in their choices and know that they can have a successful career while also doing what they aspire to do. I want them to feel like they can make changes and ultimately make the world a better place while pursuing their passions.

Erin Vollertsen

Category: Humanities Presentation Type: Poster Presentation Number: 2101 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: MICHIGAN QUILT PROJECT AND THE QUILT INDEX: NEW DIRECTIONS

Abstract: The Quilt Index (QI), www.quiltindex.org, provides a digital space for access to images and data on a physical textile art form. Launched in 2003, QI includes data on nearly 100,000 quilts and quilt-related resources from individuals, guilds, and museums around the world. The QI also includes stories about the individual or individuals who made the quilt as well as the social history of the object. Originally initiated to preserve and make accessible the tens of thousands of records resulting from largely female community scholars/volunteers, the Quilt Index has become a major resource for a variety of transnational and inter-disciplinary research and educational uses. The Michigan Quilt Project, an ongoing research activity of the Michigan Traditional Arts Program, was one of four pilot projects included in the Quilt Index and over 10,000 Michigan quilts have been documented and included in the Index. Today, new efforts are being made to increase the participation of individuals and institutions in adding their Michigan quilt collections to the Index, thus ensuring that information on this part of the state's material culture history is preserved for future generations.

Esther Bienek

ART

Category: Humanities Presentation Type: Poster Presentation Number: 2112 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: CREATIVE CRISIS RESPONSES: AN EXAMINATION OF CROSS-TEMPORAL PANDEMIC

Abstract: This project investigates the relationships between art created during different pandemics across time. Our lab, the Digital Humanities and Literary Cognition Lab (DHLC), has worked to collect 2,000 works of art created during the Covid-19 pandemic, and has been subsequently creating both in-person exhibitions across the country and an accessible online archive to showcase these works. The future of the project looks to compare themes from the art created during the Covid-19 pandemic to other pandemics and epidemics going back centuries: historical art created from the Bubonic plague and the Spanish flu, as well as artifacts like the AIDS quilt and musical responses to the Ebola epidemic. Pandemics create social practices and challenges that recur, with ever-shifting historical tools for management, communication, and recording. Those in the Bubonic plagues of the Middle ages and seventeenth century, along with the Spanish flu, used physical mediums to document pandemics; however, it has proved harder to preserve those experiences. Contemporary technology allows alternate methods to record this information and provides better access to these creative experiences. This project has aimed to historicize creative artifacts from the Covid-19 pandemic by providing crucial information about the conditions that shaped community and social change during past pandemics. By illuminating the similar themes in pandemic art across time, we hope to reflect the ways in which pandemics and epidemics globally can bring people and communities together.

Fatimah Alkashwani

Category: Humanities Presentation Type: Poster Presentation Number: 2115 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: IRAQI PORTRAYAL OF SUFFERING: HISTORY AS TOLD THROUGH THE ARTS

Abstract: Once a civilization known for its advancements in the sciences and arts, Iraq is now known by the world as a war-torn nation. Starting from the time Saddam Hussein presided as leader until now, Iraq has been involved in countless wars, the deadliest of which has an estimated range of just over 100,000 to around 1,000,000 casualties (Iraq War,2003-2011). Naturally, many have suffered and experienced unexplainable traumas as a result. Among the coping mechanisms used by those who are traumatized, art is one of them. With this in mind, I will be looking at how Iraqis and the Iraqi diaspora portray their experiences through written and audiovisual media, namelyDreaming of Baghdadby Haifa Zangana andMission of Destruction by Dia Al-Azzawi. Along with examining the historical context of each piece, I will analyze how Zangana and Azzawi decided to portray their suffering and how that translates into the story being told. Ultimately, the aim of this project is to bring light to the aspects of Iraqi suffering that may have been overlooked due to orientalist/stereotypical media and to determine how successful art is as a method of recording and preserving history.

Ha Anh Do

Category: Humanities Presentation Type: Poster Presentation Number: 2118 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ALL EYES ON YOU SPELL

Abstract: Since pre-Christian times, meanings have been imbued into symbols, pictures, and seemingly frivolous actions in order to serve a specific purpose for a culture, community, or individual. In an effort to understand and preserve old European systems of magic (the redirection of the world's energy), we created our very own magic spell with the goal to garner attention to the subject. Dubbed "All eyes on you", our charm incorporates knowledge on various areas of magic in order to amplify the subject's presence and centralize all the surrounding beings' focus onto them, and thus all eyes in the premises will be cast upon them. The main methodology behind our spellwork is celestial magic-the idea that certain planetary bodies have associations with different attributes which can be harnessed to accomplish a variety of goals. The celestial and ceremonial elements incorporated into our spell include a focus on specific stars and their subsequent meanings, ritualistic practices with the intent of fostering connection, and upholding traditions of magic. This includes the ideas of numerology, sigils, and oral invocations, which are all specially adapted to fit into the ceremonial context of our spell. These components all intertwine to create our contemporary and innovative spell that carries out both our intentionality and that of the subject. The enchantment is meant to be an overall lighthearted experience for everyone involved, and possibly one fortunate soul will get their chance in the spotlight.

Jameson Prahler

Category: Humanities Presentation Type: Poster Presentation Number: 2113 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: MISGENDERING AND PASSING IN RELATION TO GENDER AND RACE FOR TRANSGENDER AND NONBINARY PEOPLE

Abstract: Gender norms are inherently tied to eurocentric standards and, as such, people of color can be held to gender norms that do not align with their own cultures. We examined how experiences of misgendering and perceptions of passing may differ across intersections of race and gender for transgender and nonbinary (TNB) people (N = 854 TNB adults, average age = 35, 60.9% white). According to an ANOVA, there were significant differences between the groups in relation to misgendering, F(7, 790) = 22.80, p< .001, and perceptions of passingF(7, 788) = 6.59, p< .001. Post hoc analyses showed that nonbinary people, regardless of their race or sex assigned at birth, tended to report higher levels of misgendering than transgender men and women who were white and those who were people of color. In addition, transgender women (white and people of color) were less likely to perceive themselves as passing compared to white transgender men. White transgender women were less likely to perceive themselves as passing compared to transgender men of color. These findings are possibly due to the general populace having a largely binary understanding of gender. As such, people who do not identify in a binary way, such as nonbinary people, likely experience greater misgendering while also being less likely to be perceived as transgender. This suggests that future efforts should attempt to better educate the general population about gender beyond its binary components in order to reduce misgendering and mistreatment that are elevated for nonbinary people.

Keyoncee Washington

Category: Humanities Presentation Type: Poster Presentation Number: 2102 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: THE IMPACT OF ADULTIFICATION BIAS ON SELF-IMAGE AND ACADEMIC SUCCESS

Abstract: Adultification, a societal norm that causes Black children to be perceived and treated as more mature than their peers, can have profound outcomes on the academic success and self-image of Black women in higher education. Black women are often expected to embody strength, resilience, and maturity "beyond their years," resulting in heightened pressure, stress, and feelings of isolation. These expectations may also influence the support afforded to them by their peers, staff, and faculty, thereby negatively impacting their overall success. Although existing research highlights the consequences of adultification for Black women, there remains gaps in research that address how they navigate, counteract or leverage these effects. This study uses data from an online biographical questionnaire of 48 Black women attending or working at the University of Kentucky, with 15 of these participants subsequently participating in four virtual focus groups. Preliminary findings suggest that Black women find supportive relationships with peers, staff, and faculty to be important coping strategies for managing adultification bias in their academic experiences. Although participants shared negative effects of adultification bias, other participants shared positive perceptions of how adultification bias affected their educational trajectories. Future research could involve designing and evaluating mentoring structures that support Black women in intersecting roles at institutions of higher education (i.e., staff members who also are graduate students).

Natalie Liliensiek

Category: Humanities Presentation Type: Poster Presentation Number: 2105 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: THE HARLEM RENAISSANCE AND THE MADWOMAN IN THE ATTIC

Abstract: Containing both the sirenic external beauty and internal cunning of Biblical Eve, mental instability and madness in women have been influential in female writing since the Victorian Era. The madwoman-stemming first from male perceptions of female charactersis both evil and angelic, pure and monstrous; However, traditionally the overarching literary narrative has focused on white women and their barriers of gender and sexuality. Within the literary canon, smaller, location based literary movements-for example the Mahjar writers in New York in the early 20th Century, or the Harlem Renaissance in Harlem post World War Iare often highlighted for the unique contexts and ideas that those movements produced. However, they were still inevitably impacted by and responding to broader literary movements and trends. Nella Larsen's 1929 novel Passing particularly exemplifies the influences of these prior literary movements. Within Passing, the characters of Irene and Clare reflect the "angel" and "monster" sub-archetypes of female characters, founded from the "madwoman in the attic" stereotype of the prior century, expanding on Victorian writings around womanhood and agency within the queer and highly racialized environment of Harlem. Their narrative arches and subsequent portrayals frame ideas of agency in women and madness in relation to gender, race, and sexuality as a form of feminist resistance to the white male oppression of dominant western culture. This project aims to take the madwoman in the attic trope and examine it through the lens of the Harlem Renaissance, highlighting the impact of race and queer identity on the trope in literature.

Nel Robinson

Category: Humanities Presentation Type: Poster Presentation Number: 2106 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: VOTING BEHAVIOR AND RACIAL AFFINITY: UNRAVELING THE INFLUENCE OF INTERRACIAL RELATIONSHIPS ON ELECTORAL PREFERENCES

Abstract: This research study examines how racial affinity affects voting behavior. Specifically, it looks at how interracial relationships can increase empathy and understanding for people of color, therefore influencing voting decisions. My research expands the discussion into the political sphere by taking inspiration from the seminal study by Jordan, Lajevardi, and Waller (2022), which examined the impact of interpersonal relationships with women of color on racial and gender convictions among Americans. I address the crucial question of whether interracial contact causes more progressive voting habits or if people with progressive ideas are more likely to connect with diverse people in general. I take on the challenge of "reverse causation" head-on. This methodological dilemma highlights the difficulties in claiming that exposure to racial diversity may directly lessen prejudices and improve political unity across racial lines. It is crucial for both academic investigation and real-world understanding. My analytical approach is to define causality in order to shed light on the complex relationship that exists between interracial relationships and political outcomes. By doing this, I intend to further the academic discussion regarding the transformative potential of this relationship and provide insight into how interracial contact affects voting behavior. The project's ultimate goals are twofold: first, to produce a paper that can be submitted to a scholarly publication, thereby contributing to the corpus of academic research; and second, to offer perspectives that could direct policymaking, particularly concerning initiatives aimed at bridging racial divides and promoting more inclusive voting behaviors.

Rachel Zhai

Category: Humanities Presentation Type: Poster Presentation Number: 2103 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: ASIAN-AMERICAN YOUTH C

Title: ASIAN-AMERICAN YOUTH CO-DESIGNING HERITAGE LANGUAGE WORKSHOPS FOR IMMIGRANT FAMILIES: A COMMUNITY-BASED PARTICIPATORY RESEARCH STUDY

Abstract: This paper is part of a larger community-based participatory research (CBPR) project in which three teacher educators and educational researchers collaborated with four Asian American youth to co-design and co-lead workshops aimed at fostering heritage language (HL) learning and maintenance among immigrant children and families. We focus on the perspectives and experiences of the youth participants who grew up maintaining Korean or Chinese as their HL. Specifically, we examine how they view HL learning, reflect on their own HL learning journeys, and draw on their HL knowledge and experiences in co-designing and co-leading the HL workshops. The key findings of this paper include: 1) shared belief and diverse paths in maintaining HL, 2) the HL workshops as spaces to leverage knowledge and expertise, and 3) building a community of HL support to sustain HLs in a predominantly monolingual society.

Sydney Logsdon

Category: Humanities Presentation Type: Poster Presentation Number: 2108 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: PROTEST FICTION: UNDERS

Title: PROTEST FICTION: UNDERSTANDING THE POWER OF LITERATURE IN COMBATTING CLIMATE CHANGE AND ENVIRONMENTAL INJUSTICE

Abstract: Too frequently, issues like climate change, ecological degradation, and environmental injustice are characterized in the US by political polarization and apathy. As a result, there is a growing need for alternative forms of scientific communication that convey the urgency and reality of environmental crises to audiences in highly developed Western nations, who have the greatest ecological impacts. This project proposes narratives as the platform to do so by comparing representations of the environment and rebellion in Renee Gladman's The Activist and Italo Calvino's The Baron in the Trees. In doing so, I argue that literature and other forms of cultural media offer a platform for developing and disseminating non-dominant environmental perspectives. This is especially so in speculative fiction, which permits readers to imagine the long-term impacts of (and potential solutions to) social and ecological crises. Environmental fiction becomes a tool for shifting the broader cultural narrative around climate change away from loss and apathy and towards adaptability and agency. This project is a poster adaptation of a senior honors thesis that draws from literature and environmental studies to demonstrate the need for interdisciplinary thinking when addressing large-scale crises. Integrative and Organismal Biology

Aaron Guggenheimer

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2223

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: RELIABILITY OF VISITOR COLLECTED DATA IN ZOO SETTINGS

Abstract: Zookeepers want to have a full picture of the behaviors of the animals in their care to ensure positive welfare. Similarly, zoo goers frequently want to know when animals tend to perform their behaviors so that they can plan their visits accordingly. In a perfect world there would be an abundance of time and trained researchers to track and share this information with interested parties. However, these are often in short supply. Here, we set out to see if engaging zoo visitors themselves in observations towards these goals will yield reliable and useful data. To accomplish this, we gathered dense observational data on North American river otters and cotton-top tamarins at Potter Park Zoo to determine their patterns of activity and space use. We simultaneously provided visitor surveys on these same measures to test the reliability of visitor-collected data on these patterns. With this information, we sought to answer the following questions: 1) When are these animals visible? 2) When they are visible, where are they? 3) When they are visible, what behaviors are observed? 4) Do the observations of visitors match ours? By answering these questions, we hope to help zookeepers improve the welfare of the animals in their care and determine if visitor observations are reliable enough to use as information for promoting animal welfare.

Abigail Cattermole

Category: Integrative and Organismal Biology **Presentation Type**: Poster

Presentation Number: 2232

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: WARMING SPRINGS PRODUCE SMALLER DRAGONFLIES

Abstract: In the past century, global temperatures have been increasing at alarming rates. One effect of warming temperatures can be the decrease in body size of ectotherms. Smaller body sizes may reduce overall fitness, affecting the persistence of populations and species. While temperature is expected to reduce body sizes at maturity, all ectotherms do not respond to warming in this way. Here, we examined museum specimens collected over the past century in Michigan to determine if the body size of Plathemis lydia, the common whitetail dragonfly, has been impacted by warming temperatures. We scanned 246 individuals and measured their head, thorax and abdomen length to calculate the total body size of each specimen. We then used historic climate data to determine if temperature had an impact on the body size of Plathemis lydia. First, we found that increases in average Michigan temperatures were strongly correlated with decreasing body length of male and female dragonflies. We then looked separately at effects of spring and fall temperatures on body size and found that males and females both decrease in body size as average spring temperatures increase. On the other hand, the fall prior to emergence had no effect on the body size of dragonflies. Further research across multiple dragonfly species is needed to fully understand the extent of this relationship and how many species are impacted.

Alyssa Shadowens

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2206

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ANGIOTENSIN-II MODULATES ADIPONECTIN SECRETION IN THE DIFFERENT ANATOMICAL LOCATIONS OF THORACIC PERIVASCULAR ADIPOSE TISSUE.

Abstract: Hypertension (HTN) is the most common cardiovascular disease and a major global cause of death. HTN alters the vessel structure, including perivascular adipose tissue (PVAT), resulting in a loss of its vasoactive properties. However, the mechanisms remain unclear. Aortic PVAT (aPVAT) is distributed in three regions: anterior (aaPVAT) and two laterals (laPVAT). PVAT is primarily composed of adipocytes, with laPVAT accumulating more of these cells than aaPVAT. The populations of these cells are maintained by adipogenesis of Adipocyte progenitor cells (APCs). APCs in aPVAT regions have distinct embryonic origins, but their functional differences are unknown. A healthy population of PVAT adipocytes is required as these cells secrete adiponectin, a vasorelaxant hormone. This study examined the effect of angiotensin-II (Ang-II), a HTN inducer agent, on aPVAT-resident APCs adiponectin secretion. We hypothesized that adiponectin levels would be higher in the lateral sites. APCs from aaPVAT and laPVAT of SD rats (n=9) were isolated using explant outgrowth. During adipogenic induction, APCs were exposed to Ang-II, or Yoda1, a PIEZO1 agonist that mimics mechanosignaling and suppresses adipogenesis. Adipogenesis was assessed with a lipid stain, Bodipy, and nuclei stain. Triglycerides and adiponectin secretion were quantified. Upon exposure to Ang-II, adiponectin secretion was significantly higher in laPVAT compared to aaPVAT (p=0.01). Notably, laPVAT exhibited the most significant response to Ang-II treatment (p=0.0004). Lipid accumulation and adipogenic efficiency remained unchanged. Future experiments will utilize a tracing system to assess changes in the adipogenesis of APCs under ANG-II exposure in vivo.

Becca Lefkowitz

Category: Integrative and Organismal Biology Presentation Type: Poster Presentation Number: 2234 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: HYPERTENSION MODULATES COLLAGE

Title: HYPERTENSION MODULATES COLLAGEN DEPOSITION BY ADIPOCYTE PROGENITOR CELLS IN THE PERIVASCULAR ADIPOSE TISSUE IN COARCTED MICE

Abstract: Hypertension (HTN), classified as chronically elevated blood pressure, is a major contributor to cardiovascular diseases (CVDs), promoting vascular remodeling through extracellular matrix deposition, inflammation, and elastin degradation. Perivascular adipose tissue (PVAT) plays a key role in vascular homeostasis by secreting vasoactive molecules that regulate vascular tone and contribute to hypertension-induced remodeling. PVAT also contains multipotent adipocyte progenitor cells (APCs), which maintain adipocyte populations through differentiation and may contribute to extracellular matrix remodeling within PVAT. We hypothesized that HTN alters APC function in PVAT, leading to enhanced collagen deposition. To test this, six-week-old PDGFRa-CreERT2/R26-LSL-tdTomato mice underwent thoracic aorta coarctation to induce a gradient in blood pressure. After 8 weeks, tissue samples were collected, stained with immunofluorescence, imaged with 2-photon microscopy and second harmonic generation (SHG) to visualize collagen, and analyzed with QuPath. APCs were identified as tdTomato (tdT+), and results are the % of APCs co-localized with collagen from total cells (mean±SD). One-tailed T-tests revealed no significant difference in APC co-localization with collagen between PVAT upstream (4.64 ± 3.36) vs. downstream (10.64 ± 3.36) (P=0.27), suggesting HTN does not significantly alter APC-driven collagen remodeling. However, APCs co-localized with SHG+ collagen were lower downstream (93.63 ± 2.54) than upstream (99.58 ± 2.54), indicating a localized remodeling response. Meanwhile, tdT-expressing APCs co-localized with collagen at comparable levels (P=0.17). These findings indicate PVAT remodeling under HTN is complex and may be influenced by local microenvironments. Future studies should explore APC differentiation and its role in PVAT remodeling.

Collin Sauter

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2222

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: NITROGEN AND CARBON STABLE ISOTOPE ANALYSIS OF BLACK BEAR HAIRS

Abstract: Stable isotope ratios of δ13C and δ15N have been widely used for estimating an organism's dietary consumption. This project seeks to develop a method for laser ablation isotope ratio mass spectrometry (LA-IRMS) that can perform simultaneous δ13C and δ15N measurements on samples of black bear hairs and tooth cross sections. These spatially resolved measurements can then be used to track the change in a bear's diet over the course of time (hair tracking short term changes and teeth representing yearly changes). δ13C measurements, have already been successfully performed on both hair and tooth samples, with a maximum spatial resolution of 25um; however, δ15N measurements have not achieved an adequate signal to background ratio. The hair samples were collected from captive black bears who were fed a controlled diet which alternated between corn, trail mix, and meat. These food samples were measured for δ13C using elemental analyzer IRMS, and as expected, the isotopic composition of the hair samples changed significantly along their lengths, approaching -- but never reaching -the isotopic values of the food samples. This demonstrates the potential for LA-IRMS in tracking changes of an organism's dietary consumption; however, more work is needed to determine how time correlates to spatial resolution along a hair, and to develop a method for δ15N measurements. Developing a method for nitrogen analysis is highly desired because it is an effective marker of an organism's trophic level.

Grace Urban

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2215

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: USING SPOTTED GAR AND GENE MANIPULATION IN ZEBRAFISH TO UNDERSTAND NERVOUS SYSTEM EVOLUTION IN TELEOST FISHES

Abstract: A whole-genome duplication (WGD) event leads to a full duplication or polyploidization of an organism's genome. Throughout evolution, the bony vertebrate lineage has undergone two WGDs. Additionally, lineage-specific WGDs are also observed such as in the ancestor of the teleost fishes (Teleost Genome Duplication, TGD), the most species-rich group of vertebrates. WGD-derived extra copies of genetic elements have been proposed to provide the raw material that can seed evolutionary and developmental innovations, adaptation, and speciation, for example in the vertebrate nervous and sensory systems. Genome-wide, around 80% of the extra gene copies from the TGD have been lost (nonfunctionalization) in teleosts during their rediploidization process. However, for those genes that have been retained as duplicates, regulatory changes or coding mutations may generate complementary expression patterns and/or protein functions among duplicates (subfunctionalization); and/or gene duplicates may acquire new expression patterns and/or protein functions (neo-functionalization). Yet, the extent of sub- and neofunctionalization following the TGD remains poorly understood. Therefore, my research training aims to use the closest living outgroup of the teleosts, the non-teleost fish spotted gar (Lepisosteus oculatus) as an outgroup for comparative analysis of gene expression to the teleost model organism zebrafish (Danio rerio). By using CRISPR-Cas9 to manipulate gene duplicates in the zebrafish brain, I aim to identify potential cases of subfunctionalization and neofunctionalization of TGD-duplicated genes using expression patterns of the single gene in spotted gar as a proxy for the ancestor of teleosts.

Grant Bruninga

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2225

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EXAMINING THE GENETIC EFFECTS OF HYBRIDIZATION: IMPLICATIONS OF SPLAKE (SALVELINUS FONTINALIS X SALVELINUS NAMAYCUSH) INTROGRESSION INTO NATIVE TROUT POPULATIONS

Abstract: Many Great Lakes fish species, such as brook trout (Salvelinus fontinalis) and lake trout (Salvelinus namaycush), have experienced declines in population abundance in response to climate change and the introduction of non-native species. While lake trout have recently been designated as recovered, brook trout continue to decline across the Great Lakes region and face threats to population persistence. One of these threats is the stocking of splake, an anthropogenic hybrid of brook trout and lake trout (Salvelinus fontinalis x Salvelinus namaycush). Splake have been stocked into Lake Superior since the 1970s to provide recreational fishing opportunities amidst declining native trout populations. However, through interbreeding, splake can diminish genetic advantages of wild trout through the introduction of maladaptive genetic variation. Therefore, introgression of splake alleles into wild trout populations could reduce their resilience, especially in an era of environmental change. Previous hatchery crosses of brook trout, lake trout, and splake suggest differential offspring survival depending on the maternal parent species. However, the genomic contribution of these three parent species to their offspring during interbreeding events remains unknown. Using restriction-site associated DNA sequencing, we compared DNA sequences of F1 parental backcrosses of splake hybrids to the reference genomes of brook trout and lake trout. We hypothesize that there will be differences in the genomic contribution of maternal and paternal parent species to hybrid offspring. These results will help determine the genetic effects of splake introduction into Lake Superior and broadly inform future genetic analyses of anthropogenic hybrids in other systems.

India Hirschowitz

Category: Integrative and Organismal Biology Presentation Type: Poster Presentation Number: 2231 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: NORTH AMERICAN AVIAN RESPONSES TO GLOBAL CHANGE: EFFECTS OF NEGATIVE

INTERSPECIES INTERACTIONS ON POPULATION TRENDS

Abstract: Global changes, including climate change, land use change, and invasive species, have been identified as driving forces for shifts in avian species' ranges and migration patterns. However, the impact of changing ranges on interspecies interactions remains understudied. Key to filling this gap is creating comprehensive data on species interaction networks, across large geographic regions and multiple species. We created the Avian Interaction Database for bird-bird interactions across North America, which contains over 26,000 pairwise interactions. With these data, we identify pairs of native and non-native species that interact in different ways (e.g., competition, predation, mutualism). For these pairs, we use regression to quantify the relationships between their range shifts, and between their population trends, using additional data from the North American Breeding Birds Survey and eBird. We identify species whose populations are declining, species who may benefit from global changes, as well as the types of interactions that align with these changes. Preliminary results suggest that range expansion has led to an increase in negative interspecific interactions (e.g., competition, predation). This study emphasizes the importance of open-access data for research and conservation, and provides insights about how species interactions affect species' distributions. The results will help identify species and types of interactions that may be more vulnerable to global changes, thus informing future research and conservation prioritization efforts.

Isabella Rinaldi

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2224

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CHARACTERIZATION OF ENTERIC NERVOUS SYSTEM DEVELOPMENT IN SPOTTED GAR (LEPISOSTEUS OCULATUS)

Abstract: The enteric nervous system (ENS) provides the intrinsic innervation to the gastrointestinal tract. Because of its central role in controlling gut function, identifying the genetic basis of ENS development is important for understanding its role in gastrointestinal diseases. The zebrafish (Danio rerio) model system has been crucial in understanding the genetic basis underlying ENS development, as gene regulatory networks governing developmental processes are often shared across the vertebrate lineage. Recent work has identified the spotted gar (Lepisosteus oculatus), a non-teleost fish, as a bridge between the teleost zebrafish and humans if genetic elements cannot be linked between zebrafish and humans. To use gar as a bridge species, we aimed to characterize ENS development in spotted gar. I first performed whole-mount immunohistochemistry between stages 25 and 34 of gar development using the pan-neuronal markers Elavl and acetylated-α-Tubulin (α-Tub) to determine when ENS neurons differentiate. Elavl and α-Tub were detected in enteric neuronal cell bodies and nerve fibers respectively at stages 32-33 and 33-34 but not at stages 25-30. This suggests that ENS neurons differentiate at the beginning of stage stages 31-32. To identify neuronal subtypes, I am currently performing immunohistochemistry with subtype markers Nitric oxide synthase 1, Serotonin, and Choline Acetyltransferase at stages 33-34. Characterizing ENS development in spotted gar will allow us to establish the gar ENS as a model for human ENS diseases and contribute to a better understanding of the evolution of vertebrate ENS development.

Jackson Bird

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2236

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ASSOCIATION OF MIDGUT PROTEASES WITH TOXICITY OF CRY1F TOXIN IN CABBAGE LOOPERS (TRICHOPLUSIA NI)

Abstract: In 1915, scientists discovered that the soil-dwelling bacterium Bacillus thuringiensis (Bt) had insecticidal properties. This toxicity was later found to originate in parasporal crystals produced by the bacterium; the major proteins present within these crystals are called Cry toxins. Over time, growers began using Bt in insecticidal sprays. Additionally, for the past 30 years, farmers worldwide have been growing ever-expanding varieties of genetically modified crops that express Bt proteins to confer resistance to insect feeding. In the insect digestive tract, Cry toxins are proteolytically activated, followed by a cascade of damage to the midgut cells that leads to the death of the target organisms. Many Bt crops have been approved for use worldwide, including cotton, soybeans, eggplant, potato, tobacco, and, most commonly, sweet corn. However, with continuing planting of Bt crop varieties and application of Bt sprays, pest resistance to Bt is also increasing. Resistance to Bt toxins is often conferred by mutations in the Bt receptors in insects, preventing them from killing the organism. It may also be due to changes in digestive proteases in the insect midgut, as Bt toxins are proteinaceous in nature and thus can be degraded by proteolytic enzymes. This project aims to examine the association of digestive proteases with the resistance of cabbage looper (Trichoplusia ni) larvae to the Bt toxin Cry1F.

Jacob Gray

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2204

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: SURVIVAL AND GROWTH OF EDN2A AND EDN2B MUTANTS

Abstract: The endothelin system is important for regulatory processes in the cardiovascular and pulmonary system and development of the vertebrate-specific neural crest cell population. In most vertebrates there are three different Endothelin (Edn) ligands, Edn1, Edn2, and Edn3. Zebrafish, as teleost fish, have undergone a whole-genome duplication, the teleost genome duplication. Thus, in zebrafish there are for example two edn2 genes, edn2a and edn2b. In mouse and human, EDN2 is expressed in different tissues, including ovarian and intestinal epithelial cells. Edn2 mouse mutants show growth defects. Yet, the role of edn2has not been tested in zebrafish and it remains unclear if edn2a and edn2b have the same or different functions during zebrafish development. In this project, I am testing the working hypothesis that edn2a and edn2b affect growth and survival of zebrafish larvae. Using established edn2a and edn2b mutants, I am currently measuring growth and survival in 5 day and 14 day-old zebrafish. By modeling this gene in zebrafish, we can better understand the function this gene has during development.

Jessica Rowe

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2214

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: NR3C1 GENE FOUND BY PCR LINKS STRESS RESPONSE TO TRIER STRESS TEST IN HUMANS AND AUDIO PLAYBACK IN CANADIAN GEESE

Abstract: The purpose of this study was to examine homologous behaviors and genes evolutionarily shared between avians and humans. Humans (Homo sapiens) and Canadian geese (Branta canadensis) were selected for the evaluation of stress responses, and the glucocorticoid receptor gene (NR3C1) was tested via PCR. The study explored whether avians and humans share conserved stress behaviors and NR3C1 alleles by using PCR to identify conserved DNA sequences. Canadian geese' stress responses were observed using playback as done by Deecke et al. in their 2002 Nature paper. A homologous study of human subjects was done using the Trier Social Stress Test from Pereria et al., 2020, to observe stress response, focusing on behavioral for geese and cardiovascular for humans. Several control studies were conducted, including playback of mallard duck vocalizations (negative control) and fireworks sound (positive control) for geese and monitoring of resting heart rate (negative control) and forest ambiance playback (positive control) for humans. For PCR, DNA oligonucleotide primers found by El-Refaey et al. in 2021 were used to confirm the presence of the NRC31 gene in human genomic samples, and the human primers are planned to be applied to purified goose DNA to seek out homologous alleles of NR3C1. Geese displayed behavioral responses to stressors, and humans exhibited cardiovascular changes, supporting the hypothesis that stress responses correlate with NR3C1 activity. However, further investigation is required to complete the PCR studies to determine if a conserved homologous allele of the NR3C1 gene is present in Canadian Geese.

Kayla Mizell

Category: Integrative and Organismal Biology **Presentation Type**: Poster

Presentation Number: 2205

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: A TEST OF THE RISK ALLOCATION HYPOTHESIS IN CENTRAL AMERICAN AGOUTIS IN GAMBOA, PANAMA

Abstract: The Central American agouti (Dasyprocta punctata) is a large diurnal rodent found from southern Mexico to northern Argentina5. Although agoutis spend most of their time foraging, grooming, resting, or vigilant, precisely when these behaviors are performed throughout the day may be influenced by factors like predation5, 6. Agoutis are commonly preyed upon by carnivores such as ocelots, who are most active from dusk to dawn6. According to the risk allocation hypothesis, such temporal variation in predation risk can influence how animals allocate behaviors like foraging and vigilance throughout the day7. This study aims to determine if agoutis in Gamboa, Panama, allocate certain behaviors to the morning, afternoon, or evening in response to variation in predation risk. The risk allocation hypothesis predicts that agoutis will forage, groom, and rest more in the afternoon and less in the morning and evening when the predation risk is higher. Similarly, it predicts that agoutis will be more vigilant in the morning and evening compared to the afternoon when the predation risk is lower. Agoutis in Gamboa, Panama, were observed in the morning, afternoon, and evening, and the duration of time individuals spent displaying the four behaviors of interest was measured. ANOVA testing revealed that the amount of time agoutis spent displaying each behavior did not differ significantly throughout the day. Although this is inconsistent with previous studies that have supported the risk allocation hypothesis in agoutis, these results may make more sense when considering the study site's urban environment.

Larkin Dulaney

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2221

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DETERMINING THE CONSPICUOUSNESS OF LEG FLAGS IN MATADOR BUGS (ANISOSCELIS ALIPES)

Abstract: Many animals utilize color in a variety of ways, yet how these colors are perceived by predators is not entirely understood in some notably conspicuous species. One such species is the Matador Bug,Anisoscelis alipes, of Central and South America, which has enlarged colorful femoral flags whose purpose is not currently known. By analyzingin situphotographs of Matador Bugs with Quantitative Color and Pattern Analysis (QCPA), we assessed the conspicuousness of Matador Bug leg flags when viewed by potential predators, thus testing the hypothesis that these flags serve as a signal to predators. We utilized QCPA to view the insects and their surroundings through the simulated vision of the Eurasian Blue Tit,Cyanistes caeruleus, and Fringed Jumping Spider,Portia fimbriata, to mimic that of their related natural predators.By comparing the long, medium, and short wavelength sensitivities of these predators to the insects' leg flags and bodies within their environments, we examined whether predators could perceive these insects. This research highlights how conspicuous signals to human vision can actually be perceived under different visual systems in nature.

Loren Campbell

Category: Integrative and Organismal Biology Presentation Type: Poster Presentation Number: 2226 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: PLANTING FOR POLLINATORS: USING NATIVE SPECIES TO ENHANCE THE POLLINATOR GARDEN

Abstract: Native pollinators have been dealing with a decline from habitat loss, pesticides, climate change and many other problems. To help native pollinators combat these issues, we added a pollinator garden to Beal Botanical Garden in 2022, with the goal of attracting a large and diverse population of native pollinators using native plants. To optimize the native pollinators that visit our garden, we surveyed the pollinators that visited each species of plant. We have collected data for two years. During our second season of collecting data we were able to see data from new plants, optimise our survey taking and get better results for the future. New plants include Monarda fistulosa and Helianthus giganteus. Plants like Erigeron pulchellus and Symphyotrichum novae-angliae saw an increase in pollinators from the first season. Some plants have consistently attracted a low number of pollinators, for the past two years, like Phlox pilosa and Sisyrinchium angustifolium. Along with data collected in the Pollinator Garden, we are also using plants we have observed in other parts of Beal Botanical Garden to improve the Pollinator Garden in years to come. The data collected will be used to see what we have attracted and how we can expand our pollinator attraction. Outside of the pollinator garden, plants like Claytonia virginica and Amorpha canescens have been observed attracting numerous native pollinators.. There is a planned expansion happening to the Pollinator Garden where Claytonia virginica, Amorpha canescens and many others will be added to the expanded pollinator garden.

Lorenzo Thrasher

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2212

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: USING TRAINABLE WEKA SEGMENTATION IN FIJI TO ANALYZE THE EFFECTS OF DOSE-DEPENDENT DISRUPTION OF SIGNAL TRANSDUCTION PATHWAYS ON NEURITE ELONGATION.

Abstract: Understanding the mechanisms by which neurons grow is essential to the development of treatments to repair damage to the human nervous system. A common technique to understand such mechanisms is measuring in vitro neurite outgrowth following the manipulation of signal transduction pathways that affect neurite elongation. Although effective, past methods of neurite measurement have primarily been performed manually, which can be impractical when considering large data sets. This paper introduces an semiautomated strategy to measure the length of neurites. This process is executed using machine learning via Trainable WEKA Segmentation (TWS) in FIJI. To assess the utility of this strategy, still images were taken of cultured chick forebrain neurons that were experimentally treated with the Rac/cdc42-inhibitor MBQ-167, which inhibits signaling pathways essential to axonal elongation. A ground truth of total neurite outgrowth within each condition was established through the manual measurement of neurites. Through regression and Dunnett's 1-way ANOVA, the reliability of this machine learning-based technique was affirmed. The advantages of this method lie in its efficiency and repeatability relative to themanual tracing of neurites to produce quantitative results pertaining to neurite outgrowth across a dataset. This approach is also simple to use compared to other automated image segmentation techniques, as all preprocessing and processing steps can be performed solely in FIJI and Excel.

Lucas Badiner

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2213

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: ASSESSING SPATIAL AND TEMPORAL VARIATION IN MORPHOLOGY OF A SALAMANDER (PLETHODON CINEREUS)

Abstract: Global climate change and increasing mean annual temperatures are expected to disrupt current ecosystems, and species in turn, need to respond effectively to these changing environmental conditions. Amphibians are especially vulnerable to these environmental changes due to their reliance on moisture levels and water availability. Studies such as Caruso et al. (2014), have indicated that increased mean temperatures are associated with reductions in body size of adult salamanders. Hantak et al. (2021) observed reductions in body size of the Eastern Red-Backed SalamanderPlethodon cinereusin response to increasing mean annual temperatures. However, body size reduction inPlethodon cinereushas not been measured in western populations of the species. Plethodon cinereus, is a small, terrestrial, lungless salamander belonging to the family Plethodontidae, that is native to much of the eastern seaboard and eastern deciduous forests of North America. Plethodon cinereus inhabits a wide variety of forest types and are often the most abundant salamander found throughout their range. Plethodon cinereus is a critical species for nutrient cycling and energy flow in their respective ecosystems. This study seeks to examine historical museum specimens of local populations of P. cinereusto compare changes in snout-vent length (SVL) to current populations. Reductions in SVL and body size in amphibians is concerning due to the positive correlation between female body size and fecundity. By documenting historical trends of body size inP. cinereus, this study aims to model physiological responses of Plethodon cinereus to global climate change.
Lucille Wilson

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2203

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EXPLORING SEASONAL VARIATION IN GENETIC POPULATION STRUCTURE OF LAKE TROUT IN LAKE SUPERIOR

Abstract: Lake trout (Salvelinus namaycush) are one of only 2 trout species native to Lake Superior. After their population dropped to an extreme low in the mid-1900s, collaborative recovery efforts have restored self-sustaining populations throughout most of the lake. Although lake trout population abundance has increased, more insight is needed into the population structure and genetic diversity of this species. Further, it is not well understood how lake trout genetic population structure changes throughout spawning and nonspawning seasons. Individuals are presumed to return to their native spawning reefs during the fall spawning season due to spawning site fidelity. They may be more dispersed outside of the spawning season, but genetic insight is needed to explore these patterns. This study aims to investigate how lake trout dynamics vary by season by comparing genetic population structure during and outside of spawning season. We will conduct restriction-site associated DNA sequencing on around 2500 wild lake trout individuals caught in the fall and spring. With this data, we will perform population structure analyses to explore if the population structure of lake trout changes based on the season. We may gain insight into how populations disperse among spawning reefs, and how this impacts genetic population structure. The critical genetic information gathered in this study will inform conservation management strategies to maintain healthy and diverse lake trout populations across Lake Superior.

Maddie Andreatta

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2235

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: HOW DOES HUMAN FOOTPRINT IMPACT NORTH AMERICAN AVIAN SPECIES INTERACTIONS?

Abstract: Urbanization and other human-induced land use changes are at an all time high. As little as 3% of Earth's land area remains largely untouched by human influence. This human footprint has a large effect on species' habitat and biodiversity, and can impact how species interact with each other. For example, some research shows that avian species with nests closer in proximity to urban and developed areas have a lower risk of nest takeover and brood parasitism by other avian species, whereas other research shows that these interactions increase with urbanization. However, current studies focus on local scales and only a few species, making it difficult to understand how human footprint affects the frequency of these interactions across large areas and multiple species. Until now, there has not been a comprehensive database of avian interspecific interactions across a large geographic area. Now, using the Avian Interaction Database (currently being compiled by student and faculty researchers at Michigan State University, with over 26,000 pairwise interactions to date), along with the North American Breeding Bird Survey (BBS), we have the capacity to quantify the spatial and temporal changes in nest-related interactions among avian species across North America. Here, we use this database, along with the BBS and Human Footprint Index (HFI), to quantify the effects of human footprint on avian species' interactions of nest takeover and brood parasitism, across 60 years, at a continental scale. This spatio-temporal analysis and its open workflow showcases potential applications of comprehensive interaction databases. The results will advance understanding of when and where human impacts affect avian interactions and species' susceptibility to global change, informing conservation and 30x30 biodiversity targets.

Mallory Bergmann

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2201

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EFFECT OF A DISTURBED ENVIRONMENT ON PERCH HEIGHT AND HABITAT CHARACTERISTICS OF D. MICROCEPHALUS

Abstract: Dendropsophus microcephalus, commonly known as the Small-headed Treefrog, is a small amphibian species characterized by its size (27-32 mm), round short snout, and flat head shape (Bolívar-G et al., 2009). The frog displays nocturnal colors of light yellow with brown or tan markings, shifting to tan-yellow or light brown with darker markings during daylight hours (Fonseca-Pérez et al., 2017). Male D. microcephalus are primarily vocal on vegetation up to 30 cm above shallow water, particularly active during the rainy season and following heavy rains (Tárano, 2011). Global literature identifies habitat alteration as a major driver of amphibian population declines (Gardner et al., 2007). Despite its resilience, D. microcephalus is known to inhabit disturbed areas (Bolívar-G et al., 2009). This study focuses on D. microcephalus in Gamboa, Panamá, examining human impact on habitat (proximity to roads), perch height, and leaf size. Results indicate a negative correlation between perch height and distance from roads, suggesting lower perching vegetation as proximity to roads increases. Conversely, there is a positive correlation between leaf size and distance from roads, indicating increased vegetation availability away from roads, potentially beneficial for mating and habitat purposes.

Marieke Anderson

Category: Integrative and Organismal Biology Presentation Type: Poster Presentation Number: 2207 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: CERRO PUNTA'S MULTI-SPECIES HUMMINGBIRD POPULATION'S ARTIFICIAL FEEDER-ASSOCIATED BEHAVIOR

Abstract: Bird feeders are a well-known global staple, but, despite their prevalence, there are many issues surrounding bird feeders: this is especially true of hummingbird feeders. Given the difficulties of feeder upkeep and the potential for altering behavior, it is important to question if hummingbird feeders are worth the risks and resources. Through ethogrambased observational assessment of the behaviors of five hummingbird species in Cerro Punta, Panama; interspecies interactions and feeder-proximity behavior can be accessed. By researching behavior at artificial feeders, a stronger argument can be posed based on species-level behavioral patterns. Through better knowing hummingbird feeding behaviors, researchers could go on to better assess the viability of hummingbird feeder use as it pertains to hummingbird and local ecosystem health. Furthermore, some species of hummingbird are territorial, which is another behavioral aspect to consider at sites that promote interspecies interactions. Key environmental factors on behavior considered include elevation of hummingbird feeders (first-floor versus second-floor), quantity of nearby feeders (one versus three), prevalence of humans (moderate, reduced, consistent, or fluctuating), as well as sex (male, female, unknown), quantity, and species (lesser violetear, talamanca, violet sabrewing, white-tailed emerald, white-throated mountain-gem) of the present individuals.

Rachel Baja

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2202

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: COMPARATIVE ANALYSIS OF ROUND GOBY (NEOGOBIUS MELANOSTOMUS) SIZE DISTRIBUTION INFREQUENCY IN NATIVE PREDATOR STOMACHS ACROSS LAKE MICHIGAN AND LAKE HURON, 2017-2023

Abstract: Over recent decades, Lakes Michigan and Huron have undergone significant alterations in predator-prey dynamics, including the introduction of Round Goby. These changes resulted in reduced lake productivity and preyfish availability for predatory fishes. One of the most striking changes was the Alewife (Alosa pseudoharengus) collapse in Lake Huron in 2003, which forced predators to switch to alternative prey. While previous studies have largely focused on Alewife to determine the sustainability of predator populations, new shifts in predator-prey systems highlight the need to examine the size distribution of emerging preyfish to asses predator foraging conditions. Here, we analyzed fisheriesindependent surveys and angler tournament fish stomach samples in collaboration with state, federal, and tribal agencies, focusing on Round Goby size distribution in the stomachs of 3,034 Lake Trout (Salvelinus namaycush) and 294 Walleye (Sander vitreus) from 2017-2023. Our data revealed that preyfish size varied across: (1) lakes, (2) regions, and (3) years. Despite some annual variation, Round Goby consumed by both species were on average 30 mm larger in Lake Michigan compared to Lake Huron, with more pronounced regional size differences in Lake Michigan. Cross-lake differences in Round Goby sizes may be associated with lake productivity and habitat differences, though further research is needed to draw full conclusions. Consistently smaller Round Goby sizes in predator stomachs in Lake Huron suggest that the foraging conditions may be worsethan in Lake Michigan. Additional metrics, such as preyfish abundance, should be incorporated to fully assess these trends.

Suhaylah Ahmad Ali

Category: Integrative and Organismal Biology

Presentation Type: Poster

Presentation Number: 2211

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: CAN HIGHLY INVASIVE MUSSELS ACT AS VECTORS OR BIOINDICATORS OF THE MYXOZOAN PARASITE T. BRYOSALMONAE IN MICHIGAN?

Abstract: The Great Lakes basin has been invaded by Zebra Mussels (Dreissena polymorpha) and Quagga Mussels (Dreissena bugensis). They reproduce fast, becoming widespread across large and small lakes and rivers in North America, and are known to be bio accumulators of potentially harmful pathogens to people and animals. Another harmful organism, the myxozoan parasite Tetracapsuloides bryosalmonae (Malacosporea), acts a two-host life cycle, in which under suitable temperature, environmental, and host susceptibility conditions, may induce Proliferative Kidney Disease (PKD) in salmonids. They infect freshwater bryozoan species, moss filter-feeding organisms widespread in freshwater ecosystems, before releasing waterborne malacospores that can be infectious to susceptible fishes. With the confirmed presence of T. bryosalmonae in several salmonid species and bryozoans across the Great Lakes region, it is concerning that invasive mussels were often found sharing the same substrates with bryozoans. Zebra and Quagga mussels were collected from rivers and lakes around Michigan, to investigate if they can act as vectors or hosts for T. bryosalmonae. Tissue samples are screened for T. bryosalmonae by PCR, followed by histological evaluation of relevant samples. In this study, the detection of T. brysalmonae in several invasive mussel samples provides insightful preliminary data for how the parasite life cycle may be completed as they could then be used as bioindicators to detect this regulatory fish pathogen. This study is relevant for understanding the depth of the impact invasive mussels may have on the health of aquatic ecosystems and the people that rely on these river systems for business and recreation.

Kinesiology

Aarushi Lokhande

Category: Kinesiology Presentation Type: Poster Presentation Number: 2335 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: AGE AND SEX DIFFERENCES IN PHYSICAL ACTIVITY-BASED SOCIAL-EMOTIONAL LEARNING

Abstract: Studies show that physical activity (PA)-based social-emotional learning (SEL) can vary by age and sex. This study examined age and sex differences in the perceived development of social and emotional skills in 184 students (male = 58.10%; Mage = 14.41, SD = 1.60) who participated in an after-school PA-based SEL program. Participants completed cross-sectional measures of perceived development of SEL skills. A two-way MANOVA compared results based on age group (emerging/early adolescence [8-13 years] vs. older adolescence [14-18 years) and sex (males vs. females). Results showed no significant difference in perceived development of social skills between emerging/early adolescents (M= 3.27, SD= 0.999) and older adolescents (M = 3.36, SD = 1.035). Likewise, there were no significant differences in perceived development of emotional skills between early adolescents (M = 3.44, SD = 0.854) and older adolescents (M = 3.42, SD = 0.923, Wilks λ = .984, F (2, 142) = 1.143, p = .322). A significant difference in perceived development of social skills was found between sexes, with males (M = 3.50, SD = 0.837) reporting higher scores than females (M = 3.32, SD = 0.908, F= 0.299, p = 0.585). However, no significant difference in perceived development of emotional skills between males (M = 3.39, SD = 0.919) and females (M = 3.48, SD = 0.954 Wilks & #955; = .952, F (2, 142) = 3.563, p = .031) was found. These findings highlight the need for approaches supporting social skill development in female youth through PA.

Anna Elmquest

Category: Kinesiology Presentation Type: Poster Presentation Number: 2301 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: OBSERVATIONAL LEARNIN

Title: OBSERVATIONAL LEARNING VS. MOTOR-EXPLORATION: WHICH IS MOST EFFECTIVE IN IMPROVING PERFORMANCE ON A NOVEL COLLABORATIVE MOTOR TASK?

Abstract: There are multiple approaches to learning new skills. It has been debated whether observational learning or motor-exploration is more beneficial in facilitating the learning of a new motor task. Observational learning allows individuals to observe successful task performance before attempting it themselves, while motor-exploration enables individuals to use movements that work best for their own capabilities. This distinction is particularly relevant for individuals learning to operate robotic prosthetics or assistive devices. Our study examines whether observational learning or motor-exploration is more efficient when applied to learning a novel collaborative motor task. The participants were asked to use upper body movements to control a cursor on a screen to various targets located around the screen. Two groups were tested: the observational group that was able to see their partner during the task, and the motor-exploration group that was not able to see their partner during the task. Training conditions were completed collaboratively and consisted of 20 reaches to the targets, while testing conditions were completed independently and consisted of 24 reaches to the targets. Our findings indicate that participants in the observational learning group, who had full visibility of their expert partner, acquired the task at a faster rate than those in the motor-exploration group. Given that the ultimate objective for individuals learning to use assistive devices is independent and proficient operation, our research suggests that observational learning is a more effective strategy for enhancing performance compared to motor-exploration.

Bhuvana Bhamidipati

Category: Kinesiology Presentation Type: Poster Presentation Number: 2336 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ON THE RELATIONSHIP BETWEEN HAND DOMINANCE AND GAZE PATTERNS

Abstract: Our study explores how gaze patterns and hand kinematics are influenced by handedness while performing bimanual tasks.Twelve right-handed and twelve left-handed participants were tasked with moving two cursors to two targets as swiftly and accurately as possible. Each cursor was controlled by a table-mounted joystick with a cover blocking the participant's hands. Participants' heads were stabilized using a chin rest, and their eye movement was measured using a screen-mounted eye tracker. This experiment consisted of three experimental conditions. The first condition had participants move their cursor from a home position to two targets straight ahead at 90 degrees. The second condition had the cursors move from the home position to targets located at either 30 or 150 degrees in the same direction. The last condition had the same target locations but required the cursors to move in mirror-fashion, either laterally or medially. We then analyzed the sum of fixation dwell time in the region of interest around each target and the root mean square error (RMSE) to indicate the hands' movement straightness. We found that participants preferentially looked at their dominant hand. Additionally, in the isodirectional and anisodirectional conditions, right-handed participants tended to look at the lateral targets less and had a higher RMSE in lateral movements. On the other hand, left-handed participants fixated on medial targets more but had a higher RMSE in medial movements. This suggests that visual attention facilitates movement performance in right-handed participants while the midline effect impacts hand performance in left-handed individuals.

Clayton Monge

Category: Kinesiology Presentation Type: Poster Presentation Number: 2308 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: THE ACUTE EFFECTS OF

Title: THE ACUTE EFFECTS OF A VIBRATION-BASED THERAPY DEVICE ON INHIBITORY CONTROL IN CHILDREN WITH ADHD

Abstract: Vibrational therapy has been proposed to enhance autonomic nervous system (ANS) regulation, influencing state-dependent control of attention and interrelated cognitive processes. Wearable devices using vibration-based techniques, such as the Apollo System, may therefore offer therapeutic benefits for populations with both autonomic and executive dysfunction, including children with Attention-Deficit/Hyperactivity Disorder (ADHD). While our preliminary data suggest that the Apollo System does not improve long-term symptomology in children with ADHD, its potential effects on inhibitory control during acute use (i.e., a single session) has not been investigated. Therefore, our study aimed to examine the acute effects of the Apollo System on inhibitory control task performance in children with ADHD as part of a double-blind, sham controlled clinical trial. Eighty-one children with ADHD were recruited from Mid-Michigan communities and randomly assigned to either an active device group (n = 42) or a sham control group (n = 39). Each group completed a Go/Nogo task and Flanker task before and during Apollo System use, which index the response inhibition and interference control subdomains of inhibitory control, respectively. The Apollo device did not significantly improve reaction time or response accuracy (p's > 0.05) on either the Go/No-go task or the Flanker task compared to the sham device. These findings suggest that acute use of the Apollo system is ineffective in improving response inhibition or interference control task performance in children with ADHD. Future studies should explore more effective modalities through which vibrational therapy directly modulates the ANS and its interconnected networks.

Faith Persyn

Category: Kinesiology Presentation Type: Poster Presentation Number: 2305 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: COMPARING TSK-11 AND ACL-RSI SCORES IN INDIVIDUALS WITH AND WITHOUT EFFUSION-SYNOVITIS FOLLOWING ACL RECONSTRUCTION

Abstract: Following ACL reconstruction (ACLR), knee inflammation may affect psychological outcomes, potentially reducing readiness to return to sport and increasing fear of movement. However, no direct link between inflammatory markers and psychological outcomes has been established. This study examined the association between effusionsynovitis and psychological outcomes, specifically readiness to return-to-sport and kinesiophobia, in patients post-ACLR. Fifty-two participants, who were four to six months post-ACLR, were included in this cross-sectional study. Effusion-synovitis in the involved limb was assessed using ultrasound imaging along the longitudinal plane at the suprapatellar recess. The severity of effusion-synovitis was graded using a previously established semi-quantitative scale ranging from 0 to 3. Participants were then categorized into two groups: absent/mild (grades 0-1) and moderate/severe (grades 2-3). Psychological readiness and kinesiophobia were evaluated using the ACL Return-to-Sport after Injury Scale (ACL-RSI) and the Tampa Scale of Kinesiophobia-11 (TSK-11), respectively. Independent t-tests were conducted to compare psychological readiness and kinesiophobia between those with and without effusion-synovitis. The significance level was set at 0.05 a priori. The groups were evenly divided, with 26 participants experiencing effusion-synovitis and 26 participants not experiencing it. No significant differences were observed in ACL-RSI (t=-0.315, p=0.74) or TSK-11 scores (t=0.285, p=0.78) between participants with and without effusion-synovitis. These findings suggest that effusionsynovitis may not significantly impact psychological readiness or kinesiophobia four- to sixmonths post-ACLR, despite half of the participants exhibiting elevated effusion-synovitis at this timepoint. Future research should examine the long-term effects and severity of knee inflammation on kinesiophobia and return-to-sport readiness.

Georgia Berger

OF WALKING

Category: Kinesiology Presentation Type: Poster Presentation Number: 2324 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: CHARACTERIZING INFANT-MOTHER COMMUNICATION DURING THE ACQUISITION

Abstract: As infants begin to explore their environment, they are able to interact with varying objects, physically, and are able to interact more with others, verbally. Previous literature indicates that the interaction between the mother and infant can have an impact on the language development of the infant. However, the interplay between an infant's locomotor ability and verbal communication requires further research. The purpose of this study is to examine the relationship between locomotor activity and verbal communication in infants learning how to walk. Each infant-mother dyad was video recorded in their home, with data collections beginning when infants could stand independently (10 consecutive seconds), and ending when infants were able to walk independently (10 consecutive steps). Infant's locomotor activity and verbal communication were coded using Datavyu, an open-source behavior coding software. Locomotion was coded for different behaviors the infant engaged in (e.g., walking, crawling, sitting) and verbal communication was coded for whether the infant was initiating, responding to, or engaging in solo vocalization. Data was analyzed to determine whether infant vocalization increased with active (e.g., walking, crawling) or passive (e.g., sitting, kneeling) locomotor behaviors, and whether different locomotor behaviors correspond to specific types of vocalizations. The relationship between locomotion and verbal communication has important implications for early childhood development and intervention strategies. Infant locomotion may facilitate increased verbal communication; therefore, creating early intervention programs fostering locomotor skills may be beneficial in supporting children with motor and speech developmental delays.

Isabela Griwatsch

Category: Kinesiology Presentation Type: Poster Presentation Number: 2311 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: PHYSICAL THERAPY AND FUNCTIONAL SYMMETRY: EXPLORING THE IMPACT OF PT DURATION ON ACL RECONSTRUCTION OUTCOMES

Abstract: Introduction: Duration of physical therapy (PT) post-ACL reconstruction (ACLR) plays a crucial role in determining an individual's return to full function. Vertical ground reaction force (vGRF), single leg hops, isokinetic strength, and limb symmetry index (LSI) are often used to determine an individual's readiness to return to sport. Extended PT could be beneficial for recovery outcomes, providing evidence to support increased PT visits should be covered by insurance to improve patient care and long-term recovery following ACLR. Therefore, the purpose of this study was to identify correlations between PT duration and performance outcomes post-ACLR.Methods: 69 participants (46% female) from a longitudinal study at Michigan State University following unilateral ACLR were assessed. Peak vGRF was recorded from five drop-vertical jump trials. Participants performed five single-leg hops per limb, aiming for maximum distance, and five isokinetic knee flexion and extension trials from a BioDex machine, peak strength was utilized. Averages were calculated for each task, and LSI was determined:LSI = (ACLR/Contralateral) * 100. PT duration was self-reported at the visit's start. Spearman's correlation assessed the relationship between PT duration and physical outcomes. Results: Spearman correlation analyses showed significant relationships between participants no (TOS:7.61±2.89,Age:20.9±7.15, Height:172±8.74 cm,Weight:77.4±17.2kg) total physical therapy visits and peak vGRF (r=-0.06,p=0.619), single-leg hop (r=-0.16,p=0.204), and peak isokinetic knee flexion (r=0.09,p=0.45) and extension (r=-0.13,p=0.29) LSI. Conclusion: Our results found no significant relationship between PT and these physical outcomes. Future research should explore the effects of age or sex has on the association between PT and these outcomes.

Jack Logsdon

Category: Kinesiology Presentation Type: Poster Presentation Number: 2326 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: ASSESSING THE RELATIONSHIP BETWEEN STRENGTH ASYMMETRY AND KNEE FLEXION AND VALGUS EXCURSION ASYMMETRY DURING A DROP VERTICAL JUMP

Abstract: Introduction: Asymmetries of Knee Flexion Angle (KFA) and Knee Valgus Angle (KVA) in an individual are knee injury risk factors. Knee extensor and flexor strength asymmetries may influence asymmetries in KFA and KVA. Identifying this relationship may be crucial to understanding knee injury risk. Purpose: Examine the relationship between asymmetries in knee extensor and flexor strength and asymmetries in KVA and KFA in Division I athletes. Methods: Twenty-four female athletes (age 20.3 ± 1.1 years; BMI 24.6 ± 2.3) completed isokinetic dynamometer testing for knee extensor and flexor peak torque on both limbs. Using markerless multi-camera motion capture (150Hz) KFA and KVA excursion was calculated as the difference between the angle at initial and peak angle during a drop vertical jump. Knee extensor and flexor strength was averaged over five trials. KVA and KFA excursion were averaged over three trials. Asymmetry was calculated as the relative difference between the dominant and non-dominant limbs. Two linear models were fit between the two extensor and flexor strength asymmetries and excursion asymmetries. Results: Strength asymmetries did not significantly predict KVA excursion (p = 0.32, r2 =0.41). However, strength asymmetries significantly predicted KFA excursion (p = 0.04, $r^2 = 0.04$, $r^2 = 0.04$ 0.59). Knee extensor asymmetry explained a significant portion of KFA excursion variance (& #946; = 0.28, p = 0.004), but flexor asymmetry is not a significant predictor (p = 0.35). Discussion: Increased knee extensor asymmetry is significantly related to KFA excursion asymmetry. Suggesting extensor imbalances may contribute to altered knee kinematics, potentially impacting injury risk.

Jagger Wraalstad

Category: Kinesiology Presentation Type: Poster Presentation Number: 2302 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: STRENGTH AND KNEE VALGUS: EVALUATING INJURY RISK WITH MARKERLESS MOTION CAPTURE AND A NOVEL STRENGTH COMPOSITE SCORE

Abstract: INTRODUCTION: Knee valgus is a key injury risk factor, yet its assessment is often restricted to labs. Markerless motion capture (MMC) provides a more accessible method by estimating valgus through the knee-ankle separation ratio (K:A), which quantifies knee positioning relative to the ankles. Strength influences valgus control, but single-variable assessments may overlook its multidimensional nature. A composite strength score better captures the interplay of extensor and flexor strength in relation to valgus mechanics. PURPOSE: Examine the relationship between K:A and knee extensor and flexor strength in Division I female athletes. METHODS: Twenty-seven female athletes (age 20.3±1.1 years; BMI 24.8±2.4) completed isokinetic dynamometer testing for quadriceps and hamstring peak torque on both dominant and non-dominant limbs. Two linear regression models examined the relationship between K:Aexcursion-calculated from three drop vertical jump trials via MMC-and strength. The raw strength model included four independent variables: peak knee extensor and flexor torque for each limb. The composite model used principal component analysis to derive four strength composite scores (SC1-SC4), reducing collinearity. RESULTS: The raw strength model was significant (p=0.014, r2=0.68), however none of the raw strength measures were significant in this model. The composite strength model was significant (p=0.014, r2=0.68). SC1-describing greater strength across limbs and muscle groups-was positively associated with K:Aexcursion (?=0.00506, p=0.039), while SC2-SC4 were not significant. DISCUSSION: Overall strength (SC1) is associated with valgus, an injury risk factor. Composite scoring may better capture strength interactions and improve injury risk assessment in clinical and athletic settings.

Jaini Gandhi

Category: Kinesiology Presentation Type: Poster Presentation Number: 2307 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MOTOR SKILL SEQUENCING IN REAL-WORLD CONTEXTS

Abstract: Motor skill sequencing plays a crucial role in real-world tasks such as sewing, where efficiency depends on how seamlessly individuals transition between different motor actions. Tasks that require precision and coordination, like sewing, demand well-structured motor sequences to optimize speed and accuracy. This study investigates the sequencing strategies employed by individuals performing two sewing tasks: a straight stitch and a curved stitch. Using video-based analysis and behavioral coding in BORIS, an open-source software for observational research, we categorized participants' actions into distinct motor behaviors, such as fabric alignment, guiding, and reinforcement stitching. A time budget analysis was conducted to compare the sequencing strategies of faster versus slower participants. Preliminary findings suggest that efficient sequencing is characterized by minimizing repeated preparatory actions and prioritizing continuous guiding movements. We anticipate that our final analysis will confirm that slower participants engage in more frequent realignments and guiding adjustments, while faster participants optimize movement sequencing to reduce task duration. These insights have potential applications in training methodologies, workplace skill optimization, and the development of automated systems for motor-based tasks. Further analysis will provide a deeper understanding of how task complexity, experience level, and motor sequencing strategies influence performance, contributing to the broader field of motor learning and real-world skill execution.

Julian Ananyev

Category: Kinesiology Presentation Type: Poster Presentation Number: 2312 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: THE EFFECT OF HIGH-INTENSITY INTERVAL TRAINING ON SOLEUS MUSCLE IN

POSTNATAL GROWTH-RESTRICTED MICE

Abstract: 148.1 million children under age five experience growth restriction, which is associated with high morbidity and mortality. Postnatal growth restriction (PNGR) reportedly decreases skeletal muscle cross-sectional area (CSA), with an increase in glycolytic skeletal muscle fibers. High-intensity interval training (HIIT) increases oxidative capacity in the normal population and may improve skeletal muscle function in PNGR. PURPOSE: To investigate whether HIIT affects skeletal muscle CSA and the glycolytic fiber proportion in PNGR mice. METHODS: On postnatal (PN) day 44, PNGR and control (CON) mice were assigned to either a HIIT (HIIT: CON, n=5; PNGR, n=3) or sedentary group (SED: CON, n=4; PNGR, n=4). HIIT lasted 4 weeks, 5 days a week, alternating 8-minute bouts at 80% and 2minute bouts at 50% of maximal work for 1 hour. At PN 73, soleus samples were collected. They were prepared with OTC, sectioned, stained, imaged by confocal microscope, and analyzed in ImageJ to determine fiber-type and skeletal muscle CSA. RESULTS: CON have a lower percentage of type IIa fibers (31.40±6.85%) compared to PNGR (40.58±4.95%, p=0.0166) and a higher percentage of type IIb fibers (31.24 ±8.68%) compared to PNGR (22.14±4.05%, p=0.0383). CON have larger type IIa fibers (1900.71±229.04µm2) than PNGR (1614.61±320.90µm2, p=0.0493). Standardizing CSA to body mass, CON HIIT have larger type IIa fibers (93.16±18.64µm2/g) than CON SED (87.87±12.91µm2/g, p=0.0415). There was no difference in PNGR HIIT and PNGR SED. CONCLUSION: Postnatal growth-restricted mice did not have an increase in type IIa fiber size with HIIT and thus, did not respond positively to exercise.

Kate Mumford

Category: Kinesiology Presentation Type: Poster Presentation Number: 2306 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: DIFFERENCES IN FEAR OF MOVEMENT ON RECTUS FEMORIS MUSCLE QUALITY BETWEEN ADOLESCENTS AND ADULTS AFTER ACL RECONSTRUCTION

Abstract: Introduction: Kinesiophobia is a fear of movement commonly occurring during the recovery process from anterior cruciate ligament reconstruction (ACLR). Muscle quality is captured from echo intensity (EI) via ultrasound images. Evaluating kinesiophobia and muscle quality after ACLR is important because age-related differences in physical and psychological response could affect outcomes in both groups. This study aims to evaluate differences in the relationship between muscle quality and kinesiophobia between adults and adolescents following ACLR.Methods: We enrolled adolescents (age=14-17.9 years) and adults (age=18-35 years). The Tampa Scale for Kinesiophobia (TSK) is a self-reported questionnaire that assesses fear of movement and re-injury, with higher scores indicating greater fear of movement. Echo intensity evaluates muscle quality where a higher El value indicates non-contractile fibers and a lower EI indicates contractile fibers. We completed a Pearson correlation to assess the relationship between EI and TSK values. We then compare if the two correlations were significantly different with a Fisher's r-to-z transformation. Results: Adolescents (Height: 172.06±8.76cm; weight: 70.8±13.2kg; TSK score: 20.1±6.33, ACLR EI: 64.24±7.73au) EI and TSK scores were not correlated with each other (r = -0.01, p = .99). Adults (Height: 176.2±4.39cm; Weight: 80.44±14.79kg; TSK Score: 17.80±5.96, ACLR El: 65.47±6.44au) showed similar results (r =.001, p=.99). Fisher's r-to-z transformation revealed no significant difference between the correlations of EI and TSK values in the ACLR limb between groups (Z?=-0.005, Z?=0.001, Zdiff=-0.01, p=0.99). Conclusion: Future research should explore other age-related differences in graft type or different muscle groups, expanding the literature on age-related differences following ACLR.

Kayla Amin

Category: Kinesiology Presentation Type: Poster Presentation Number: 2337 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: HEALTH BEHAVIOR DISPARITIES IN CHILDREN WITH ADHD: PHYSICAL ACTIVITY,

SLEEP, AND SEDENTARY BEHAVIORS

Abstract: Attention Deficit Hyperactivity Disorder (ADHD) is associated with differences in health behavior engagement in children and adolescents; specifically, they tend to be less physically active, report worse quality sleep, and may be more sedentary than their typically developing peers. As health behaviors such as sleep and physical activity (PA) have been shown to improve cognitive functioning and may alleviate some ADHD symptoms, it is important to understand how symptom severity impacts health behavior patterns. Therefore, the purpose of this study was to examine the relationship between ADHD symptomatology and health behavior engagement, specifically achievement of the Canadian 24-Hour Movement Guidelines for Children and Youth (sleep, step, PA, sedentary behavior), in a sample of children and adolescents with ADHD. 81 participants aged 8-17 years old (64% male; 37% on ADHD medication) completed the ADHD Rating Scale 5 (ADHD RS-5), which evaluates the frequency and severity of ADHD symptoms, the Pittsburgh Sleep Quality Index, which evaluates different aspects of sleep, and were also asked to report on their total daily PA, sleep, sedentary behavior, and screen time. Parents/guardians completed the aforementioned surveys as well as the Godin Leisure Time PA Questionnaire and specific questions about their child's typical 24-hour behaviors. ADHD symptom severity was related to moderate-to-vigorous physical activity (MVPA), wherein higher rates of MVPA were associated with more severe ADHD symptom ratings by both parent and child (p = 0.015). No significant relationship between ADHD severity and sedentary behavior, sleep behavior, or light physical activity was found (p's > 0.05).

Kosette Bartels

Category: Kinesiology Presentation Type: Poster Presentation Number: 2334 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ASSOCIATION BETWEEN CONCUSSION AND SUICIDAL BEHAVIORS IN MICHIGAN

HIGH SCHOOL STUDENTS

Abstract: Prior research in nationally representative samples suggests that the odds of depressive symptoms and suicidal behaviors increase when an adolescent has sustained ≥ 1 concussion(s) in the past 12 months. However, it remains unclear whether these trends have remained stable over time or differ when accounting for demographic and sociocultural factors specific to Michigan. The present study sought to examine the association between concussion history and suicidal behaviors in high school students, using data from the 2017, 2019, 2021, and 2023 Michigan Youth Risk Behavior Survey (YRBS). Weighted multivariate logistic regressions, adjusted for relevant covariates, were used to estimate odds ratios and 95% confidence intervals for suicidal behaviors and feelings of sadness or hopelessness in the past 12 months. Our findings indicated that concussion history was not associated with an increased odds of reporting feelings of sadness/hopelessness, suicidal ideation, or planning in Michigan high school students within the past 12 months (p's > 0.05). Greater odds of reporting suicide attempts were observed in those with a history of concussion (AOR = 1.68; 95% CI = 1.26, 2.25), whereby those with two or more concussions in the past 12 months had the highest odds of attempting suicide (AOR = 2.14; 95% CI = 1.33, 3.43). Interestingly, these results remained consistent even after adjusting for collection year, sadness/hopelessness, and suicidal planning, suggesting that this association is stable over time and is more likely mediated by enhanced impulsivity than by an increased risk of depression.

Megan Blake

Category: Kinesiology Presentation Type: Poster Presentation Number: 2323 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: IDENTIFYING A KEY FACT

Title: IDENTIFYING A KEY FACTOR IN INTRODUCING A NEW SPORT: A CONSUMER EXPERIENCE-CENTRIC APPROACH

Abstract: The introduction of new sports is often driven by the goal of expanding recreational opportunities and promoting physical activity. However, a key challenge is identifying the experiential factors that sustain long-term participation in newly introduced sports. Thus, this study examines how participants' competence, enjoyment, and socialization influence their continuous behavioral intentions through the mediating role of satisfaction. This study used the RedBall Tennis, which was recently introduced by the USTA to promote physical activity among diverse populations, as a research context. 615 participants (M=40.7) participated in the Redball Tennis program and subsequently completed an online survey. The survey assessed participants' experiences related to perceived competence, enjoyment, socialization, satisfaction, and behavioral intentions. Structural equation modeling was employed to test the proposed mediation model, with competence, enjoyment, and socialization as predictors, satisfaction as a mediator, and behavioral intention as the outcome. The results showed that, among the three predictors, only enjoyment had a direct effect on behavioral intention. Furthermore, satisfaction mediated this relationship, while competence and socialization did not. The findings emphasize the importance of enjoyment in shaping participants' experiences with new sports. Specifically, creating an enjoyable environment and experience can enhance participant satisfaction, which in turn increases their intentions to keep participating in the sport. Based on these findings, practitioners are encouraged to develop strategies that enhance participants' enjoyment, thereby promoting long-term engagement in new sports. Future research should explore additional factors influencing participation and examine the lasting impact of enjoyment on engagement in other emerging sports and physical activities.

Morgan Adelini

Category: Kinesiology Presentation Type: Poster Presentation Number: 2331 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: PERSPECTIVES OF YOUTH WITH AUTISM SPECTRUM DISORDER WHO PARTICIPATED IN AN EXERCISE AND NUTRITION PROGRAM

Abstract: Autism Spectrum Disorder (ASD) is characterized by deficits in social communication and integration accompanied by repetitive behaviors, interests, and activities, which negatively impact life domains (i.e., social and occupational). Paired with motor deficiencies, youth with ASD experience lower levels of physical activity (PA), placing them at a 40% greater risk of being overweight and 20% greater risk of obesity compared to their neurotypical (NT) peers. Creating an accessible, inclusive, and cost-friendly exercise environment may help to combat the risk of overweight and obesity while also increasing the chance of social interaction for this population. The A-ONE program is designed to improve the physical health of middle school and high-school-aged youth with ASD by offering exercise and nutrition sessions in an online and in-person format. 12 participants (mean age) participated in either the online or in-person sessions of AONE. Each participant completed up to 10 sessions of exercise and nutrition guided by Kinesiology students. Once the 10 sessions were completed, participants completed an interview in which they discussed their time spent in the program. Results: participants reported X, Y, Z…. An online and inperson exercise and nutrition program can be considered a sufficient way to introduce youth with ASD to basic exercise instruction and nutritious food that can be made on their own. Additionally, in-person exercise and nutrition sessions may play a crucial role to social engagement for youth with ASD.

Natalie Blake

Category: Kinesiology Presentation Type: Poster Presentation Number: 2321 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: SUBCHONDRAL BONE ECHO INTENSITY IN INDIVIDUALS WITH AND WITHOUT EALY KNEE OA SYMPTOMS FOUR MONTHS POST-ACLR

Abstract: Individuals who undergo anterior cruciate ligament reconstruction (ACLR) have an increased risk for early-onset osteoarthritis (OA). Ultrasound imaging non-invasively assesses subchondral bone via echo intensity, reflecting density and microstructural changes, yet remains underutilized post-ACLR. This study examined differences in ultrasound-assessed subchondral bone echo intensity between individuals with and without early knee OA symptoms four-months following ACLR. Ten participants, four months post-ACLR, underwent ultrasound imaging to assess subchondral bone. Images of the affected femoral condyle were captured with participants supine and the knee in maximal flexion. A 25x25-pixel region of interest, placed midway between the sulcus angle and medial condyle, was divided into five subsections for analysis. Mean echo intensity was measured for the overall region and each subsection. Early knee OA symptoms were classified using the Luyten criteria based on KOOS scores, with participants scoring ≤85% in at least two of four categories identified as symptomatic. Group differences in medial subchondral bone echo intensity were analyzed using independent t-tests (p < 0.05). Seven participants met the criteria for early knee OA symptoms; however, no significant differences in subchondral bone echo intensity were observed between groups at any subsection (p > 0.05) or overall (t = -0.312; p = 0.763). These findings suggest that measurable subchondral bone adaptations may not yet be present at this early stage post-ACLR. Future studies with larger samples and longitudinal assessments are needed to determine whether subchondral bone changes contribute to early knee OA development following ACLR.

Natalie Blake

FEMALE ATHLETES

Category: Kinesiology Presentation Type: Poster Presentation Number: 2304 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: ASSOCIATIONS OF SLEEP DIFFICULTY WITH STRESS AND RECOVERY IN COLLEGIATE

Abstract: Collegiate athletes face unique stressors related to the demands of their sport, academics, and social pressures compared to non-athletes. Adequate sleep is essential for the regulation of stress and recovery in athletes; however, the impact of sleep difficulty on these factors, particularly in female collegiate athletes, remains unexplored. Therefore, this study examined the association between sleep difficulty and stress and recovery within this population. Seventy-three Division I female athletes completed surveys to assess sleep difficulty, stress, and recovery. Sleep difficulty was evaluated using the Athlete Sleep Screening Questionnaire (ASSQ) and scored with the Sleep Difficulty Score (ASSQ-SDS) to assess factors such as sleep duration, quality and satisfaction, sleep latency, sleep maintenance, and medication use. Participants were categorized as having no sleep difficulty (score=0-4) or experiencing sleep difficulty (score≥5). Within these two groups, stress and recovery were assessed using the Acute Recovery and Stress Scale (ARSS). A Mann-Whitney U test evaluated differences in stress between groups, while an independent t-test compared recovery, as it met the assumption of normality. Statistical significance was set at p<0.05. There were forty-two athletes with sleep difficulty and thirty-one without. No differences were found between groups for stress (with (31.5±16.7); without (26.6±13.5);U=536, p=0.199) or recovery (with (63.4±13.4); without (65.6±14.5); t=0.689,p=0.493). These findings suggest that factors beyond sleep influence stress and recovery in collegiate athletes. Comparing ARSS scores with non-athletes could offer further insight, as athletes face unique stressors related to their sport whereas non-athletes' stress patterns may be more influenced by academic or lifestyle factors.

Noel Mann

Category: Kinesiology Presentation Type: Poster Presentation Number: 2333 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: INVESTIGATING THE ROLE OF A PHYSICAL ACTIVITY-BASED POSITIVE YOUTH DEVELOPMENT PROGRAM ON GOAL SETTING AND LEADERSHIP SKILLS IN YOUTH

Abstract: Physical activity (PA) is beneficial for development of youths' life skills in personal and social areas. However, studies show that perceived development of skills differs based on age and sex. This study examined differences in the perceived development of goal setting and leadership through sport in 184 students (male = 58.10%; Mage = 14.41, SD = 1.60) who participated in an after-school PA-based program. Participants completed crosssectional measures of perceived development through PA. Atwo-way MANOVA was conducted, comparing results based on age group (i.e., emerging and early adolescence [ages 8-13 years] vs. older adolescence [ages 14-18 years]) and sex (i.e., males vs. females). Results showed no significant difference in the perceived development of goal setting between emerging/early adolescents (M = 3.48, SD = 0.846) and older adolescents (M = 3.64 SD = 0.874) or between males (M = 3.66, SD = 0.819) and females (M = 3.61, SD = 0.871). Similarly, there was no significant difference in the perceived development of leadership skills between emerging/early adolescents (M = 3.32, SD = 0.937) and older adolescents (M = 3.52, SD = 0.91, Wilks λ = .977, F (2, 134) = 1.577, p = .210) or between males (M = 3.51, SD = 0.850) and females (M = 3.49, SD = 0.957, Wilks & #955; = .979, F (2, 134) = 1.448, p = .239). Contrary to previous findings, these results suggest comparable perceived development of leadership and goal-setting skills through sport regardless of age group and sex in a sample of youth.

Sam Tauriainen

FOR/IN TODDLERS

Category: Kinesiology Presentation Type: Poster Presentation Number: 2325 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: A SYSTEMIC REVIEW OF PHYSICAL ACTIVITY ASSESSMENT METHODS DEVELOPED

Abstract: Adequate physical activity (PA) has been associated with positive physical and mental health in toddlers. Few methods of assessing PA in toddlers have been developed, and no literature evaluating potential methods exists for toddlers. Objective: The purpose of this review is to identify existing methods of assessing PA developed for use with toddlers.Methods: This systematic review was guided by the Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) framework. The databases PubMed, Web of Science, SCOPUS, and EBSCO were searched for articles published before October 2023. Articles were included if they 1) Included human subjects, 2) 50% of age-range included 12 - 36 months, 3) Included development, validation, or cross-validation, 4) Published by October 2023, 5) Available in English and full-text. Information was extracted using a standardized form. Quality and risk of bias was assessed using the Checklist for Analytical Cross-Section Studies: Critical Appraisal tools for use in JBI Systematic Reviews.Results: Sixteen studies were reviewed. Participants were healthy in fifteen studies and only 30% of studies included commonly marginalized groups. 40% of participants were considered overweight. Half of the developed methods were the calibration of cut-points (N=8) and almost all studies used direct observation as the criterion (N=9).Conclusion: Few methods exist specifically for assessing PA in toddlers. Limitations include that no meta-analyses were conducted in this review so no synthesis of quantitative results can be done. Future research should further develop or validate existing tools or create advanced methods of device-based assessments.

Sumedha Dondapati

Category: Kinesiology Presentation Type: Poster Presentation Number: 2313 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: CHARACTERIZATION OF

Title: CHARACTERIZATION OF INFANT-MOTHER JOINT ENGAGEMENT DURING THE ACQUISITION OF WALKING

Abstract: The acquisition of locomotor skills, such as walking, allows infants the opportunity to further engage and navigate the world around them. Prior to the onset of independent walking, infants learn about their environment through joint engagement, defined as the mother and infant interacting physically or focusing on the same object simultaneously. However, the opportunities and the type of joint engagement change dramatically with the infant's ability to walk. The purpose of this research was to characterize infant-mother joint engagement in the acquisition of walking. We conducted a longitudinal study with biweekly home visits starting from the time that infants could stand for 10 s until they could walk independently. The video data was then coded to examine infant-mother interactions.Datavyu, an open-source behavior coding software, was used to code the infant's engagement with either the mother, an object, or both, and to determine who initiated the engagement. We hypothesize that the dynamics of joint engagement changes as infant learns to walk independently - specifically, the earlier the onset of independent walking, the greater the level of joint engagement. We expect that our study will aid in the early identification of infants with motor developmental delays and provide information for future interventions.

Tavleen Kaur

Category: Kinesiology Presentation Type: Poster Presentation Number: 2332 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: AGREEMENT OF COMMERCIALLY- AVAILABLE PULSE OXIMETRY AND ARTERIAL BLOOD GAS SAMPLING IN NORMOXIA, MODERATE, AND SEVERE HYPOXIA

Abstract: Arterial blood gas (ABG) analysis is the current gold standard for assessing blood oxygenation, but it is invasive and resource-intensive. Pulse oximetry provides a non-invasive alternative, however its accuracy during acute, moderate and severe hypoxic exposures remains unclear. This study evaluates the agreement of pulse oximetry compared to direct ABG sampling during acute graded hypoxic exposures.Commercially available pulse oximetry (SpO?) and arterial oxygen saturation (SaO?) measurements were collected from healthy volunteers undergoing controlled hypoxic exposures at three graded levels of inspired oxygen (FiO2). Data were collected for ~12 minutes at each incremental FiO2: normoxia (FiO?= 21%), moderate hypoxia (FiO?= 15%) and severe hypoxia (FiO?= 10%). Separate Bland-Altman analyses were performed for each inspirate to assess agreement between the two methods. Bias, limits of agreement, and variability across different levels of hypoxia were identified. Preliminary findings indicate a mean bias of -0.3 to 1.8% (SpO? -SaO?) with limits of agreement spanning -8.0% to 5.7%. The accuracy of pulse oximetry stayed consistent with increasing levels of hypoxia, and the delays in signal acquisition were minimal.Pulse oximetry remains a non-invasive technique for detecting changes in blood oxygenation. The present study suggests that pulse oximetry may precisely detect changes in blood oxygenation during acute hypoxic exposure. These findings suggest that the use of pulse oximetry to monitor controlled but rapid arterial desaturation in healthy volunteers is likely an acceptable technique and may be used to monitor patient safety when invasive measures are not practical.

Tristan Janisse

ATHLETES

Category: Kinesiology Presentation Type: Poster Presentation Number: 2314 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: AN EXAMINATION OF SPORT-RELATED PERFORMANCE AND ANXIETY IN COLLEGIATE

Abstract: Sport-related performance anxiety (SRPA) is a common challenge among collegiate athletes, often impacting their ability to perform under pressure. It is influenced by various factors including psychological traits, past experiences, and physiological conditions. Given the high stakes involved with collegiate sports, understanding the link between concussions and other forms of anxiety (i.e., SRPA) can be beneficial to creating helpful interventions. However, SRPA's relationship between concussion history and anxiety sensitivity remains unclear. The purpose of this study was to investigate whether athletes with a history of concussions report higher levels of sports-related anxiety than those without a history of concussions and whether the specific number of concussions further impacts sports-related anxiety. Varsity collegiate athletes (N=86) completed a survey battery that included the Anxiety Sensitivity Index (ASI-3), concussion history, and Sport Anxiety Scale (SAS-2). Correlational analyses were conducted to examine the relationships between these variables. Results showed a weak-to-moderate positive correlation between concussion history and SRPA (r=0.285, p=0.008), but no significant association between concussion history and anxiety sensitivity (r=0.011, p=0.917). A moderate positive correlation was found between anxiety sensitivity and SRPA (r=0.336, p=0.002), suggesting that athletes with higher anxiety sensitivity are more likely to experience heightened SRPA. These findings indicate that while concussions may contribute to sport-related anxiety, anxiety sensitivity plays a stronger role in the development of SRPA. This data indicates that further research with a larger sample size is necessary to explore the potential underlying mechanisms and potential interventions to reduce SRPA in athletes.Keywords:college issues, mental health/psychopathology, anxiety, sport-related performance

Yoshiya Marshall

Category: Kinesiology Presentation Type: Poster Presentation Number: 2322 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: RECTUS FEMORIS AND STRENGTH Abstract: Rectus Femoris and Strength

Zachary Mazzuchi

Category: Kinesiology Presentation Type: Poster Presentation Number: 2315 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: SOCIAL NORMS AND NEGATIVE PARENTAL BEHAVIORS IN YOUTH SPORT - ZACHARY MAZZUCHI, DR. JEEMIN KIM, DEPARTMENT OF KINESIOLOGY, COLLEGE OF EDUCATION

Abstract: Though parents can facilitate their children's sport participation, youth sport parents have also been reported to engage in negative sideline behaviors (e.g., yelling at opposing teams/coaches, encouraging unnecessary aggression). More research is warranted to examine these parental behaviors because they may contribute to aggression andhostility among youth athletes and spectators, and could ultimately undermine the integrity of youth sports. One potential antecedent of negative sideline behaviors is social norms. That is, parents may be more likely to engage in negative behaviors if they believe that such behaviors are socially acceptable (i.e., normative) within the sport context. The goal of this study was to examine the extent to which parents engage in negative sideline behaviors and assess the relationship between parents' own self-reported engagement in negative sideline behaviors and their perceptions of other parents'behaviors (i.e., social norms). Youth sportparents (N=164; 121 females and 52 males; Mage = 46.8 years, SD= 6.24) completed an electronic survey to report their engagement in negative sideline behaviors and perceptions of other parents'behaviors. The findings showed that 0.6%-34.6% of parents reported having engaged in negative sideline behaviors previously. There werestatistically significant positivecorrelations (Kendall's τ = .16-.43, ps=.001-.038) between parents' self-reported behavior engagement and their perceptions of other parents' behavior. This finding suggests that those parents who believe that other parents commonly engage in negative behaviors tend to engage in the same behaviors, highlighting the potential role of social norms as a key correlate of sport parents' behaviors.

Linguistics, Languages, and Speech

Alexandra Edwards

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2403

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: UNDERSTANDING RETENTION: MSU STUDENTS IN LANGUAGE CLASSES

Abstract: This poster presents research on student enrollment trends in world language courses, specifically German, over multiple years, focusing on attrition and retention patterns. The primary objective is to gain a deeper understanding of how to better support students throughout their language-learning journey. This research analyzed historical class lists from German courses to track students' progression from their initial class to their final one. The data offer insights into student trajectories within the German program through the College of Arts and Letters. Various independent variables, including college major, initial course level, and AP scores, were taken into account in the analysis.

Amber Tetreau

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2402

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ADDRESSING COMMUNICATIVE PARTICIPATION IN STUTTERING THERAPY.

Abstract: This study examines communicative participation perspectives in adults who stutter and have received speech therapy throughout their lifespan. Communcative participation is a vital aspect of social communication as it defines the level of engagement and success someone has in their daily conversations. An aspect of communication beyond the structure of a conversation but rather what an individual can receive and give from it. Aiming to understand ideas of measuring and properly addressing communicative participation needs in therapy, this study covers a reflection of how communicative participation was covered in previous speech therapy and future goals participants may hope to have covered. This was done through open answer interviews with participants to find personal measures and goals, as well as derive the urgency participants feel in coverage of communicative participation in therapy. This is done in hopes of bringing light to more aspects of stuttering needs beyond fluency. Leading to the larger picture of addressing the social needs and communicative quality that the individual experiences, as well as embracing a multifactoral approach in speech therapy goals and success.

Cormac Avila

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2413

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: RELATIONSHIP BETWEEN MUSICALITY, WORKING MEMORY, AND SPEECH AUDITORY-MOTOR SYNCHRONIZATION: A COMPARISON OF ADULTS WHO DO AND DO NOT STUTTER

Abstract: Developmental stuttering is a neurodevelopmental disorder affecting speech motor control, resulting in sound prolongations, speech repetition, and silent blocks (World Health Organization, 2010). Recent research by Zhu, Chen, Chen, and Zhang (2024) compared speech auditory-motor synchronization, working memory, and musical sophistication in adults who stutter (AWS) and adults who do not stutter (AWNS). AWS showed poorer speech auditory-motor synchronization and poorer working memory compared to AWNS but no differences in musical sophistication. Working memory was positively correlated with speech auditory-motor synchronization. The current study replicates and extends the findings of Zhu et al. (2024) using a similar set of methods. Contrary to Zhu et al. (2024), we observed no difference between AWS and AWNS in speech auditory-motor synchronization and working memory. Similar to Zhu et al. (2024) we found no group difference in musical sophistication. We will discuss possible reasons why there are discrepancies between studies.
Ezekiel Brown

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2404

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: VERB AGREEMENT WITH NON-DP SUBJECTS

Abstract: In English, verbs must agree in plurality with their subjects. For example, 'The dog is running' is grammatical, while 'The dogs is running' is not. Conjoined subjects like 'the dog and the cat' behave just like plurals: we can say 'The dog and the catare running' despite the fact that neither 'dog' nor 'cat' are plural by themselves. By conjoining them, the whole phrase is semantically plural. A similar pattern occurs with conjoined prepositional phrase (PP) subjects: 'Under the bed and in the closet are good places to hide'. However, singular is also possible with these sentences: 'On the couch and by the windowis a comfy place to sit'. Previous literature attributed this kind of singular/plural alternation to the semantics of the conjoined phrases. Conjoined PPs interpreted as a single location trigger singular agreement while those interpreted as multiple trigger plural. However, we argue that the verb doesn't agree with the PPs at all. Instead, we analyze it as agreeing "downward" with 'places'/'spot'. Downward agreement, as in sentences like 'There is a dog and a cat in the room', doesn't respect semantic plurality. We predict the PPs' semantic plurality to have minimal impact on agreement. To test our hypothesis, we ask participants to rate the acceptability sentences they read. By presenting them with mismatches between the PPs' semantic plurality and the plurality of the place denoted by the conjoined PP, we can determine which analysis best captures the speakers' verb agreement patterns.

Guilherme Eckert Roda

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2425

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: THE IMPERFECTIVE IN BRAZILIAN AND EUROPEAN PORTUGUESE THROUGHOUT THE CENTURIES

Abstract: In European Portuguese (EP) there is a preference for the Past Imperfective to be used in contexts where Brazilian Portuguese (BP) uses the conditional. While EP speakers can use the imperfective in sentences such as (1), from Hricsina (2017), BP speakers find the usage odd; (1) 'Se houvesse condições financeiras, do meu ponto de vista, não dava prémios por resultados mas dava-os proporcionalmente às receitas.' (Miguel Galvão Telles); The sentence illustrates the fact that the imperfective has a greater variety of modal uses in EP than it does in BP. Previous works claim that the conditional uses of the imperfective are, to some extent, an innovation, as the uses seem to be more frequent in the last centuries. In this project, we aim to study the new limits of the boundaries of the imperfective, which were expanded because of other changes in the language. In particular, we examine the use of two progressives and the conditional across time using the Corpus Tycho Brahe of historical Portuguese.

Guilherme Eckert Roda

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2405

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING TEMPORAL INTERPRETATIONS OF COORDINATED EVENTS IN CHILDREN

Abstract: This study explores how people understand the word 'and' in sentences. 'and' has been considered as a simple boolean connector: saying 'The bird has blue feathers and yellow feet' and saying 'The bird has yellow feet and blue feathers' are the same as long as the bird has both properties. But when 'and' connects actions, like 'Alice broke her arm and went to the hospital', it implies the events happened in that order. Saying 'Alice went to the hospital and broke her arm' sounds strange because it reverses the expected sequence. Adults usually prefer sentences where the order of events matches reality. The question arises whether children also care about the order of events when using 'and', or if they treat it just as a boolean connector, ignoring event sequence. While some researchers think children don't focus on such details until later, this idea hasn't been fully tested. The present understanding of 'and'. To address this question, children were tested using an acceptability judgement task where they hear a brief story before hearing test sentences containing events conjoined by 'and.'

Hannah Choi

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2421

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: INTERPRETING THE SIMPLE PAST AS THE PRESENT PERFECT

Abstract: In English, both the simple past ("Did you visit Chicago?") and present perfect ("Have you visited Chicago?") convey event completion, but their uses differ. The past can be used when a specific time in the past is being referred to while the present perfect can be used in contexts where the speaker has an experience of having done something. This is called the experiential perfect and can be indicated by the use of the adverb "ever", for example. Previous research in the MSU Language Acquisition Lab has shown that many speakers allow the past tense in these experiential contexts, and accept sentences such as "Did you ever visit Chicago?". In this study we test this idea further by comparing two discourse contexts, "restricted" and "unrestricted". In a restricted scenario, Person A meets with Person B a week after they told them about their plans to visit Chicago; B now expects A to have gone to Chicago in the past week. In an unrestricted scenario, A simply tells B about their love of travel since they were a child. We would expect both "Did you visit Chicago?" and "Have you visited Chicago?" to be accepted in the restricted context, but only "Have you gone to Chicago?" to work in the unrestricted context. Speakers who accept the past tense in experiential contexts should accept the past tense in unrestricted contexts as well as restricted contexts. Our study will shed more light on the factors that affect people's interpretation of tense in English.

Jaina Kittle

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2415

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: LINGUISTIC AND VISUAL EFFECTS ON JUDGING EVENT COMPLETION

Abstract: Language plays a crucial role in how we represent and describe events. When there is a set of three cookies and I eat all of them, I can say 'I ate three cookies/those cookies'. When not all cookies are eaten or are partially eaten, will the sentences still be true? Previous studies show that judgements are affected by the degree of incompleteness of the visual stimuli and the direct object's determiner type ('those'/'three'). When 2 _ cookies are eaten, participants reject the numeral sentences, but accept the demonstrative sentences because 'those cookies' can be interpreted to refer to a subset of two fully eaten cookies. When each cookie is partially eaten, participants equally accept the sentences of both determiner types due to imprecise readings (as one bite is sufficient to be considered "eating a cookie"). In this experiment, we investigate whether having 'each' in the sentence, 'I ate each of those cookies', would make participants keep the same interpretation strategies in each visual context or make them inspect the completeness status of each object more carefully and trigger more rejections. We find that 'each' affects the judgments in the two visual stimuli differently. Participants reject sentences when 2 _ cookies are eaten, showing that 'each' leads participants to consider the whole set of 3 cookies. However, participants still accept the sentence when each cookie is partially eaten, showing that imprecise reading is still possible.

Jewell Tyler

Category: Linguistics, Languages, and Speech Presentation Type: Poster Presentation Number: 2426 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: IMPLEMENTING USER EXPERIENCE, INCLUSIVITY, AND ACCESSIBILITY IDEAS INTO VIRTUAL REALITY CURRICULUM FOR TRACHEOSTOMY AND LARYNGECTOMY

Abstract: Virtual Reality (VR) technology is quickly becoming a practical tool for students in medical fields to learn procedures in a low-stakes environment. The focus of this study isTracheostomy and Laryngectomy Care: Virtual Reality Curriculum (TLC-VRC), a curriculum currently in development to provide training to future speech-language pathologists (SLPs), as well as professions from a broader range of healthcare disciplines. This study aimed to gather feedback on user experience, specifically focusing on the inclusivity and accessibility of the TLC-VRC. Inclusivity and accessibility are too often overlooked aspects of the VR user experience; this project aimed to address this gap to make the program functional for all. Ensuring all future practitioners can participate in the valuable education and training the curriculum provides is imperative. Thirteen SLP graduate students participated in the study by completing both pre- and post-play surveys evaluating the experience. The users provided valuable insight into improvements concerning representation and modifications to improve accessibility. The post-user data was largely positive, with many reporting engagement, enjoyment, and fun from the virtual platform. Additionally, participants overwhelmingly felt that the VR curriculum wasvaluable for learning. All participants found the curriculum more helpful to their learning than a book, with some even feeling that it was more effective than in-person instruction. This study provides critical insight into the importance of considering universal design for learning and user experience in curriculum development from its onset. It demonstrates the promise that VR instruction holds for fostering learning among future clinicians.

Jo Warnke

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2414

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: BUSINESS CERTIFICATE IN MULTILINGUALISM & AMP; MULTICULTURALISM

Abstract: Now more than ever, it is important to uphold the value of multilingualism and multiculturalism, and one of the spaces where languages and cultures most commonly meet and interact is in business settings. To promote awareness of multilingual and multicultural communities, I created a certificate program for businesses. This program, in the form of a short and engaging course, equips businesses with strategies and tools to create a more welcoming and accessible environment for people of various linguistic and cultural backgrounds. After successfully completing the course, businesses become certified in Multilingual and Multicultural Awareness. This certificate acts as a message to people of all languages and cultures that they will be welcomed and that all languages and cultures are valued, appreciated, and understood.

Jo Warnke

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2422

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: MOST LIKELY TO USE THE SUPERLATIVE: ACQUISITION OF COMPARATIVE AND SUPERLATIVE CONSTRUCTIONS

Abstract: Comparative and superlative constructions, especially the ones formed with the morphological affixes "-er" and "-est", respectively, are understudied in acquisition, and are acquired quite late-between 4 to 6 years of age. Transcripts of child speech in the CHILDES database(CITE) and previous elicitation tasks have shown that young children use varying and often inconsistent adjectival morphology for both comparative and superlative constructions even though they perform well in comprehension tasks, so they are conscious of the syntax and semantics of these structures. This data also shows that children begin producing the comparative construction and the absolute forms of adjectives at a much higher rate than the superlative, suggesting that young children are underusing the superlative construction. However, some contexts have a superlative interpretation but speakers use the comparative construction. So in a set of two objects where one is bigger than the other, it makes sense to talk about "the bigger one", meaning the object that is biggest in the set. When the number of objects in the set increases, it becomes odd to discuss the bigger one, and there is a preference for the superlative construction, which in this case is "the biggest one". We designed an elicitation task to determine the extent to which adults and children consistently use the comparative in sets of two objects vs. sets of many objects. While adults have both comparative and superlative structures available to them, children may prefer the comparative, and therefore superlative use is sensitive to age.

Molly Thornber

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2401

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: AUTOMATIC EXTRACTION OF DEVELOPMENTAL TRAJECTORIES IN CHILD LANGUAGE ACQUISITION

Abstract: This study develops a computational model to explore how children learn the syntax of their first language by analyzing the structure of speech from caregivers. The model processes raw sentences, applies natural language processing to add structural annotations, and uses learning algorithms to simulate how children acquire syntax over time. In particular, the model takes raw linguistic data as input and uses a Universal Dependencies parser to extract syntactic information. A gold standard of manually parsed sentences from children's and their caregiver's production is used to detect systematic errors in the UD parsing, and the code is iteratively refined to correct these errors to improve the parsing quality. Then, the improved model is applied to raw longitudinal data of individual children from the CHILDES corpora. The required subject parameter, whether a sentence requires a subject to be grammatical, and a subparameter applying to finite sentences only, are used to demonstrate the results of the model's analysis, modeling how the child narrows down to a subset of data where a linguistic rule holds. This result shows how the model advances the understanding of the developmental trajectories as the linguistic input from caregivers and output from the child are analyzed and compared. The study thus sheds light on how children extract syntactic knowledge from language exposure and what learning mechanisms may be involved in child language acquisition.

Ocean Angelo

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2423

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: TESTING GENDER AND ANIMACY WITH ARTIFICIAL LANGUAGE

Abstract: Pronoun systems vary in terms of what kinds of features they encode. In English, for example, pronouns carry person, number and gender features. One way to study whether some of these features are more basic than others is to examine these properties in a controlled environment by creating an artificial language that mimics these features. This study uses an artificial language to investigate how learners perform in a task where they must implicitly learn a pronoun system. Inspired by contact between Paraguayan and Argentine Spanish, the artificial language includes a determiner system which agrees with gender features on nouns (±Masc) and a pronoun system which agrees with either animacy (±Anim) or gender (±Masc) of that noun that it refers to. The goal is to determine whether learners are more sensitive to animacy or gender when learning the artificial system and whether they can extend that system to new noun stimuli. Results from this study will contribute to understanding of how learners attend to morphosyntactic features in language learning. By testing learner sensitivity to animacy and gender features across lexical categories, this work provides insight into which grammatical features are most informative or more basic. We predict the results will reveal that either a) participants model explicit grammatical cues related to gender or b) rely on cognitively salient categories like animacy which is not explicitly encoded on determiners.

Raymond Deng

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2411

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: STRUCTURAL AMBIGUITY IN L2 SPEAKERS

Abstract: Ambiguity is pervasive in natural language. For example, the string "the chicken is ready to eat" has two interpretations: it can be interpreted as "the chicken can start eating" or "the chicken is ready to be eaten". Interestingly not all the same strings are ambiguous across languages and sometimes a string has two interpretations but the preferences change depending on the language. This project examines how L2 speakers interpret ambiguous sentences in English as compared to native speakers of English. We report results from an acceptability judgement task in which participants rate on a Likert scale whether they find an interpretation to an structurally or lexically ambiguous sentence more or less acceptable. Results are analyzed and correlations are calculated to determine effects of age of acquisition, length of time in an English-speaking environment, L1. and how long they have been English-speakers. The project also explores how people from different regions can or cannot accept various interpretations of ambiguous language. This project also explores possible reasons for the rejection of certain interpretations based on how participants' native languages are structured.

Sabrina Ruiz

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2424

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: WHO'S AFRAID OF THE BIG BAD C*NT?: CHANGES IN OFFENSIVENESS ACROSS GENERATIONS

Abstract: Oppressed and marginalized communities often reclaim words used as slurs against them. The word "queer," once a slur for homosexuals, was chosen and reclaimed by activists, "to disarm their vocabulary and throw it back in their faces." (Stewart & amp; Hamer, 1995, p. 206) Today, "cunt" is widely interpreted as an offensive term in Standard American English. It is hurled as an insult, or to reduce a woman's worth down to her genitals. There are dialects of English, and certain communities, where it strongly contrasts. Instead, it is so casual it is commonplace. In a queer femme environment, such as a Detroit Ballroom, to be called "cunt" is a compliment towards someone's embodiment of femininity. "Is anycunt decent going to be there?" with "-cunt" standing in as a pronoun, like "-body," or "-one," is nonderogatory and inoffensive in Scottish English. In this study, I examine how different derogatory words may have changed in their level of offensiveness across generations. Data was collected through a survey distributed to participants across different age groups, asking them to rate a set of slurs as to how offensive each one is. Data will be analyzed in R.

Sara Kirkman

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2412

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EMOJI & AMP; AGE: EXPLORING AGE-BASED VARIATIONS IN EXPRESSING EMOTIONS VIA EMOJIS

Abstract: In today's digital age, emojis have become a fundamental aspect of online communication, serving to express a variety of nonverbal cues. This study takes a closer look at the emojis used to express laughter, irony, empathy, and cuteness, and examines generational-based differences on emoji selection. Data was collected through a survey distributed to participants across various age groups, asking them to select emojis they would use in prewritten messages using a fill-in-the-blank paradigm. Results show a preference of older individuals towards more literal emoji usage, rather than more subjective interpretations preferred by younger individuals. Results also show that older users are more static in their emoji usage and younger users are more comfortable using the same emoji in multiple contexts.

Sarah Regan

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2416

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: RETENTION OF UNDERGRADUATE FRENCH STUDENTS

Abstract: This Research was conducted on student enrollment in French language courses across multiple years to examine attrition/retention, with the ultimate goal of better understanding how to better support students throughout their language studies. Researchers examined class lists of world language courses from prior years to track students from their first class to their last. These data give us a picture of student trajectories through the French language program. Several independent variables, such as college major, starting course level when enrolled, and any AP/IB/CLEP scores were considered.

Tyler Lindquist

Category: Linguistics, Languages, and Speech

Presentation Type: Poster

Presentation Number: 2406

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ATTRITION AND RETENTION OF STUDENT ENROLLMENT IN LESS COMMONLY TAUGHT LANGUAGE COURSES

Abstract: This poster highlights research conducted on student enrollments in world language courses across multiple years to examine attrition/retention, with the ultimate goal of better understanding how to better support students throughout their language studies. Researchers examined class lists of Less Commonly Taught Language (LCTL) courses from prior years to track students from their first class to their last. These data give us a picture of student trajectories through LCTL programs. Several independent variables, such as college major, starting course level when enrolled, and any AP/IB/CLEP scores were considered.

Microbiology, Immunology, and Infectious Disease

Abhay Kakarla

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2551

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: NEURO-IMMUNE INTERACTIONS IN ATOPIC DERMATITIS AND PSORIASIS: USING MOUSE MODELS

Abstract: Atopic dermatitis (AD) and psoriasis are two of the most common inflammatory skin conditions that severely impact daily life for millions of people. This research aims to explore how the interactions between immune cells in the skin lead to and sustain these conditions. We created mouse models to induce AD and psoriasis-like inflammation by applying two topical treatments (MC903 for AD and imiquimod for psoriasis-like inflammation) to the skin. We employed two groups of mice: wild-type CD1 mice from which we will collect tissue for hematoxylin and eosin (H&E) staining and CD1 mice genetically modified to express fluorescent Langerhans cells (LCs), which allows for live imaging. By comparing the ears (control and experimental), we can create a model for the role of LCs in the skin inflammation caused by AD and psoriasis. Through this work, we hope to further understand AD and psoriasis and pave the way for more targeted, effective treatments that offer relief to those living with these challenging skin disorders.

Abigail Thompson

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2524

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: PURIFICATION OF THE BACTERIAL MICROCOMPARTMENT H-PROTEIN BY USING A NOVEL HEAT-TREATMENT PROCEDURE

Abstract: Bacterial microcompartments (BMCs) are protein-based organelles composed of hexameric shell proteins (BMC-H) that may also incorporate trimeric (BMC-T) and/or pentameric (BMC-P) proteins to form a selectively permeable scaffold which encapsulates specific enzyme cargo. The synthesis of BMC-H from Haliangium ochraceum (HO) in Escherichia coli leads to sheet or tube-like assemblies, with undefined conditions governing the outcome, and denaturing agents are typically required to solubilize these inclusion bodies for further use. In this study, we developed a rapid method for purifying soluble BMC-H. By partially diluting cleared cell lysate and applying heat treatment at 90-100°C, we obtained highly pure and soluble hexamers in the supernatant. Additionally, we demonstrated that the purified hexamer assembles with trimeric shell proteins (BMC-T) to form HT shells in vitro. This simplified purification method can be easily scaled and applied to other BMC-H proteins, overcoming challenges related to solubility and structural variability. This approach provides an efficient strategy for BMC-H purification, facilitating its future use in cargo loading and functional studies, including biocatalysis and nanomaterial applications.

Alekya Vudathu

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2514

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING THE ROLE OF INTERFERON MODULATORS ON ISRE SIGNALING

Abstract: The JAK/STAT signaling pathway plays a critical role in immune regulation, particularly through Type I interferon signaling. Type I interferons (IFNa) activate the JAK/STAT pathway, which induces the Interferon Stimulated Response Element (ISRE), a key DNA element that initiates the expression of interferon-stimulated genes (ISGs). These ISGs are essential for mounting an effective immune response. Dysregulation of Type I interferons has been implicated in the pathogenesis of autoimmune diseases, including Systemic Lupus Erythematosus (SLE), making it a promising target for therapeutic intervention. In this study, we hypothesize that targeting ISRE with immune modulators, such as the JAK/STAT inhibitor FLLL32, could disrupt immune signaling and induce distinct downstream effects on cellular function, offering insights into lupus pathogenesis. To test this hypothesis, HEK293T cells expressing an ISRE-eGFP reporter were treated with FLLL32. ISRE activation was monitored via GFP fluorescence, and the effects of JAK/STAT inhibition on immune signaling were assessed by changes in the number of GFP-positive cells and mean fluorescence intensity. Additionally, qPCR was used to quantify ISG expression. Our findings will provide valuable insights into how specific modulation of the JAK/STAT pathway influences immune function and may inform potential therapeutic strategies for autoimmune diseases such as Lupus.

Alexis Litts

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2502

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: THE ROLE OF MIGRATORY BIRDS IN THE SPREAD OF LYME DISEASE THROUGH THE DISPERSAL OF INFECTED TICKS

Abstract: The black-legged tick (Ixodes scapularis) is the vector ofBorrelia burgdorferi, the bacteria that causes Lyme disease. Lyme disease is the most common tick-borne infection in the United States. While mammals are the primary hosts of this tick, birds can also serve as hosts. Migrating birds have the potential to transport ticks long distances, and this dispersal mechanism has contributed to the rapid expansion ofl. scapularis ticks and the pathogens they carry throughout the eastern United States in recent years. Although we know that migrating birds can transportl. scapularis, we still do not fully understand their role in the spread ofB. burgdorferi. In this study, we collected ticks from birds captured at the Burke Lake Banding Station, Michigan, USA, during fall migrations from 2018 to 2023, identified the species of ticks collected, and testedI. scapularis on birds increased from 2.3% to 17.3% between 2018 and 2023. The most commonly infested birds were members of theTurdidaefamily (i.e. thrushes) which accounted for greater than two-thirds ofB. burgdorferi-infected ticks collected over six years. This indicates that particular species may be more important in mediating the dispersal ofI. scapularisandB. burgdorferi to new areas.

Anne Lemek

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2547

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ANALYSIS OF DAPHNIA MICROBIOMES IN SEARCH OF SPIROBACILLUS CIENKOWSKII

Abstract: Pathogens can be difficult to culture, bothin vitro and in vivo, especially when little is known about their life cycle and biology. This may impede research on its infection dynamics, and so finding ways to effectively isolate a pathogen is crucial to studying how it behaves.Spirobacillus cienkowskii is one such pathogen.S. cienkowskii is a pleomorphic, Gram-negative bacteria that infectsDaphnia, a genus of freshwater zooplankton found worldwide. Associated infections have high mortality rates and a high bacterial load at the time of death, but little else is known aboutS. cienkowskii. This is in part because it has never been culturedin vitro, and maintainingin vivo cultures is challenging. To address this lack of isolated cultures, a previous experiment exposed three evolutionarily divergent species ofDaphnia to lake water thought to containS. cienkowskii at two different temperatures. This experiment produced infected animals, but because infections were visually diagnosed, the causative agent must be identified to determine if this is a valid method of generatingS. cienkowskii infections. DNA from experimental hosts was extracted and the 16S rRNA gene was amplified, then Illumina sequencing was performed to identify the community composition. Special attention was paid to the dominant bacterial taxa in the samples, as the causative agent should be the most abundant.

Anthony Paivarinta

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2532

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: METHOD DEVELOPMENT FOR SCENEDESMUS OBLIQUUS QUANTIFICATION USING THE COULTER COUNTER.

Abstract: Method development for Scenedesmus Obliquus using the coulter counter to increase efficiency and accuracy in feeding Daphnia colonies.

Ariana Straus

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2554

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: STUDYING NOVEL PHAGE DEFENSE SYSTEMS IN V. CHOLERAE

Abstract: Since the discovery of antibiotics, antibiotic resistance has been rapidly evolving, leading to one of the greatest public health threats. Phage therapy has been studied as an alternative to antibiotics for centuries, and has renewed interest as an effective treatment due to their ability to infect and lyse specific bacterial species. Bacteria, however, have evolved various phage defense systems to protect themselves from infection. To develop phage therapies, we must understand the mechanisms of phage defense systems. To address this, we useVibrio cholerae as a model due to its constant interaction with phage in its environment.V. cholerae encodes two pathogenicity islands (VSP-1 and VSP-2) where only two phage defense systems known as CBASS and AvcID have been identified. Thus, we hypothesize that V. cholerae still harbors unknown phage defense systems. A previous screen of aV. cholerae cosmid library withinEscherichia coli found a 25kb fragment that provides protection against T2 coliphage. Using a transposon mutant library, we identifiedvca0483 was involved in protection against T2. After creating an overexpression plasmid, we found thatvca0483 was sufficient for protection. Curiously, we found that overexpression of vca0483 is toxic to the cell. A prior study showed a link betweenvca0483 andvqmA, a post-transcriptional inhibitor of biofilm formation inV. cholerae. I am currently investigating the mechanism and regulation ofvca0483. Overall, understanding the mechanisms bacteria have evolved against phage infections is paramount to developing more effective phage therapies.

Ashlyn Meyer

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2553

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: COMPARISON OF 3 DIFFERENT LEPTOSPIRA CULTURE MEDIA

Abstract: Pathogenic Leptospira is a zoonotic bacterium transmitted through direct contact and thrives in aquatic and wet environments. In 2021, a deceased short-beaked common dolphin (Delphinus delphis delphis) was discovered in Southern California. Necropsy and polymerase chain reaction (PCR) analysis confirmed infection with Leptospira kirschneri. However, attempts to culture the bacterium in modified Ellinghausen-McCullough-Johnson-Harris (EMJH) medium were unsuccessful. This study aimed to evaluate the effectiveness of three different Leptospira media-EMJH, Hornsby-Alt-Nally (HAN), and VDL (a modified EMJH medium)-each prepared in both liquid and semi-solid forms. Two Leptospira interrogans serovars, Leptospira bratislava and Leptospira pomona, were used as positive controls. Kidney tissue samples from 17 aquatic mammals were inoculated into the three media types and monitored for bacterial growth. To reduce contamination, the samples were filtered before DNA extraction and PCR analysis. Growth was observed in all positive controls and some experimental samples; however, after filtration, no viable Leptospira growth was detected in any sample. PCR analysis determined that Leptospira was present but not actively replicating in the media. The most rapid and prominent bacterial growth occurred in VDL media, likely due to the adaptation of the control strains to this medium, as it is routinely used in our laboratory. The failure to culture L. kirschneri from tissue samples may be attributed to the bacteria no longer being viable at the time of sample collection. These finding highlight the challenges of Leptospira isolation, including L. kirschneri, and suggest that in future studies fresh kidney samples will be required to improve the likelihood of successful isolation and growth.

Ashlynn Linet

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2541

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: DEVELOPING A TECHNIQUE FOR BUILDING RANDOM BACTERIOPHAGE TRANSPOSON LIBRARIES

Abstract: This novel project aims to develop a strategy for creating bacteriophage transposon mutant libraries, similar to the genetic screening technique Tn-Seq used in bacteria, for the identification and characterization of essential bacteriophage genes. Three major hurdles exist to the development of such a tool: 1) identification of a suitable bacterial host, 2) identification of bacteriophage-specific selectable markers, and 3) isolation and propagation of transposon-containing bacteriophage. The cyclic oligonucleotide-based antibacteriophage signaling system (CBASS) is an abortive infection mechanism present in bacteriathat protects against bacteriophage infection.Acb1 is a bacteriophage-encoded protein that degrades essential CBASS cyclic nucleotides, thus neutralizing CBASS and enabling successful bacteriophage replication. We hypothesize that bacteriophages normally restricted by CBASS in anE. coli host can overcome this defense through the acquisition of a transposon-encodedacb1. To test this, we have engineered a plasmid encoding an arabinose-inducible transposase and a transposon containing a constitutively expressed acb1 allele. We are testing if induction of the transposase leads to mobilization of theacb1transposon inE. coli lacking CBASS and if propagation of bacteriophage on this host results in transposition of acb1 into bacteriophage genomes. Subsequently, we will select foracb1-transposon bacteriophages by infecting anE. coli host encoding CBASS, where wildtype bacteriophages would be restricted. We are using growth curve analysis, plaqueforming unit (PFU) counts, and qPCR as measures of infection efficiency and transposon mobility. Our findings aim to support the development of a universal technique for constructing bacteriophage transposon libraries to identify essential genes in these bacterial predators.

Aswath Karai

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2548

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INVESTIGATIONS OF ASPERGILLUS ATACAMENSIS CELL WALL USING SOLID-STATE NMR ANALYSIS

Abstract: Aspergillus atacamensis, a halophilic fungi native to arid and saline habitats, plays a crucial role in nutrient cycling and ecological stability. However, understanding its survival mechanisms under fluctuating salinity presents challenges, particularly regarding cell wall composition. We investigated the cell wall glucan adaptations of A. atacamensis under various stressful and optimal saline conditions using solid-state NMR spectroscopy. These findings highlight the significance of cell wall modifications in A. atacamensis. This study improves our understanding of fungal resilience, with possible implications for managing fungi in environments with fluctuating salinity levels and biotechnological applications in stress tolerance

Brooke Ognian

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2533

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: PHAGE ENCODED TRANSCRIPTION FACTORS AND THEIR ROLES IN VIRULENCE

Abstract: Motility is the ability of an organism to move on its own by expending energy. In bacteria motility is crucial for key characteristics such as pathogenicity. Bacteria move in several ways, including swimming and swarming, which are controlled by flagella, and twitching, which relies on pili.Pseudomonas syringae, a plant pathogen that causes bacterial canker in cherry trees, depends on motility for successful invasion and colonization of host plants. Previous research has shown that within the genome ofPseudomonas syringae, a prophage is present, and its deletion reduces both motility, and thus, pathogenicity. This suggests that the prophage plays a role in regulating these phenotypes. The goal of this study is to determine whether introducing specific transcription factors back into the prophage deletion mutant can restore motility to wild-type levels. The prophage deletion mutant will be compared to the wild type, and each new tested mutant will contain one of five transcription factors reintroduced into its genome. We will test the impact of these transcription factors on bacterial motility through swimming, swarming, and twitching motility assays and growth curve assays. The results of this study will identify the role of these transcription factors in motility and their potential contribution toPseudomonas syringae pathogenicity.

Chinmay Chouthai

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2513

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: PRESTO-TANGO SCREENING OF CONDITIONED MEDIA FROM HPV+ HEAD AND NECK CANCER CELLS

Abstract: The tumor microenvironment is increasingly recognized as crucial to carcinogenesis and the development of therapeutics for cancer. Human papillomavirus (HPV)-positive head and neck squamous cell carcinoma (HNSCC) is characterized by a tumor microenvironment (TME) that is extensively infiltrated with immune cells, despite successful escape of the tumor cells from the immune response. To better understand the role of the microenvironment and chemokine-dependent cell recruitment in HPV+ HNSCC, we employed PRESTO-Tango screening to investigate G protein-coupled receptor (GPCR) chemokine receptor activation by ligands in conditioned media from HPV+ HNSCC cell lines vs. normal control cells. Using this approach, we measured GPCR activation events via luciferase activity to determine which chemokine receptors may be key contributors to immune cell recruitment in HNSCC tumors.

Chris Van Antwerp

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2505

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: CHARACTERIZATION OF GLUTEN-INDUCED AUTOANTIBODY RESPONSE IN A MOUSE MODEL.

Abstract: During the previous year, we discovered that mice produce autoantibodies upon exposure to gluten in the absence of an adjuvant. Here, I will characterize the autoantibody response in this mouse model. There are 2 aims: 1) to characterize the autoantibody response in common bread wheat gluten exposed mice; and 2) to characterize the autoantibody relative capacity of 2 types of wheat glutens to elicit autoimmunity in this model.

Coner Kouza

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2517

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EGGSHELL MICROSTRUCTURE AND QUALITY

Abstract: The safety and marketability of eggs depend a lot on the quality of their shells, but there isn't much information about how different egg production methods affect shell strength and porosity. To find out if production systems make different kinds of eggshells, I used a scanning electron microscope to study the shells of free-range and caged system eggs. I looked at shell strength by testing how much force the shells can take before they break. We also did some 2D and 3D image analysis using the SEM data and a special 3D micro-CT program. I saw differences between the two groups in how the shell crystals are arranged, the size of the pores, and the strength of the shells. I think that the microstructure of the eggshells is different, which could influence how the eggs resist microbial contamination (if at all).

Daniela Dushaj

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2522

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: MICROBIAL ECOLOGY AND GUILLAIN-BARRE SYNDROME

Abstract: The domain of microbiome research is growing, revealing interconnected systems within the body influenced by the composition of microbes found in the gastrointestinal tract. Guillain-Barre syndrome (GBS) is a potentially life-threatening disease in which the body's immune system attacks various parts of the peripheral nervous system. Current research has not identified a cause of the infection, but recent studies revealed a possible causal relationship with Campylobacter jejuni. An infection of C. jejuni or Enterococcus is believed to mimic GM1 ganglioside surfaces in the neurons of the central nervous system, destroying the myelin sheath resulting in muscle weakness, lack of muscle control, and other complications including paralysis. The purpose of this study is to determine whether non-obese diabetic mice carrying a GBS risk microbiota display higher levels of autoantibodies in the dual group of C. jejuni and Enterococcus than individual groups. Using DNA extraction and 16s sequencing, the microbiotas following antibiotic treatment, and each bacteria introduced will be measured. Neurological signs of mice will be observed to determine differences in individual, dual, or no bacterial infection groups.

Dashiell Jones

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2515

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: THE EFFECT OF EXOSOMES ON PAIN SENSITIVITY

Abstract: Chronic pain affects approximately 50 million Americans and represents a significant financial burden on society, with costs exceeding \$600 billion annually in medical expenses and lost productivity. Various cell types, including neurons, keratinocytes (skin cells), and immune cells, play crucial roles in pain. However, the mechanisms by which these cells communicate within tissues to modulate pain remain poorly understood. Extracellular vesicles are released by all cells within the human body and play a vital role in intercellular communication. Small extracellular vesicles (sEVs), primarily exosomes, house a large variety of cellular contents, such as DNA, RNA, lipids, metabolites, and membrane proteins. I hypothesize that exosomes are involved in intercellular communication that modulate pain sensitivity. The goal of this project is to understand whether the presence of exosomes affects pain sensation. Distinct groups of mice were injected with Manumycin-A and GW4869. Manumycin-A and GW4869 inhibit sEV biogenesis. Mechanical and thermal pain were measured using von Frey and Hargreaves' methods, respectively, two established techniques used in pain research. Mice injected with GW4869 were found to be more sensitive to pain than the control group, while mice injected with Manumycin-A exhibited no significant difference in pain sensitivity from mice injected with the vehicle. Size exclusion chromatography was used to isolate exosomes from plasma samples and NanoSight was used to confirm lowered amounts of sEVs in mice injected with Manumycin-A and GW4869 compared to their respective control groups. Understanding the relationship between exosomes and pain will lead to the betterment of pain treatment and knowledge of the physiological functions of exosomes.

Delaney Dixon

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2537

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: BIOMETRIC MONITORING AND EARLY DETECTION FOR BOVINE LEUKEMIA VIRUS IN DAIRY ANIMALS

Abstract: Bovine leukemia virus infections cause significant challenges in the cattle industry, including decreased animal health, welfare, and longevity and reduced production and profit margins. Studies estimate that BLV infects over 40% of US dairy cows and costs the industry over \$525 million annually. Despite this large burden, little is known about when and how the virus transmits between animals. This study aims to identify the timing and vectors of BLV infection among dairy animals using SmaxTec biometric sensors. These sensors were deployed in the rumen of young dairy cows to track temperature, rumination, and locomotion in real time. Blood is sampled from cows showing biometric signs of potential infection, and molecular assays for recent BLV infection are used to flag transmission events in these cattle. Once BLV infections are identified molecularly, biometric signatures specific to BLV will be determined and used to separate out nonspecific clinical signs. Here, I will develop a software library to interface with the data output from the tag provider, process the data, flag potential illnesses, and compare animals and time points. Once completed, this study aims to contribute to developing sustainable disease control strategies within the cattle industry to enhance animal welfare and economic resilience.

Dieny Diallo

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2546

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INFECTING HTR8 PLACENTAL CELLS WITH LISTERIA, AND EXTRACTING EV'S (EXTRACELLULAR VESICLES) FROM THEM

Abstract: Listeriais a foodborne bacterial illness that when contracted can cause fevers, muscle aches, diarrhea and more. It is especially dangerous for pregnant women as it can pass from pregnant women to their fetus and cause preterm birth, or miscarriages. This project consists of infecting HTR8 cells, which are a transformed placental cell line withListeria. Using our cultured and treated cells, we then extracted extracellular vesicles (EVs) to analyze our protein content.Our datarevealed that we had 81 proteins found. 70 of which were in both samples, while only 2 of the proteins found were solely in our treated sample and 9 of them were solely in our controlled one.

Drew Johnson

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2506

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: TCBS SELECTS FOR QUINOLONE RESISTANCE IN V. CHOLERAE DNA REPAIR MUTANTS

Abstract: Thiosulfate Citrate Bile-Salts Sucrose (TCBS) agar is commonly used as both a selective and differential medium for isolating marineVibrios, including the aquatic human pathogenVibrio cholerae. While it is valuable as a rapid and inexpensive diagnostic tool, we have observed that certainV. cholerae mutant strains grow poorly when cultured on TCBS agar. In particular, certain strains of DNA repair mutantV. cholerae are strongly attenuated for growth on TCBS agar. However, after evolving these mutants on TCBS, we identified suppressor mutations in DNA gyrase which result in not only restored growth on TCBS, but resistance to quinolone antibiotics. Our results indicate that the selectivity of TCBS regarding these DNA-repair mutants works in a similar fashion to quinolone antibiotics.

Evan Madden

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2501

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVERSE CORRELATION OF NK CELLS AND VIRAL LEVELS IN VAGINAL TISSUE 48HRS AFTER INTRAVAGINAL CHALLENGE WITH SHIV-SF162P3 IN RHESUS MACAQUES WITH SUBOPTIMAL PGT121 DELIVERY

Abstract: Background: Rhesus macaques(RM) that get an intravenous (IV) infusion of the broadly neutralizing antibody (bNAb) PGT121, 24hrs prior to intravaginal challenge with SHIV-SF162P3, are not protected from challenge 1-3 days later. We have shown that it takes 7 days to achieve full antibody occupancy in the vaginal epithelium following IV injection, therefore we set out to understand if timing of antibody injection could alter viral kinetics following challenge. Methods: Utilizing Cy5-labeled PGT121 and shamDEN3, we compared -7 days(n=5) and -1 days(n=5) IV infusion prior to intra-vaginal challenge with SHIV-SF162P3 in RM and measured virus 48hrs later. Tissue and plasma levels of viral RNA and DNA were detected using gag qPCR and antibody levelswere measured through Cy5 fluorescence. We used RNA-Seq to probe for transcriptomic differences. We used NKG2A to measure NK cell levels in vaginal tissue. Results: We found less viral RNA and DNA present at the site of challenge 48hrs after challenge in the -7 day group(2/5 RM) compared to the -1 day group(5/5), which correlated with less PGT121 vaginal occupancy. There was an increase in response to virus genes in the -1 day group. In -7 day group, we found increased expression of PP14, a known regulator of NK cell responses. When measuring NK cells we found an inverse correlation with virus in vaginal tissue of the -1 day group. Conclusion: We found that by changing timing of antibody infusion, from 1 day to 7 days, that there is a significant impact on viral kinetics following challenge. In our suboptimal animal cohort(-1 day), we found a variability of viral levels, however there was an inverse correlation with NK levels. These results have the potential to not only aid in our understanding of the host response to challenge, but can also help tease out variability in RM cohorts in challenge studies.
Gillian Robbins

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2536

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INVESTIGATING THE SPATIAL METABOLOME OF MOUSE GUT-LUMEN USING MALDI-TOF MASS SPECTROMETRY

Abstract: Metabolomic investigations reveal information about host-microbe interactions and their associated chemical processes through studying the presence and interactions of small molecules within the gut. Investigation of metabolomics profiles in gut-lumen samples will help to reveal the molecular features potentially associated with gutmicrobiome interactions. This project investigates spatial distributions and localizations of metabolites in Balb/c mouse gut-lumen samples and compares the ionic signals to those found in C-57 mice to investigate strain differences. For this experiment, we collected proximal and mid-colon samples from Balb/c mice and embedded them in a 5% carboxymethylcellulose (CMC) solution. We then cryosectioned the samples, oriented as cross sections with a thickness of 16 μ m, and thaw-mounted the sections onto indium tin oxide (ITO) coated slides. We sprayed the slides with a 2,5-dihydroxybenzoic acid (DHB) matrix and analyzed them using matrix-assisted laser desorption/ionization mass spectrometry imaging (MALDI-MSI) on a Bruker timsTOF fleX mass spectrometer. Using the SCiLS software for data analysis, we were able to identify ion signals that belonged only to the gut wall (m/z 86.0965, m/z 71.073) and the lumen (m/z 331.0383, m/z 101.0598). Some ions localized to both the tissue and interface as a gradient-type pattern; however, we did not find any signals localized only to the epithelium-lumen interface. Our findings demonstrate the efficacy of using MALDI-MSI to find localized ions in the areas of the gut. Further analysis will compare results between different mouse strains.

Jade O'Brien

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2544

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: CAN MACHINE LEARNING BE UTILIZED TO EFFECTIVELY QUANTIFY INFECTIOUS PATHOGENS FOR INDIVIDUAL HOSTS?

Abstract: In most scientific fields, infection is a matter of infected or not infected, but our experiment aims to quantify the degree to which a host is infected. With the help of Flow Cytometry and the subsequent imaging analysis software, we compare manual spore counts within individual Daphnia samples to AI masking software trained to identify spore structures. Our research seeks to push the limits of artificial intelligence to minimize manual counting and improve the quality and speed of researchers in immunology and microbiology.

Jane Schell

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2507

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: FUSOBACTERIUM AND STREPTOCOCCUS INTERACTION IN ANAEROBIC BIOFILMS

Abstract: We have found that Streptococcus mutans ATCC strain 25175 has two colony morphologies. One is larger and slimy, and one is small and dry. These two types are genetically stable. The large colony only gives large colonies when struck out and the small one only gives small colonies. We first thought one must be a contaminant, but both were identified as S. mutansby the MSU Veterinary Diagnostic Lab with high confidence. The two types interact differently with Fusobacteriumin anaerobic biofilms, which are a model of the gingival space microbiome. The small colony type inhibits Fusobacterium, while the large colony type does not. We are investigating why these two types are different, and why only the small type inhibits Fusobacterium.

Jocelyn Dooley

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2521

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: IDENTIFIYING SURROGATE SPECIES FOR FOODBORNE PATHOGEN RESEARCH

Abstract: Wheat grain is an emerging source of foodborne pathogens. Contamination of grain can occur during a variety of steps during food processing, including growth, harvest, transport, and storage (Chen et al., 2021). Emerging pathogens for wheat grain particularly involve cases ofEscherichia coli andSalmonella.These outbreaks are persisting despite initial assumptions that low moisture foods have low risk of transmitting foodborne pathogens (Lauer et al., 2021). Therefore, the need exists to further investigate wheat grain as a source of foodborne pathogens.Tempering is used as a mechanism to strengthen the grain and lessen the amount of endospores prior to milling through the addition of water. This step is susceptible to microbial contamination due to the humidity and temperature in which tempering occurs, which allows for the proliferation of microbes (Chen et al., 2021). Through investigating the microbes present on natural wheat grain, the susceptibility of these strains to the tempering process can be investigated. Surrogate species contributing to the contamination of wheat grain with foodborne pathogens can be identified through utilizing methods of culture and 16srRNA genetic sequencing for identification.

Joi McKinney

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2531

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: OPTIMIZING IFN-GAMMA LEVELS FOR MHC I EXPRESSION IN MDCK CELLS

Abstract: Major histocompatibility complex class I (MHC I) molecules play a crucial role in antigen presentation and immune surveillance1. While MDCK (Madin-Darby Canine Kidney) cells are mainly used in virology and epithelial cell biology, their baseline expression of MHC I is low2. Interferon-gamma (IFN-γ) is known to induce MHC I expression in various cell types by activating the JAK-STAT signaling pathway, leading to transcriptional upregulation of antigen-processing genes3. This study aims to determine the optimal concentration of IFN-γ required to induce MHC I expression in MDCK cells. We hypothesize that increasing IFN-γ concentrations will enhance MHC I expression in a dose-dependent manner until a saturation point is reached. MDCK cells will be treated with varying concentrations of IFN-γ, and MHC I expression will be assessed using flow cytometry and quantitative PCR. Understanding the regulation of MHC I in MDCK cells could have implications for viral pathogenesis studies and vaccine development, with a larger focus on influenza research4, where MDCK cells serve as the primary model.

Josie Cayen

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2534

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ASSESSING ANTIBIOTIC RESISTANCE IN E. COLI, K. PNEUMONIAE, AND E. CLOACAE USING ZETA POTENTIAL

Abstract: Antimicrobial Resistance (AMR) is a developing issue in public health where infectious bacteria, viruses, parasites, and fungi no longer respond to certain antimicrobials [1]. This has created a problem where microbial infections can become difficult to treat, which increases disease spread and death rates. In 2019 alone, AMR contributed to 4.95 million deaths [1]. The rapid determination of a bacterium's antibiotic resistance profile is critical in reducing the clinical and agricultural overuse of last-resort carbapenem antibiotics which select for Carbapenem Resistant Enterobacterales (CRE). One of the areas lacking in the current development of rapid diagnostics for AMR bacteria is the difference in cell surface potentials between AMR and drug-susceptible bacteria [2]. Thus, the aim of this work is to develop a database of zeta potential measurements to support a phenotypic rapid diagnostic method in determining drug susceptibility. The zeta potential of bacterial samples was measured to differentiate Carbapenem-susceptible Escherichia coli (E. coli) from Carbapenem-resistant E. coli samples. This process was repeated with Klebsiella pneumoniae(K. pneumoniae)and Enterobacter cloacae(E. cloacae)samples. The experimental samples were clinical isolates DNA sequenced and identified as E. coli, K. pneumoniae, or E. cloacae samples with at least one of the following Carbapenem-resistant genes: blaKPC, blaNDM, blaOXA-48, blaVIM, or blaIMP. Preliminary results distinguish the zeta potential of meropenem-resistant E. coli samples from meropenem-susceptible E. coli controls. Likewise, the zeta potential of meropenem-resistant K. pneumoniae and E. cloacaesamples was distinct from the zeta potential of meropenem-susceptible K. pneumoniae and E. cloacaestrains.

Laura Stephan

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2555

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: SUBRENAL EMBRYONIC TISSUE IMPLANTATION ELICITS A CYTOTOXIC IMMUNE RESPONSE

Abstract: A successful pregnancy requires maternal immune tolerance to pregnancyassociated antigens (PAAs), including paternal alloantigens of the fetus and placental antigens. A key regulator of pregnancy, the placenta, helps establish an immuno-protective environment in the uterus by secreting immunomodulatory hormones and antiviral cytokines for tolerance. However, ongoing research is currently being done to better understand the mechanisms governing maternal-fetal tolerance, and of particular interest is the role of Autoimmune Regulator (Aire). Expressed in medullary thymic epithelial cells (mTECs), Aire presents tissue-specific antigens to T-cells to establish central tolerance and eliminate self-reactive T-cells via clonal deletion. While this protective mechanism ensures that all mature T-cells are tolerant, protection specifically against cytotoxic CD8+ T-cells is crucial as their autoreactivity leads to disease progression. In pregnancy, we hypothesize that Aire plays a role in presenting PAAs to developing maternal CD8+ T-cells as a mechanism of preventing immune-mediated rejection of the semi-allogeneic fetus. To test this, we removed a pregnancy-specific barrier, the placenta, by dissecting gestation day (GD) 8.5 embryonic tissue from Aire deficient (Aire-/-) or Aire-wildtype (Aire+/+) BALB/c mice and transplanting it under the kidney capsule for ten days. Kidney samples were used for immunohistochemistry staining to analyze the presence of CD8+ T-cells near the site of embryo implantation. In Aire-/- mice, an influx of CD8+ T-cells would be indicative of the role that Aire plays in CD8+ T-cell tolerance against fetal tissue. These findings can be used to better understand the mechanisms of maternal-fetal immune tolerance and further extend to potential therapeutic options in pregnancy complications that pertain to fetal rejection, such as intrauterine growth restriction.

Madison Enviya

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2526

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: DEFINING GLYCEROL BINDING TO THE MYCOBACTERIUM TUBERCULOSIS PROTEIN PPE51

Abstract: Mycobacterium tuberculosis (Mtb) has evolved to adapt its physiology to various environmental cues, including changes in pH. A key stage of infection for Mtb is adapting to survive in the acidic environment of the phagosome. When cultured on non-permissive carbon sources (e.g. glycerol) at a pH of 5.7, Mtb restricts its growth in a phenomenon known as acid growth arrest. Previously, a genetic selection was conducted to discover mutants that can grow on glycerol at acidic pH, isolating mutants of ppe51. These mutants exhibit a phenotype called enhanced acid growth (EAG). Theppe51 gene encodes for the protein PPE51; three mutant variants ofppe51 (S211R, A228D, and E215K) were identified with the EAG phenotype. Additional studies have raised the hypothesis that PPE51 functions to promote glycerol uptake across the impermeable mycomembrane. The goal of this study was to determine the biochemical interactions of PPE51 with glycerol at an acidic pH and the impacts of mutations on these interactions. These findings will allow us to better understand the mechanism of PPE51 and glycerol uptake in Mtb. We hypothesize that the wild-type and mutant variants have differential biochemical interactions with glycerol, leading to the different growth phenotypes. To achieve this goal, I have optimized the expression and purification of the PPE51 recombinant protein from E.coli. Current efforts are focused on defining glycerol binding to PPE51 using differential scanning fluorimetry and isothermal titration calorimetry.

Maggie Dobry

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2504

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: USING ENVIRONMENTAL DNA TO STUDY MICROBIAL DIVERSITY IN GREAT LAKES SEDIMENTS

Abstract: Sediment cores were collected from 3 of the Great Lakes (Erie, Huron, and Superior) aboard the RV Blue Heron in Summer 2024. A major focus of the study was to understand how biological communities in the Great Lakes Basin have varied over time (the last 12,000 years) using ancient DNA from deep (several meters) sediment cores. In addition to the deep cores, shallow (0-40 cm) cores were also collected from each site to study how modern microbial communities may impact sediment chemistry and biomolecular preservation. The shallow cores were sub-sampled in 4 cm increments and environmental DNA was extracted. After extraction, DNA was quantified using fluorometry, PCR-amplified, and submitted for sequencing. By comparing microbiological results with sediment characteristics, we can better understand how biodiversity changes with depth and how it may influence geochemical profiles. Additionally, by studying modern systems in Great Lakes sediments, and their relationship to the water column, we can relate the sedimentary record to the environmental health of this ecosystem. When these profiles are compared, we can begin to piece together a larger picture of how biodiversity in the Great Lakes Basin has changed spatially and temporally which may help us to predict future changes.

Marissa Malleck

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2535

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: THE EFFECT OF ZINC ON PHOSPHODIESTERASES IN VIBRIO CHOLERAE

Abstract: Cyclic di-GMP is a signaling molecule that regulates biofilm formation and motility and contributes to bacterial infection inVibrio cholerae.Cyclic di-GMP is regulated by many enzymes, including diguanylate cyclases (DGCs), which synthesize cyclic di-GMP, and phosphodiesterases (PDEs) which degrade intracellular levels of c-di-GMP. We have previously found that zinc binds ZpdA(vc0515) PDEs in the EAL domain. Several EAL phosphodiesterases are present inV. cholerae,which collectively regulate intracellular zinc levels.We are currently investigating the roles of 11 other EAL phosphodiesterases and the impact of zinc on influencing cyclic di-GMP levels. We are determining the effect of zinc on EALs by measuring the levels of cyclic di-GMP upon overexpression of EALs. In our assay, we are measuring cyclic di-GMP with a mNeonGreen fluorescent biosensor, which contains a riboswitch fused to the mNeonGreen protein that fluoresces in the presence of cyclic di-GMP. We plan to conduct biofilm and motility assays to determine the effect of EALs in the presence and absence of zinc. Our results highlight the importance of zinc as a signal in regulating cyclic di-GMP levels inV. cholerae.

Mckenna Goike

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2512

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING THE ROLE OF EIPA DURING BRUCELLA OVIS INFECTION OF MACROPHAGE-LIKE CELLS

Abstract: Brucella ovis is an intracellular pathogen that is the main cause of Brucellosis in sheep. In this research project, we studied the role of the envelope integrity protein A (EipA) in B. ovis. eipA is an essential gene in B. ovis therefore it cannot be deleted from the genome. To study the function of EipA we used a conditional EipA depletion strain. EipA is a periplasmic protein with a domain of unknown function (DUF 1134) and it is conserved throughout Alphaproteobacteria. When depleted of EipA, Brucella cells appear in chains and rounded as opposed to the wild-type singular coccobacilli form. A driving piece of investigation is to recognize the size and shape differences of cells with and without EipA when within host cells following infection. To model infection, we infected differentiated THP-1 human monocytic leukemia cells. Under this study, MICA fluorescence microscopy was used to observe Brucella cells throughout infection process. B ovis labeled with dsRed highlights the presence and shape of the Brucella cells within THP-1 cells. We observed wild type B. ovis appeared within THP-1 macrophage-like cells as its singular coccobacilli form, while EipA-depleted cells formed chains within the host cell. To see if we can detect EipA within THP-1 cells the eipA gene was tagged with mNeonGreen to fluoresce green when viewed under the microscope during infection. Overall, the goal of this project is to understand the role of the essential protein, EipA in Brucella cell morphology during the infection process of human phagocytic cells.

Mckenna Major

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2516

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: QUANTIFYING STAPHYLOCOCCUS AUREUS INTERACTIONS WITH THE GLYCOLYSIS BY-PRODUCT METHYLGLOYOXAL

Abstract: Methylglyoxal (MGO) is a toxic byproduct of glycolysis that is produced by bacterial and mammalian cells. The MGO detoxification pathway in the bacterial pathogen Listeria monocytogenes is glutathione (GSH)-dependent, while Escherichia coli encodes both GSH-dependent and GSH-independent MGO detoxification pathways. To investigate whether GSH is involved in the detoxification of MGO in Staphylococcus aureus, Kirby Bauer disk diffusion assays using tryptic soy agar (TSA) with or without GSH and disks impregnated with MGO were performed. This analysis revealed that addition of GSH to TSA does not reduce the zone of inhibition of S. aureus when treated with MGO. S. aureus encodes genes with greater than 25% homology to the E.coli GSH-dependent and GSH-independent MGO detoxification systems. To determine whether these genes encode MGO protective enzymes, inactivating mutations were generated in S. aureus and a series of minimum inhibitory concentration (MIC) assays were performed using increasing concentrations of MGO. MICs were calculated when S. aureus was cultured in both rich tryptic soy broth (TSB) or chemical defined media (CDM) supplemented with either GSH or cystine (CSSC) as the sulfur source. Contradictory to the Kirby Bauer assay, the more sensitive MIC assay showed that GSH provides S. aureus with moderate protection against MGO. Additionally, of the seven mutants tested, three exhibited decreased MIC, indicating a potential MGO detoxification function. Further investigation is required to validate the importance of the genes in providing MGO protection and to elucidate the mechanism of GSH-dependent S. aureus MGO resistance.

Mehak Banga

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2542

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: PHAGE INTERACTIONS WITH DEFENSE GENE VCA0483

Abstract: Phage therapy has recently gained attention as an alternative to antibiotics due to the emergence of antimicrobial resistance. Phage are viruses that specifically infect bacterial cells and cause cell death/lysis. However, bacteria can inhibit phage infection by utilizing various molecular defense systems. Using aVibrio choleraegenomic library inEscherichia coli, we identified a unique cosmid that protects against T2, T4 and T6 infection. Transposon mutagenesis revealed thatvca0483is required for protection against T-even phage. I confirmedvca0483was sufficient for T-even protection by performing PFU counts with a series of 10 phages. To identify whethervca0483is protective against varying Teven phage, I screened related phages from the BASEL collection that were T-even like and identified BAS39 phage that was resistant tovca0483protection. An in-depth genomic analysis of BAS39 showed a unique hypothetical protein that wasn't encoded in the rest of the T-even and the T-even like phages in the collection. I am currently working on identifying whether this unique hypothetical protein can inhibitvca0483defense. This study will increase our understanding ofhow phage defense systems work, while highlighting important mechanisms by which phage can overcome defense systems to improve phage therapeutics.

Myah Frazier

PHYTOPATHOGENS

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster Presentation Number: 2503 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: ANTAGONISTIC ACTIVITY OF METARHIZIUM ANISOPLIAE AGAINST

Abstract: Metarhizium anisopliaeis an entomopathogenic fungal endophyte and symbiont of plants and is used as a biocontrol agent in some agricultural systems. It colonizes plants, infecting harmful insects and returning nitrogen to the host plant. Previous research has demonstrated anti-fungal properties of M. anisopliaeagainst phytopathogens such as Fusarium graminearum, the causal agent of Head Blight in wheat. The objective of this research is to assess the potential antagonistic properties of M. anisopliaeagainst other phytopathogens: F. virguliforme, Colletotrichum fiorinae, Magnaporthe oryzae, C. spaethianum, Alternaria alternata, Cercospora beticola, and Cochliobolus heterostrophus. Antagonistic potential of M. anisopliaeagainst phytopathogens was evaluated by quantifying reductions in mycelial growth, conidial germination, and symptom mitigation in diseased plants. To observe mycelial growth inhibition, dual-culture Petri dish assays were performed by co-inoculating phytopathogens with M. anisopliaeand comparing radial growth to individual phytopathogen cultures. To analyze conidial germination rate reduction, normal germination rate was quantified and compared to the germination rate when incubated in M. anisopliaeculture filtrates. To evaluate the mitigation of F.virguliforme-induced Sudden Death Syndrome (SDS) symptoms in Glycine Max, the soil of infected plants was inoculated with M. anisopliaespores, and disease symptoms were compared to untreated diseased plants. Dual culture assays have demonstrated significant mycelial growth inhibition of phytopathogens in the presence of M. anisopliae. In addition, spore-germination of C. fioriniae, F. virguliforme, and M. oryzaeshow significant susceptibility to M. anisopliaeculture filtrates. SDS foliar symptoms in G. maxdo not show significant mitigation of disease symptoms when treated with M. anisopliaethus far. These results may reveal that M. anisopliaehas the potential to be applied as a biocontrol agent against a greater diversity of fungal diseases in agricultural crops than was previously known.

Nick Demski

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2545

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INVESTIGATING THE GENETIC BASIS OF TETRODOTOXIN METABOLISM: EXPLOITING REDUCED SYNTHESIS IN HOST-DERIVED ISOLATES.

Abstract: Tetrodotoxin (TTX) is a potent neurotoxin that blocks voltage-gated sodium channels, which are essential for generating action potentials. In the 1960's the structure of TTX was identified and in the 1980's researchers discovered that bacteria linked to marine animals are capable of producing TTX, yet the biosynthetic pathway has continued to elude scientific understanding. Since the first lab synthesis of TTX, chemists have optimized in vitro creation of TTX to a minimum of 24 steps. This lengthy process suggests that TTX may be metabolically expensive for bacteria to produce. Many papers suggest that TTX-producing bacteria isolated from their host rapidly halt production of TTX, but this claim is not supported by strong evidence. Nevertheless, if true, we can harness this trait to compare bacterial genomes and transcriptomes before and after TTX production stops to gain insights into its genetic basis. We chose 1 strain of Pseudomonas and 2 strains of Aeromonas from our collection of TTX-producing bacteria isolated from rough-skinned newts (Taricha granulosa) to passage through hundreds of generations in replicate, monitoring TTX production over time. Twice a week (~every 25 generations), we collect cell pellets for DNA and RNA sequencing and supernatant for TTX quantification. We prepare supernatant samples through solid phase extraction and use HILIC-MS/MS to measure the TTX concentrations. If we detect changes in TTX levels over time, we can then sequence the genomes and transcriptomes from pellets before and after these changes to pinpoint genes that are potentially involved in TTX synthesis.

Preethika Lakshminarayanan

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2543

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: REGULATION OF BIOFILM AND MOTILITY WITH ZNUABC DELETION IN VIBRIO CHOLERAE

Abstract: Vibrio cholerae is a gram-negative bacterium known for living in aquatic environments and causing diarrheal diseases. Cyclic di-GMP is an important secondary messenger located within V.cholerae that controls the switch between the microorganism's motile and stationary - marked by biofilm buildup - states, with high levels leading to more biofilm formation and low levels leading to greater motility. This messenger is produced by diguanylate cyclases (DGC) and broken down by phosphodiesterases (PDE). Previous findings show that znuABC deletion in the N16961 strain results in high c-di-GMP levels and that zinc inhibits a few DGCs that help make c-di-GMP. Because of this, we intend to explore if other V.cholerae mutant strains with znuABC deletions - such as E7646 and C6706 - also exhibit this trend of high biofilm formation and low motility. As a control, the mutant strain E7646 ?12 DGC - which lacks several DGCs crucial for c-di-GMP synthesis and biofilm formation - will be used. So far, we have made mutant strains of E7646 and C6706 and will perform motility and biofilm assays on all three mutant strains.

Rowan Litts

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2523

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: KNOCK-OUT MUTATIONS OF ACEE AND NAGA IN E. COLI NISSLE 1917 IMPEDE CLEAVAGE OF PROTECTIVE MUCIN LAYER IN THE GUT WALL

Abstract: The role of the degradation of mucin, a protective carbohydrate layer within the crypts of the gut wall, has been extensively studied for its role in gut colonization of both commensal and pathogenic gastrointestinal (GI) bacteria. Many of the sugar components of mucin can be catabolized by GI bacteria as an energy source, resulting in the degradation of the mucin layer and the exposure of the gut wall, which is vulnerable to colonization by pathogenic bacteria. To study the role of these metabolic pathways in gut colonization, I constructed knock-out mutants of essential genes for the catabolism of mucin sugar components in E. coli Nissle 1917, a probiotic bacterial strain frequently used in the treatment of gastrointestinal GI disorders. First, I knocked out theaceE gene, an essential in the pyruvate dehydrogenase complex (PDHc) that degrades the pyruvate product of glycolysis to initiate the citric acid cycle. Second was thenagA gene, which is responsible for the de-acetylation of N-acetylglucosamine (GlcNAc) that allows for the molecule to enter glycolysis. Both of these genes are essential for mucin degradation, as glucose and GlcNAc are abundant sugar components of mucin. Further studies of these mutants in co-culture with the GI pathogenC. jejuni, bothin vitroandin vivo in ferrets, may uncover important relationships between probiotic use and its impact on the gut colonization of GI pathogens, and reveal new avenues for non-antibiotic treatments of C. jejuni infections.

Samuel Snowden

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2552

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ASSESSING CONJUGATIVE TRANSFER EFFICIENCY AND HOST-RANGE OF ESBLS TO HUMAN GUT MICROBIOTA

Abstract: As antibiotic usage increases worldwide, antibiotic resistance (AR) is becoming an increasingly prevalent issue, accounting for more than 2.8 million infections and 35,000 deaths yearly. Of these increased AR infections, extended-spectrum beta-lactamases (ESBLs) contribute significantly, causing 198,000 infections and 9,000 deaths yearly based on the CDC 2019 AR report. ESBLs are bacterially produced enzymes that hydrolyze betalactam antibiotics, including penicillin and first through third generation cephalosporins. They are known to cause a range of infections including pneumonia, urinary tract infections (UTIs), and various skin and blood infections. ESBLs are spread via horizontal gene transfer (HGT), which includes transformation, transduction, and conjugation; however, research has shown that the main mechanism responsible for the transmission of ESBLs is plasmidmediated conjugation. Furthermore, conjugation of these genes to members of theEnterobacteriaceaefamily plays a major role in the spread of ESBLs and subsequent disease. This study aimed to identify conjugation transfer efficiency and host range of ESBLs[LM1]to this class of commensal bacteria in the human gut microbiota. We performedinvitro, filter-based conjugation assays to determine transferability of ESBL genes originating from a human-derivedE. colidonorto knownEnterobacteriaceaefamily members, includingCitrobacter rodentium, Salmonella enterica, Klebsiella pneumoniae, and E. colistrain MG1655. Then, we used antibiotic selective plating to isolate bacterial cells that acquired the ESBL. Further understanding the method by which ESBLs are spread to normal human gut microbiota would allow us to mitigate transmission by targeting the specific pathways of genetic transfer.

Sarah Raspanti

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2525

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: SEX DIFFERENCES WITHIN THE INFLAMMATORY RESPONSE FROM SLE123 AND C57BL/6 MICE

Abstract: Autoimmune disease, where the immune system attacks the host tissue, is a significant financial and health burden. It affects ~50 million Americans, and the overall cost is \$50-70 billion annually. There are over 80 kinds of autoimmune diseases, and they are often hard to diagnose due to their overlapping symptoms. Factors such as genetics and environmental triggers, like toxicants, can contribute to the development of autoimmune disease. Silica is one of the most abundant minerals on earth, and respiratory exposure has been epidemiologically linked to the autoimmune disease systemic lupus erythematosus. This disease is 9 times more likely to occur in women, and results in unresolved inflammation and symptoms in various body parts. It is important to study what kind of responses these triggers may cause in patients with lupus. Our lab utilizes the SLE123 mouse model, which is a lupus-prone model that has the background of a C57BL/6 mouse. Using the SLE lupus mouse model, it is possible to derive fetal liver-derived alveolar macrophages (FLAMs) that recapitulate the alveolar macrophage phenotype, which would otherwise interact with inhaled silica in the lung. I will employ both female and male FLAMS respectively from SLE123 and C57BL/6 mice to determine if there are sex differences within the inflammatory response. To prime the cell's inflammasome I will use lipopolysaccharide, a membrane component in gram negative bacteria. Then I will treat the cells with silica to enhance the inflammatory response and quantify cytokines IL-1a and IL-1B release via enzyme-linked immunoabsorbance assay.

Sid Bhattacharya

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2556

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ENHANCING AI MICROSCOPY FOR FOODBORNE BACTERIAL CLASSIFICATION VIA ADVERSARIAL DOMAIN ADAPTATION ACROSS OPTICAL AND BIOLOGICAL VARIABILITY

Abstract: Rapid detection of foodborne bacteria is critical for food safety and quality, yet traditional culture-based methods require extended incubation and specialized sample preparation. This study addresses these challenges by i) enhancing the generalizability of AIenabled microscopy for bacterial classification using adversarial domain adaptation and ii) comparing the performance of single-target and multi-domain adaptation. Three Grampositive (Bacillus coagulans, Bacillus subtilis, Listeria innocua) and three Gram-negative (E. coli, Salmonella Enteritidis, Salmonella Typhimurium) strains were classified. EfficientNetV2 served as the backbone architecture, leveraging fine-grained feature extraction for small targets. Few-shot learning enabled scalability, with domain-adversarial neural networks (DANNs) addressing single domains and multi-DANNs (MDANNs) generalizing across all target domains. The model was trained on source domain data collected under controlled conditions (phase contrast microscopy, 60x magnification, 3-h bacterial incubation) and evaluated on target domains with variations in microscopy modality (brightfield, BF), magnification (20x), and extended incubation to compensate for lower resolution (20x-5h). DANNs improved target domain classification accuracy by up to 54.45% (20x), 43.44% (20x-5h), and 31.67% (BF), with minimal source domain degradation (<4.44%). MDANNs achieved superior performance in the BF domain and substantial gains in the 20x domain. Grad-CAM and t-SNE visualizations validated the model's ability to learn domain-invariant features across diverse conditions. This study presents a scalable and adaptable framework for bacterial classification, reducing reliance on extensive sample preparation and enabling application in decentralized and resource-limited environments.

Sofya Mishina

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2511

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EVOLUTION OF VGLL3 IN EUBLEPHARIS MACULARIUS

Abstract: Lupus, or systemic lupus erythematosus (SLE), is a chronic autoimmune disease that occurs when the body's immune system attacks its own healthy tissues and organs. Symptoms can be treated with steroid drugs but not the condition. An estimated 204,000 people have SLE in the United States, according to the most recent data available. (As stated by CDC) Dr. Yun Liang's research identified the role of transcription factor of VGLL3 and its role in sex-biased autoimmune diseases, like lupus, by activating inflammation pathways. Moreover, it suggested that female-biased VGLL3 overexpression is due to metabolic stress, a key factor in placental mammals when carrying and giving birth to offspring. (Liang Y., 2016) Dr. Yun Liang's lab studies the role of VGLL3 in placental mammals (mice and humans). The proposed research focuses on looking at the role of VGLL3 in non-mammalian systems and comparing it with its function in mammals. The chosen model of study is Eublepharis macularius(Leopard gecko), due to there being documented cases of reptilian systems expressing symptoms of SLE (Fredric L., 1978). It is a less studied area of research that allows to test the idea of VGLL3 overexpression's linkage to metabolic stress during pregnancy in a non-placental system by performing qPCR, Western blot. immunofluorescence and immunohistochemistry.

Sooahn Jang

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2557

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: INVESTIGATING THE ROLE OF INORGANIC ELEMENTS IN MACROPHAGE POLARIZATION AND IMMUNE FUNCTION

Abstract: Macrophage polarization is a key aspect of immune function, with M1 macrophages primarily involved in host defense and M2 macrophages contributing to tissue repair and immunoregulation. These distinct polarization states are critical for understanding macrophage responses in various diseases and therapeutic contexts. Essential metals such as iron, zinc, and copper serve as cofactors for enzymes involved in antimicrobial defense, and their dysregulation can affect macrophage polarization, inflammatory responses, and pathogen control. However, the precise roles and mechanisms of these metal elements in macrophage function remain unclear. Therefore, further investigation is essential to elucidate their contributions to immune regulation and host defense. In this study, I will investigate the homeostasis and fluctuation of metal elements during macrophage differentiation and polarization using the THP-1 human monocytic cell line, a widely used model for studying macrophage biology and immune responses. First, THP-1 monocytes will be differentiated into resting macrophage-like cells using phorbol 12-myristate 13-acetate. After differentiation, these cells will be polarized into M1 and M2 macrophages using IFN-γ/LPS and IL-4, respectively. Macrophage differentiation and polarization will be assessed by measuring the expression levels of maker genes using qPCR. The metal content in each macrophage state will be analyzed using the wash-free ICP-MS method developed by the O'Halloran research group.

Tai Brass

Category: Microbiology, Immunology, and Infectious Disease

Presentation Type: Poster

Presentation Number: 2538

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: INFLUENCE OF PESTICIDE EXPOSURE ON MODULATING THE LUMBRICUS TERRESTRIS GUT MICROBIOME

Abstract: Earthworms (Lumbricus terrestris) are essential animals needed for the processing of soils in both agricultural and vermicomposting systems and require proper attention and care to ensure the success of ecosystem services. By feeding upon organic matter and mineral soil, earthworms pass this material through their guts and increase the availability of soil nutrients. This results in a shift in microbial composition that increases total soil diversity, with notable increases in Bacteroidetes and Proteobacteria (Aira et al., 2022). Microorganisms are critical in soil nutrient cycling, so dysbiosis within the earthworm gut may impact the success of invertebrate-accelerated decomposition. Despite this, little research has focused on the impact of insecticides, such as neonicotinoids, on the earthworm gut microbiome. The leeching of these pesticides can contaminate adjacent soils, and pesticidal seed coatings may pose an increased health risk to earthworms that feed upon plant seeds, which may influence's the earthworm's gut microbiome. To investigate these impacts, we characterized changes in the soil and earthworm gut, cast, and depurate bacterial communities with or without exposure to neonicotinoids through Illumina MiSeq Bacteria 16S rRNA amplicon sequencing. Soil samples were analyzed before, during, and after passage through the earthworm gut. Impact of pesticide exposure will be analyzed over the course of 3 months, potentially revealing differences in short and longterm influence of neonicotinoid exposure on gut microbiome modulation. Such work highlights the importance of assessing the sub-lethal effects of insecticidal toxins and aids in the discovery of strategies for decreasing the negative impact of pesticide usage.

Neuroscience

Abby Cheng

Category: Neuroscience Presentation Type: Poster Presentation Number: 2643 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: NMS EXPRESSIONS ROLE IN MORPHINE BEHAVIOR IN MICE.

Abstract: Roughly 48 million Americans suffer from addiction. By studying the neurobiological mechanisms that underly opioid use disorder we hope to better uncover novel therapeutics. The ventral tegmental area (VTA) is critical for reward processing, and has is linked to addiction. Our lab has identified VTA neuromedin S (NMS)-expressing cells as a candidate of study for morphine behaviors. We found that chronic morphine administration in mice increases VTA NMS expression in dopaminergic (DA) neurons, and that NMS-expressing neurons of the VTA have a role in morphine behaviors. To further investigate the role of NMS on morphine behaviors, we are currently using DAT-Cre mice, infused with a CRISPR guide against NMS into the VTA. By knocking down NMS expression from VTA DA neurons, we hope to uncover the necessity of this peptide for morphine behaviors. To do this, we will study the effects of the knockout on morphine locomotor activity and morphine conditioned place-preference. We expect VTA NMS knockout to decrease morphine behaviors. To confirm expression of the CRISPR guide, I've begun using immunohistochemistry (IHC). After perfusion and slicing of the brain, we performed IHC on VTA coronal sections using antibodies for the identification of DA neurons (TH) and CRISPR guide virus expression (HA). These brains were then imaged using a fluorescence microscope and I expect that some of the VTA DA-expressing cells will also co-localize with HA. Together, these data will provide a better understanding of the role of VTA NMS on morphine behaviors, which could lead to better treatments and preventions for opioid use disorder.

Alaina Barringer

Category: Neuroscience Presentation Type: Poster Presentation Number: 2623 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: THE RELATIONSHIP OF TRAUN

Title: THE RELATIONSHIP OF TRAUMATIC BRAIN INJURY AND NEURODEGENERATION OVER TIME USING MRI

Abstract: Aims: TBI affects many people each year. These brain injuries can have long term effects, such as decreased life expectancy and permanent ailments like Alzheimer's Disease, Dementia, and Chronic Traumatic Encephalopathy. TBI is very unknown and because of this there are few interventions. This study detected tertiary injuries in TBI by identifying white and gray matter volumes, as well as white matter integrity in the brain using DTI from MRI. Methods: This was an observational study that assessed neurodegeneration over approximately 5 years in neurotypical brain and a TBI brain. The participants were evaluated based on physical and psychological disability serverites and the expected recovery time depending on the severity. Each participant also underwent at least 2 MRIs, one being when they first entered the ICU and one being during the final neurological test. Four different conventional MRI sequences were performed during the study. Results: In the first MRI scan there were no brain matter volume differences between neurotypical and TBI patients. Overall brain atrophy did occur at up to 20% in various territories for TBI patients. The volumetric loss in TBI patients occurred especially in deep white matter tracts. There was an absence of significant volumetric variation in the regions of interest of cortical grey matter and no statistically significant difference in the variation of cortical thickness upon follow-ups in the healthy controls or TBI participants. Discussion and Conclusion: The study concluded that the volumetric loss observed in the MRIs cannot be attributed to standard aging.

Alexa MacKersie

INFANTS

Category: Neuroscience Presentation Type: Poster Presentation Number: 2626 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: A STUDY OF GUT MICROBIOME DIVERSITY AND EMOTIONAL REGULATIONS IN

Abstract: Emotional dysregulation in early childhood is associated with anxiety or depression later in life as children have been unable to learn and apply healthy behaviors to cope with negative feelings and events. Previous research suggests a connection between the gut microbiome and cognitive and emotional development, but it is unknown how the composition of the gut microbiome affects emotional regulation in infants. The purpose of this study is to determine whether the gut microbiome has a significant impact on the development and ability of infants to self-regulate. Infants (1-year old) completed the mask task paradigm where they were placed in a high chair in the center of the room along with an experimenter and their mother. Another experimenter came into the room and changed into four different masks behind the curtain and the infants' reactions were assessed for gaze aversion, looks to mother/experimenter, and self-regulatory behaviors. The interrater reliability tests conducted to analyze consistency between both coders for gaze aversion, looks to mother/experimenter, and self-regulatory behaviors produced intraclass correlation coefficients of 0.95, 0.99, and 0.99 respectively. The mean values of the three variables were 0.087, 0.536, and 0.003 respectively, indicating that the most common regulation behavior displayed within the infants is looking towards the mother/experimenter. When compared against the gut microbiome data, social referencing was positively associated with the beta diversity measure weighted unifrac when the mask was present (p= 0.0486), but this relationship did not withstand multiple comparison correction.

Allison Doneth

Category: Neuroscience Presentation Type: Poster Presentation Number: 2646 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: EXPLORING THE PARAMETERS UNDERLYING THE INHIBITION OF DRUG-SEEKING FOLLOWING MEDIATED DEVALUATION OF COCAINE

Abstract: In this study we examined the parameters underlying the disruption in cocaineseeking following the mediated devaluation of cocaine. In previous experiments from the laboratory, rats were provided with cocaine self-administration training, during which they associated active lever responses with a cocaine infusion and tone-light conditioned stimulus (CS). Subsequently, rats experienced an aversion phase, in which the CS was presented, which evoked the retriveal of cocaine-associated memories. At this time, rats received an injection of LiCl to induce gastric malaise (instead of a cocaine reward). This lead to a devaluation of cocaine memory such that it became associated with feeling unwell, leading rats to no longer want to seek out the drug. In the current study, we confirmed that the retrieval of the cocaine reward memory is needed for the future disruption in drug seeking. To this end, rather than providing the cocaine-associated CS along with LiCl, the CS was omitted and rats received an injection of LiCl alone. Results showed that in the absence of retrieval of the cocaine-associated memory, gastric malaise produced by LiCl alone was insufficient to produce the future disruption in cocaine-seeking. This confirms that the attenuation of cocaine-seeking that follows mediated devaluation reflects a devaluation of the retrieved cocaine-associated memory. In addition, our lab has shown that inactivation of cells in the ventral tegmental area (VTA) to nucleus accumbens (NAc) pathway are necessary for mediated devaluation of cocaine reward. In this current study, we confirm that our previous VTA to NAc pathway effects reflect inactivation of the circuit, and do no result from the drug (clozapine-N-oxide) used to inactivate the circuit. Overall, these findings confirm the behavioral and neurobiological factors that enable disruptions in cocaineseeking behavior following mediated devaluation.

Amy Liu

Category: Neuroscience Presentation Type: Poster Presentation Number: 2631 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: COGNITIVE DEFICITS OF RAI1+/- GRASS RATS, A MODEL FOR SMITH-MAGENIS SYNDROME (SMS)

Abstract: Smith-Magenis Syndrome (SMS) is a rare neurodevelopmental disorder caused by haploinsufficiency of the retinoic acid-induced 1 (Rai1) gene. SMS is characterized by circadian rhythm and sleep disruptions, autism spectrum features, and intellectual disabilities. To understand the neural mechanisms underlying this disease, we developed a rodent model of SMS using CRISPR-based gene editing of the Rai1 gene using Nile grass rats (Arvicanthis niloticus), a well-established diurnal rodent model. Similar to SMS patients, Rai1-deficient grass rats show disrupted locomotor activity and sleep rhythms. In the present study, we explored the impact of a Rai1 deficiency on cognitive function using novel object recognition (NOR) and object location memory (OLM) tasks. NOR evaluates nonspatial learning and object recognition involving perirhinal cortex, whereas OLM assesses spatial learning involving the hippocampus. The wildtype littermates (Rai1+/+) spent more time exploring the novel object in NOR and novel location in OLM, indicated by performance significantly above the chance level i.e., 50% (67.7±4.5%, 65.6±5.0%, n=5; one sample ttest, ps < 0.05). The knock-out grass rats (Rai1+/-)didn't discriminate between the novel and familiar objects or locations, as indicated by a chance level performance in both tests (60.4±8.2%, 46.4±4.7% n=7; one sample t-test, ps > 0.05). The results revealed that the Rai1 KO animals showed deficits in both object and spatial memory. These results will serve as a foundation for future research studies elucidating changes in neural circuitry associated with SMS and advancing the development of potential therapeutic strategies.

Anna Reschke

Category: Neuroscience Presentation Type: Poster Presentation Number: 2614 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: NO TIME TO DRINK: NEUROTENSIN IN THE LATERAL HYPOTHALAMIC AREA DOES NOT

MEDIATE WATER DRINKING

Abstract: The lateral hypothalamic area (LHA) contains different neuronal populations that modulate drinking behavior necessary for survival. The Leinninger lab previously identified LHA neurons that co-express the neuropeptide neurotensin (Nts) as well as other signals, which we refer to as LHANtsneurons. We found that activating LHANts neurons promotes voracious water drinking particularly during the light cycle. We hypothesized that if Nts released from LHANts neurons is critical for promoting drinking, then drinking behavior should be blunted by blocking Nts signaling. To test this, we expressed excitatory Designer Receptors Exclusively Activated by Designer Drugs (DREADDs) in LHANtsneurons. Mice were pretreated with antagonists for either neurotensin receptor 1 (NtsR1), neurotensin receptor 2 (NtsR2) or a pan NtsR1/NtsR2 antagonist to block Nts-Nts receptor signaling prior to treatment with VEH (control, no activation) or the DREADD ligand CNO to activate LHANts neurons. Surprisingly, none of the Nts receptor antagonists diminished LHANts neuronstimulated drinking. To test whether the Nts signal itself is necessary for drinking behavior, we injected Ntsflox/flox mice with an AAV-Cre virus in the LHA to selectively deplete Nts from LHANts neurons. Analysis in metabolic cages that record water intake revealed no differences in drinking between mice with intact or depleted Nts in their LHANts neurons. Taken together, these data suggest that LHANts neuron-stimulated drinking is not regulated via Nts signaling, but instead by other signals released from LHANtsneurons. Future work will examine if other LHANtsneuron-released signals such as GABA, galanin, or CRH modulate drinking behavior.

Anya Heany

Category: Neuroscience Presentation Type: Poster Presentation Number: 2621 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: TAU PATHOLOGY PRECEDES AMYLOID-BETA PLAQUE FORMATION AS THE MAIN DRIVER OF NEURODEGENERATION IN ALZHEIMER'S DISEASE

Abstract: Brains with Alzheimer's disease (AD) display two primary characteristics: neurofibrillary tangles composed of tau proteins and plaques formed from amyloid-beta (Aβ) peptide. One of the most fundamental questions in Alzheimer's research is which of the two aggregates first; knowing the answer to this question is essential for developing treatments that stop the progression of the disease. The predominant theory throughout most AD research has been that amyloid-beta aggregates first and that this aggregation leads to hyperphosphorylated tau proteins, which cause the neurofibrillary tangles, which then trigger Alzheimer's pathology and symptoms. However, there is mounting evidence against this theory. First, multiple drugs in phase three clinical trials which targeted Aβ did not slow cognitive decline . Aβ plaques are also found in the brains of cognitively normal individuals, which suggests they could simply be a sign of normal aging - not the catalyst of AD pathology. Third, research has shown that the severity of dementia is much more correlated with the presence of neurofibrillary tangles than amyloid-beta plaques. Finally, amyloid precursor protein (APP) production is increased after a traumatic brain injury (TBI), suggesting that Aβ may actually have neuroprotective effects. Considering this evidence, a relatively new theory has been proposed in AD research. The new theory hypothesizes that tau pathology precedes Aβ plaque formation and is the main driver of neurodegeneration in Alzheimer's. An array of new evidence supports this theory: tau tangles are present in the brains of patients with no Aβ pathology but very mild dementia, tau pathology is more correlated with AD severity and progression than Aβ pathology, and finally, while much more research has been done on the Aβ hypothesis, some tau-based treatments have shown promise in early clinical trials . Considering this evidence, the tau theory has recently gained significant momentum. The development of tau imaging, which facilitates predictions of early AD and the regions where brain atrophy can occur, has also helped to show the correlation between locations of tau and areas of atrophy. The pathology of AD probably cannot be completely tied to one

biomarker and instead is most likely due to interactions between several. However, understanding the driving force behind AD pathology and progression is essential in developing treatment and stopping the progression of a disease that affects nearly 10% of all people over the age of 65.

Arnalda Zhao

Category: Neuroscience Presentation Type: Poster Presentation Number: 2607 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: USE OF S100B VS. GLIAL FIBRILLARY ACIDIC PROTEIN TO LABEL ASTROCYTES IN

BRAINS OF CHOW-FED VS. HIGH FAT DIET-FED MICE **Abstract:** The incomplete understanding of how the brain regulates energy balance prevents

us from finding effective weight loss solutions. Astrocytes are a type of glial cell that have a critical role in feeding behaviors and energy balance. However, much is unknown about them. Previous studies have shown that in male mice fed a high fat diet (HFD), the astrocytes in the arcuate nucleus (ARC) experienced reactive astrogliosis, potentially leading to obesity. Glial fibrillary acidic protein (GFAP) expression increases in reactive astrocytes, so GFAP is commonly used as an astrocyte marker. However, few GFAP-immunolabeled cells are detected in the brains of chow-fed mice, even though they still have many resident astrocytes. We hypothesize that there may be a better marker to visualize astrocytes during normal physiology (e.g. in chow fed mice) as well as in HFD-fed mice that develop dietinduced obesity. To test this we immunolabeled GFAP and another protein that is expressed in astrocytes, S100 calcium binding protein beta (S100B), in brains of male and female mice fed chow diet and HFD. Specifically, we assessed expression in areas of the brain that contribute to ingestive behaviors, such as the arcuate nucleus (ARC), lateral hypothalamic area (LHA), lateral preoptic area (LPO), and the ventrolateral periaqueductal gray (vlPAG). Throughout all brain sections that we investigated, we found more S100B-immunolabeled astrocytes than GFAP-immunolabeled astrocytes. Additionally, all GFAP-labeled cells coexpressed S100B. These data suggest that S100B is preferable to GFAP to label astrocytes in mice fed chow or HFD.

Charlotte Schultz

Category: Neuroscience Presentation Type: Poster Presentation Number: 2625 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: ANATOMICALLY-SPECIFIE

Title: ANATOMICALLY-SPECIFIED NEUROTENSIN RECEPTOR-1 EXPRESSING NEURONS IN THE LATERAL PREOPTIC AREA SUPPORT WEIGHT LOSS

Abstract: Obesity increases the risk of comorbid health problems like diabetes and chronic pain, yet there are still limited treatments. The neuropeptide Neurotensin can act via Neurotensin Receptor-1 expressing neurons to reduce feeding and weight and NtsR1 is expressed in several brain regions, including the Lateral Preoptic Area (LPO). Previously, we found that DREADD (Designer Receptors Exclusively Activated by Designer Drugs)-activating LPO Neurotensin Receptor 1 (NtsR1) neurons decreased food intake, water intake, and respiratory exchange ratio in normal-weight and obese mice and increased locomotion in obese mice. However, we observed alarge variation in these behaviors between mice. Posthoc analysis revealed mice had differing amounts of DREADD expression in NtsR1 neurons across the anterior and posterior parts of the LPO. We hypothesized that DREADD-activating anterior vs. posterior LPO's NtsR1 neurons may promote different effects, and one of these might mediate decreased food and water intake and increased locomotion. To test this, we used immunofluorescence to label DREADD-expressing NtsR1 neurons and c-fos (a marker of activated neurons) and documented if DREADD-activated neurons were biased to the anterior or posterior LPO. Anatomical data were correlated with previously collected ingestive behavior and body weight data. We found that activating the posterior, but not the anterior, LPO NtsR1 neurons decreased ingestive behavior and increased locomotion. These data reveal that anatomically defined subsets of LPO NtsR1 neurons differentially modulate behavior. In the future, understanding their discrete functions might reveal optimal neuronal targets to support weight loss and treat obesity.

Chloe Heit

Category: Neuroscience Presentation Type: Poster Presentation Number: 2644 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: MAPPING TRACE METALS IN THE MOUSE BRAIN DURING PREGNANCY

Abstract: Sleep is important for everyday life but is especially important during pregnancy. During pregnancy women often get less than an ideal amount of sleep which has adverse effects on the body such as hormone imbalance, increased levels of stress, and a weakened immune system, all of which can affect both mother and fetus. Inorganic elements, like manganese (Mn) and zinc (Zn), are necessary for a healthy pregnancy. Systemic (serum and urinary) levels of manganese and zinc are correlated with sleep quality, but we do not understand how or if these elements may be acting in the brain. Sleep is regulated by the hypothalamus, where the suprachiasmatic nucleus (SCN), regulates the sleep-wake cycle and timing of hormone release. Our goals are to 1.) determine what elements are in the SCN and 2.) how those element concentrations change throughout pregnancy. This project aims to investigate the levels and distribution of elements levels in the hypothalamus of pregnant and non-pregnant mice using sectioning and laser ablation time-of-flight mass spectrometry (LA-ICP-TOF-MS) to identify hypothalamic brain regions with element changes. Based on preliminary data, there is a decrease in manganese and no change of zinc in the SCN between pregnant and late pregnancy, specifically gestation day (GD)18. Interestingly, zinc in the septal region and piriform area increase at GD18 compared to nonpregnant. These findings are a first step to enhance our understanding of how trace elements might influence circadian timekeeping and sleep-wake cycles during pregnancy.

Elif Erdem

Category: Neuroscience

Presentation Type: Poster

Presentation Number: 2641

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ANTEROGRADE VIRAL TRACING: A REVIEW OF ITS HISTORY, INNOVATIONS, AND FUTURE DIRECTIONS

Abstract: Anterograde viral tracing is an important technique used to map neural pathways, investigate brain function, and offer insight into neural development, reorganization, and disease-related changes. This technique tracks the movement of a viral vector in an anterograde fashion, from a presynaptic neuron to a target region with postsynaptic neurons. While retrograde viral tracing has well-established methods, anterograde tracing techniques have historically been more limited. This poster will discuss the development and evolution of anterograde viral tracing, current methodologies, and innovations in the field. Additionally, it will explore potential future directions of this vital tool in neuroscience.
Evan Wilson

Category: Neuroscience Presentation Type: Poster Presentation Number: 2605 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: DETERMINING POTENTIAL SEX DIFFERENCES IN THE NUMBER OF VASOPRESSIN AND OXYTOCIN NEURONS IN THE JUVENILE AND ADULT RAT PARAVENTRICULAR NUCLEUS OF THE HYPOTHALAMUS

Abstract: Arginine vasopressin (AVP) and oxytocin (OXT) are neuropeptides that regulate various social behaviors throughout the lifespan. AVP and OXT are primarily produced in the paraventricular nucleus of the hypothalamus (PVN). Signaling of AVP and OXT from the PVN to other brain regions has been shown to regulate social behavior in both adults and juveniles. Previous studies have shown that there are sex differences in the number of AVP and OXT neurons within the PVN of adult rats. However, it is unclear whether this sex difference also exists in juveniles and thus persists throughout life, or whether it exists only in adults and thus develops after puberty. Throughout the lifespan, social behavior transitions from juvenile social play to adult-specific behaviors such as mating, aggression and parental behaviors, with distinct social roles for males and females. Determining whether sex differences in AVP and OXT develop before or during puberty may explain the sex specific roles of AVP and OXT in the regulation of social behavior across the lifespan. Therefore, we investigated whether there are sex and age differences in the number of AVP and OXT neurons in the rat PVN. Brain sections containing the PVN were sectioned at 30µm thickness, and then processed for fluorescent immunohistochemistry. Images of the AVP and OXT-positive neurons were digitized using epifluorescence microscopy and then quantified.

Grace Eliya

Category: Neuroscience Presentation Type: Poster Presentation Number: 2647 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: DOES CRH EXPRESSION IN THE LATERAL HYPOTHALAMIC AREA OF THE MOUSE BRAIN CHANGE ACROSS THE LIGHT-DARK CYCLE?

Abstract: Corticotropin-releasing hormone (CRH) is a neuropeptide that is implicated in modulating feeding and drinking, but it remains unclear what CRH-expressing neurons in the brain modulate these ingestive behaviors. Previous studies reported that CRH is coexpressed with the neuropeptide neurotensin within the lateral hypothalamic area (LHA), a region of the brain that regulates feeding, drinking, and weight loss. In mice, activating these LHA neurons containing CRH+neurotensin causes opposing ingestive behaviors: during the light cycle it causes drinking with no impact on feeding, but activating the neurons during the dark cycle causes mice to restrain feeding with no effect on drinking. We hypothesized that expression of CRH might vary in the LHA between the light and dark cycle, which might explain why activating the CRH-expressing neurons causes different ingestive behaviors during the light and dark cycles. To test this hypothesis, we perfused C57/Bl6 Jackson Laboratory wildtype mice during the light (n=5) or dark (n=4) cycles. We then used RNAscope to label CRH mRNA and counted the number of cells CRH-expressing cells in the LHA during the light and dark cycles. We found no significant difference in CRH expression between the light and dark cycles. These data suggest that variations in CRH expression do not account for the differing ingestive behaviors after activating LHA CRH-expressing neurons. Going forward we are exploring whether other signals released from the neurons, such as neurotensin, might change across the light-dark cycle to produce opposing ingestive behaviors.

Gwendolyn Urbain

Category: Neuroscience Presentation Type: Poster Presentation Number: 2603 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MILD STRESS ALTERS MOUSE ESTROUS CYCLE

Abstract: Stress is known to have a complex role in many diseases. Chronic stress leads to increased risk of heart disease, psychiatric disorders, migraine, and many other diseases. Women are more likely to develop stress-induced diseases. Hormonal fluctuation is thought to play a key role in explaining why women experience chronic diseases at a rate almost twice as high as men. Previous animal studies inducing severe chronic stress, with several weeks' duration and life-threatening situations (predator odor), have been shown to decrease reproductive function and lengthen estrous cycle. However, how mild stress, which is generally acknowledged as a model for daily stress, affects hormonal fluctuation remains unknown. We aim to identify the impact of mild stress using a repeated restraint model on mouse subjects to aid understanding of mild stress-related impacts on hormonal cycles and stress-induced diseases. During this study, 19 mice were stressed using a repeated restraint model two hours daily for three consecutive days within a 17-day period. Vaginal smears for each mouse were taken daily within the same two-hour time slot. The smears were then staged using Vaginal Smear Cytology to identify the impact of mild stress. Results demonstrated that the stress mice had significantly longer estrous cycles, significantly less completed cycles, and spent significantly longer in the diestrus phase within the 17-day period than control mice. This data demonstrated that mild stress impacts the hormonal cycle and gives way to understanding sex-related differences in stressinduced diseases better.

Hannah Cook

Category: Neuroscience

Presentation Type: Poster

Presentation Number: 2633

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: USE OF EEGS TO IDENTIFY ACTIVITY OF THE DEFAULT MODE NETWORK IN THE DIAGNOSIS AND TREATMENT OF ADHD

Abstract: The complete mechanisms of ADHD are not fully known yet. For everything that is known, there are several unanswered questions. There are also still a lot of questions about the most accurate way to diagnose. As of right now, diagnosis is usually done with testing and surveys. Using an EEG to diagnose ADHD could be a reliable way to look at the biological characteristics of ADHD in the brain to confirm or make a diagnosis. EEGs have already been used as a way to identify the DMN, and a refinement of this procedure would be revolutionary in diagnosing ADHD.

Hannah Hentkowski

Category: Neuroscience Presentation Type: Poster Presentation Number: 2624 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: FUNCTIONALLY TESTING G

Title: FUNCTIONALLY TESTING GENES INVOLVED IN GUT DYSFUNCTION USING F0 CRISPR SCREENING APPROACH IN ZEBRAFISH

Abstract: The nervous system is made of two main subdivisions, the central nervous system and the peripheral nervous system. The largest part of the peripheral nervous system is the enteric nervous system (ENS). The ENS consist of a network of nerves and glial cells that support and innervate the gastrointestinal (GI) tract. This network controls the essential functions of the GI tract such as motility, nutrient uptake, and inflammatory responses. Deficiencies in the development and maintenance of the ENS leads to many diseases such as Hirschsprung disease, inflammatory gut diseases, autism spectrum disorder, and devastating GI symptoms including diarrhea or constipation. Research in a collaborator's lab using a genome-wide screening approach has identified four candidate genes, BRAT1, LUNATIC FRINGE, CDK18, and NFASC, connected to GI dysfunction constipation and/or diarrhea - in humans. However, it is not known which of the genes are connected to the GI phenotypes and if functional loss of the candidate genes changes how food moves through the gut. We used a F0 CRISPR screening approach to test the effect of functional loss of these genes on intestinal transit in zebrafish. This is researched by using anin vivo zebrafish model and CRISPR technology to knockout these candidate genes followed by an intestinal transit assay to analyze how food moves through the gut. The zebrafish embryos are injected at the 1-2 cell stage with CRISPR components that include two guide RNAs targeting the candidate gene and a guide RNA targeting the geneslc24a5that results in a pigmentation phenotype. Using a guide RNA targetingslc24a5enables to determine the efficacy of the injection. As a positive control, we first established that intestinal transit is significantly reduced insox10 crispants. Mutants forsox10 have been shown to have reduced intestinal transit. We then screened the guide RNA injected embryos (F0 crispants) at 2 days for a strong pigmentation phenotype. The embryos were then given a fluorescent feeding regime starting at 5 days post fertilization. Fluorescent food is given for 2 consecutive days then embryos are put in a clean dish to look for gut clearance on the next day. Crispants andslc24a5controls are then sorted based on complete or inefficient clearance of food on day 7 and lysed for DNA extraction. To ensure a high mutational rate the target area was sequenced to determine the rate of insertion/deletions and the rate of deleterious mutations (knockout score). Using this approach, we find no change in intestinal transit forbrat1, but a significant reduction in food clearance in F0 crispants targetinglunatic fringe. We are currently testing intestinal transits incdk18 andnfasca;nfascb crispants. This research can lead to a better understanding of genetic factors that contribute to GI dysfunction in humans.

Hannah Hua

PAIN IN MICE

Category: Neuroscience Presentation Type: Poster Presentation Number: 2611 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MAST-CELL DERIVED CHYMASE 4 SHORTENS THE DURATION OF INFLAMMATORY

Abstract: Chronic pain affects 51.6 million adults in the United States (US Pain Foundation, 2023). Skin injury or infection triggers the up-regulation of pro-inflammatory molecules that activate pain-sensing neurons generating pain. Acute pain transitions to Chronic Pain when the body fails to subside from upregulation of pro-inflammatory molecules. The biological mechanisms underlying the resolution of acute pain remain unclear. Mast cells are immune cells involved in regulating inflammation. We previously showed that mast cells are necessary for the resolution of pain. Mast-cell-deficient mice have prolonged pain after skin inflammation. We seek to discover the molecules produced by mast cells that contribute to the resolution of pain. Mast cells release granules containing proteases like chymases in response to inflammation (Pejler, 2020). We hypothesize mast cell proteases play a role in pain resolution. Inflammatory pain was induced in mice by injection of Complete Freund's Adjuvant (CFA) in the intraplantar paw skin. Quantitative polymerase chain reaction (qPCR) showed an upregulation of Mcpt4 expression in the resolution phase in wild-type (WT) mice. Von Frey filaments were used to analyze for pain sensitivity. Blocking mast cell chymase using a pharmacological approach (chymostatin) delayed CFA-induced pain resolution compared to vehicle control. Injection of recombinant MCPT4 after CFA, improved pain resolution. Injection of recombinant MCPT4 alleviates pain in mast-cell-deficient mice. Therefore, chymase MCPT4 plays a crucial role in the resolution of pain. Future studies will identify the molecules degraded by MCPT4 and investigate whether injection of MCPT4 in the inflamed skin can be a new analgesic approach.

Ian Render Flores

Category: Neuroscience Presentation Type: Poster Presentation Number: 2616 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: DOES NEUROTENSIN EXPRESSION IN THE LATERAL HYPOTHALAMIC AREA VARY

ACROSS LIGHT VS. DARK CYCLES IN MICE?

Abstract: The Lateral Hypothalamic Area (LHA) orchestrates ingestive behaviors including drinking and feeding but via incompletely understood mechanisms. Many LHA neurons express the neuropeptide neurotensin, which is considered a feeding-suppressing peptide. Interestingly, activating LHA neurotensin neurons during the light cycle (when mice are usually asleep) has no effect on feeding but activating the same neurons during the dark cycle (when mice are usually awake and eating and drinking) suppresses feeding. We hypothesized that these different effects on feeding could be because LHA neurotensin neurons express more neurotensin in the dark cycle, so that when activated they release more of the anorectic neurotensin signal. To test this we collected brains from mice during the light and dark cycle (n=4 each).We then used using RNAscope to measure neurotensin mRNA expression in the LHA of these brains and counted the number of neurotensinexpressing cells.. The neurotensin-containing cells were separated into two categories: cells that contained a greater amount of neurotensin (bright) or cells that contained less amounts of neurotensin (dim). The results showed a significant increase in neurotensin expression in the LHA of mice during the dark cycle compared to the light cycle, with the primary driver being the difference between dim cells. These suggest that neurotensin plays an inhibitory role in feeding behaviors. This could be important for understanding increased rates of obesity in shift-workers.

Joslyn Claypool

Category: Neuroscience Presentation Type: Poster Presentation Number: 2645 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: CAFFEINE MODULATES ADI

Title: CAFFEINE MODULATES ADENOSINE AND CEREBRAL HEMODYNAMICS IN AWAKE, BEHAVING MICE

Abstract: Caffeine is one of the most widely used stimulants and is known to have an antagonistic effect on adenosine receptors. The neurotransmitter adenosine has been found to play a role in physiological functions like blood flow, sleep, and inflammation. While the relationship between caffeine and adenosine receptors is established, it remains unclear whether these effects remain constant across acute and chronic exposure. We set out to investigate the relationship of chronic caffeine consumption (15 continuous days) on extracellular adenosine levels and brain hemodynamics in head-fixed, behaving mice. In order to determine how caffeine impacts cerebral blood flow in specific brain regions, thinskull windows were implanted over the somatosensory and/or prefrontal cortex. Using widefield fluorescence imaging, we can visualize potential changes in the cerebral vasculature during acute and long-term caffeine exposure. We will then inject mice with adenoassociated virus to express G-protein coupled receptor activation-based adenosine (GRABAdo), and combined with fiber photometry, we will be able to measure extracellular adenosine levels. These experiments together can offer a deeper insight into the mechanisms behind how caffeine modulates cerebrovascular function and how tolerance may alter this. Uncovering this dynamic will provide a better understanding of caffeine's impact on neural activity and brain health, especially in conditions such as migraine, neuroinflammation, and neurodegenerative diseases.

Juliana Benitah Botelho

Category: Neuroscience Presentation Type: Poster Presentation Number: 2635 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: TRANSCRIPTION FACTOR EXPRESSION INTERACTIONS IN VENTRAL HIPPOCAMPUS

NEURONS

Abstract: The limbic system and the ventral hippocampus (vHPC) play a critical role in learning and memory consolidation in response to various stimuli, including stress, natural rewards, and drugs of abuse. The vHPC, particularly through its projections to the nucleus accumbens (NAc), is essential for regulating mood-related responses to stress. Within this neural circuit, alterations in FosB and androgen receptor (AR) transcription factor expression can influence circuit activity and susceptibility to stress-induced mood disorders such as anhedonia-like behavior. Additionally, sex differences in vHPC-NAc circuit excitability are modulated by AR signaling. Given that manipulating FosB and AR expression produces similar behavioral effects on stress susceptibility, these transcription factors may interact within this circuit. Such interactions could involve direct regulation, where one factor influences the expression of the other, or a synergistic mechanism in which both regulate overlapping downstream targets to affect stress resilience.To examine these potential interactions, this study employed a conditional knockout strategy to selectively remove FosB or AR in NAc-projecting vHPC neurons. Immunohistochemistry was used to assess transcription factor expression in vHPC neurons across both male and female mice. This research aims to clarify the relationship between FosB and AR within this stress-related circuit, contributing to a deeper understanding of their role in mood regulation. Ultimately, uncovering these interactions may inform the development of targeted treatments for mental health disorders, improving therapeutic strategies and outcomes for affected individuals.

Justin Jaraczewski

Category: Neuroscience Presentation Type: Poster Presentation Number: 2613 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: TIME COURSE FOR CONSOLIDATION DISRUPTION BY PROTEIN SYNTHESIS

INHIBITION Abstract: Memory consolidation is the process by which experiences are converted into

information that can be recalled at a time point in the distant future. Understanding the time course that this process can be disrupted is important for determining potential therapeutic strategies and will help elucidate the cellular molecular mechanisms for memory consolidation. In this experiment, we tested the time course that Anisomycin, a protein synthesis inhibitor, could disrupt memory consolidation using a contextual fear conditioning paradigm. Mice were subjected to either a single shock or 3 shocks while in the testing chamber to assess stimuli strengths effect on memory consolidation speed and resilience. For mice which received 1 shock anisomycin disrupted memory at 4 hours but not 6 hours. While mice which received 3 shocks showed disruption due to anisomycin if it were administered at 1 hour but not 3 hours after training. Additionally, reconsolidation, the process where retrieved memories are consolidated once more following retrieval of the memory during, time course for disruption was tested. A similar contextual fear conditioning was run except mice received anisomycin injections following memory retrieval rather than training. Mice receiving a single shock would have their memories disrupted if anisomycin were administered immediately following retrieval but not if given 1 hour later. These findings highlight aspects of the temporal dynamics of memory consolidation and what factors affect them with implications for treatment of memory related disorders such as PTSD.

Katie McGrath

Category: Neuroscience Presentation Type: Poster Presentation Number: 2612 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: CHARACTERIZATION OF VEI

Title: CHARACTERIZATION OF VENTRAL TEGMENTAL AREA NEUROMEDIN S EXPRESSING NEURONS

Abstract: Despite the presence of treatments for opioid use disorder (OUD), opioids remain the leading cause of overdose deaths in the U.S. Studying neurobiological effects of chronic opioid use could lead to better treatments. The ventral tegmental area (VTA) is critical for motivated behaviors. Specifically, dysfunction of VTA dopaminergic neurons (DA) can contribute to addiction. We previously found that neuromedin S (NMS) gene expression is increased following chronic morphine in VTA DA neurons. Less than 5% of VTA DA neurons express NMS in naive mice, and this percentage increased in NMS-Cre mice that underwent chemogenetic manipulations for cell activation and morphine behaviors. To further study VTA-NMS neuronal expression and function, we're using a retrograde viral tracer approach to identify their projection targets. Our initial studies suggest that VTA-NMS neurons project to the nucleus accumbens (NAc) and lateral hypothalamus (LHA), but not the prefrontal cortex (PFC). To validate this, we injected retrograde viruses into these regions and validated using immunohistochemistry and cell counts. I found that VTA-NMS neurons project to the NAc, and most of these cells are also dopaminergic. Interestingly, they also project to the LHA, but to a lesser degree, and they don't project to the PFC. Furthermore, to determine the role of NMS in morphine behaviors, we developed a constitutive NMS KO mouse. Interestingly, NMS KO doesn't alter morphine behaviors. These findings suggest that VTA-NMS neurons represent a subset of DA neurons, and further study is needed to determine the role of VTA-NMS in morphine behaviors.

Latrell Massey

Category: Neuroscience Presentation Type: Poster Presentation Number: 2604 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING DEVELOPMENTAL CHANGES IN VASOPRESSIN NEURONS AND VASOPRESSIN NEURAL CIRCUITRY IN MALE RATS

Abstract: The neuropeptide arginine vasopressin (AVP) plays a role in the expression of various social behaviors across the lifespan, including juvenile social play behavior and adult aggressive and sexual behaviors. There are robust age differences in AVP cell number and density of its projections in the brain. Based on this information we hypothesize that AVP plays an important role in the transition from juvenile to adult social behaviors. Before we can test this hypothesis, we need to address two outstanding questions. First, previous research has shown that adult rats show more AVP-immunoreactive (AVP-ir) neuron number is lower in the bed nucleus of the stria terminalis (BNST) and medial amygdala (MeA) than juvenile rats. However, it is unclear whether this age difference exist at the transcriptional level. To address this question, we used fluorescent in situ hybridization to quantify AVP mRNA-expressing cells in the BNST and MeA of juvenile and adult male rats. We predict that adult male rats have more AVP mRNA-expressing cells than juvenile male rats. Second, previous research has shown that adult rats have denser AVP fiber projections from the BNST and MeA to the lateral septum (LS) and ventral pallidum (VP) than juvenile rats. However, it is unclear whether the same AVP neurons in the BNST and MeA project both to the LS and VP. To address this question, we infused retrograde neuroanatomical tracers into the LS and VP of adult male rats that will be transported back to the BNST and MeA. These retrograde tracers are each conjugated with a different fluorophore allowing the visualization and quantification of AVP cells positive for one or both retrograde tracers. We predict that the same AVP cells project to both the LS and VP. Results will help start addressing the question whether AVP plays a role in the transition from juvenile-typical to adult-typical social behaviors through developmental changes in AVP expression and AVP neural circuitry organization.

Lydia Browning

Category: Neuroscience Presentation Type: Poster Presentation Number: 2627 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: MOLECULAR CONTROL OF CYTOSKELETAL FLOW AND NEURITE OUTGROWTH

Abstract: The elongation of neuronal extensions requires the transport of materials, mainly made in the cell body, to growth cones. In various types of neurons, including chick sensory, Aplysia Bag Cell, and Drosophila motor neurons materials in the axon shaft, including MTs and docked organelles, flow forward in bulk during outgrowth. Paradoxically, a recent report suggests that during the initial outgrowth of cortical neurons, MTs in the neurite shaft flow towards the cell body. To determine if this retrograde motion involves the sliding of MTs down a stationary cortical actin/spectrin meshwork or bulk flow of all components, we examined the motion of docked mitochondria, ER, actin filaments, and beads bound to the outside of the neurite. In all cases, these moved backward to the neuronal cell body at roughly the same velocity suggesting bulk retrograde flow occurs along the neurites during their initial outgrowth. To investigate mechanism, we tested and confirmed that the predictions of the clutch hypothesis apply to cortical neurons. Further, we found that addition of trypsin, which disrupts the cell attachment to the substrate, results in growth cone retraction in both 2D (coverslips) and 3D (collagen gels) environments. Collectively, these experiments suggest that in cortical neurites tension generated either in the cell body or along the neurite pulls materials in bulk towards the cell body, while the growth cone generates tractions forces that pulls it forward.

Maria Faraj

Category: Neuroscience Presentation Type: Poster Presentation Number: 2642 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: THE EFFECTS OF ENDOGENOUS NEUROTENSION ON FEEDING BEHAVIOR

Abstract: Obesity impacts over 40% of the US population, increases the risk of developing diabetes, and shortens lifespan. Most cases arise due to excessive consumption of caloriedense foods and diminished physical exercise. However, how the brain regulates these behaviors and how they could be modified remains unclear. To address this knowledge gap, our team is studying lateral hypothalamic (LHA) neurons that express neurotensin (Nts), referred to as LHANts neurons. Prior work found that activating LHANts neurons suppressed food intake and motivated feeding while increasing locomotor activity, ideal behaviors for weight loss. LHANts neurons project to many areas in the brain, but we hypothesize that they primarily mediate weight loss behaviors via projections to the Ventral Tegmental Area (VTA), a region that densely expresses neurotensin receptor-1 (NtsR1). To study this, we optogenetically stimulated either all LHANts neurons or only those LHANts neurons that project to the VTA. To understand if this effect is due to Nts signaling via NtsR1, we preadministered an NTR1 antagonist prior to optogenetic stimulation. For all tests we measured the effect on eating, locomotor activity, and body weight, as well as operant responding for sugar pellets, which is well established to measure the motivation to work for rewarding stimuli. Altogether, this work aims to further our understanding of LHANts neurons in modulating motivated feeding and suggest how leveraging this system may suppress food intake that would be helpful for weight loss.

Matthew Gagea

Category: Neuroscience Presentation Type: Poster Presentation Number: 2606 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: PATHWAYS OF TDP-43 PROPAGATION

Abstract: TAR DNA Binding Protein 43 (TDP-43) is a protein that is associated with a variety of neurodegenerative disorders, including Frontotemporal Lobar Degradation and Amyotrophic Lateral Sclerosis. In these diseases, TDP-43 is known to mislocalize from the nucleus of cells to the cytosol and form filamentous aggregates because of its intrinsically disordered C-terminal domain. The resulting filaments impair the normal function of the cells. However, the mechanism by which 'prion-like' TDP-43 proteinopathy spreads throughout the brain remains unknown. A proposed mechanism of this propagation is that it is mediated via extracellular vesicles (EVs). It is hypothesized that secreted EVs carry misfolded TDP-43 filaments, which seed nearby cells, inducing protein aggregation near the affected cell. Preliminary results provide evidence of TDP-43 filaments within EV fractions as well as lysosomes, showing a possible broader endo-lysosomal pathway to aggregate containing vesicle neogenesis.

Ming Huang

Category: Neuroscience Presentation Type: Poster Presentation Number: 2634 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: NEURAL ADAPTATION IN OCTOPUS ARM

Abstract: Octopuses have a decentralized nervous system, with approximately two-thirds of their neurons located within their arms, allowing complex, independent motor functions and adaptive behaviors. This research investigates neural adaptation in octopus arm tissue through repeated electrical stimulation and recordings using a Multi-Electrode Array . Octopus arm slices were maintained under controlled perfusion conditions at a comfortable temperature and electrically stimulated to assess neural responsiveness. Neural activity was recorded both prior to and following stimulation to evaluate changes in firing rates, spike amplitudes, and interspike intervals and more. Preliminary results revealed distinct neural responses to electrical stimulation, with observed variations in spike activity indicating potential neural adaptation or reorganization within the arm tissue. Understanding how octopus arm neurons adapt to repeated stimulation offers valuable insights into the mechanisms underlying neural plasticity within decentralized nervous systems. These findings have potential implications across various fields, including evolutionary biology, neuroscience research, and the advancement of bio-inspired robotic technologies.

Mya Sebek

Category: Neuroscience Presentation Type: Poster Presentation Number: 2615 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: USING INTRINSIC SIGNAL OPTICAL IMAGING TO TARGET OPTOGENETIC CONSTRUCTS TO FUNCTIONAL CORTICAL COLUMNS IN THE MOUSE SENSORY CORTEX

Abstract: Intrinsic signal optical imaging (ISOI) is a useful, minimally invasive tool to localize precise neocortical regions activated by sensory stimuli. Specifically, ISOI takes advantage of the different absorption properties of oxygenated and deoxygenated blood to measure local changes in the hemodynamic response related to sensory-evoked neural activity. Researchers often use this method to identify cortical areas of interest for targeted electrophysiology recordings or pharmacological manipulations. However, utilizing this method to guide microinjections of optogenetic viral vectors into cell-type-specific Credriver mouse lines would enable powerful optical control of genetically defined neurons with high temporal and spatial precision. In the mouse whisker primary somatosensory cortex, sensory signals from individual whiskers are mapped to functional cortical columns called barrels. This study utilizes ISOI to target Cre-dependent adeno-associated viruses encoding Channelrhodopsin-2 to specific barrel columns in an established Cre-driver mouse to label layer 6 corticothalamic projection neurons. If successful, this approach will allow for new circuit-level studies investigating the spatial and temporal interactions between the primary sensory cortex and the sensory thalamus. Specifically, we plan to use in-vivo electrophysiological recordings and optogenetics to better understand how the neocortex controls sensory information processing in the thalamus.

Nabila Inan

Category: Neuroscience Presentation Type: Poster Presentation Number: 2637 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: INVESTIGATING THE RELA

Title: INVESTIGATING THE RELATIONSHIP BETWEEN SWS/REM SLEEP RATIO IN THE FIRST HALF OF THE NIGHT AND SUSCEPTIBILITY TO FALSE MEMORIES

Abstract: The present research investigates whether susceptibility to false memories is predicted by SWS/REM ratio in the first half of the night. Memory consolidation during sleeping is influenced by interaction between slow-wave sleeping and sleeping in a state of rapid eye movement. In an experiment design, college students were recruited and sleeping patterns observed through self-reported diaries and available sleeping tracking tools. Baseline and post-sleep false memory task with a Deese-Roediger-McDermott paradigm were given to participants. Susceptibility to false memories was gauged by critical lure word recall and error rates in recognition. Initial findings reveal that participants with a reduced SWS/REM ratio had greater false recall of memories, substantiating that the function of REM sleeping in associative processing heightens susceptibility to distorted memories. These findings are in agreement with existing research on sleeping-mediated alteration of memories and substantiate that sleeping architecture has a profound influence on cognitive accuracy. These findings are important in explaining mechanisms behind false memories and have implications in optimizing sleeping patterns in a bid to improve fidelity of memories.

Nolan Lucera

Category: Neuroscience Presentation Type: Poster Presentation Number: 2636 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: BREEDING BEHAVIOR IN RAI1 TRANSGENIC ARVICANTHIS NILOTICUS

Abstract: The Retinoic-acid induced 1 (RAI1) gene, that encodes a histone-binding protein, is a major gene contributing to a rare neurodevelopmental disorder, Smith-Magenis Syndrome (SMS). SMS is characterized by a low intellectual quotient, obesity, behavioral problems, and disrupted circadian rhythms in sleep and melatonin secretion. Every reported individual with SMS experiences sleep disturbances including daytime sleepiness, frequent nighttime awakenings, and decreased total sleep time beginning in early childhood. There are striking differences between nocturnal and diurnal species in their circadian rhythms and central responses to light and to melatonin. For instance, light promotes sleep in nocturnal species but wakefulness in diurnal ones. Therefore, a diurnal model with intact melatonin secretion will help better understand the role of Rai1 in regulating circadian rhythms and sleep, which may have downstream effects on other biological processes such as mating behavior and better translate to humans. To address the fundamental issues-lack of diurnal animal models and limited knowledge about RAI1 biology-we set out Rai1 gene targeting in the Nile grass rat, Arvicanthis niloticus, a diurnal rodent species. Using offspring produced by these founders crossed with wild-type (WT), we characterized daily rhythms of wakefulness and mating behavior between Rai1 mutants cohoused with WT partners. Incage locomotor activity was monitored by a motion sensor mounted on top of each cage. Our preliminary data indicate altered patterns of mating and locomotor activities in Rai1+/grass rats mating couples which functions to further characterize our grass rat model of SMS.

Orla Young

LOCATION

Category: Neuroscience Presentation Type: Poster Presentation Number: 2602 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: BURST FREQUENCY DIFFERENCES IN TRN NEURONS BASED ON ANATOMICAL

Abstract: The thalamic reticular nucleus (TRN) is an inhibitory structure that modulates neuronal communication between the thalamus and cortex. Both regions provide excitatory inputs to the TRN, but its output is entirely GABAergic, delivering inhibition to the thalamus. A classic characteristic of TRN neurons is their ability to fire in burst mode, which is a transient, high-frequency discharge of action potentials that ride a depolarizing crest capable of significantly inhibiting the thalamus. Previous research has demonstrated that burst properties of TRN neurons vary depending on their anatomical location. In rats, the bursting ability of TRN neurons follows a dorsal/ventral distribution with dorsal TRN neurons displaying less bursting than ventral TRN neurons. However, in mice, the strength of burst frequency corresponds to a shell/core distinction paired with a projection preference. Core TRN neurons generate more robust bursts and primarily project to first-order thalamic nuclei, while shell TRN neurons exhibit weaker bursts and project to higher-order thalamic nuclei. This study aims to investigate the burst characteristics of TRN neurons in both C57BL/6 mice and Sprague Dawley rats aged 14-60 days with particular interest in their location within the TRN. In addition, this study will test whether membrane properties of TRN neurons vary spatially across the nucleus and if these differences contribute to the observed variability in burst properties. This study will offer insights into the physiologic variability of TRN neurons and their relation to anatomical location, with implications for understanding its functional role in providing circuit specific inhibition to the thalamus.

Rafaella Lavalle Lacerda de Almeida

Category: Neuroscience Presentation Type: Poster Presentation Number: 2601 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: ROLE OF ENTERIC GLIAL COX2 IN POSTINFLAMMATORY GASTROINTESTINAL DYSFUNCTION

Abstract: Introduction: Acute inflammation has long term effects on bowel functions by promoting enteric neuroplasticity. Increased cyclooxygenase 2 (Cox2) activity is linked to enteric neuroplasticity, but the cellular source and mechanisms are not understood. Enteric glia are active in neuroinflammation and increase Cox2 and products including prostaglandin 2 (PGE2). Therefore, we tested the hypothesis that glial Cox2 activity promotes enteric neuroplasticity following inflammation resolution. Methods: We created an inducible cell specific Cox2 ablation model in enteric glia by crossing Sox10CreERT2 mice with Ptges2(f/f) mice to generate Sox10creERT2(+)::Ptges2(f/f) mice. Mice were injected with tamoxifen for 2 consecutive days (i.p., 10mg/kg) prior to inducing colitis to activate Cre and ablate Cox2 in enteric glia (Cox2-gKO). Sox10creERT2(-)::Ptges2(f/f) mice were used as controls and also received tamoxifen injections. Acute colitis was induced using 2,4dinitrobenzene sulfonic acid (DNBS). Healthy controls received saline enemas. Gastrointestinal functions were addressed using in vivo and ex vivo assays seven days after colitis. RNAscope was performed on longitudinal muscle myenteric plexus (LMMP) preparations to confirm the effectiveness of the ablation in enteric glia. Levels of PGE2 were measured in LMMP and mucosal samples by ELISA.Results: RNAscope showed decreased labeling of Ptgs2 mRNA in enteric glia from Cox2-gKO animals. Fecal production increased by 33% and fecal hydration increased by 10% following the resolution of colitis in wild-type (WT) animals. Ablating glial Cox2 in healthy animals caused an 11% increase in fecal output while decreasing fecal hydration by 14%. Mice lacking glial Cox2 exhibited increased fecal production (82%) and fecal hydration (31%) despite increasing colonic transit time by 43% following resolution of colitis. Colon contractions were increased by 45% in samples from WT animals that experienced inflammation and this hypercontractile phenotype tended to be larger in animals lacking glial Cox2 (74%) despite not yet reaching statistical significance. Colon relaxations were comparable among all groups. PGE2 release from LMMP and mucosal samples was lower (by 43% and 21%, respectively) in Cox2-gKO mice compared

with control littermates. Ablating glial Cox2 decreased LMMP PGE2 release by 6% in samples from mice that experienced DNBS colitis. However, samples from these animals still exhibited augmented PGE2 release from the LMMP (232%) and mucosa (83%) compared to healthy KOs. Post-inflamed and glial cox2 abated mice showed increased labeling of fibroblasts markers in the myenteric plexus and surrounding the muscularis.Conclusions: These data show that the glial Cox2-PGE2 system impacts normal gut physiology and changes that occur following inflammation. The underlying mechanisms likely involve modulatory effects on enteric neurons and fibroblasts.

Talya Chakhachiro

Category: Neuroscience Presentation Type: Poster Presentation Number: 2617 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: HOW TO MAKE NEURONS GROW FAST

Abstract: Axonal elongation is a critical process for neural development and regeneration, yet its underlying mechanisms and potential for therapeutic enhancement remain incompletely understood. This paper presents a comprehensive model linking axonal elongation to mechanisms of cell crawling and cytokinesis. Our model emphasizes the role of force generation, cytoskeletal flow, adhesion dynamics, and viscosity in driving axonal elongation. Computational simulations explore how manipulating these parameters accelerates axonal elongation. The findings reveal that increasing growth cone adhesion, optimizing cytoskeletal viscosity, and reducing axonal resistance can significantly enhance growth rates. These insights suggest potential therapeutic avenues for improving neural repair and functional recovery following injury that are not possible with the natural growth rate of axons. By bridging cellular and neuronal motility processes, this work provides a foundation for advancing regenerative medicine and biophysical research into neural dynamics.

Tom Fanning

Category: Neuroscience

Presentation Type: Poster

Presentation Number: 2622

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: META-ANALYSIS OF LANGUAGE BIOMARKERS FOR EFFECTIVE EARLY DETECTION OF ALZHEIMER'S DISEASE

Abstract: We are interested in exploring the neural impact of AD and MCI and its relation to language processing, in order to design more accessible and cost-low indices for early detection of AD. Specifically, we are conducting a meta-analysis analyzing the efficacy of a linguistic test (category fluency test) in differentiating healthy control, MCI, and AD.

Viola Weber

Category: Neuroscience Presentation Type: Poster Presentation Number: 2632 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: THE EFFECT OF RAI1 GENE DELETION ON METABOLISM, BODY WEIGHT, AND FOOD

INTAKE IN DIURNAL GRASS RATS.

Abstract: Obesity is one of the common factures of Smith-Magenis Syndrome (SMS), a rare neurodevelopmental disease involved with multisystem dysfunctions. SMS patients experience sleep disturbances, intellectual disabilities, and often hyperphagia or compulsive eating. A key aspect of SMS is the presence of metabolic alterations and earlyonset obesity. However, the underlying mechanisms remained unclear. To better understand relationships between SMS symptoms and genetic mutations, we developed a mutation line of the causal gene of SMS, the retinoic acid-induced 1 (Rai1) gene, using a well-established diurnal rodent model, the Nile grass rats (Arvicanthis niloticus). In the present study, we monitored the body weight and food intake in knockout (KO) and wildtype (WT) littermates obtained from the F2 -F4 generations. The weights of both female and male KO, (Rai1+/-, n = 11 or 8, respectively) grass rats were recorded and compared with WT littermates (n = 18 or 9) from between 2 - 19 weeks old. We also monitored the food intake in a subset (n = 3-5/sex/genotype) to assess it as a possible cause. Our preliminary results showed higher body masses in female KO grass rats compared to their WT littermates after 11 weeks of age. We did not observe differences in weights of the male KO compared to the male WT. The data also showed a difference in food consumption in both sexes with KO consuming more food than WT.These results will contribute to understanding SMS-related effects on body weight and aid future molecular studies of the disease pathology.

Nutrition and Food Science

Alyssa Cosio

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2702 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: GUT MICROBIOTA COMPOSITION OF PRESCHOOL AGED CHILDREN: A SUBSTUDY OF THE PRENATAL STRESS STUDY

Abstract: The gut microbiome is filled with trillions of microorganisms ranging from bacteria to viruses and parasites. Prenatal stressors such as socioeconomic class, exposure to antibiotics, and adequate nutrition can affect a child's gut microbiome, which can lead to later health outcomes. There is a growing interest in investigating the connection between the effects of prenatal stress on the mother and gut microbiome diversity of the child. This study is a substudy of the "Prenatal Stress Study" completed by MSU's Psychology department. I aim to identify patterns in the gut microbiome of a cohort of 32 participants (aged 3-5 years). Fecal gDNA extraction was completed to isolate the DNA from the 32 samples. Then, Polymerase Chain Reaction (PCR) was completed to amplify the V4 region of the 16S rRNA gene. The samples were sent in for sequencing. The amplification of this gene will show the gut microbial diversity of the system. Subsequently, statistical analysis (using Rstudio) will be completed to further investigate microbial patterns. In addition to microbial data collected from the stool of children we have also collected demographic data through participant completed questionnaires. With further analysis I plan to find connections in the questionnaires with the data from the childrens' gut microbial composition. Gut microbiome diversity is important, especially in children, because it can affect a child's likelihood to be impacted by adult obesity, allergies, and even immune system regulation. Currently, there is not much research completed on the gut microbiome of children in this age range.

Alyssa Hawkins

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2712 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: ENHANCING SENSORY PRECISION: AN INVESTIGATION ON QUANTIFYING THE RESOLUTION OF SENSORY TESTING METHODS

Abstract: Predicting odor perception from odor mixture composition is a challenge olfaction. While progress has been made in predicting monomolecular odorant perception, olfaction primarily detects odorcombination; requiring an understanding of mixture perception. To measure our progress in modeling the stimulus-percept relationship, we need high-resolution perceptual data on odor mixtures. In a previous study, we collected descriptive ratings using the rate-all-that-apply (RATA) method and explicit pairwise similarity ratings (SIM) on a set of odorants and their binary mixtures, and we found that the resolution of SIM was slightly higher than RATA, where a higher-resolution method can discriminate odor pairs with higher % overlap from odor-to-self-control pairs. We hypothesize that discrimination test methods will have higher resolution than RATA or SIM. In this study, we will recruit 12 subjects to participate in an odor triangle discrimination test using odorants from our previous study to directly compare method resolution. Gammaundecalactone and acetoin and their binary mixtures will be pipetted into odor vials. These odors will be put into 6 pairs, ranging from odor to itself (100% overlap) to completely different odors (0% overlap), focusing on highly similar odors (100%, 90%, 80%, 70%, 50%, 0% overlap). Each pair will be presented in 10 trials across 3 sessions. Between trials, they will have to conduct a nasal rinse with a warm, wet washcloth.We will calculate a d' for each odor pair and compare discrimination resolution to RATA and SIM, using odor-to-self d' as a baseline. This research will help set standards for quantifying the perception of complex odor mixtures.

Amar Hamdan

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2744 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: FIBER INTAKE BY MICHIGAN CHILDREN AGED 1-5 YEARS

Abstract: Fiber is a key nutrient that is essential for the health of the digestive system. Fiber can promote gut health, regulate blood glucose levels, as well as support bowel movements. Fiber is emphasized as a nutrient that toddlers and preschool aged children need to consume, but not every child's diet includes sufficient fiber. In a previous study, a cohort of Michigan children was used to determine if children in Michigan aged 1-5 years were meeting the recommended daily fiber intake. This study provided valuable insights into fiber consumption patterns among young children but was limited by sample size. Using a larger dataset, the goal of this study is to determine if children aged 1-5 years in Michigan are receiving enough fiber in their daily diet. A questionnaire was collected that contains information about the child's diet. This information is then used in an equation from the PhenX Fiber Intake protocol to calculate fiber intake. The serving sizes from the protocol were adjusted to match portions sizes relevant to children. The information for the adjusted serving sizes was obtained from National Health and Nutrition Examination Survey data from 2017-2020 (pre-pandemic). This data was organized and averaged to fit the food and age groups for the PhenX serving size chart. Results from this research will determine if children in Michigan are consuming enough fiber or if recommended food products need to be revisited to improve fiber intake for this population.

Angela Lumaj

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2726 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EXPLORING THE RELATIONSHIP BETWEEN OMEGA-6 FATTY ACIDS AND SLEEP

OUTCOMES IN OBESE ADULTS: AN OBSERVATIONAL STUDY

Abstract: More than 1 in 3 Americans do not get enough sleep, with obese individuals experiencing sleep issues at a higher rate than those with a healthy weight. Insufficient and poor-quality sleep are common, costly, and linked to all 10 leading causes of death in the US. Diet significantly influences health and sleep quality, with previous research identifying a higher intake of omega-6 fatty acids and increased omega-6: omega-3 ratios as being associated with poorer sleep quality. However, limited studies have explored these associations in obese populations. This study aims to fill this gap by investigating omega-6 fatty acid profiles in overweight and obese individuals to identify potential links with disordered sleep. Sleep quantity was collected using FitBit devices, while sleep quality was measured using Insomnia Severity Index (ISI) and Pittsburgh Sleep Quality Index (PSQI) questionnaires using Qualtrics. Serum samples were collected at baseline, day 7, and day 14, followed by a 2-week washout period before repeating the process. The samples from baseline and day 14 of each period were methylated, and fatty acids were analyzed using Gas Chromatography-Mass Spectrometry. Given the increased prevalence of disordered sleep patterns within the obese population, exploring decreased omega-6 intake may contribute to greater insight on the relationship between nutrition, metabolic health, and sleep. Preliminary data indicates that moderate versus low serum omega-6 levels are associated with reduced sleep duration, while DGLA, an omega-6 fatty acid, is associated with increased sleep duration, underscoring the complex role of omega-6 fatty acids in sleep regulation.

Anish Gogineni

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2725 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: ASSOCIATIONS OF PER- AND POLYFLUOROALKYL SUBSTANCES WITH THE GUT MICROBIOME DIVERSITY OF INFANTS IN MICHIGAN

Abstract: Per- and Polyfluoroalkyl Substances (PFAS) are synthetic chemicals that break down slowly, leading to build up in the body. Many drinking water sites across Michigan have been found to be contaminated with PFAS. Further, the milk of lactating individuals consuming PFAS-contaminated water has been shown to contain PFAS. Exposure to PFAS can cause many negative health outcomes such as child developmental delays, decreased fertility, interference with hormones, reduced immunity, and increased risk of some cancers. There is the potential for these PFAS to negatively impact the gut microbiota of infants. In order to study this potential impact, 73 mother-infant dyads were enrolled and submitted human milk samples, stool samples, and survey questionnaires. DNA was extracted from the stool samples and sequenced via the V4 region of the 16S rRNA gene. The human milk samples were tested to quantify their relative PFAS contents. Alpha and beta diversity of the infant stool samples will be compared using the relative PFAS contents in the infant diet (i.e. human milk). If it is observed that PFAS is associated with the gut microbiota diversity in infants, these results strengthen the evidence for strict regulation of PFAS to mitigate effects on human health.

Anna Wagner

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2716 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: HOW CONSUMERS' KNOWLEDGE AND BELIEFS SHAPE THEIR PERCEPTION OF FOOD

SUSTAINABILITY AND FOOD CHOICES.

Abstract: Concerns about sustainability and food waste have been on the rise and are increasingly becoming more significant in the markets. However, studies have shown that most consumers have a limited understanding of key food-related sustainability topics and are not aware of the impact of their food choices. Food producers and consumers both play roles in improving the overall sustainability of the food system, however, production of more sustainable food options will be ineffective if consumers do not select them. Because of this, it is crucial to understand the knowledge that consumers have about the factors that impact food sustainability and product choice. The purpose of this study is to measure consumers' attitudes towards sustainability and food waste. Adult consumers (n>100) will be invited to complete an online 15-minute survey. They will be asked questions about what product characteristics they consider most important in a sustainable product; what sustainable food practices/behaviors they exhibit, and what factors impact their food purchase. They will also be asked a sustainability attitudes questionnaire and basic demographic questions. We will calculate response frequencies to determine which factors are perceived to have the largest impact on sustainability and which factors are/are not considered in consumer purchasing decisions. This study will serve as the foundation for developing learning resources to enhance consumer awareness and encourage more sustainable food choices. This will help close the gap between perceived and true efficacy to help increase sustainability advancements in the food world.

Annmarie Murphy

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2705 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: ASSOCIATIONS BETWEEN MATERNAL EARLY- AND LATE-PREGNANCY DIET QUALITY

WITH BREASTFEEDING INITIATION AND DURATION

Abstract: Breastfeeding is beneficial for infant development and maternal postpartum health. Experimental studies suggest that nutrients from high-quality foods consumed and stored during pregnancy are mobilized during lactation. However, the relation between diet quality and breastfeeding initiation and duration have not been extensively evaluated. To address this gap in knowledge, pregnant women (n = 160) from the Illinois Kids Development Study (I-KIDS), a prospective pregnancy and birth cohort, completed three-month semiquantitative food frequency questionnaires at median 13 and 35 weeks gestation. We calculated the Healthy Eating Index (HEI)-2015 and Alternative Healthy Eating Index (AHEI)-2010 excluding alcohol (both scored out of 100 points). After pregnancy, women provided information on breastfeeding initiation and duration via questionnaire. In the current study, we will evaluate associations of maternal diet in pregnancy with breastfeeding initiation and duration using multivariable logistic regression and linear regression models, accounting for relevant covariates, including measures of socioeconomic status, health, and lifestyle. Most women in the study were non-Hispanic White (85%) and had a household income of \$60,000 (74%). Half of women were nulliparous (49%) and one-third exclusively breastfed for six months (36%). The median (25th, 75th percentile) months that women breastfed their infant was 13 (10, 18). Using two validated dietary indices assessed at two points in pregnancy, we aim to better understand the role of maternal diet quality in breastfeeding initiation and duration. We hope this work will provide important, clinically-relevant information that may shape healthcare for pregnant and postpartum women.

Anusha Pandya

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2707 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: DOSAGE EFFECTS OF A MINDFUL EATING INTERVENTION ON CHILDREN'S ANTHROPOMETRICS

Abstract: This study aimed to explore the dosage effects of a mindful eating intervention on anthropometrics of preschoolers involving a clinical trial. Determining the optimal intervention length producing the most beneficial outcomes can guide the design of future programs for maximum effectiveness. Data was collected from 195 preschoolers and their caregivers in 26 Head Start daycare classes during the 2023-2024 academic year. The study included a 14-week intervention, introducing 26 fruits and vegetables through 13 weekly sessions. Additionally, the height, weight, percent body fat, and skin carotenoids of preschoolers were measured during in-person data collection. Of the 195 enrolled preschoolers, the mean age was 47.53 months. About 53.5% of the caregivers had a high school degree or lower and 33.7% were single. Approximately 35.3% of the families had an annual family income under \$20,000, and each family had an average of 2.55 children. Preschooler participation was strong, with average attendance at 11.13 lessons. Number of weekly lessons attended had a significant, non-linear relationship with preschoolers' BMI zscore and BMI at post-intervention. The optimal dosage minimizing BMI z-score and BMI was ten lessons. In addition, the number of weekly lessons was negatively correlated with preschoolers' percent body fat, but the results were not statistically significant. These findings suggest mindful eating intervention positively impacting preschoolers' BMI when administered at an optimal dosage. Increasing the number of lessons beyond the threshold further enhances the effects, and future research on this topic should investigate long-term sustainability of these.

Ava Chavez

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2735 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: EVALUATION OF MEAT/POULTRY SURFACE TEMPERATURE MEASUREMENT

APPROACHES FOR USE IN IMPINGEMENT OVENS Abstract: USDA FSIS Appendix A has identified Salmonellasurvival on fully-cooked meat surfaces as a scientific gap; however, it also requires processors to demonstrate sufficient surface lethality where surface drying may occur. The goal was to evaluate multiple meat surface temperature measurement methods for potential integration into surface lethality validation processes. Beef patty surface temperatures were measured during pilot-scale cooking trials using three methods: (a) thin-wire, (b) barbed thermocouples, and (c) rigid thermocouples inserted through the product until under the opposite surface. Commercial raw beef patties (~150 g) were obtained, frozen, and thawed (24 h, ~4°C) before experimentation. Six probes of one type or a combination of two types were placed with the probe tip just under the top surface. Then, the patties cooked in a moist-air impingement oven (218°C, 15% humidity by volume, 7 min). Immediately upon oven exit, an infrared camera captured top surface temperature to compare with probe-measured temperatures. The mean midpoint/endpoint temperatures for methods (a), (b), and (c) were 76.9/80.6, 84.9/89.3 and 59.1/80.1°C, respectively. Probe variability for methods (a) and (b) were similar, with a mean standard deviation of ± 6.4 °C (P>0.05), but lower for method (c) (±2.4°C, P<0.05). At the time of infrared imaging, probe temperature differences were negligible (P>0.05); however, probe temperatures were 7.3°C greater than infraredmeasured temperatures (P<0.05) at exit. The surface of meats during cooking can be highly variable, affecting each method's measurement accuracy. No temperature measurement method proved superior, and any lethality prediction tool should align with a specific surface temperature measurement method.
Cicero Pola

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2741 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: READY TO APPLY SUSTAINABLE NANOPARTICLES TRAINING SYSTEM TO IMPROVE

GRAPEVINE RESILIENCE

Abstract: Sour rot is an endemic disease throughout vineyards attributed to the fungal vector Botrytis Cinerea. The disease, prevalent in cool temperate climate regions, mostly infects grape clusters exposed to preharvest rains. Fungicide and bactericides are sprayed weekly to prevent this issue--but pose major environmental, human, and animal health concerns. This project promotes sustainable alternatives harnessing the antimicrobial nature of polyphenols in grape pomace. Nanoparticles encapsulating grape pomace extracts offer a sustainable solution to sour rot severity potentially replacing the use of commercial microbicides all together. Crude extracts from Pinot Noir and Riesling grapes were procured using a methanol and formic acid solution. The crude extract was then reduced through distillation and nitrogen evaporation. Phenolic profiling, for Pinot Noir grapes, provided: total phenolics, total flavanols, DPPH, FRAP (antioxidant activity), and total anthocyanins at 359.5 mg/g, 2.19 mg/g, 89.17%, 1.11 mg/g, and 4.44 mg/g respectively. Riesling measured at 99.24 mg/g, 5.80 mg/g, 91.17%, 0.56 mg/g, and 0.29 mg/g respectively. Nanoparticles were created using the crude extract, chitosan, Acetic acid, and sodium tripolyphosphate (STTP) through ionic gelation principles. Particle characterization techniques such as Dynamic Light Scattering (DLS) and Transmission Electron Microscopy (TEM) were used to assess the nanoparticles. The DLS yielding data averages for size (Z-avg), Poly-dispersity index (PDI), and Zeta Potential (ZP) for Pinot noir at 201.58 d.nm, 0.309, and 25.58mV and for Riesling 269.40 d.nm, 0.425, and 32.26 mV respecitvley. These differences seen between Pinot Noir and Riesling are as expected due to composition differences seen in the crude extracts.

Emilee Mulder

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2723 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EVALUATION OF THE ADAPTIVE RESPONSES OF SALMONELLA AND MICROBIAL COMMUNITIES IN ALFALFA SPROUTS

Abstract: Sprouts available commercially undergo minimal processing, which increases their risk of harboring pathogens such as Salmonella enterica, often linked to foodborne illness outbreaks. The goal of this research is to evaluate whether sprouts-associated microbial community can effectively compete with Salmonella during alfalfa sprout growth. To isolate sprout-associated microorganisms, five different types of sprouts have been collected for microbiological and molecular analyses. Sprout samples were homogenized, plated on microbiological medium, and the dominant bacteria were isolated. Additionally, DNA was extracted from the sprouts for shotgun genomic sequencing to characterize the microbiome composition. While Salmonella survival in sprouts is frequently studied, little research addresses how sprout-associated microbiota affects pathogen growth. This study aims to fill this gap by analyzing the composition and functional dynamics of sproutassociated microbes and their interactions with Salmonella during alfalfa sprout growth.Laboratory-grown alfalfa sprout seeds were inoculated with Salmonella (5.6 log CFU/g) and cultivated in the presence of a mixture of naturally occurring microbial communities (4.6 log CFU/g). The sprouting process was monitored over five days, and Salmonella populations and virulence were assessed. Metagenomic analysis of sprouts revealed that Gamma-proteobacteria was the most abundant class with Pseudomonas as the dominant genus. Bean sprouts also contained high levels of Enterobacter, likely originating from the seeds. Over the five-day sprouting, Salmonella grew to high levels (~ 9 log CFU/g sprouts), even in the presence of the natural microbial community. These findings indicate that natural microbiota alone do not effectively inhibit Salmonella growth, therefore, we recommend implementing efficient sanitation at the seed level to reduce contamination risks.

Heli Sheth

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2713 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: DESCRIBING THE ASSOCIATION BETWEEN DIETARY DIVERSITY AND PRE-PREGNANCY BMI OR THE GUT MICROBIOME IN WOMEN IN A MICHIGAN COHORT

Abstract: During pregnancy, having a healthy body weight and adequate micronutrients supports positive outcomes. Pre-pregnancy obesity in the United States has increased in recent years. MDD-W is a dietary diversity measure used to determine dietary micronutrient adequacy. This study determines the percentage of participants achieving minimum dietary diversity and the correlation between dietary diversity and pre-pregnancy BMI. Additionally, this study will examine how dietary diversity relates to microbiome diversity.Participants were recruited from a pregnancy cohort in Michigan (n = 131). 24-hour dietary recall assessed third trimester diet. The composition of gut microbiota in third-trimester stool samples was analyzed using 16S rRNA gene sequencing. The surveys were coded to calculate the MDD-W score, and BMI was determined using self-reported pre-pregnancy height and weight. Data analysis was performed using R Studio. Overall, 50% of participants were normal weight, 24% had overweight, and 26% had obesity. Additionally, 21% of participants did not achieve an MDD-W score greater than 5, indicating low dietary diversity. Pre-pregnancy BMI and MDD-W score during the third trimester were inversely correlated. A lower percentage of women with obesity had MDD-W scores of ≥5 than women of normal weight. Third trimester MDD-W scores tended to differ across BMI categories. However, the percentage of pregnant women consuming foods with low nutrient densities during the third trimester across BMI categories was similar. Results agree with the prior analysis conducted using a different cohort of pregnant women. Findings support promoting increased diet diversity during pregnancy in Michigan.

Isaac Abraham

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2737 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: SERUM ω-6 FATTY ACIDS AND ADOLESCENT MENTAL HEALTH: A TWELVE-MONTH LONGITUDINAL ANALYSIS OF UGANDAN ADOLESCENTS WITH PERINATAL HIV EXPOSURE/INFECTION

Abstract: The increase of ω-6polyunsaturated fatty acid (PUFAs) in the Ugandan diet has been associated with adverse mental health outcomes; however, the association of perinatal HIV exposure/infection remains understudied.This longitudinal study aims to quantify the association between serum PUFA levels and mental health in Ugandan adolescents with perinatal HIV infection (APHIV, n=126), those exposed but uninfected (AHEU, n=133), and those unexposed and uninfected (AHUU, n=124). We hypothesized that higher ω-6 PUFA levels would predict worse mental health, with stronger associations among adolescents affected by HIV.Self-reported anxiety, depression, and social stress were assessed using the Behavioral Assessment System for Children-3 (BASC-3) at baseline, 6 months, and 12 months. Serum fatty acid levels were measured at baseline for all adolescents and at 6 and 12 months for 37% of the cohort. A Type III analysis of variance (ANOVA) evaluated the association between total ω-6 PUFA tertiles and age/sexstandardized mental health Z-scores, reporting mean differences and 95% confidence intervals. Results by perinatal HIV status were presented if effect modification was detected (p<0.10).Among all adolescents, moderate or high (versus low) ω-6 PUFA levels were associated with higher self-reported depression MD [95% CI], (0.30 [0.13, 0.48]; 0.21 [0.00, 0.43]) and social stress (0.34 [0.16, 0.51]; 0.25 [0.03, 0.47]). In APHIV, moderate (versus low) levels were linked to elevated anxiety (0.52 [0.22, 0.82]). These findings suggest that higher ω-6 PUFA levels predict adverse mental health outcomes, particularly among adolescents with perinatal HIV.

James Nelon

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2711 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: IDENTIFICATION AND CHARACT

Title: IDENTIFICATION AND CHARACTERIZATION OF NOVEL LACTIC ACID BACTERIA VIA CULTURE-BASED AND SHOTGUN SEQUENCING APPROACHES

Abstract: Commercial bacterial cultures used in dairy products ensure both consistent and quality characteristics. However, with a lack of variety in bacterial cultures available for commercial dairy applications, there is a strong desire to discover novel cultures to enhance product uniqueness while providing appealing sensory characteristics. Thus, the main goal of this project is to identify and characterize novel bacterial candidates from artisanal cheeses for potential dairy applications. Five artisanal cheeses including brie produced with traditional commercial cultures, bleu and three Gouda varieties (plain, mustard seed, and nettle) produced using natural microbiota from raw milk were analyzed. In a two-pronged analysis, the cheeses were analyzed both with traditional culture-based approaches to isolate and characterize bacteria from each cheese, along with AVITTI shotgun metagenomic analysis to determine the unique cheese metagenomes through a bioinformatics pipeline. Through traditional laboratory techniques, twelve potential isolates were obtained with five isolates exhibiting desirable milk coagulation properties by achieving coagulation and reaching a pH of ~4.6 within 6 hours. When analyzed with shotgun metagenomic analysis, raw milk cheese contained a high abundance of Lactococcus cremoris and Lactococcus lactis, whereas brie cheese made with commercial cultures contained a high abundance of Lactococcus lactisand Streptococcus thermophilus, indicating the presence of varied microbiota between raw milk and commercial culture cheeses. Future directions will include the execution of sensory analysis on yogurt samples produced with novel bacterial isolates and determining the corresponding flavor profiles to assess nutritional quality of these fermented dairy samples.

Jonas Ahonen

Category: Nutrition and Food Science

Presentation Type: Poster

Presentation Number: 2701

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: GENES SPECIFIC TO E. COLI O121 IN LOW MOISTURE FOOD-BORNE ILLNESS OUTBREAKS

Abstract: Escherichia coli serotype O157 is the most common cause of E. coli related food borne outbreaks in high moisture foods like raw meat and dairy products. However, E. coli serotype O121 infections have recently been associated with low-moisture food products like wheat flour in both the United States and in Canada. While the dissication survival genetics of the O157 serotype has been extensively studied, there is little known about O121. The objective of this study was to determine genes exclusive to O121 isolates associated in low-moisture food borne outbreaks, not found in the general population of food-related O121 isolates, that contribute to its persistence in low moisture foods. Isolates were downloaded from the NCBI: Pathogen database and were processed and analyzed using a custom-built pipeline of genomic analysis tools like SRA-Toolkit, Trimmomatic, SPAdes, QUAST, prokka, Roary, raXML, and treeWAS. 6 genes of interest were found in the low-moisture strains, 4 of which were unnamed hypothetical proteins, while 2 were named proteins. The first is ompX, an outer membrane transport protein and IS66 transposase, a protein necessary for DNA transposition of IS66 family sequences. The next step of our research is to create deletion mutants and determine if the removal of any of the 6 identified genes significantly impacts the survival of O121 after desiccation.

Jordan Mikhalov

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2742 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: DID A "30 WHOLE PLANT FOOD CHALLENGE" INCREASE INTAKE OF WHOLE PLANT

FOODS AMONG UNDERGRADUATE STUDENTS?

Abstract: Whole plant foods-such as whole grains, legumes, fruits, vegetables, nuts, seeds, and fresh herbs-are recognized for their role in preventing chronic diseases and supporting cardiovascular, metabolic, and gut health. This study examined the feasibility and effectiveness of a classroom-based intervention that encouraged undergraduate students to consume thirty different whole plant foods in one week. Students in an introductory nutrition course completed an assignment to record their intake of whole plant foods for one week (n=665). Afterward baseline assessment, students were invited to participate in the "30 Whole Plant Food Challenge." A post-survey collected intake data for a second week and asked students to indicate whether they completed the challenge (n=644). During another assignment, students reflected on their baseline assessment and identified perceived benefits and barriers they encountered to eating whole plant foods (n=690). Quantitative analysis to determine changes in plant food intake from baseline to post assessment was conducted for students who completed both intake assessments (n=308). A qualitative content analysis was conducted of a subset of students' reflections. Preliminary quantitative results showed increased intake of legumes, fruits, vegetables, whole grain, nuts, seeds, and herbs. Further quantitative and qualitative analyses will be reported. Shortterm, classroom-based dietary challenges can effectively increase intake of whole plant food, while improving student awareness of plant-based eating. These findings suggest that integrating practical dietary challenges into college courses may be a promising strategy for nutrition education and chronic disease prevention.

Kaitlyn Marcum

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2727 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: PROCESSING OF BLACK GARLIC IN THE AUTOCLAVE TO ACHIEVE OPTIMAL COLORING

Abstract: Black garlic provides many health benefits while also being sweeter and having a more subtle aroma and flavor as opposed to raw or minimally processed garlic. However, the typical process of creating black garlic requires 20 to 60 days depending on the processing conditions. This experiment utilized an autoclave to model industrial canning operations to reduce the process time to between 1-4 hours. Essentially, this experiment aimed to identify optimal processing conditions to create a more sustainable manufacturing process while also generating a more consistent product. Preliminary trials with increasing 30-minute intervals and varying pH solutions from 6.0-10.0 were used to determine the combination that would yield the most desirable black garlic product. Noticeable darkening was observed and measured using HunterLAB, and the color darkened as processing time increased. Soaking garlic cloves in different pHs had minimal effect on the final product's color, indicating that the most optimal black garlic would be achieved primarily based on processing time. From there, a factorial experiment (time x sugar source) was designed to drive the production of Maillard reaction products using a constant high temperature of 121°C. Three different sugar sources (fructose, inulin, and maltodextrin) were dissolved in deionized water and mixed with pressed raw garlic. Knowing that longer processing times produced the most optimal black garlic, the resulting garlic pastes were autoclaved for 1-4 hours. The results of this experiment describe conditions to replicate in commercial canning operations, which will be the next phase of this research project.

Kanon Nishijima

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2704 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: GEOGRAPHICAL VARIATIONS IN

Title: GEOGRAPHICAL VARIATIONS IN EGG NUTRIENT DENSITY: A COMPARATIVE STUDY OF OHIO AND INDIANA LAYER HEN SYSTEMS IN LATE FALL AND EARLY WINTER MONTHS

Abstract: Regenerative, pasture-raised hen systems create synergistic relationships between hens, forage, soil, and weather. Foraging allows poultry access to nutrient-rich and biodiverse feed, producing eggs with a more favorable nutrient profile for human health. However, the impact of these factors on egg quality and nutrient profile varies by region. The objective of this research was to characterize monthly changes in egg characteristics and nutrient content influenced by geographical variations. This two-year study focused on two pasture-raising systems located in the Midwest: one in Ohio, and the other in Indiana. Twenty-four egg samples pooled to form n=12 replicate samples were collected monthly from September to December. Carotenoids were analyzed colorimetrically, and egg yolk fatty acid profiles were determined using gas chromatography-mass spectrometry. Yolk color was significantly darker in eggs from the Ohio layer hen system across all months. Similarly, a significantly higher total beta-carotene and carotenoid content in Ohio egg yolks was observed (p < 0.05). Total cholesterol was significantly higher in Ohioacross the season (p < 0.01). Significant differences in the total n-6 and total n-3 were observed (p < 0.05). Ohio eggs exhibited a significantly lower total n-6:n-3 ratio in October-December (p < 0.05); a lower ratio is more favorable for human health, The findings reveal that geographical variations significantly influence the nutrient density of pasture-raised eggs. Understanding these differences underscores the need for consumers to be more discerning in their selection of pasture-raised eggs, particularly when health outcomes are a primary concern.

Kayla Fenton

Category: Nutrition and Food Science

Presentation Type: Poster

Presentation Number: 2721

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EXPLORING THE RELATIONSHIP BETWEEN SERUM OMEGA-3 LEVELS AND SLEEP QUALITY IN OBESE INDIVIDUALS: AN OBSERVATIONAL STUDY

Abstract: Disordered sleep, including insufficient and poor-quality sleep, is widespread, with individuals with obesity more likely to report sleep problems. Diet significantly influences health, including sleep patterns and quality. This study aims to investigate the relationship between omega-3 fatty acids and sleep outcomes among adults with overweight and obesity, a group often burdened with sleep disorders and metabolic complications. Sleep data was collected using Zmachine, a single-channel electroencephalograph, and Fitbit devices. Serum samples were collected at baseline, on day 7, day 14, and after the washout period, before repeating the process. The samples were methylated, and fatty acids were analyzed using gas chromatography-mass spectrometry. The data will be compared to investigate correlations between omega-3 fatty acid levels and sleep quality.

Kayla Norman

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2706 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: FOOD ACCESSIBILITY IS RELATED TO PRESCHOOLERS' ANTHROPOMETRICS AND

HOME EATING ENVIRONMENT

Abstract: This study examined the relationship between food accessibility, home eating environment, and preschoolers' anthropometrics to advance understanding of food environments and childhood obesity. Identifying the specific associations can help inform targeted interventions aimed at improving food environments. Baseline data from 200 preschoolers (ages 3-5) enrolled in a clinical trial across 26 rural Head Start centers were used. Most participants were non-Hispanic and White. Nearly one-third of parents had an income below \$20,000, and 44.2% of parents were unemployed. Height, weight, and percent body fat were objectively measured. Parental feeding attitudes and practices were assessed using the 28-item Child feeding Questionnaire, while food management behaviors were measured with the 9-item Expanded Food and Nutrition Education Program Checklist. Home eating environment was assessed with the 18-item US Household Food Security Survey Module. Data analyses were conducted with IBM SPSS Statistics Version 27. Results revealed that less access to full-service restaurants was significantly correlated with higher BMI z-score and percent body fat in preschoolers. Moreover, parents with better food management behaviors, greater perceived feeding responsibility, and healthier home eating environments were associated with less access to convenient stores and more access to limited-service restaurants. These findings highlight the critical role of food accessibility in shaping children's weight status and home eating environments. Intervention efforts to improve food accessibility in rural areas may hold promise of influencing parental feeding practices and reducing childhood obesity.

Melina Catenacci

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2747 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: THE PEAPOD2 STUDY: DIET ANALYSIS

Abstract: It is important to consume a diet with high nutrient value and practice healthy lifestyle choices during pregnancy to ensure positive outcomes for mother and baby. For women facing disparities, healthy habits can be challenging. The Pregnancy Eating and Postpartum Development study (PEAPOD-2) analyzes the effectiveness of a food based intervention in pregnant women facing food insecurity, substance use disorder, or obesity. Participants were given food packages for a 10 day intervention. Packages contained 2 prepared salad kits, 4 grain bowls, 2 containers of yogurt, 2 bottles of kefir, 1 bottle of juice, 10 bananas, 2 bags of frozen fruit, and 4 soups. In addition to completion of questionnaires and following the intervention protocol, participants reported their dietary information using the Diet ID™ assessment tool. This technology asks participants to visually categorize their dietary intake and calculates nutritional intake. By comparing pre-intervention and post-intervention Diet ID™ information, the effectiveness of the food based intervention to increase participants consumption of nutritious foods can be evaluated. In the analysis of the healthy eating index (HEI) data for the PEAPOD-2 study for 44 participants, the pre and post intervention results had the same median (63), IQR (27), and maximum value (97). The minimum HEI value for the pre-intervention data was numerically lower (19), compared to the post-intervention minimum HEI value (23). Future analyses will determine if fruit, vegetable, or fiber intake changed with intervention.

Neha Gopalakrishnan

Category: Nutrition and Food Science

Presentation Type: Poster

Presentation Number: 2722

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: HUMAN MILK OLIGOSACCHARIDES BENEFICIALLY SHAPE THE INFANT GUT MICROBIOME

Abstract: The infant gut contains bacteria that regulate immunity, digestion, and metabolism. Human Milk Oligosaccharides (HMOs) are specialized sugars in human milk often lacking from modern infant formulas. HMOs are indigestible by infants but are beneficially metabolized by gut microbiota, and genes that code for HMO-metabolizing enzymes have been linked to improved immunity in infants. This study explores whether a strong association can be formed between infant diet and the abundance of HMOmetabolizing genes to understand how diet translates into the gut bacterial gene repertoire. I also assess the ability of quantitative PCR to replicate results from metagenomic sequencing of HMO metabolizing genes. DNA from stool samples of 3-month old infants, either exclusively breast or formula-milk fed, was analyzed using quantitative PCR to assess variations in the abundance of known HMO metabolizing genes, including Sialidase (Sia) and the 16S rRNA from Bifidobacterium(gBif). Human-milk fed infants had significantly higher amounts of gBif compared to their formula-fed counterparts. No significant difference in Sia gene abundance was detected between feeding groups, but trends demonstrated a higher relative abundance present in human-milk fed infants. These results highlight how diet can shape early gut microbiota, especially by promoting the growth of beneficial bacteria. Future studies should aim to utilize larger sample sizes to more representatively evaluate the impact of diet on gut metabolizing bacteria. Determining these relationships can lay the foundation of how infant diet affects the body and their long-term immunity, helping to formulate diet-based interventions that optimize child health.

Rachel June

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2746 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ANALYSIS OFENZYMATIC PRETREATMENTS ON BEAN DEHULLING EFFICIENCY FOR

COMMERCIAL APPLICATIONS

Abstract: This study investigates the effect of enzymatic pretreatments on the efficiency of bean dehulling, a critical process in the food and agricultural industries. The aim is to increase the separation of hulls from beans while minimizing energy consumption, material waste, and mechanical wear. Various enzymes, including cellulases, xylanases, and proteases, were applied to different bean varieties to assess their impact on dehulling performance. Enzyme-treated beans were compared to untreated samples in terms of hull removal rate, quality of dehulled beans, and overall process efficiency. The results show that enzymatic pretreatment significantly improves dehulling efficiency by reducing the force required for hull separation, leading to higher yields and fewer broken beans. Additionally, the study examines the potential for scaling up enzymatic dehulling for commercial applications, considering factors such as enzyme cost, treatment duration, and the environmental impact of enzyme use. Overall, enzymatic pretreatments offer a promising solution to enhance bean dehulling processes, providing a more sustainable, cost-effective alternative to conventional mechanical methods. This research has important implications for the optimization of food processing technologies and could contribute to the development of more efficient and environmentally friendly practices in the agricultural industry.

Rachele Noble

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2731 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: OPTIMIZING RETORT PROCESSING FOR BEAN QUALITY: EVALUATING TEXTURE & AMP; PACKAGING

Abstract: Beans are an extremely popular consumed and nutritious food source. While beans are a hot commodity, when it comes to consumption they vary in texture and quality after processing. Which then lies the challenge. This project seeks to explore the influence of packaging and calcium chloride treatment on the texture and overall quality of retortprocessed beans. Using both common and specialty bean market classes, the study assessed the effect of variety, packaging, and calcium chloride on the product's final quality. Retort processing is an essential method for preserving beans, but the impact of different packaging options/additives on their sensory properties has yet to be fully explored. This research will evaluate how these factors influence the beans' texture, ensuring that the resulting products align with consumer preferences. By investigating the interaction between calcium chloride treatment and packaging, the goal is to identify optimal combinations that improve texture, appearance, and consumer acceptance. This project aims to better understand processing protocols for beans processed within different packaging, creating a high-quality product to expand consumer acceptability of a highly nutritious food. The outcome of this project will contribute to refining the processing techniques for beans, offering new insights into improving product consistency and quality.

Ruth Giblin

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2743 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: EXPLORING BIOFILM DEVELOPMENT AND SANITIZER EFFICACY IN REDUCING SALMONELLA ENTERICA TRANSFER FROM STAINLESS STEEL TO CUCUMBERS

Abstract: Salmonella enterica is the second-most frequent cause of foodborne illness in the United States and thus a critically important pathogen within the food industry, particularly with fresh produce such as cucumbers. This project aimed to characterize the ability of S. enterica serovar Saintpaul (S. Saintpaul) and S. enterica serovar Newport (S. Newport) to form biofilms on food contact surfaces, quantify the transfer of biofilm cells from stainless steel coupons (SSCs) to cucumbers, and evaluate the efficacy of sodium hypochlorite, a known sanitizer for surface decontamination, in reducing biofilm formation and transfer to cucumbers. Biofilms were developed by inoculating SSCs with 1 mL Luria-Bertani broth (106 CFU/mL) for 72 h at room temperature. The SSCs were washed and treated with either sodium hypochlorite (200 ppm) or PBS as untreated control. Cucumber slices (2g) were pressed against the untreated and treated SSCs. Residual bacterial populations on the coupons and transferred cells on cucumber slices were enumerated by spread plating. Results indicated that both serovars formed robust biofilms on SSCs, resulting in a 0.7 log CFU increase per coupon compared to the initial inoculum. Approximately 1.5 log CFU/g transferred from the untreated SSCs to cucumber slices. Sodium hypochlorite treatment reduced Salmonellapopulations by1.1 log CFU per coupon and decreased pathogen transfer to cucumber by 1.2 log CFU/g. These findings emphasize the importance of effective sanitation protocols, as biofilm formation at room temperature can significantly contribute to Salmonellatransfer onto fresh cucumbers.

Saamia Hasan

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2724 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: UNDERSTANDING CONSUMER PERCEPTIONS AND BARRIERS TO PULSE PRODUCTS

Abstract: Pulses are nutritious, eco-friendly, and rich in protein, yet their consumption in the U.S. remains well below recommended levels. Increasing awareness and incorporating pulses to meals can promote public health and sustainability. The pulse focus groups aim to assess consumer preferences, benefits, and barriers for pulse-based products like pasta, crackers, and chips, focusing on flavor, odor, and texture. Our goal is to identify the key barriers to consumption and factors that encourage consumers to buy these pulsecontaining products. These factors include better nutrition (higher fiber, protein, and micronutrients), lower environmental impact, alignment with plant-based diets, sensory appeal, convenience, and affordability over animal proteins. Four focus groups, each with eight to ten participants from the greater Lansing area, will explore consumer perceptions of challenges in developing pulse flour-based foods like pasta and crackers. Participants will be recruited via email and grouped based on their pulse consumption habits-two groups of regular consumers and two of potential adopters. Sessions will take place at Michigan State University's Sensory Evaluation Lab, recorded for thematic analysis, and facilitated using a structured discussion guide. Examples of pulse and wheat-based products will be presented to aid discussion. Our goal is to gain a thorough understanding of how consumers view pulse-based products and how to improve these products to promote pulse consumption. Insights from the focus groups will reveal areas where current pulse products fall short of consumer expectations, enabling us to create innovative solutions to address these challenges and improve overall product acceptance.

Samantha Berenson

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2736 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: ANALYSING THE EFFICIENCY OF ENZYMATIC PRETREATMENTS ON BLACK BEANS.

Abstract: The purpose of this research is to observe the efficiency of enzymatic pretreatments on black beans. The goal is to observe the efficiency of enzymatic pretreatments on de-hulling black beans using an aspirator and roller mill to separate hulls from beans.Black beans are treated with an enzymatic pretreatment then left out to air dry. The beans are then run through an aspirator to separate the loose hulls from the beans. In the collection container with the beans, the product was run through a roller mill to achieve further separation of hulls. The milled beans and separated hulls are weighed together using a scale, this is the initial weight. The sample is run through the aspirator again. Each collection container is then run through the aspirator individually for a total of three runs. The final hull collection is then sifted to remove any dust or broken pieces. The bean collection container also underwent sifting. The dust is collected and weighed. The beans are then dumped into a tray to be hand sorted. There are collection containers designated for hulls not separated via the aspirator, beans with hulls still attached, and beans with no hulls. After hand sorting each container is weighed. The weight of the initial sample, dust, hulls, successfully treated beans, and failed beans are recorded in an Excel spreadsheet where the de-hulling efficiency is calculated.

Sarah Coyne

PRODUCTS

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2732 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: UNDERSTANDING CONSUMER'S PREFERENCE AND PERCEPTION OF PULSE-BASED

Abstract: Products with pulse flour are a healthy and sustainable alternative to animalbased products. Pulses are the edible portion of a bean plant. These plants take up less space than cattle farms. Pulse-based products are high in protein and fiber compared to animal-based products which are low in fiber. This study is designed to gather insights on what consumers are looking for in pulse-based products. This will be achieved through four different focus groups consisting of eight participants each. The two groups will consist of regular consumers of pulse-based products, while the other two groups will include individuals who do not regularly consume them but are open to incorporating them into their diet. The aim of the focus groups is to achieve a comprehensive understanding of what consumers like and dislike in pulse-based products. The investigation of sensory characteristics will include products like pasta, crackers, and chips that are pulse based. Participants will be contacted via email and participation will be completely voluntary. Sessions will be in person, recorded, and a Verbatim transcript will be developed. The goal of this study is to determine the advantages and disadvantages of purchasing and consuming pulse-based products from a consumer perspective.

Shamita Ingalagi

Category: Nutrition and Food Science

Presentation Type: Poster

Presentation Number: 2703

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EFFECTS OF PRE-TREATMENT AND MILLING TECHNOLOGIES ON PULSE FLOUR QUALITY

Abstract: The demand for pulses and pulse flour has increased over the past years. Pulses are high in protein and are a significant source of vitamins and minerals. Consumers' interests have switched from conventional wheat to plant-based alternatives. However, the absence of gluten in pulse flour affects dough rheology and food product quality. The objective of this project was to determine the effects of pre-treatment (raw, roasted and infrared heating) and milling technologies (hammer and roller mill) on pulse flour functional properties such as Rapid Visco Analyzer pasting properties and particle size distribution. Results showed that in general pulses with smaller particle sizes yielded higher peak and final viscosities in comparison to pulse flours with larger particles. This is because smaller particles have a larger surface area, which allows for better hydration and faster gelatinization. High viscosity is crucial in gluten-free for building structure especially in gluten free products.

Shayla-Rae Johnson

Category: Nutrition and Food Science

Presentation Type: Poster

Presentation Number: 2733

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: PRECLINICAL EVALUATION OF OMEGA-3 FATTY ACIDS FOR LUPUS INTERVENTION

Lupus nephritis (LN) treatment conventionally relies Abstract: on potent immunosuppressants and prolonged steroid use, often resulting in adverse effects including increased infections, bone loss, diabetes, and muscle wasting and disease recurrence when steroids are reduced or stopped. Recent mouse studies have shown promise for omega-3 fatty acids, particularly DHA from fish oil, in preventing LN. However, their potential to impact LN post-onset remains unexplored. This groundbreaking preclinical research aims to investigate DHA's efficacy as a treatment after LN onset, both independently and in combination with low-dose steroids. The study employs a unique approach using lupusprone mice exposed to silica dust to rapidly induce LN, mimicking environmental factors in humans and enhancing research robustness. The primary objectives are to evaluate DHA's effectiveness in maintaining LN remission following initial immunosuppressive treatment, compare various DHA dosages and their impact on remission duration, and examine the complementary effects of DHA with low or moderate steroid doses. Comprehensive kidney health monitoring will be conducted through urine and blood tests, tissue examination, and advanced genetic analysis. This innovative research explores DHA, a natural supplement, as a potentially safer method for maintaining LN remission, which could transform LN management by offering a more affordable and less harmful approach to extend disease remission and prevent persistent flaring. If successful, this preclinical study may pave the way for clinical trials and regulatory approval of omega-3 supplementation as an adjunctive treatment for LN, potentially reducing long-term steroid dependence and significantly improving patients' quality of life.

Sophia Waldie

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2714 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: GARDENING'S INFLUENCE ON DIETARY OUTCOMES AND ENVIRONMENTAL CONSCIOUSNESS IN PRESCHOOL-AGED CHILDREN

Abstract: Gardening has been shown to affect a variety of outcomes in children such as learning, behavior, development, and diet preference. Few studies have focused specifically on preschool children, ages 2-5 years of age. In collaboration with Keep Growing Detroit, a non-profit organization that supports urban farms and gardens, this study was conducted to investigate the effects of gardening on developmental and dietary outcomes in preschool children. A community advisory team was convened to assist with developing research questions, methods, interview guides, and interpretation. Preschool childcare providers with a center garden (n=8) and parents who actively garden with their preschool-age child (n=4) participated in semi-structured interviews by a trained interviewer. Interviews were recorded and transcribed verbatim, and analyzed using the software, Atlas.ti using a thematic coding approach. Preliminary analysis found that childcare providers and parents reported that gardening influenced children's environmental consciousness, relationship with nature, dietary behaviors, and basic scientific understanding. Through gardening, children demonstrated an emerging awareness of environmental health and respect for nature, along with a foundational understanding of plant growth and how food is grown. Children were more willing to try new foods they grew in their gardens. Childcare providers noted that garden produce sent home with families inspired home cooking and promoted healthier eating. Preliminary analysis of data collected by this study suggests that gardening has a positive impact on preschool children's development including positively influencing environmental awareness, respect for nature, and dietary behaviors.

Summer Luick

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2734 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: SPICES IMPROVE THE NUTRITIONAL QUALITY OF MEAT AND POULTRY PRODUCTS

Abstract: Western dietary patterns are strongly linked to preventable chronic diseases. One of the main things that sets the western diet apart is its higher levels of lipid consumption. The normal recommendation for fat consumption is 20%-35% of calories ingested, however the western diet averages 42% of calories from fat (Maldonado-Pereira et al., 2022). Chronic diseases like obesity, diabetes, hypertension, and atherosclerosis are caused by an overabundance of fat that accumulates in the body (Maldonado-Pereira et al., 2022). Home cooking methods cause oxidation of lipids in foods we eat through exposure to heat, light, radiation, and oxygen in the air. In industry, natural and artificial antioxidants are added to products to reduce oxidation and increase shelf time. Spices are a natural source of antioxidants that can be added to food and safely consumed. Therefore, we decided to determine how the addition of spices to meat and poultry products during home cooking affects fatty acid profiles. We hope the fatty acid profile will provide insight on how different methods of prepping food impact the nutritional quality of meat and poultry products.

Tyler Nagy

STUDENTS

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2717 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: EFFECTS OF A SLEEP EDUCATION PROGRAM ON MICHIGAN STATE UNIVERSITY

Abstract: Introduction: High stress and irregular sleeping schedules promote sleep issues in university students. To determine the best format for sleep education, students participated in a discussion-based or asynchronous version of the Sleep Education for Everyone Program (SLEEP). Methods: MSU students who were dissatisfied with their sleep were recruited. Sleep quality and self-reported sleep duration (SD) were determined using the Pittsburgh Sleep Quality Index (PSQI); the Sleep Hygiene Index (SHI) evaluated the frequency of undesirable sleep behaviors. Time asleep, wake after sleep onset, sleep stages, time in bed, and nap duration were measured via Fitbits. Questionnaires were completed at baseline and week 6, and Fitbit measurements were taken at baseline, week 3, and week 6. Differences between and within groups were identified using a general linear model analysis.Results: 61 students completed the discussion-based SLEEP; 37 completed the asynchronous version. Both groups reported improved sleep quality over time (p<0.001); however, the discussion-based group experienced greater sleep quality improvement compared to the asynchronous group (p=0.003). A reduction in undesirable sleep behaviors and improved self-reported SD were also observed in both groups (p<0.001; p<0.001), and again, the discussion-based group improved more over time (p<0.001; p<0.001). Objective sleep measures did not improve for either group. Conclusion: SLEEP, regardless of delivery method, significantly improved subjective sleep measures in university students; however, the discussion-based version produced greater benefits. While students may choose either SLEEP format, the discussion-based version should be encouraged.

Yash Khiraya

Category: Nutrition and Food Science Presentation Type: Poster Presentation Number: 2715 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: PEAPOD 2: EXPLORING THE IMPACT OF A FOOD-BASED INTERVENTION ON THE

PRENATAL GUT MICROBIOME

Abstract: The composition of the maternal prenatal gut microbiome significantly impacts infant gut microbiome development and long-term health. Diet during the later trimesters of pregnancy has been shown to be important for both fetal growth and brain development. While current evidence supports a need to increase fruit and vegetable consumption during pregnancy, there exists a gap in nutrition and practical applications for women facing life challenges including food insecurity, obesity, or risk for substance use disorder (SUD). Current literature has not identified a consistently effective method to alter the adult gut microbiome, so it is crucial to continue exploring interventions to understand disease prevention mechanisms, long-term microbiome shifts, and early-life intervention windows. With growing evidence of an association between higher diet quality and birth outcomes, it is vital to work towards increasing maternal fruit and vegetable consumption during pregnancy along with decreasing food insecurity. Hence, this project aims to evaluate the effectiveness of a 10-day, food-based intervention aimed at increasing fruit and vegetable intake to alter the composition and diversity of the prenatal gut microbiota in pregnant women (n = 30) experiencing food insecurity, obesity, or at risk for substance use disorder. The collection of stool samples and surveys allows for the assessment of gut microbial composition and diversity. It is expected that the pregnancy gut microbiome will display higher levels of alpha and beta diversity after completion of the intervention when compared to baseline measurements.

Zoey Zienski

Category: Nutrition and Food Science Presentation Type: Poster

Presentation Number: 2748

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: IMPROVING MICHIGAN HOP AND BEER AROMA AND FLAVOR USING A BIOSTIMULANT

Abstract: In beer production, terpenes are the key aroma volatiles that help produce the characteristic hop flavor and aroma. Increasing terpene production in hops is advantageous because it may improve the hop flavor imparted to beer or enable early harvest in cases where disease threatens the hop harvest. The natural plant biostimulant methyl jasmonate (MeJA) has been shown to increase terpene production in other plants, and so we hypothesized that application of MeJA would increase the aroma intensity of the hops and beer. We produced six hop samples (early harvest MeJA-treated and control; standard harvest once- or twice-MeJA-treated and controls) and brewed beer using each hop sample. A group of 120 untrained consumers were asked to rank subsets of hop samples' aroma and beer samples' hop flavor intensity. After ranking sample intensity, they used the "Rate All That Apply" method (RATA) on all hop and beer samples individually to describe their aroma and flavor attributes. The preliminary results concluded that the late harvest control and once-MeJA-treated samples had the highest rankings for both hop aroma and flavor intensity. We can conclude that when compared to early harvest samples, the late harvest control had a higher intensity of hops. Among late harvest samples, the most intense were the oncetreated hops. This further shows that two MeJA doses is too much, causing the hops to not be as intense. In year 2, we plan on expanding on new attributes that better differentiate the samples from each other, like bitterness and astringency and train panelists on each attribute beforehand.

Pharmacology and Toxicology

Anika Babel

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2923 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ENGINEERED PEPTIDE SCRAMBLING FOR ENHANCED TUMOR-TARGETED DRUG

DELIVERY VIA SMALL EXTRACELLULAR VESICLES

Abstract: Breast cancer affects approximately 609,360 people annually in the United States (as of 2022). Extracellular vesicles (EVs), cell-derived structures that transport biomolecules between cells, have emerged as promising carriers for targeted drug delivery. EVs can cross biological barriers, including the blood-brain barrier, making them ideal for therapeutic delivery. Our research uses a bioluminescent protein-based EV reporter, PalmReNL, to screen for cancer cell-binding peptides. By incorporating PalmReNL into EVs, we developed a high-throughput screening system to identify peptides with high affinity for breast cancer cells, potentially enhancing EV cargo delivery efficiency and targeting specificity. Previous studies from our lab showed that EVs engineered with the urokinase plasminogen activator receptor (uPAR)-binding peptide, a 13 amino acid sequence, exhibited the highest cancer cell binding activity among several tumor-binding peptides. We generated 24 scrambled versions of the uPAR-binding peptide and assessed their binding to breast cancer cells in vitro. Interestingly, some of the scrambled peptides significantly improved their breast cancer cell binding activities, while others lost their binding capacities, with some exhibiting an almost 2 fold increase. We further engineered EVs with these high-affinity peptides to enhance chemotherapy drug delivery, specifically methotrexate (MTX), which faces resistance in traditional treatments. Our approach resulted in a 2.1-fold increase in breast cancer cell death compared to MTX. By engineering EVs with peptides showing enhanced binding, we created an efficient delivery system for MTX directly to breast cancer cells. Our approach leverages peptide engineering to facilitate targeted drug delivery via EVs, potentially improving cancer treatment by reducing side effects and enhancing drug effectiveness.

Avery VandenBussche

CHANGES IN RATS

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2924 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: IMPACT OF TREATMENT INTERVENTION ON DETECTING BLOOD PRESSURE

Abstract: In 2022, the FDA recommended dedicated clinical studies to detect 3 mmHg increases in systolic blood pressure (BP) for drugs intended for chronic use. Previously, we demonstrated that rat studies are statistically sensitive to detect relevant BP differences with group sizes of 8 in a 28-day study. This study examines how a high-fat diet, which raises BP by narrowing blood vessels, and a celiac ganglionopathy (CGX) treatment, which lowers BP, affects sensitivity to BP changes. We hypothesize that both interventions will decrease minimal detectable differences (MDD), confirming that the proposed study design can detect relevant increases in systolic BP. Data collected from a long-term study in Sprague Dawley rats (N=10), implanted with PhysioTel HD-S10 radio telemeters (DSI/Harvard Bioscience), will be analyzed. Statistical analyses will be performed using the R programming language using the emmeans, envstats, and lme4 packages to assess MDD (pvalue = 0.05, power = 0.8) across group sizes of 3, 4, 6, and 8. We anticipate that group sizes of 8 will have a higher power to detect 3 mmHg differences compared to control rat studies. Previous studies with group sizes of 6 achieved MDDs just below 80% power. We anticipate that treatment group sizes of 6 will be capable of detecting 3 mmHg changes at 80% power. This study aims to validate the sensitivity of the proposed 28-day study design, using rats that underwent an intervention as opposed to control rats. This research aims to reinforce the utility of rodent models to detect relevant changes in BP.

Chaitra Kommaraju

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2905 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EXPEDITED MULTI-ANIMAL MAGNI

Title: EXPEDITED MULTI-ANIMAL MAGNETIC RESONANCE IMAGING FOR LONGITUDINAL AND FREQUENT TUMOR MEASUREMENTS IN PANCREATIC CANCER MOUSE MODELS

Abstract: Pancreatic Ductal Adenocarcinoma (PDAC) remains one of the deadliest cancer types. PDAC is a heterogeneous disease with a dense stroma and reduced vascularization, which are challenges for effective therapies. Genetically Engineered Mouse Models (GEMM) have provided invaluable insight into the molecular mechanisms of pancreatic carcinogenesis, tumor progression, and treatment resistance. In particular, the wellestablished KPC model (Kras-driven, p53-deleted) mimics human PDAC and develops tumors spontaneously by 12 weeks of age. To effectively monitor tumor development and assess treatment responses in the KPC model, advancedin vivo imaging modalities such as Magnetic Resonance Imaging (MRI) are essential research tools. MRI provides a longitudinal assessment of detailed anatomical information and tumor growth. However, MRI is a timeconsuming and expensive process. To overcome these limitations without compromising imaging quality, we implemented a multi-animal MRI procedure. This procedure can scan up to 4 animals in a fast, high-resolution, economical fashion, provide measurements for preclinical trial animal recruitment, and monitor treatment responses. We present as proofof-concept the implementation of this multi-animal MRI procedure to validate the therapeutic benefit of standard-of-care chemotherapeutic agent, gemcitabine, in the KPC model. We briefly discuss the future application of this MRI-guided preclinical trial design to evaluate the therapeutic efficacy of combination therapies that include the genetic and pharmacological activity modulation of PDAC-associated regulatory microRNAs.

Helen O'Shaughnessy

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2921 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: THE EFFECT OF PFAS ON BACTERIAL GROWTH

Abstract: Per- and polyfluoroalkyl substances (PFAS) are chemicals used in many products including nonstick or waterproof products and firefighting foams. These chemicals are widely present in the environment around the world and are associated with adverse biological effects. Bacteria are an important part of the ecosystem and microbiome in animals. Understanding the effect of PFAS on bacteria can help us understand the effect PFAS has on humans and the environment through the microbial communities living in and around us. The effect of PFAS on bacterial growth has not been extensively studied. In this study we investigated the effect of varying concentration of PFAS on the growth ofEscherichia coli (E. coli).E. coliBW25113 were grown in LB broth, and their growth was tracked by UV-Vis measurements (OD600). Measurements were taken manually every 1.5-2 hours for eight-hours.E. coli growth was measured in the presence of 0-100 mg/L of perfluorooctanesulfonic acid (PFOS). We observed no significant effect of PFAS exposure on growth in LB medium. Next, we explored bacterial growth in a minimal medium of M9 supplemented with glucose and exposure to PFOS and Perfluorooctanoic acid (PFOA). Growth curve measurements were automated in a 16-hour kinetic run on a plate readerusing UV-Vis measurements (OD600). We observed no significant effect of PFOS exposure on growth in M9 medium. Further research will be done, exploring the effect of more kinds of PFAS on bacterial growth in minimal medium, for further conclusions.

Isadora da Cunha Timochenco

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2903 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title:INCREASINGIMMUNOTHERAPYEFFICACYBYMODULATINGTUMORMICROENVIRONMENT WITH RADIOPHARMACEUTICAL THERAPY

Abstract: The incidence of neuroendocrine tumors has increased significantly due to advances in diagnostic techniques. However, most patients present metastasis at the diagnostic stage, which reduces treatment options and, consequently, the chances of survival. Treatments using 177Lu-DOTATATE have shown promising results, since this radiolabeled compound targets somatostatin 2 receptors in Gastroenteropancreatic neuroendocrine tumors (GEP-NETs), which allows a high dose of radiation to reach the tumors. However, treatments using 177Lu-DOTATATE do not offer a cure. Another treatment option is immunotherapy, which uses immune checkpoint inhibitors. However, this has only yielded promising results for tumors classified as "hot" due to the characteristics of their microenvironment. GEP-NEts are tumors classified as "cold", which makes immunotherapy a less efficient option in this scenario. The goal of this project is to combine 177Lu-DOTATATE radiopharmaceutical therapy and immunotherapy to test if it could generate immunomodulatory effects in the tumor microenvironment, which in turn would result in a greater response from the immune system. The project has two phases: 1- Generate murine pancreatic cancer cell lines overexpressing human SSTR2 and characterize the tumor uptake and dosimetry of 177Lu-DOTATATE in immunocompetent mice. 2- To evaluate the immunologic effects of 177Lu-DOTATATE on tumor microenvironment and determine whether 177Lu-DOTATATE radiopharmaceutical therapy combined with immune checkpoint inhibitors therapy elicits a greater anti-tumor response than either treatment alone. The findings of this research have the potential to improve treatment strategies for GEP-NETs and contribute to our understanding of how the immunomodulatory effects of 177Lu-DOTATATE manifest themselves in the tumor microenvironment of GEP-NETs.

Jay Eoff

Category: Pharmacology and Toxicology

Presentation Type: Poster

Presentation Number: 2901

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: SELECTIVELY ACTIVATING CANNABINOID RECEPTORS TO LIMIT PSYCHOACTIVE EFFECTS WHILE ELICITING IMMUNE RESPONSES

Abstract: Cannabinoid receptors, named for their behavior in response to cannabinoids (JWH, THC) are classified into two main types: cannabinoid 1 receptors (CB1s) and cannabinoid 2 receptors (CB2s). CB1s are predominantly found in the central nervous system, where their activation elicits a psychoactive response. In contrast, CB2s are primarily located in immune cells and peripheral tissues throughout the body, where they modulate immune responses. This presentation focuses on identifying CB2 antagonists that can harness the immune-regulating benefits of CB2 inhibition while avoiding the psychoactive effects associated with CB1 receptor activity.

Jillian Luczkowski

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2922 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: EVALUATING TOXICOLOGICAL OUTCOMES OF ANIONIC SURFACTANTS WITH VARYING CARBON CHAIN LENGTHS AND MOLECULAR WEIGHTS IN CAENORHABDITIS ELEGANS

Abstract: Exposures to anthropogenic surfactants in the environment can induce a variety of toxic responses from exposed organisms. Factors like molecular weight and molecular class have shown that these factors can influence toxicity mechanisms. It is thus critical to evaluate multiple toxicity outcomes in vivo to understand structure-relevant toxicity of surfactants. C. elegans is an established model organism offering advantages including conserved genetic homology with mammals (60%-80%), characterizable phenotypes, ease in culture, and has been used as a high-throughput screening model for toxicology research. Using C. elegans, we screened dextran sodium sulfate (DSS) at 7-20Kda, 40KDa molecular weights; perfluorooctanesulfonate (PFOS) and perfluorobutanesulfonate (PFBS) for their toxicity outcomes. We focused on developmental toxicity, intestinal integrity, neurotoxicity, and mortality phenotyping to assess toxicity outcomes in C. elegans through microscopy imaging experiments. We found at 5% concentrations, both DSS variants induced developmental delay and neurotoxicity. Additionally, mortality rates in both DSS groups were higher than negative controls. PFOS was found to induce neurotoxicity in worms at 1μM concentration, but no developmental delay was observed. Contrary to PFOS, PFBS didn't elicit observable toxicity at all tested concentrations. Colonic toxicity is not easily induced in C. elegans populations under all xenobiotic exposures and investigations must continue to improve evaluation of colitis in C. elegans. These results demonstrate molecular weight and chain length may affect different aspects of toxicity in organisms.

Kevin Conzemius

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2925 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ROLE OF ANGIOSTATIN IN ACETAMINOPHEN-INDUCED LIVER INJURY

Abstract: Acetaminophen (APAP) overdose is a leading cause of liver injury in the United States. In a majority of patients, activation of liver repair leads to a full recovery. In a small fraction of patients, however, liver repair processes fail leading to the development of acute liver failure (ALF). The mechanistic basis for deficient liver repair in these patients remains largely unknown, although, findings from our laboratory suggest that this may result from disruptions to fibrinolysis. To examine this further, we determined the impact of ALF on levels of plasminogen, a key component of fibrinolysis. In mice treated with 600 mg/kg APAP (AALF), a dose of APAP that produces ALF, blood plasminogen levels were reduced compared to vehicle-treated mice or mice treated with 300 mg/kg APAP (AALI), a dose that fails to produce ALF. Despite these findings, plasminogen protein levels in the livers of AALF mice were greater when compared to control mice and similar to that in AALI mice. Notably, levels of a proteolytic fragment of plasminogen, referred to as angiostatin, were lower in AALF mouse livers compared to AALI mice. To determine whether this reduction contributed to failed liver repair, ALF mice were treated with recombinant angiostatin. Treatment with angiostatin increased measures of inflammation and enhanced evidence of hepatic vascular injury indicating that angiostatin is detrimental to outcome in AALF.Collectively, these studies suggest that angiostatin is hepatoprotective during APAP-induced liver injury and that reduced levels do not contribute to failed liver repair in ALF.

Libby Kelly

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2911 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: ASSESSING A SAFE DOSAGE AND NRF2 ACTIVATION BY RTA408 IN OCULAR TISSUE

FOR EFFICACY STUDIES

Abstract: Nuclear factor erythroid 2-related factor 2 (NRF2) is a transcription factor which regulates cellular response to oxidative stress and toxic threats via gene expression resulting in detoxification and oxidative stress reduction. NRF2 is usually under tight regulatory control via the KEAP1-CUL3 complex and is activated by conformational changes to Kelchlike ECH-associated protein 1 (KEAP1) in the presence of reactive oxygen species (ROS). RTA408 (Omaveloxolone) is a NRF2 activator approved for treatment of Friedreich ataxia (FRDA). RTA408 binds to KEAP1, inhibiting its interaction with NRF2 allowing it to translocate from the cytosol to the nucleus for gene transcription. The purpose of this study is to determine the efficacy of RTA408 in activation of NRF2 and any subsequent toxicity in ocular tissue of mice. We are interested in determining the concentration of RTA408 at which no toxic effects are observed and NRF2 gene expression is optimized. This will allow for further testing to determine if RTA408 is a viable treatment for chloropicrin induced ocular toxicity. We hypothesize that topical administration of RTA408 will activate the NRF2 pathway in ocular tissue without toxic effects. Groups of male mice, 5 - 7 weeks of age, were exposed to three different concentrations of RTA408 (0.0001%, 0.01%, and 0.1%) via topical application to ocular tissue and images were taken at various time points after initial exposure. Images were evaluated for presence and severity of ulceration, neovascularization, and opacity. Mice were euthanized three days post exposure and ocular tissue was harvested for evaluation of gene expression of NRF2 target genes (IL-6, HO-1, and NQ01) via qPCR. Our results show that clinical scores for ulceration and opacity were not statistically significant indicating that there is no toxicity present. Evaluation of neovascularization showed significantly lower scores for 0.1% RTA408 compared to the control group at the three-hour time point and significantly higher scores for 0.01% RTA408 compared to the control group at the six-hour time point. Analysis of qPCR showed no significant increase in relative fold gene expression for IL-6 and HO-1 at any RTA408 concentration. Significant increase in
relative fold gene expression was observed in NQ01 at 0.01% and 0.1% RTA408 concentrations.

Lucie Hranacova

HYPERTENSIVE MICE

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2915 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: EFFECTS OF CLOPIDOGREL ON ENDOTHELIAL TIGHT JUNCTION PROTEINS IN

Abstract: One in four deaths result from thrombosis. Purinergic 2Y12 (P2Y12) antagonists manage arterial thrombosis by inhibiting platelets, preventing platelet aggregation, and reducing clotting risk. However, P2Y12 inhibitors increase adverse cerebral bleeding. Clopidogrel, a P2Y12 antagonist, has the lowest risk of cerebral bleeding, though some risk remains. Traditionally, its bleeding risk was attributed solely to platelet inhibition. However, our lab has shown that clopidogrel-induced bleeding is not entirely dependent on P2Y12 inhibition, as increased bleeding was observed in P2Y12 knockout mice treated with clopidogrel. Instead, endothelial dysfunction may explain this phenomenon. Endothelial cells regulate blood-brain barrier (BBB) permeability, and increased permeability heightens the risk of cerebral bleeding. Using hypertensive P2Y12 knockout mice, our lab demonstrated that clopidogrel increases BBB permeability independently of P2Y12. Hypertensive mice were studied due to the clinical significance of hypertension and its damaging effects on cerebral vasculature. An increase in BBB permeability may be due to disruption of tight junction proteins between endothelial cells. Tight junction proteins, including claudin-5, occludin, and zonula occludens-1 (ZO-1), help maintain BBB integrity. We hypothesize that clopidogrel increases BBB permeability through interference of these tight junction proteins. To test this hypothesis, P2Y12 knockout mice will be implanted with angiotension II pumps to induce hypertension. Mice will be treated with clopidogrel or vehicle for two weeks. After treatment, mice will be euthanized, brain tissue will be collected, homogenized, and analyzed for expression of tight junction proteins by western blotting using targeted antibodies. We predict that clopidogrel will decrease tight junction protein expression.

Maclain McAllister

Category: Pharmacology and Toxicology

Presentation Type: Poster

Presentation Number: 2912

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: ACETAMINOPHEN DOSAGE ON MYELOID CELLS AND LIVER RECOVERY IN MICE

Abstract: Acetaminophen (APAP), commonly used for pain relief, can cause acute liver failure (ALF) when taken in large amounts. This study looks at how different doses of APAP affect the immune cells in mice, focusing on three types of immune cells, CD45+, F4/80+, and Ly6C+ cells, which we measured in the livers of mice given either 300 mg/kg or 600 mg/kg of APAP. Our research used flow cytometry to see how many of each cell type were present after treatment. Lower doses of APAP allowed for better recovery and cleanup of dead cells in the liver. This was because the immune cells could change from Ly6C+ monocyte-derived macrophages (MDMs), which are more inflammatory, to F4/80+ tissue-resident macrophages, which help repair. However, the higher dose of APAP prevented these immune cells from transitioning properly, leaving more inflammation and dead cells in the liver. This suggests that too much APAP can stop the liver from fixing itself properly, which could explain why higher doses are more dangerous. Our study shows that understanding these immune cells can help us find better ways to treat liver damage from APAP overdose.

Mantaj Singh

Category: Pharmacology and Toxicology

Presentation Type: Poster

Presentation Number: 2904

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: THE EFFECTS OF BLEACH, DYE, AND CONDITIONER ON HUMAN HAIR

Abstract: Many people dye or bleach their hair knowing that they both damage it. But, they also use conditioner to rejuvenate their hair. But which, bleaching or dying, damages the hair more on a microscopic level? Does using conditioner improve the hair quality? Samples of hair will be bleached, dyed, and conditioned and the effects will be observed using a SEM. Bleach will likely damage the hair more than dye on a microscope level by opening up the cuticles. Conditioner will possibly restore the hair quality by closing the hair cuticles via cationic substances.

Megha Suresh

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2902 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: A STUDY OF SEX DIFFERENCE IN INFLAMMATION AND CLINICAL CHANGES CAUSED

BY CHEMICAL THREAT AGENT CHLOROPICRIN.

Abstract: Chloropicrin (CP), a toxic choking agent and agricultural fumigant, causes severe ocular effects, including lacrimation, irritation, corneal injury, conjunctival damage, and blindness. There are currently no effective treatments. Our previous studies have shown that ocular vapor exposure of 10% CP for 1 min caused eyelid swelling, ulceration, opacity, neovascularization (NV) and hyphemia in mice. However, sex differences in CP-induced ocular toxicity remain unclear. This study investigates sex differences in CP-induced corneal injury in mice. Male and Female Balb/C mice were randomly grouped. The left eye was exposed to CP vapor (10% CP for 1 min), while the right eye served as control. Clinical assessment and qPCR analysis of inflammatory markers (COX-2, CCL2, IL-1B) were performed at multiple timepoints post-exposure. Corneal ulceration was more severe at 1, 3, and 7 days, while NV and opacity worsened at 14, 21, and 28 days in both sexes compared to controls. Notably, eyelid edema at 1-day and corneal ulceration at 7-, and 14-days post-CP exposure was significantly more severe in male mice compared to female mice.In molecular studies, there was an increase in the relative gene expression of CCL2, IL-1B and COX-2 in earlier timepoints for male mice compared to female mice. Results from our clinical and molecular studiessuggests that there is a sex difference in corneal injury post CP exposure, with male mice showing a severe corneal injury at earlier timepoints.

Shambhvi Ojha

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2913 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title:MOLECULARMECHANISMSOFCHLOROPICRIN-INDUCEDFIBROSISANDINFLAMMATION IN CORNEAL TISSUE FROM MICE

Abstract: Chloropicrin (CP; CCl3NO2, trichloronitromethane), a chemical warfare agent, was first used in World War I due to its choking and lacrimation properties. It is now employed as a pesticide. The ocular effects of CP exposure include eye irritation, tearing, conjunctivitis, and blindness. Preliminary studies showed that ocular CP exposure in mice causes corneal injury, opacity, and disordered collagen, indicating fibrosis. Additionally, it causes eyelid swelling, ulceration, and hyphema, suggesting inflammation. The mechanisms involving CP-induced fibrosis and inflammation remain unclear. To further explore the mechanisms, male Balb/C mice (6-8 weeks old, n = 2-3/ group) were exposed to 10% CP in 10 µL DMSO (vapor) for 1 minute (~0.7652 ppb). The left eye was exposed to the vapor, while the right eye served as a control. Following euthanization, tissue collection occurred at 6 hours, 1 day, 7 days, and 28 days post-exposure. Relative expression levels of markers of fibrosis and inflammation were quantified using RT-qPCR.The results show a significant increase in the expression of fibrotic markers, including α-SMA, CTGF, CYR61, Col1a1, and Col1a2 in the CP-exposed corneal tissue at different time points compared to controls. Expression of inflammatory markers, such as IL-1β, CCL2, and CCR2, were upregulated at various time points post-exposure compared to the control. These findings suggest that CP ocular exposure leads to the activation of fibrotic markers and an inflammatory response, which could cause long-term toxicity and vision impairment. These findings will aid in the identification of therapeutic targets aimed at mitigating CPinduced long-term toxicity.

Tuna Korkmaz

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2926 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: INVESTIGATING DRUG SENSITIVITY IN HIGH-TPPP3-EXPRESSING CISPLATIN-

RESISTANT OVARIAN CANCER

Abstract: Ovarian cancer is among the most lethal gynecological malignancies. One of the factors leading to this poor prognosis is the development of chemoresistance. Nearly all patients receive a combination treatment of platinum-based chemotherapy (carboplatin or cisplatin) and paclitaxel. While this regimen is initially effective, ~80% of patients will ultimately relapse and develop resistance to the platinum-based therapies. Recent findings in our lab revealed that the protein tubulin polymerization promoting protein 3 (TPPP3) is upregulated in cisplatin resistant ovarian cancer and is directly involved in mechanisms of cisplatin-resistance, indicating its potential as a therapeutic target. To identify compounds that could preferentially target resistant, high-TPPP3 expressing ovarian cancer, a highthroughput compound screening on high-TPPP3 expressing cells and TPPP3 knockout cells was done. This initial screen identified PI3K and mTOR inhibitors as top hits, ~40 compounds in total. We identified Buparlisib, PI-103, Vistusertib, and Torkinib as the most promising candidates. We hypothesize that pharmacologic inhibition of the PI3K/mTOR pathway will preferentially kill cisplatin-resistant ovarian cancer over TPPP3 knockout cells. To test this hypothesis we performed soft agar, 3D-colony formation assay to validate whether these compounds can preferentially kill resistant, high-TPPP3 expressing cells. Additionally, we performed western blotting to identify what part of the PI3K/mTOR is being modulated in the high-TPPP3 expressing cells. This work aims to evaluate the efficacy of these compounds and identify promising candidates for overcoming TPPP3-mediated resistance in ovarian cancer.

Vrinda Khullar

Category: Pharmacology and Toxicology Presentation Type: Poster Presentation Number: 2914 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: TARGETING GPT2 TO OVERCOME CHEMORESISTANCE IN OVARIAN CANCER

Abstract: Ovarian cancer presents a profound challenge due to its high mortality rates. One of the pressing issues in treating ovarian cancer is chemoresistance, which diminishes the effectiveness of chemotherapy. Our laboratory identified GPT2 (Glutamic-Pyruvate Transaminase 2) as a potential contributor to this resistance. GPT2 is an enzyme that catalyzes the conversion of glutamate and pyruvate to α-ketoglutarate and alanine. This is a critical enzymatic reaction in the glutaminolysis pathway, which cancer cells utilize for growth. GPT2 has been shown to play a crucial role in breast cancer, colorectal cancer, pancreatic cancer, and other cancer settings. However, its role in ovarian cancer chemoresistance remains unclear. This study investigates whether GPT2 inhibition can restore chemosensitivity in platinum-resistant ovarian cancer cells. Using CRISPR/Cas9 gene editing, we generated GPT2-knockout ovarian cancer cell lines and confirmed successful knockout via qRT-PCR and Western blotting. Experimental analyses, including soft agar colony formation assays and cytotoxicity assays, revealed that GPT2-knockout cells exhibited a reduction in colony formation and increased sensitivity to cisplatin, supporting the hypothesis that GPT2 contributes to chemoresistance in ovarian cancer. These findings suggest that GPT2 inhibition may be a therapeutic strategy to enhance chemotherapy efficacy in ovarian cancer patients.

Physical Sciences

Adam Rhodes

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3014 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: ANALYZING MARTIAN REGOLITH FOR PHYSICAL HEALTH RISKS

Abstract: Regolith is a layer of loose, rocky material that blankets solid rock. Planetary scientists need to study Martian regolith to assess crew health risks. Analyzing Martian regolith can reveal toxic chemicals that may threaten crew health. An analog is a sample of Earth regolith that mimics Martian regolith's chemical and geophysical properties. Planetary scientists use regolith analogs to predict Martian regolith properties before assessment. Understanding Mars regolith helps evaluate risks to crew health, including cardiovascular issues and damage to eyes or lungs if regolith contacts them. Natural regolith samples must be analyzed for sharp edges that can affect human lungs and contain a large reaction area similar to lunar dust particles. This research aims to ensure the health and safety of crew members exposed to Martian regolith. Sand grains imaged with a Keyence color optical microscope are smaller and mostly sub-angular or sub-rounded, while grains imaged by SEM are larger and more angular. This project enhances understanding of Martian regolith's effects on the human body and helps prepare for manned missions. Both natural regolith and simulant contain coarse, angular grains, though the grain sizes vary. The simulant closely matches natural regolith, allowing accurate predictions for health risks. Simulant regolith can be assessed for potential health hazards due to its similarity to natural regolith.

Alexandria Hunter

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3027 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: COMPUTATIONALLY MODELING GAMMA RAYS FOR NUCLEAR ASTROPHYSICS

Abstract: Nuclear physics is an important and wide-ranging field, with applications in medical sciences, isotope harvesting, national security, and astrophysics. One of the most important processes to understand is gamma decay. In gamma decay, an excited nucleus decays to a more stable state by shooting off energy. However, there are so many of these processes that there is not yet an accessible way to visualize all of these decay systems. Under the mentorship of Dr. Mallory Smith, I have built an interactive program to display the gamma decay of any given isotope on the chart of nuclides, as long as the dataset is available on the table. I am also working with Dr. Smith on an experimental analysis of raw gamma ray data from an astrophysical experiment. The applications of this research include better visualization for researchers and better access to this information for science communicators and the public.

Austin Sjaarda

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3002

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: DESIGN OF A HIGHLY SELECTIVE AND HIGH-FLUX MASS SEPARATOR TO PROVIDE PURIFIED RADIOACTIVE ION BEAMS

Abstract: MR-ToF devices are powerful tools for high-precision mass spectrometry and highly selective mass separation. They can deliver isobaric and isomerically purified ion beams, beneficial for experiments in nuclear structure, nuclear astrophysics, and material science. The ions are confined between two electrostatic mirrors. While bouncing back and forth, the ions become separated in time-of-flight according to their mass-over-charge ratio. Current MR-ToF devices at radioactive ion beam facilities operate at around 2 keV beam energy. To significantly improve ion throughput, a new MR-ToF setup is currently designed at FRIB operating at 30 keV. In this poster, I will present the simulated performance characteristics of our next-generation MR-ToF device and discuss the current design status.

Bera Ayyildiz

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3023 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: QUANTUM DYNAMICS OF MOLECULES IN OPTICAL CAVITIES

Abstract: Polaritons are quasi-particles formed by the resonance between a photonic mode of an optical cavity and an electronic excitation in a molecule. Recently, polaritonic chemistry has gained popularity for its utility in modifying molecular systems and their reactivity. However, the mechanisms underlying these chemical modifications remain elusive, thus theoretical work is necessary to provide explanations. In particular, theoretical explanations are needed across a broad range of chemical species in order to provide more effective predictions. Molecular polaritons can be modeled by combining a quantum theoretical description of molecular electronic excitations with a theoretical description of photonic modes. In this project, molecular excited states were obtained using the numerically exact Full-Configuration Interaction (FCI) method, and photonic modes were modeled as quantum harmonic oscillators. The strong-coupling interaction between them was treated using the Pauli-Fierz model Hamiltonian. FCI calculations were performed using the Forte electronic structure package, and polaritonic calculations were executed using Python. For a representative set of small molecules, changes in the excitation energies and electronic transition dipole moments were investigated by varying the cavity coupling strength and the size of the electronic basis. These results provide recommendations for the most accurate and efficient ways of modeling chemically-relevant polaritonic systems.

Bhavya Jain

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3043 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: EXPERIMENTAL NUCLEAR ASTROPHYSICS - BAYESIAN ANALYSIS OF NUCLEAR

RESONANCES IN 60ZN

Abstract: The study of nuclear resonances in 60^{60}60Zn is essential for understanding reaction rates relevant to explosive astrophysical environments, such as x-ray bursts. These thermonuclear explosions on the surfaces of accreting neutron stars drive nucleosynthesis through rapid proton capture reactions, influencing the composition of the burst ashes and the subsequent evolution of the neutron star's crust. However, key reaction rates, such as those of 59^{59}59Cu(p,γ)60^{60}60Zn and 59^{59}59Cu(p,α)56^{56}56Ni, remain poorly constrained, limiting our ability to model these processes accurately. This work utilizes experimental data from the GADGET-II (time projection chamber) at the Facility for Rare Isotope Beams (FRIB) to analyze reaction products and extract resonance properties. By applying Markov Chain Monte Carlo (MCMC) methods within a Bayesian framework, we aim to classify proton and alpha events based on their range vs. energy distributions, where significant overlap complicates traditional classification techniques. The Bayes factor is used to quantify the likelihood of an event belonging to either category, refining event identification while mitigating experimental uncertainties. This approach enables precise extraction of particle types and their corresponding energies, which serve as critical inputs for resonance studies and reaction rate calculations. Ongoing efforts focus on optimizing the MCMC model for improved event classification and refining Bayesian inference techniques to enhance decision confidence. The results of this study will contribute to upcoming experimental runs, helping to constrain resonance properties and improve nuclear reaction models used in astrophysical simulations. Ultimately, this research supports efforts to provide more accurate reaction rate predictions for stellar environments.

Chloe Ricker

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3036 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: EXPERIMENTAL NUCLEAR STATE LIFETIMES FOR CLASSICAL NOVA MODELS

Abstract: Classical novae are thermonuclear explosions on accreting white dwarf stars in binary systems. Through their nucleosynthesis, classical novae are predicted to diversify the interstellar medium with intermediate-mass nuclei [1]. These events are simpler to model and are more common than bigger contributors such as supernovae, providing ample amounts of data that can serve as a foundation for modeling more complex systems. Two key reactions within novae are proton captures on radioactive 22Na and 30P. The decay of 22Na releases a characteristic 1275 keV gamma ray, which space-based gamma ray telescopes have yet to detect, leaving its production uncertain [2]. Equally important are the unconstrained silicon isotopic ratios influenced by the 30P proton-capture reaction. This reaction serves as a critical checkpoint, regulating the flow of material to heavier masses and significantly impacting the isotopic composition of presolar grains, microscopic dust grains formed in stellar environments providing insights into nucleosynthesis. These experiments employ a common nuclear physics setup, Doppler Shift Lifetimes 2 (DSL2), located at the user-facility TRIUMF-ISAC2 in Canada, to measure the lifetimes of key excited states in both 23Mg and 31S, thereby reducing uncertainties in the reaction rates involving 22Na and 30P. Improved reaction rates will enable more accurate simulations of nova nucleosynthesis, strengthening the predictive power of astrophysical models and providing a benchmark for space-based gamma ray telescopes seeking to detect 22Na decay and identify the isotopic composition of presolar grains in primitive meteorites.

Claire Ardelean

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3006

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ATTPC BEAM TUBE CONSTRUCTION

Abstract: The Active Target Time Project Chamber (ATTPC) at the Facility for Rare Isotope Beams (FRIB) needed a new type of beam tube. The tube would need to be conductive and airtight. My project has been to design, construct, test and install this device for current and future experiments using the ATTPC.

Curtis Chou

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3035

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: EXTRAPOLATION OF 16O(P,γ)17F RADIATIVE CAPTURE TO LOW ENERGY FROM EXPERIMENTAL DATA

Abstract: This project aims to evaluate the reaction rate of 16O(p,γ)17F capture reaction, which is a significant reaction in stellar nuclear fusion, by extrapolating to zero energy from sisting data measured on Earth. I aim to use physics theory and statistical methods to extrapolate details about this reaction at zero energy, which simulates how the reaction happens in stellar environments like our sun.

Dominic Bednar

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3054 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ASSESSMENT OF A CAPACITOR CIRCUIT PROBLEM DESIGN AND DEMONSTRATION

Abstract: Electricity and Magnetism Projects & amp; Practices in Physics (EMP-Cubed) is a flipped, active course that teaches principles of electricity, circuits, and magnetism in introductory physics. Rooted in Project Based Learning (PBL) and Communities of Practice (CoP), EMP-Cubed is focused on developing scientific skills like creating scientific models, evaluating those models, and teamwork. Using an iterative Backwards Design approach, this project created a new in-class problem for EMP-Cubed focused on the impact of charging and discharging capacitors in a complex circuit. We began by identifying the learning goals for the problem, then created a large, complex problem that requires a team to solve with the freedom for creative decision making and model/solution evaluations (following PBL & amp; CoP principles). A demonstration was created in tandem with the problem, further meeting universal design for learning guidelines. The problem was tested with the EMP-Cubed undergraduate learning assistants, feedback collected, and changes made to the problem based on this initial testing, with the problem finally running in class with over 350 students. In this presentation, we show how multiple educational frameworks were woven into the design of this problem and highlight the iterative design process used to reach the final version.

Elisha Alemao

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3004 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: VISUALIZING THE EFFECTS OF ICECUBE OSCILLATIONS SYSTEMATICS

Abstract: This research presents a comprehensive analysis of systematic uncertainties in neutrino oscillation studies using the IceCube observatory's data. The investigation employs 28 systematic parameters to model oscillation analyses, focusing on the visualization of histograms based on reconstructed energy, cosine of the zenith angle, and particle identification (PID) relating to neutrino flavor and interaction types. Utilizing a combination of Python, JavaScript, and PISA, the Monte Carlo-based analysis tool, the study generates comparative plots of event distributions under varied parameter assumptions. Specifically, four out of five plots highlight discrepancies between pulled and nominal histograms to elucidate systematic variations. Additionally, a Flask-based web application was developed to facilitate parameter adjustments, enabling users to run simulations and visualize outcomes dynamically. Enhanced functionality allows users to specify parameter ranges, leading to the creation of animated visualizations that compile plots into videos for improved analytical clarity. This integration of computational modeling and interactive visualization significantly contributes to understanding systematic effects in neutrino oscillation, while also enhancing the accessibility of the analysis process.

Emerson Cywinski

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3033 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: TAMING BISMUTH CONTAINING HETEROCYCLES IN RARE EARTH METAL CHEMISTRY

Abstract: Single-molecule magnets (SMMs) are molecules that behave like small permanent magnets, where their magnetization is retained in the absence of a magnetic field. The storage of information on SMMs will revolutionize data storage capabilities. A key ingredient of SMMs are the lanthanide metal ions, which possess a large number of unpaired electrons. To gain insight into the reactivity and electronic structure of the lanthanide systems, the rare earth metal yttrium is also employed. An emerging topic is the development of organometallic bismuth complexes. The complexation of bismuth with the rare earth metals is underexplored but may lead to huge technological advances owing to the unparalleled physical properties of each element. Here, the synthesis of bismuth heterocycles, followed by coordination to yttrium yielding a new class of compounds, will be presented. For the first time, the large bismuth heterocyclic anion [BiC4Ph4]-, named bismolyl, was synthesized and isolated as a potassium salt, [K(crypt-222)][BiC4Ph4], and then reacted with an yttrium precursor to yield the first rare earth complex containing a tetraphenyl-substituted bismolyl ligand, Cptet2Y(BiC4Ph4). The synthesis of these compounds alongside their analysis through single-crystal X-ray diffraction will be presented.

Grace Jenkins

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3017 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: SOIL REGOLITH ON RISK TO LUNAR CROP GROWTH

Abstract: Regolith is the surface of soil over solid rock and contains different kinds of rock, dust, and other minerals. Planetary scientists need regolith analogs (simulants) to be able to create research and investigate regolith since it is difficult to collect real regolith from these planets. These scientists need to know about regolith on the moon because studying regolith can give insight on past water existence, which can give insight on whether crop growing can be possible on the planet. A natural regolith sample from earth must be analyzed to give insight into the original planet's atmosphere and confirm if the elements in the earth regolith match the Moon's regolith. To plan, and practice for, performing experiments on a natural sample that we do not have enough of, we must practice the investigation on a material that has attributes - specifically, measurable properties - that resemble those of the natural sample. To answer this scientific question, a natural regolith sample must be analyzed for similar properties close to those in the real regolith (i.e. if the regolith contains high amounts of iron, so should the sample). There could be minor differences between samples based on different atmospheric conditions, but overall if researchers make close simulants, they will be able to discover whether life can sustain on the moon.

Grace Showerman

UV PHOTOMETRY

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3048 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ULTRAVIOLET INSIGHTS: CLASSIFYING TYPE IA SUPERNOVA SUBTYPES WITH SWIFT

Abstract: In recent years, the discovery of distinct Type Ia supernova (SNe Ia) subtypes has led to the identification of an increasing number of peculiar transients. While each SN Ia subtype provides valuable insights for understanding SN progenitors, not all subtypes are useful for cosmology. Some subtypes do not follow the canonical luminosity-width relationship for SNe Ia and contaminate cosmological samples, reducing their precision and accuracy. Improving our ability to identify these subtypes is essential to maintaining the utility of SNe Ia as probes of cosmological distance. To this end, we present a new method for classifying SN Ia subtypes using rest-frame UV photometry. Our method successfully removes all non-standardizable subtypes from a sample of 130 nearby SNe Ia observed by the Swift Ultraviolet/Optical telescope. We project that this diagnostic approach will yield ~90% pure samples of standardizable SNe Ia observed by the Vera C. Rubin Observatory Legacy Survey of Space and Time (LSST) at redshift z > 0.5 and will prove a valuable tool in ensuring the purity of modern cosmological samples of SNe Ia.

Hang Su

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3021

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: DETERMINATION OF POSSIBLE ISOTOPES FROM SEGA SPECTRUM VIA USING NNDC DATABASE

Abstract: This experience involved analyzing isotopes produced in the 50Cr + 12C and 50Cr + 27Al nuclear reaction. Using the Nuclear Levels and Gammas Search from the National Nuclear Data Center, I identified and studied the isotopes generated. I applied the PACE4 software to calculate the cross-section of the product isotope at an energy of 10.6 MeV/u and various beam energies, observing how the cross-section varied. To analyze the experimental data, I utilized the ROOT Object Browser, accessing the FRIB Fishtank to obtain the result spectrum. I used ROOT to identify peak energies from the experiment, which was crucial for understanding the reaction outcomes. Additionally, I compared the experimental data with information from nuclear databases to validate the findings. To present the results clearly, I created an Excel chart displaying the peak energies observed in the experiment. This experience enhanced my skills in nuclear data analysis, software tools like PACE4 and ROOT, and data visualization techniques. It also provided valuable insights into the practical aspects of nuclear physics experiments and the importance of accurate data comparison and presentation.

Himanshu Pramod Kuchekar

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3031

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: MARTIAN REGOLITH AND ITS HEALTH RISKS TO ASTRONAUTS

Abstract: Regolith is a loose layer of dust, soil, and broken rock covering solid surfaces. This project improves understanding of Martian regolith simulants, essential for mission planning. MGS-1 aids in testing equipment, assessing astronaut health risks, and refining experimental methods for future Mars exploration and research applications. The natural regolith exhibits basaltic composition with feldspar, pyroxenes, and olivine. MGS-1 simulant closely replicates Martian regolith's mineralogy and texture. Minor discrepancies include sulfur content and volatile compounds, affecting experimental outcomes. MGS-1 effectively mimics Martian regolith, aiding mission preparation and hazard assessments. Differences in sulfur and perchlorates impact accuracy. Refinement based on new Mars data will enhance simulant realism for future studies.

Hung Nguyen

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3011

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: OXIDATION STATE GRADIENT IN THE PROTOPLANETARY DISK: PIECEWISE OR SMOOTH?

Abstract: Solar system materials exhibit diverse redox states due to inherited accreted building blocks and planetary differentiation processes like core formation and Fe disproportionation. Meteoritic records suggest heterogeneous formation, with Earth likely assembling from materials of varying oxidation states. A broad redox range in Earth's progenitor materials is necessary to match the observed mantle compositions of Earth and Mars. Using the planetary accretion and differentiation model NB-Differentiate, we find that Earth and Mars' bulk mantle chemistry can only be reproduced if accreted material spans a wide range of redox states and increases in oxidation state over time. A key factor in these models is the initial redox distribution of terrestrial building blocks in the protoplanetary disk, which dictates accretion order. Prior studies have used constant, stepwise, and broken linear oxidation gradients to assign Fe and Si metal fractions in initial solids as a function of heliocentric distance. However, a broader parameter search revealed that two-step gradients exhibit degeneracy, converging to a single step function. Instead, we introduce an error function to model decreasing Fe and Si metal fractions across the protoplanetary disk. This approach is motivated by water's role as the primary oxidant in the solar system, suggesting that a building block's oxidation state is controlled by its water content. Our updated method provides a generalized framework for redox evolution applicable across different planetary formation scenarios.

Isaac Fournier

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3042

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: SEARCHING FOR HOT JUPITERS AROUND FAINT K-DWARFS

Abstract: Hot Jupiters are Jupiter-like exoplanets that orbit their host stars with a period of less than 10 days. The occurrence rate of hot Jupiters around Sun-like G dwarfs is well understood to be close to 1% and drops close to 0 around M dwarfs. While there is some evidence that the occurrence rate increases around K dwarfs, too few hot Jupiters around K dwarfs have been discovered to make a compelling claim. Our goal in this project is to better understand the occurrence rate and the drop off. I built a pipeline that constructs light curves from Transiting Exoplanet Survey Satellite (TESS) pixel files that are then run through a vetter in the hopes of finding candidate hot Jupiters orbiting K dwarfs which we will follow up on through the MSU Observatory Research Program. So far, the project has yielded several planet candidates, one of which has been ruled out as an eclipsing binary system.

Jadyn Waggoner

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3025

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: A COMPREHENSIVE CATALOG OF CLASSICAL VARIABLE STARS IN TESS

Abstract: Classical Variable stars (RR Lyraes, classical Cepheids, γ Doradus, δ Scutis, eclipsing binaries) provide a wealth of information about stellar evolution, with some being used as standard candles for distance measurements. To better understand their fundamental properties and evolutionary pathways, we aim to create a catalog of all classical variables that were observed during NASA's Transiting Exoplanet Survey Satellite (TESS) mission. Using custom made lightcurves through difference image analysis, we visually cleaned and sorted the TESS lightcurves into the various sub-classifications using different machine learning algorithms, testing the completeness of each method. From this effort on observations from TESS's 2-year primary mission, we will classify all 26 sectors containing ~ X billion stars. I will present the current status of this large-scale classification effort, and discuss our plans to extend it to the TESS extended missions.

Jaedyn Simonetti

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3003

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: EXPLORING THE RELATIONSHIP BETWEEN STRUCTURE AND PERFORMANCE IN SIX COMMON MATERIALS

Abstract: undefined

Jaydin Garrett

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3015

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: ASTROPHYSICAL APPLICATIONS: COMPARING MODELS WHEN MEASURING EXPERIMENTAL DATA PROVES NEAR-IMPOSSIBLE

Abstract: In the world of astrophysics, radioactive isotopes run wild. Radioactive - also referred to as unstable - isotopes are much more numerous than their stable counterparts. Often, they decay much faster than detectors are able to record them, making these isotopes notoriously hard, sometimes impossible, to run experiments on and with. In response, researchers have developed theoretical models that calculate nuclear reactions using mathematical formulas. This project aims to draw on available experimental data and compare them to theoretical calculations using the widely used nuclear reaction code TALYS. Within this project, a program was developed to create visual and numerical representations of the accuracy of the models. The program inputs a variety of variables into TALYS, takes the output TALYS returns and turns it into line graphs comparing the various theoretical models. If given, the program can also compare the models to experimental data. The goal of this project was to develop a code to efficiently perform theoretical calculations, compare data, and select the best set of theoretical variables. The resulting models can be recommended in the future for use in astrophysical calculations.

Joseph Owczarek

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3032 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: SHARED MAGMA SOURCES IN THE EAST AFRICAN RIFT SYSTEM: GEOCHEMICAL AND THERMODYNAMIC INSIGHTS FROM NORTH ISLAND, LAKE TURKANA

Abstract: This research investigates magma chambers that fueled volcanic activity on North and South Islands, two volcanic isles situated in northern Kenya. These islands were formed by volcanic activity during the Axial Phase of the East African Rift System (EARS), which took place over the past 0.5 million years. The magma chambers are important because North and South Islands lie at the center of extension in the Turkana Depression. The depression is an area of broad extension that connects the Main Ethiopian Rift to the North Kenyan Rift. Unlike narrow rift zones, areas of broad rifting like the Turkana Depression are less well understood, making it a key site for studying unique rifting processes. Using X-ray Fluorescence (XRF) major element geochemistry data collected at Michigan State University, this study found magma fueling the chambers of both islands may have originated from the same source. To support this finding, the thermodynamic modeling tool Magma Chamber Simulator (MCS) was employed to replicate conditions within these magma chambers. MCS simulations of magma crystallization from South Island revealed results closely matching the geochemical characteristics of North Island, providing further evidence for a shared magma source. This study highlights interconnected processes that shape volcanic and tectonic systems in rift zones by combining geochemical analysis with thermodynamic modeling. A shared magma chamber is consistent with localized mantle upwelling and crustal extension characteristic of EARS. This study provides new insights into the magmatic evolution of North Island and its relationship to the broader volcanic system of Lake Turkana.

Juan Lozano Gonzalez

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3056 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: NEURAL NETWORK ASSISTED BEAM OPTIMIZATION

Abstract: The SEparator for CApture Reactions (SECAR) is a device that is being run at the Facility for Rare Isotope Beams (FRIB), designed to directly measure capture reactions in unstable nuclei. These reactions are pivotal in stellar explosions and the creation of many elements essential to our universe. To be able to study these reactions, SECAR relies on a precisely focused beam of radioactive particles. However, the success of these measurements hinges on being able to accurately focus this beam, and to do so, the initial properties of the beam must be known. The beam's properties must be defined across five key dimensions: its spatial distribution in the x and y planes (x, y), the angles of particle trajectories relative to the normal vector in that dimension (aX, aY), and the energy spread of isotopes from the mean (dE). Without this information, improper beam focusing negatively affects the SECAR performance and effectiveness. To address this, we developed a neural network (NN) model that reconstructs the beam's initial state using images from beam viewers placed downstream of quadrupole magnets. These magnets help us to focus the beam, much like one would focus light with lenses. The model iteratively simulates the beam's passage through the quadrupoles, adjusting the predicted beam until the simulated images match the experimental ones recreating the initial beam. Currently, the method has successfully reconstructed numerous artificial beams-distributions with known aX, aY, and dE values-demonstrating its potential to accurately characterize real beams and to help focus the beam.

Kieran Russell

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3008

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: ANALYSIS OF ALTERNATIVE DARK MATTER DENSITIES IN DWARF GALAXIES USING THE ICECUBE NEUTRINO OBSERVATORY

Abstract: Dwarf Spheroidal galaxies (dSphs) are suspected dark matter (DM) dense astrophysical objects within our galactic neighborhood. DSphs are otherwise faint highenergy neutrino sources which makes them ideal dark matter targets. An early IceCube Neutrino Observatory dark matter search toward dSphs was performed with an incomplete detector with 59 strings and 339.8 days of lifetime. This updated analysis is performed on IceCube's full 86 strings with 10.4 years of data from the Northern Hemisphere. One component of the neutrino flux calculation is known as the J-factor, an "astrophysical factor" that represents the density distribution of dark matter over a given dwarf line of sight. Variations in J-factor measurement types will yield significantly different values, therefore it is important to compare the limits and fits of this analysis between multiple DM dwarf catalogs. In this study, we use catalogs that vary in parameter amount and J-factor. We also study a dark matter mass range not well explored ranging from hundreds of GeV to 100 PeV in dark matter mass. We present the current IceCube sensitivity and preliminary limits on the velocity-weighted cross section of annihilating dark matter. We report that our data is consistent with the neutrino background.

Leslie Lainio

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3047 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: POSSIBLE RISKS TO HUMAN HEALTH ON MARS

Abstract: Mars regolith is a top layer of unconsolidated rock fragments that rests on top of solid Martian rock. Understanding the makeup of regolith can help researchers determine any health hazards that may pose a risk for future astronauts. If Mars regolith is in fact dangerous to humans, it'll be important for astronauts to properly prepare before reaching the surface. An analog simulant is, in this case, regolith that closely resembles the regolith found on Mars. Planetary scientists need analogs in order to simulate conditions on Mars. It's important for astronaut's equipment to be prepared for the Martian environment, but since we don't have any real Mars regolith, simulants are the next best thing. More knowledge of Mars regolith is needed to improve scientific understanding of possible pulmonary, cardiovascular, and dermal risks that could pose a real hazard to crew members. A regolith sample must be analyzed for shape (sharp, angular grains are abrasive towards skin), size, and chemical composition to determine risks towards human health. My goal was to analyze regolith simulant grains to determine whether real Mars regolith is harmful to humans. MGS-1S, the sample I analyzed, is a close approximation of Martian soil in terms of mineral composition, which is important for understanding possible health hazards that could be caused by soil toxicity and dust exposure. For health risk applications, these simulants can be adapted to simulate specific Martian conditions, which provides valuable data on how materials interact with the human body and human technology.

Lucy Fry

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3038

Room Assignment: Arena

Time Slot: 1:00 - 2:30 PM

Title: GAMMA RAY EMMISSION OF HIGH ENERGY ISOTOPES

Abstract: This presentation studies the gamma ray emission during the beta decay of a fictitious nucleus around mass 70, modeled by Cu70. This research helps us to understand the structure of the atomic nucleus, as well as advancing the application of isotopes for solutions to societal problems. The isotope is put through a decay simulation using geant4 to measure the total emitted photon energy.

Madeline Benson

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3022

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: LANTHANIDE INVESTIGATIONS USING TRIS PYRAZOLE BORATE

Abstract: Synthesized tris pyrazole borate, and used this complex to investigate the structure of lanthanides such as divalent americium by the use of thulium, which is a reduction potential match for americium, samarium and europium.

Marie Shibata

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3013

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: AN ANALYSIS OF METAL POLISHING

Abstract: In this project, I will be assessing the varying levels of smoothness of both hard and soft metals after polishing. In particular, I will compare the level of polish needed for practical mechanical purposes and the level of polish ideal for imaging the structure of a metal with the electron microscope. To do this, I will begin by preparing my samples of steel, copper, and aluminum, and polish each sample piece to a different degree. I will then use the microscope to take surface images using the secondary electron detector. I expect to see a very significant difference between the polished metals used for practical purposes and the metals polished for use in the microscope. I also expect to see more variability in the surface of the copper samples because the metal is softer.
Mason Moenter

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3007

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: INVESTIGATING NEURODIVERGENT APPROACHES TO PHYSICS: A PILOT STUDY OF NEURODIVERGENT UNDERGRADUATE PHYSICS PERFORMANCE

Abstract: According to the National Science Foundation, as many as 20% of STEM undergraduate students may identify as neurodivergent. Research shows that neurodivergent students report performing physics tasks non-normatively, that is, in ways which are not supported by traditional pedagogy and assessment. Furthermore, neurodivergent students report negative feelings of recognition and belonging stemming from being unsupported by normative pedagogy. To date, no study exists which examines neurodivergent physics performance from neurodivergent students' standpoints. We present a pilot study as a part of a larger investigation into the ways neurodivergent physics undergraduates perform physics tasks through think-aloud interviews. We present results of the physics performance of two undergraduate physics majors, one neurodivergent and one neurotypical. By investigating neurodivergent physics undergraduate's performance, we can lay the groundwork for creating innovative, inclusive, and equitable physics curricula for future use.

Michelle Hale

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3037 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: IMPACT OF REGOLITH ON CREW HEALTH RISKS ON MARS

Abstract: Regolith is a layer of loose, fractured rock or dust that covers the surface of planets, asteroids, and moons. Knowledge of regolith on Mars is necessary for planetary scientists because it shows information about the surface's composition and chemical composition. Studying regolith is crucial for identifying the resources that may be present or were previously present on Mars. A natural regolith sample must be analyzed in terms of its shape, light interaction, breakage patterns, and chemical properties, which include characteristics like luster, angularity, roundness, and color. An analog simulant is an artificial replica of a natural regolith, which mimics its chemical and physical properties. Planetary scientists use regolith analogs to test and improve equipment for future missions, evaluate the materials' responses to various physical and chemical conditions, and determine the most effective methods for resource extraction during these missions. Understanding regolith on Mars is essential for deepening scientific knowledge of the chemical and physical properties of the Martian surface. Currently, much of the knowledge of regolith is from Lunar samples instead of Martian ones. The objective of this study is to evaluate the impact of Mars regolith particles on crew health risks. The methods and materials used for both the regolith simulant and natural regolith include Keyence color optical imaging, SEM imaging, EDS data, as well as the physical properties of the grain samples.

Ming Huang

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3028

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: MECHANISMS OF REDUCED GLOBAL LONGITUDINAL STRAIN IN HEART FAILURE WITH PRESERVED EJECTION FRACTION: A COMPUTATIONAL ANALYSIS USING A NOVEL SWINE MODEL

Abstract: Heart failure with preserved ejection fraction (HFpEF) is defined by normal ejection fraction but reduced global longitudinal strain (GLS), suggesting subtle myocardial dysfunction not evident through standard clinical metrics. This study introduces a novel swine model with immobilized ascending aorta (IAA) designed to investigate ventriculararterial mechanical uncoupling in HFpEF. An integrated computational framework combining finite element (FE) analysis and closed-loop circulatory modeling was developed using realistic left ventricular geometries obtained from 3D echocardiography. Myocardial deformation was modeled by employing Fung-type passive hyperelasticity and active stress formulations, with boundary conditions representing epicardial stiffness and viscosity. Preliminary computational simulations effectively replicated experimentally derived LV pressure-volume loops and demonstrated reduced GLS consistent with mechanical uncoupling, particularly in the septal region. While preliminary findings closely align with experimental observations, comprehensive validation and further simulations are ongoing to fully elucidate the underlying biomechanical mechanisms. This combined experimental and computational approach promises valuable insights into the pathophysiology of HFpEF and may inform targeted diagnostic and therapeutic interventions.

Naga Dutta Raghavendra Ithihas Akondi

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3034 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: SEARCHING FOR ASTROPHYSICAL NEUTRINO SOURCES IN THE CLASSICAL DWARF SPHEROIDAL GALAXY DRACO

Abstract: Dwarf spheroidal galaxies are ideal objects for our analysis of dark matter due to their relatively low number of astronomical objects and minimal gas content, which reduces the neutrino background noise in our data. Through our Dark Matter search, we have discovered that the classical dwarf Draco exhibits a neutrino excess compared to background. To determine the cause of this excess in neutrino flux, we have conducted an astrophysical source survey. We consider astrophysical sources beyond dark matter annihilation like Active Galactic Nucleus (AGN), Pulsar (Psr), Supernova (SN), and Supernova remnant(SNR) that might explain this unexpected neutrino flux from a relatively empty galaxy. Through our research on the classical dwarf Draco, we have identified approximately 18 active galactic nuclei (AGNs) located directly behind the Draco within a 1 degree radius. These AGNs correlate well with our neutrino chart from IceCube, suggesting a possible explanation for our observation.

Nina Vozenilek

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3012 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: THE DIFFERENCE IN C

Title: THE DIFFERENCE IN COMPOSITION OF WATERPROOF VS NON-WATERPROOF MASCARA AND HOW MASCARA HAS CHANGED THROUGH THE AGES

Abstract: Makeup has been utilized for centuries, more specifically mascara has been used since 4,000 BCE. How have mascara's ingredients changed throughout history and why have different types been made such as waterproof and non-waterproof mascara. What ingredients are utilized in waterproof and non-waterproof mascaras and why were these ingredients chosen. In order to answer these questions waterproof and non waterproof mascara of the same brand were analyzed. The analysis included using the Scanning Electron Microscope(SEM) to look at magnified pictures of the different mascara surfaces and also utilizing Energy Dispersion Spectroscopy(EDS) to see the composition of these mascaras. The structures differed as well as there being additional ingredients within the waterproof mascara. The results of this experiment are compared with past research and the composition of the different mascaras are analyzed to understand why specific ingredients have been chosen and how they have been adjusted from the past.

Nityaansh Parekh

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3052

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: FINDING THE HIGGS BOSON AT HIGH PT IN THE DIPHOTON DECAY CHANNEL

Abstract: The signal to background ratio for the Higgs diphoton channel naturally increases as the Higgs pT rises. There can be further improvements to the S/B ratio by exploring the event characteristics to distinguish the signal from the background. This project aims to build on previous work that was presented at UURAF in 2024 by making use of Monte Carlo data, making use of ROOT to look at different event characteristics, generating events using Madgraph/Delphes and commenting on analyses within the HGamCore framework.

Ojas Fernandes

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3026 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: MODELING NUCLEAR REA

Title: MODELING NUCLEAR REACTIONS TO UNDERSTAND ELEMENT FORMATION IN ASTROPHYSICAL ENVIRONMENTS

Abstract: The origin of elements in the universe is deeply tied to nuclear reactions occurring in extreme astrophysical environments, such as stellar cores and neutron star mergers. To understand how these reactions produce new elements, we employ computational modeling to construct nucleon-nucleus effective interactions using the nuclear shell model. This approach provides detailed insight into the intrinsic properties of nuclei, allowing for improved predictive power when studying isotopes that are difficult to measure. Our research at the Facility for Rare Isotope Beams (FRIB) involves large-scale calculations using high-performance computing to determine nuclear cross sections - probabilities of specific nuclear reactions occurring. These calculations yield information on the energy states of nuclei and the likelihood of certain nuclear reactions under given astrophysical conditions. By integrating theoretical predictions with experimental data, we refine our understanding of the nuclear processes that drive nucleosynthesis. This work aims to enhance models of element production in stellar environments, contributing to a more comprehensive picture of cosmic chemical evolution.

Paige Sakorafos

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3045 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: OBTAINING PRIMARY MELT COMPOSITION FROM OLIVINE-HOSTED MELT INCLUSIONS IN ETENDEKA PICRITES.

Abstract: Continental flood basalts are known to have a correlation with continental rifting. This is true for the Etendeka province, which was a precursor to the separation of Africa and South America. A challenge in these systems is establishing the composition of lava that formed within the mantle, as extensive crystal fractionation significantly modifies the compositions of erupted lavas. A solution to this problem is examining melt inclusions (tiny blebs of melt) trapped within crystals that formed early in the crystallization process. Twenty samples were collected from the Entendeka region with the intention of using olivine-hosted melt inclusions within the samples to find primary melt composition. This is a multi-year project, and the first steps focus on sample processing. Initial work focused on cutting and crushing the samples, followed by hand-picking the olivine grains from the crushed rocks to sort them for melt inclusions. Analysis of the melt inclusions requires first mounting them in epoxy, but a procedure for this mounting does not currently exist within our lab. I am currently developing a method for crystal mounting, which will have broader application within the lab. We decided on using a castable resin mounting method to reduce the effects of high heat on the grains. We will present the first results of this mounting process and assess the success of the method for future analysis of melt inclusions.

Parameswar Nair

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3016 Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: EXPERIMENTAL NUCLEAR STRUCTURE DATA

Abstract: Experimental nuclear structure and decay data are essential for understanding nuclear reactions and radioactive decays. This research focuses on compiling and evaluating nuclear physics data from journal publications to create standardized datasets for the Experimental Unevaluated Nuclear Data List (XUNDL) data base in the format of Evaluated Nuclear Structure Data File (ENSDF) under the US Nuclear Data Program. Data extracted from published sources are formatted into the ENSDF structure using tools like Tabula and processed with ENSDF utility codes developed at MSU and hosted on the website of the International Atomic Energy Agency (IAEA).The compiled datasets are submitted to the National Nuclear Data Center (NNDC) of USNDP for review and dissemination and will be made accessible to researchers around the world. This research enhances nuclear data accessibility, supporting applications in energy, medicine, and security.

Pranav Agarwal

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3041 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ABUNDANCE SIGNATURE OF RAPID NEUTRON CAPTURE PROCESS (R-PROCESS)

Abstract: The origin and abundances of about half of elements heavier than iron has been attributed to the r-process. Analyses of significant features of the abundance signature formed by the r-process, visible for example in the distribution of elements and isotopes in in the solar system, are important to identify potential astrophysical sites of origin and for insights into the nuclear physics behind the properties of the nuclides involved. One such feature in the solar abundances chart is the peak at mass number 104. To be able to understand the conditions and reasons behind this peak, it is essential to recreate it using computational simulation models. SkyNet, a reaction network that simulates the r-process, was used throughout the analysis. A limitation of such an approach is the need for accurate nuclear masses, which are often not experimentally known and are approximated using several theoretical mass models. Here, I present my analysis of one such model, the Duflo-Zuker model, and how our ability to computationally simulate the said abundance peak and other relevant features is affected. An understanding of the abundance signature, hence, also provides guidance for future experiments at FRIB to measure exotic nuclei binding energies and unknown reaction rates. In this presentation, I aim to highlight current findings and future plans for this ongoing research project.

Purvi Garg

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3046

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: THE LONG-TERM DYNAMICS OF PRIMORDIAL BINARY PLANETESIMAL SYSTEMS

Abstract: This research is an assessment of the dynamical evolution of young binary planetesimal systems immediately following their formation. Binary planetesimal systems are direct products of the gravitational collapse of pebble clouds in protoplanetary disks. However, the long-term stabilities of these binaries are underinvestigated. Here, we use the General Use Binary Asteroid Simulator (GUBAS), which is designed to predict long-term (kyr) binary asteroid system behaviors. With this tool, we determine whether binary planetesimal systems formed from gravitational collapse remain on dynamically stable orbits or if they become unstable. If they become unstable we determine if they are gravitationally unbind or collide. We compare our results with observed binaries in the Kuiper Belt.

Ryan Chenoweth

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3055

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: EXCITING OSMIUM - TRENDS IN EXCITED ENERGY LEVELS IN OSMIUM ISOTOPES

Abstract: This research investigates the trends in the excited energy states of osmium nuclei in the second 2+ and 3- excited states. It is important to understand nuclear collective motion for any future experiments including the search for the nuclear dipole moment and violation of fundamental symmetries. Similar investigation into other isotopes has proven beneficial for past research, so this was conducted to see if those trends held true for more elements.

Sandhya Manivasagam

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3018 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EXPLORATION OF WITTIG REARRANGEMENTS: SUBSTRATE SCOPE AND APPLICATIONS

Abstract: Wittig rearrangements are chemical reactions where upon deprotonation, the atoms of a functionalized ether reorganize to yield the corresponding alcohol (or ketone after tautomerization). These rearrangements demonstrate significant potential in green organic synthesis due to their high atom economy: that is, 100% of the atoms in the substrate are present in the desired product. In this work, the starting ether is functionalized by the addition of a silvl group on the carbon directly next to the oxygen atom. The presence of the silicon atom can stabilize the carbanion formed at the carbon bearing the silyl group. Wittig rearrangements may involve a [1,2]-, [1,4], or [2,3]-sigmatropic shift, which are differentiated by their reaction mechanisms and the resulting reorganization of atoms within the product. Due to its concerted nature and predictable stereochemical outcome, the [2,3]-Wittig rearrangement is the most thoroughly investigated of these rearrangements. In contrast, the [1,2]-Wittig follows a stepwise mechanism, while the [1,4]-Wittig can proceed via either mechanism. Many questions about these Wittigs, particularly those related to their regioand stereoselectivity, remain unanswered. Therefore, this work explores the mechanistic details of [1,4]-Wittig rearrangements as well as the substrate scope of [1,2]- and [1,4]-Wittig rearrangements to broaden applications and support the advancement of this synthetic methodology. To achieve these objectives, awareness of the literature and techniques such as safe handling of air- and moisture-sensitive chemicals, cannula transfer, column chromatography, and analysis of spectroscopic data were used to synthesize and characterize the substrates and corresponding products.

Sara Sawford

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3044

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: REDESIGNING A REMOTE MEASUREMENT SYSTEM FOR JOSEPHSON JUNCTION TESTING

Abstract: Josephson junctions are superconducting devices in which quantum tunneling allows a supercurrent to flow through the junction. These devices are essential for superconducting qubits in quantum computers or ultra-sensitive magnetometers. It is important to these applications to understand the critical current of a junction because the sensitivity of the equipment depends on precisely controlling and measuring this value. Our measurement systems rely on the remote control of instruments such as voltmeters, current sources, and magnetic field controllers to measure the critical current. However, the existing system lacks flexibility and modern features needed for newer experiments. This project focuses on redesigning this remote measurement system using Python-based Object-Oriented Programming. This new user interface will facilitate communication between laboratory instruments while improving accuracy and efficiency in the data collection. This new system will provide researchers with a more adaptable tool for studying Josephson junctions.

Sofia Ferrari

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3024 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EFFECTS OF "SOIL" - REGOLITH - PARTICLES ON RISKS TO CREW HEALTH ON MARS:

INSIGHTS FROM SAND GRAINS IN REGOLITH SIMULANTS

Abstract: Regolith is a dirt-like material consisting of rocks, dust, and other elements. Planetary scientists need to know about regolith on the Moon because it indicates what the environment is like and the elements present. It also can prepare them for hazards. An analog simulant is a material created to mimic what regolith is like on the Moon or Mars. Planetary scientists need regolith analogs stimulants to understand the surface of Mars and the Moon. It also allows them to test equipment in a controlled environment. Knowledge of regolith is needed to improve understanding of geology and weather patterns. It also would be helpful to extract minerals from the regolith. A natural regolith sample must be analyzed for its grain size and mineral composition. The purpose of developing regolith analog simulants is to create materials that closely mimic the physical and chemical properties of regolith on Mars. An electron microscope is a good method for magnifying regolith grains because it shows the elements present in a sample. It also allows scientists to see the shape of grains.

Yiming Huang

Category: Physical Sciences Presentation Type: Poster Presentation Number: 3057 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: PRECISION MASS MEASUREMENTS OF RARE ISOTOPES

Abstract: In the field of nuclear physics, the mass of isotopes plays a very critical role. Thus, it is imperative to be able to discover with high precision what these masses are. Through the use of Penning trap spectrometers, a strong magnetic field can manipulate the ion's cyclotron motion. This is not without its problems, in particular, the contaminant ions interfere with these measurements. Eliminating this flaw is crucial for finding accurate data. One method that will allow for more efficient purification of the ions is the Stored Waveform Inverse Fourier Transform also known as SWIFT. This method differs from past methods by instead applying a broad, mass removal of all undesired ions while not removing the desired isotopes. The benefits of this method include faster speeds and higher precision, which is desirable for these short-lived isotopes. SWIFT has proved viable in its use in time-of-flight ion cyclotron resonance (TOF-ICR) measurements. However, SWIFT has yet to be widely tested in Phase-Imaging Ion-Cyclotron Resonance, better known as PI-ICR. Through research on this method, it can be determined what the effects are of using these methods together and if there are advantages to the use of SWIFT in PI-ICR measurements. It is the goal of this research to create the foundation for SWIFT's use in taking PI-ICR measurements for even the most challenging rare isotopes.

Zach Nolff

Category: Physical Sciences

Presentation Type: Poster

Presentation Number: 3053

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: OPTIMIZING POISSON-EQUATION SOLVER FOR NUCLEAR COLLISION SIMULATION

Abstract: The Poisson equation is a fundamental partial differential equation in mathematical physics that describes the spatial dependence of a scalar field, such as the electric potential or gravitational potential, around sources of the field. The Poisson equation can be used to find the potential function within a region, with respect to conditions at the region's boundary. My research focuses on optimizing the solving of the Poisson equation in nuclear collision simulations. In those simulations, the Poisson equation determines the electric potential, and thus the electric field, generated by charged particles, primarily protons and light nuclear clusters within the evolving system. The resulting electric field influences the motion of those particles. I wrote a program that provides a fast solution to the Poisson equation in one dimension, following a strategy envisioned for the nuclear collisions. I am now working on extending the solution to two and three dimensions.

Plant Sciences

Alaina Cavin

Category: Plant Sciences

Presentation Type: Poster

Presentation Number: 3222

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: A PEARADOX: EXPLORING THE CITRAMALATE PATHWAY AND ITS CORRELATION TO THE CREATION OF AROMA IN BOSC PEARS

Abstract: This experiment aims to identify if the citramalate pathway, known for its role in the aroma of apples, behaves the same in pears. We hypothesize that the citramalate synthase gene, MdCIM, can be characterized as an aromatic pathway in pears. Aroma increases as pears begin to ripen, therefore, the citramalate synthase gene should have increased expression as pears ripen. We measured the ripening of pears over 15 days using ethylene production, respiration rate, firmness, brix, TA, and color as ripening indicators. Every test date we measured aromatic volatiles and looked for straight and branched chain esters to identify the aromatic profile of pears. From there, we will analyze genomic RNA and cDNA for the citramalate synthase gene and look for trends in expression. Throughout this experiment, we will look for a relationship between ripening, the expression of the citramalate synthase gene, and the creation of straight and branched chain esters.

Alison Weller

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3224 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: MSU 4-H CHILDREN'S GARDEN INTERNSHIP

Abstract: The MSU Horticulture Gardens were established to demonstrate gardening techniques for students and the public, with a mission to aid in the understanding of plants and the roles they play in our lives. My role as a horticultural assistant intern focused on making that mission a reality through maintaining the Michigan 4-H Children's Garden, allowing visitors to experience high quality, healthy, and accessible themed garden displays.The Children's Garden hosts field trips, event days, and summer camps that aim to familiarize and engage children with their natural surroundings. To contribute to these goals, I created and hosted an insect themed scavenger hunt activity at the Bug Day event to encourage curiosity and a basic understanding of Michigan insects. Based on participation and feedback from visitors, the garden displays and Bug Day activity were successful in fulfilling the garden's mission. Due to the success of the insect scavenger hunt, it will be a recurring activity for the children's garden. trips, event days, and summer camps that aim to familiarizeand engage children with their natural surroundings. To contribute to these goals, I created and hosted an insect themed scavenger hunt activity at the 'Bug Day' event to encourage curiosity and a basic understanding of Michigan's insects. Based on participation and comments from parents, children, and educators, the garden displays and Bug Day activity were successful in fulfilling the garden's mission. Due to the success of the insect scavenger hunt, it will be a recurring activity for the children's garden.

Basia Love

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3235 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: VEGETATIVE GROWTH CURVES ON DIFFERENT ARABIDOPSIS THALIANA POPULATIONS EXPERIENCING DROUGHT STRESS

Abstract: Increased average temperatures and decreased availability of water are two stressors that affect plants as a result of climate change. In the extreme case of drought, plants may use drought escape or drought avoidance to survive. Drought escape includes faster vegetative growth, earlier flowering and higher photosynthetic capacity. Drought avoidance includes increased water use efficiency, lower stomatal conductance and decreased growth rate. My study focuses on vegetative growth rate because it is a precursor to flowering. Further, lettuce, spinach, kale, mint and cabbage are some of the many crops that people eat that require the plant's vegetation. This study uses Arabidopsis thaliana as a model to understand howclimate shapes a plant's drought survival strategy. A. thaliana can be found in diverse climates all over the world; our study compares two populations of A. thaliana in a common garden experiment. One population was collected from Sweden with a long growing season, cooler average temperatures and more available water, and one population collected from Italy, with a short growing season, drier climate and less water availability. Plants from these two populations were grown under two conditions in the growth chamber. One condition is a hotter environment with less soil moisture while the second condition is kept cooler with more soil moisture. Vegetative growth curves from each population will be compared to assess how the two populations differ in their drought mechanism. We hypothesize that the plants from the Sweden population will grow slower than the Italy population in both treatments and even more so in the future treatment, indicating drought avoidance, because they evolved in a climate with a long growing season. This study is relevant for understanding how widespread plants like A. thaliana, and it's crop relatives, may survive the warming effects of climate change by using different drought strategies to maintain vegetative growth.

Benjamin Lutz

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3232 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: HOW DOES BARK THICKNESS VARY AMONG WOODY SPECIES IN A DEGRADED OAK

SAVANNA ECOSYSTEM?

Abstract: Bark thickness is a key functional trait in woody plants that can mediate responses to various sources of disturbance. One disturbance of particular relevance is fire, a key ecosystem process in savannas throughout the world, including oak savannas in Michigan. Thick bark insulates the interior of a tree and protects it from potentially lethal temperatures. Species and individuals vary in their bark thickness, which impacts survivorship in firedisturbed ecosystems. However, a current knowledge gap exists in how woody plants of different species accumulate bark thickness as they age and grow. I aim to quantify the relationship between woody stem diameter and bark thickness. Data for this project will be collected at Michigan State's MacCready Reserve. Historically a fire-maintained oak savanna, decades of fire suppression at MacCready led to invasion of fire-sensitive tree species. I will collect bark thickness and stem diameter measurements on five of the most common tree species at MacCready, including both fire-sensitive and fire-tolerant species. I will then conduct regressions to understand relationships between bark thickness and woody stem diameter for each species. This research project will have a standalone outcome by filling the knowledge gap on how woody species accumulate bark thickness as they age. In addition, results could also inform current restoration decisions because variations in bark thickness likely mediates trees' responses to disturbance- for example, how woody species will respond to frequent fire in the restoration of critically endangered oak savanna ecosystems like MacCready.

Caitlin Dougherty

FLECK1 MUTANT

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3207 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MAPPING GENETIC MODIFIERS OF LEAF LESION FORMATION IN THE MAIZE BELLA

Abstract: Maize is a crucial crop for global food security, providing sustenance for millions and serving as a key component of animal feed. The success of maize as a species depends on various factors that influence its growth, development, and yield. Specific genetic mutations, for instance, impact stress tolerance, disease resistance, and environmental adaptability. The semi-dominant maize mutation in Bella fleck1 (Bfl1) has been shown to confer disease resistance while causing persistent leaf lesions, likely through a hypersensitive immune response. These lesions also reduce chlorophyll content, plant height, and overall productivity, to a varying degree in different genetic backgrounds. This study aims to identify the genes involved in lesion penetrance using an F-One Association Mapping (FOAM) panel segregating 1:1 for the mutation. Phenotypic data including chlorophyll content readings and lesion severity ratings will be collected to assess leaf lesion presence and the extent of its impact in each genetic background. A Genome-Wide Association Study (GWAS) will then be conducted to identify single nucleotide polymorphisms (SNPs) that are statistically associated with lesion traits. The GWAS algorithm will utilize a kinship matrix and principal components to account for population structure and relatedness within the FOAM. The results will be visualized using a Manhattan plot, and genetic regions near significant SNPs will be scanned for candidate genes potentially involved in lesion penetrance. This research will provide insight into the genetic factors behind lesion severity in maize, which could inform breeding strategies to improve plant resilience and productivity.

Carter Pasternak

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3215 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: INVESTIGATING THE ROLE OF MYOSIN XI-A IN ARABIDOPSIS AND A COMPUTER-POWERED SOLUTION TO TIRING PEROXISOME TRACKING

Abstract: The cytoskeleton comprises actin filaments and microtubules and is vital for material transfer, organelle movement, and cell replication, among other functions, in plant cells. The cytoskeleton also plays a role in biotic stress through actin remodeling at infection sites, which facilitates the transportation of defense proteins and compounds, as well as vesicles and organelles. For example, Golgi bodies, chloroplasts, and peroxisomes aggregate at infection sites in a possible immune response, largely reliant on the actinomyosin system. Myosin XI proteins associate with actin filaments, drive cytoplasmic streaming, and transport organelles in plants. However, their specific role during infection and immune response remains unclear. We mined transcriptomics data from the literature and found that Myosin XI-A expression is upregulated in response to effector trigger immunity-related factors like flg22 and salicylic acid (SA), while other Myosin XI genes show less prominent changes in expression. Previous research has foundXI-Aknockout plants have fewer seeds and smaller siliques, suggesting impaired development in pollination and seed production. We hypothesize that Myosin XI-Amay respond to the phytohormone salicylic acid during both infection and growth. I monitored the vegetative growth phenotypes of two independent plant lines with mutant xi-a alleles. Further, I tracked peroxisome movement during infection, first in wildtype plants, to assess motility during immune response. As it requires immense time and effort to manually follow thousands of organelles across hundreds of frames of microscopy images, I sought to automate the process with a machine learning-based pipeline for expedited analysis. I created a Recurrent Neural Network (RNN) utilizing LSTM and YOLO allowing to easily track and log peroxisome locations streamlining the process.

Christina King

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3202 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: PLANTS AND PLANT LANGUAGE THOUGH A HISTORY OF ART

Abstract: In my project, I ask how plants and the use of plant symbolism have impacted art throughout history and how the two are inherently connected by diving into the historical use and symbolism of 5 different plants: rose, lily, iris, tulip, and fern. To find this connection, I researched many articles on plants within paintings and poetry, Victorian flower language, plant symbolism, and its shifts based on culture and period. I analyzed this data by first providing a broad overview of how plant symbolism has been utilized within human culture before laying out the specific history of my five chosen herbarium specimens into posters. I aim to compile an overview of the symbolism for each of my five plants and how different cultures, rulers, religions, and periods influenced it, highlighting an example of painting and poetry for each. In a time of isolation, industrialization, and excessive work, it is important to look at plants' sentimental and cultural values, encouraging people to embrace them and care for their conservation.

Claudia Colligan

Category: Plant Sciences

Presentation Type: Poster

Presentation Number: 3217

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: BIG CITY PLANTS: INVESTIGATING THE URBAN-RURAL GRADIENT OF A COMMON WEED SPECIES

Abstract: Capsella bursa-pastoris, commonly known as shepherd's purse, is one of the most widespread wild plant species, thriving in both urban and rural environments. This project seeks to compare the abundance of Capsella bursa-pastorispopulations throughout the country, categorizing them as either urban or rural. Urbanness will be defined using population, square footage, and impervious surface analysis. Using 2,000 specimen datapoints, sourced using iNaturalist and GBIF, I will determine whetherC. bursa-pastorisis a more rural or more urban species. Additionally, I will analyze how populations have moved over time, using more specimen data-points from 1920-2020. This project will provide insight into the distribution of weedy species.

Cole Fisher

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3213 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: MSU RESEARCH SUPPORTING SUSTAINABLE HORTICULTURE

Abstract: The MSU Horticulture program aims to enhance the sustainability of farming practices, focusing on methods like reduced or no-till farming, cover cropping, pollinator strips, and nutrient management. This research contributes to understanding how these practices influence vegetable production, especially regarding weed and nutrient management. As part of my internship in the Brainard and Hayden Labs, I investigated key areas, including low-till systems, nutrient management, and the role of cover cropping in improving sustainability. A significant focus of the work was on weed management using innovative technologies, such as solar-powered, autonomous farm droids, which minimize tillage while improving weed control. In parallel, I explored nutrient management techniques, including optimizing fertilizer application timing and integrating cover crops to reduce nutrient loss and lower fertilization costs. In addition to these aspects, my research involved examining how water application affects asparagus spear tip quality. Data collection was carried out using many techniques including remote moisture sensors and image analysis software (ImageJ) to assess the quality of asparagus spears. This work contributes to improving horticultural practices and offers valuable insights into managing nutrients, water, and weeds efficiently, which are crucial for achieving sustainable and profitable vegetable production.

Emily Schley

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3247 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: THE ROLE OF HPR1 AND HPR2 IN PHOTORESPIRATION MECHANISMS IN A. THALIANA

Abstract: Photorespiration is an auxiliary pathway of photosynthesis that begins when RuBisCO oxygenates, rather than carboxylates, ribulose-1,5-bisphosphate (RuBP), generating cytotoxic 2-phosphoglycolate (2PG). Through a series of metabolic reactions across chloroplasts, peroxisomes, mitochondria, and the cytosol, photorespiration reassimilates 2PG into glycerate, which re-enters the Calvin-Benson cycle as 3phosphoglyceric acid (3PGA). The peroxisomal protein Hydroxypyruvate Reductase 1 (HPR1) converts hydroxypyruvate into glycerate. The Hu lab used an hpr1 suppressor screen to identify a cytosolic photorespiratory shunt activated by glyoxylate accumulation in the cytosol, which involves Hydroxypyruvate Reductase 2 (HPR2). While both HPR1 and HPR2 catalyze hydroxypyruvate to glycerate, HPR1 preferentially uses NADH as an energy source and HPR2 favors NADPH. Secondly, HPR1 is subject to regulation by post-translational modifications (PTMs) like phosphorylation, whereas there is no evidence, currently, for HPR2 PTMs. Critically, HPR1 is localized in the peroxisome and HPR2 in the cytosol. The aim of my research is to understand the effect of the subcellular environment on HPR activity and regulation. To test this, I used site-directed mutagenesis and Gateway cloning to swap HPR1 and HPR2 subcellular localizations. Then, re-localization was confirmed by transient expression in tobacco and confocal fluorescence microscopy. Finally, I complemented hpr1, hpr2, and hpr1/hpr2 mutants (which exhibit growth deficiencies in ambient CO2) with cytosolic HPR1 and peroxisomal HPR2 to determine whether the relocalized enzymes can restore the wild-type phenotype. This project clarifies the unique regulations and functions of HPR1 and HPR2 during photorespiration, providing avenues for the improvement of photosynthetic efficiency.

Emma Weesies

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3243 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: DEVELOPMENT OF RT-QPCR NORMALIZERS AND PROBES OF HOMOLOGOUS COLD-INDUCIBLE GENES FOR DOMESTICATED TOMATO SOLANUM LYCOPERSICUM AND WILD ACCESSION S. PENNELLII.

Abstract: We are currently experiencing unprecedented climate changes. These harsh environmental conditions cause an interruption and reduction in agricultural crop production in fields. To continue to provide a secure food supply while simultaneously reducing the carbon footprint associated with the delivery of crops, it is necessary to establish crop production facilities such as greenhouses near consumers. One approach being taken is to develop a chilling-resilient tomato that will reduce the heating requirement during the cold nighttime without a growth penalty, eventually decreasing the production of carbon dioxide overall. Using qRT-PCR, validation of normalizers and testing of qRT-PCR probes for cold resistance genes inS. lycoperiscumandS. pennelliiwill produce data that will be analyzed using excel. Results will identify which candidate normalizer is best suited forS. lycoperiscumandS. pennelliand further develop the common probe sets for cold-regulated genes for parental lines. By identifying a candidate normalizer and developing a common probe set for cold-regulated genes inS. lycoperisumandS. pennellii, further research can be done to implement the cold-resilient traits in the wild tomato (S. pennellii)to the domesticated tomato (S. lycoperiscum). This would lead to the ability to more productively produce tomatoes while also decreasing the production of carbon dioxide.

Heather Fitchett

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3211 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: NAVIGATING YOUR BACKYARD WETLAND: POND MANAGEMENT

Abstract: Pond ecosystems are vital to biodiversity and environmental health, yet they often face challenges such as invasive species and degraded water quality. During my internship at The Pond Guy in Armada, MI, I worked as an assistant service applicator, gaining handson experience in professional pond management. The internship addressed a critical gap in knowledge on pond ecosystems and their maintenance, emphasizing informed ethical decisions, regulatory compliance, and sustainable practices. My work involved collaborating with a diverse team of certified applicators to prepare chemical and bacterial treatments, and manage invasive species like phragmites. I collected and documented field data to meet EGLE standards, ensuring treatments protected both ecosystems and local communities. Through observing and assisting experienced applicators, I expanded my knowledge of the ecological dynamics of ponds and the broader impact of invasive species management. This experience helped me apply academic knowledge to solve real-world environmental challenges while fostering teamwork in a professional setting. The hands-on nature of the work reinforced the importance of ethical decision-making in applying treatments and managing ecosystems responsibly. The internship not only enhanced my technical and professional skills but also deepened my appreciation for the collaborative effort required to sustain biodiversity. These insights highlight the significance of informed pond management in preserving backyard wetlands as vital ecosystems.

Isabella Rabac

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3223 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: TESTING SOIL FOR POTENTIAL RHIZOCTONIA DAMPING OFF SUPPRESSION

Abstract: A rot of the root and crown in sugarbeet can often be caused by the fungal pathogen Rhizoctonia solani. It is specifically caused by strains in the anastomosis group (AG)AG2-2. Recently, a disease nursery near central Michigan was inoculating varieties with Rhizoctonia solaniAG2-2 and seeing little effect on their plants. There are several possible reasons for this, but one likely reason is that the soil might havedisease suppression activity. Previous reports on suppressive soils show that suppression can be composed of biological and/or chemical factors (Expósito et al. 2017). Halloin reported a Rhizoctonia-suppressive soil on Michigan State's campus that had been used for sugar beet. After use with non-host crops for six years, it was tested and no longer suppressive, but other instances are not known in the state. I will be discussing seedling trials I performed using sugarbeet "C869" and field soil provided by said nursery. Seedlings were inoculated and assessed for disease. Those with symptoms were plated onto _ V8 vegetable juice agar, they were tested for what caused symptoms. For any that were R. solani, anastomosis group testing was done on water agar. Diseased seedling samples were be compared to isolates representing standard anastomosis groups, including R1 (AG2-2) and three other common AGs. Fields soil with or without autoclaving were compared to determine whether there was any effect of the soil on disease. My main goal was to characterize and test soils for potential disease-suppression to R. solaniAG2-2 on sugarbeet seedlings.

Jack Pritchard

Category: Plant Sciences

Presentation Type: Poster

Presentation Number: 3204

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: PLANT BIOLOGY RESEARCH PROJECT

Abstract: In progress

Jacob Marsh

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3241 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ASSESSING THE ACCURACY OF DRONE IMAGING FOR TAKING FIELD MEASUREMENTS OF PRAIRIE GRASSES

Abstract: Fieldwork is essential for studying ecology, but is often limited by site accessibility, time constraints, and other factors. Drone imaging provides an alternative to collecting field data that may overcome such limitations. In this study, we assess the accuracy of using drone imaging to measure the diameter and stem count of prairie grasses grown in a field experiment, by comparing the results to traditional on-site measurements. Prairie grasses were selected as the test subject because they are common in prairie restoration and bioenergy research. A drone was flown at an altitude of 10 meters to capture 0.23 cm resolution images of Andropogon gerardii (big bluestem), Sorghastrum nutans (indiangrass), andPanicum virgatum (switchgrass) plants. These images were processed to create an 80% overlapping mosaic, which we used to measure the crown diameter and estimate the number of tillers for each plant in ArcGIS Pro using the "measure distance" tool counting stems by hand. Drone-based tiller counts predicted field measures for switchgrass (r2 = 0.44 , p = 0.0498) and indiangrass (r2 = 0.40, p = 0.0358) but not big bluestem. Likewise, drone and field measures of crown diameters were significantly related, but only for switchgrass (r2 = 0.67, p=0.0039). Our results show that drone imagery may replace field collected data for specific traits of certain plant species; here measures were most successful with switchgrass. Remote data collection has the potential to be utilized by growers and land managers to monitor switchgrass growth and development.

Joshua Gould

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3205 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MSU PLANT BIOLOGY CONSERVATORY

Abstract: Conservatories are greenhouses spaces that allow for the growing, collection, collaboration, and education of many different plants. MSU possesses its own conservatory that is utilized in numerous ways throughout the school and community. The Plant Biology Conservatory at MSU contributes to courses, clubs, other universities, and the public to a degree which may not be known, but should be highlighted to allow for further expansion and awareness of what the conservatory can do. The MSU conservatory gave the opportunity for an internship to be done at the greenhouses which inspired this presentation in order to promote and raise awareness of the space and all that it can offer for both the university and the public. Conservatories allow for education and acts as a living museum as well as a welcoming space for all those who visit, and this learning experience is to illustrate those factors of the conservatory here at MSU.

Julian Clark

Category: Plant Sciences

Presentation Type: Poster

Presentation Number: 3221

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: CLEVELAND METROPARKS INTERNSHIP

Abstract: The Cleveland Metroparks is a vast network of nature reservations originally founded in 1912 by William Stinchcomb. While initially only covering 3 acres the park has grown to a much larger scale through land purchases and donations, now spanning 25,000 across 18 reservations forming a loop around Cleveland, aptly nicknamed "The Emerald Necklace". During the park's expansion, numerous nature trails were created around the park system for the purpose of public enjoyment. The parks are open to all, and aim to provide an inclusive space welcoming to all while simultaneously protecting and raising interest in the natural world. These values are upheld in all aspects of the park, from volunteer work and employee contributions to summer camps. During my internship I worked in all of these areas of the park, gaining valuable experience in the preservation of natural areas and interactions with the public.

Kelsey Renfro

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3244 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: CORRELATIONS BETWEEN A

Title: CORRELATIONS BETWEEN ALLOPATRY, SYMPATRY, PHOSPHOROUS LEVELS, AND AM COLONIZATION

Abstract: Lobelia, like most terrestrial plants, form a symbiotic relationship with arbuscular mycorrhizal fungi (AM), benefiting the fungus with carbon, and the plant with phosphorus and nitrogen. Some plants can form a closer relationship with AM than others. However, it is not known what factors in the soil cause a plant to form more symbiosis with AM than other plants. We question if Lobeliaplants living sympatically (living among other Lobeliaspecies in the same space) would have different amounts of AM colonization than Lobelialiving allopathically (Lobeliagrowing separately from others). We also aim to determine if higher levels of phosphorus in the soil would affect AM colonization. We studied the percent root length colonization of AM (PRLC) in several species of Lobelia roots collected between the years 2017-2023 from various sites from across the country. With this, we compared allopathy and sympatry, soil phosphorous levels, and PRLC. We have found a negative correlation with phosphorus levels and AM colonization on some species of Lobelia, and a positive correlation with one species. Understanding how soil phosphorus and allopathic versus sympatric growth affects AM colonization adds to knowledge of how similar species fill different ecological niches in an environment, allowing them to grow together without competition.
Kennedy Porter

Category: Plant Sciences

Presentation Type: Poster

Presentation Number: 3212

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: INNOVATIONS IN ENDOTOXIN TESTING: A COMPARATIVE ANALYSIS OF RECOMBINANT & AMP; TRADITIONAL LAL METHODS

Abstract: Endotoxin testing is vital for ensuring pharmaceutical product safety. The Limulus Amebocyte Lysate (LAL) assay, a widely used method, faces limitations, including variability and ethical concerns due to reliance on horseshoe crabs, whose populations are declining. The United States Pharmacopeia (USP) provides guidelines for endotoxin testing, but emerging recombinant technologies, such as recombinant Factor C (rFC) and recombinant cascade reagents (rCR), offer potential alternatives. This study evaluates the rCR method's performance compared to the LAL assay, focusing on functional equivalency, sensitivity, specificity, and compliance with USP standards.

Liam Markell

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3231 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: CONTROL OF CAMALEXIN PRODUCTION BY THE JASMONATE SIGNALING PATHWAY PROMOTES PLANT RESISTANCE TO PECTOBACTERIUM CAROTOVORUM

Abstract: Plants have evolved unique mechanisms to adapt to changing environments, including the biosynthesis of specialized metabolites that help them interact with their surroundings. The plant hormone jasmonate (JA) regulates specialized metabolism by activating transcriptional programs that produce defensive compounds. JA achieves this by promoting the degradation of JA ZIM-domain (JAZ) transcriptional repressors. The Arabidopsis jaz Decuple (jazD)mutant, which lacks most JAZ proteins, constitutively accumulates high levels of many defensive compounds. In this study, we used the model plant species Arabidopsis thaliana to understand how JA-induced defensive metabolites protect against pathogens like Pectobacterium carotovorum ssp. carotovorum (Pcc), which causes soft rot disease in many crop species. Infection assays showed that jazD plants are highly resistant to Pcc. Liquid chromatography-mass spectrometry analysis revealed that jazD plants accumulate elevated levels of amino acid-derived defensive metabolites compared to wild type plants. One defensive metabolite identified to accumulate to high levels in jazD was camalexin and recent work has highlighted the importance of CYCLIN-DEPENDENT KINASE 8 (CDK8) in promoting defensive compound production. We conducted infection assays using mutant Arabidopsis lines and observed increased susceptibility when CDK8 is non-functional. We also performed in vitro growth inhibition assays to assess the potential antimicrobial activity of camalexin against Pcc. Our results indicate that medium containing camalexin inhibits Pcc growth in a dose-dependent manner. These findings indicate that the JA pathway is crucial for regulating effective defense responses against necrotrophic pathogens. Future research will investigate whether other amino acid-derived compounds in jazD have antimicrobial properties against Pcc.

Logan Sapienza

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3233 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: DETERMINING CYTOPLASM TYPE IN POTATO BREEDING LINES

Abstract: The goal of the MSU potato Breeding and Genetics Program is to develop superior potato lines while improving conventional breeding methods. In the program's gene pool, there are many male sterile plants that contain desirable agronomic and disease resistance traits. Breeding for these traits without accounting for the cytoplasm type perpetuates the presence of cytoplasmic male sterility (CMS) in the germplasm. CMS in potato (Solanum tuberosum L.) is a pervasive issue affecting breeding programs, creating a bottleneck caused by a lack of fertile male parents. In potato, there are 6 distinct cytoplasm types (M, P, A, W, T and D) tracing back to the origins of wild species. CMS is directly caused by cytoplasm types T, W and D showing phenotypes of decreased pollen viability, lobed microspores and non functional pollen grain respectively (Santayana, et al. 2022). Cytoplasm type is maternally inherited, so it is important to investigate the type of cytoplasm present when designing crosses. A solution to this problem lies in the identification of cytoplasm types for breeding lines in our program. By running a polymerase chain reaction (PCR) using previously identified genetic markers, we can understand and assess the cytoplasm types of MSU Potato Breeding and Genetics program breeding lines, leading to improved decision-making in parent selections and increasing male fertility in the program gene pool.

Luci Karakas

DISTANCE SIGNALING

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3225 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: UNDERSTANDING PROTEIN-LIPID INTERACTIONS AND MOVEMENT DURING LONG

Abstract: Plants are, as most people are aware, unable to change location if something in their environment poses a threat to their well-being. Rather than simply escaping adverse conditions, they need to detect changes, transmit a signal throughout the plant, and adjust development accordingly. Our lab has identified several lipid-binding proteins in the plant phloem and through this we characterized their lipid-binding properties, localization, and stress response. PLAFP is a phosphatidic acid binding protein that is induced in response to ABA in drought and confers drought tolerance. To prove the movement of our protein, we cloned PLAFP-RFP behind an optogenetically controlled promoter identified as PULSE. This promoter was chosen because it can be activated under red light conditions and repressed under blue light conditions. It allows for spatiotemporal gene expression in specific Arabidopsis leaf tissue and subsequent movement studies. Flowering Locus T is used as our positive control as it is a protein that is proven to move throughout the phloem. GRIP is our negative control as it will not move throughout the phloem. We have generated all three transgenic lines and are moving forward to the optogenetic expression studies using confocal microscopy and RT-PCR. In this poster, we will describe our approach and analyze our results towards discovery of PLAFP movement and function. This research was supported by NSF-IOS grant #1841251 "EAGER: Lipids on the move" and by USDA NIMSS MICL 04237 to SHB. It was also funded by the CNS Undergraduate Research Support Scholarship.

Madelyn Mulnix

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3201 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: GENETIC MAPPING OF MODIFIERS OF THE MAIZE SEMIDWARF2 (SDW2) GENE

Abstract: Maize breeding traditionally uses inbred lines to develop hybrids with desirable traits, such as dwarfism, which can decrease lodging and increase yield. The Semidwarf2 (Sdw2) gene, responsible for dwarfism, is being studied to uncover its genetic basis and understand how the genetic backgrounds of various inbred lines influence height reduction. When heterozygousSdw2/B73 is crossed with other inbred lines, progeny exhibit approximately 50% segregation of the mutant allele, with height reduction modified by genetic factors. At the MSU Agronomy Farm, F1 populations were developed by crossing B73/Sdw2(male) with diverse inbred lines (female), resulting in 319Sdw2 plots and 49 control plots. Flag leaf height and top ear leaf height were measured for both wildtype and dwarf maize plants in each plot 72 days after planting. The key question is to identify the genes involved in the dwarf mutation and to see how the genetic background of the inbred lines affects the percentage reduction in plant height. Calculations were performed in Excel, and comparative figures were generated in R. F1 Association Mapping (FOAM) was applied to analyze genetic marker-trait relationships, while genome-wide association studies (GWAS) using SNP markers identified genetic modifiers within 50,000 base pairs of significant SNPs, investigated using MaizeGDB. This knowledge will enhance our understanding of maize phenotypes, which can be used to improve maize varieties for traits preferred by farmers. The implications are significant for agricultural practices, as they can lead to more efficient breeding programs and better crop yields.

Madlyn Borton

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3227 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: YEAST-TWO HYBRID ASSAY TO DETERMINE THE INTERACTING DOMAINS IN ARABIDOPSIS CAMTA WITH CALCIUM-BINDING PROTEINS

Abstract: Yeast-two hybrid assay is a laboratory technique used to determine interaction between proteins using a bait protein fused to DNA binding domain and prey protein fused to activation domain. We are looking for information on these protein-protein interactions to determine which domain(s) of CAMTA are involved in interaction with calmodulin or CMLs. In plants it is necessary for them to develop efficient decoding, translating and relaying signaling systems. The calcium ion (Ca2+) acts as a key secondary messenger in the amplification and transfer of signals. Our research question was: Which domain(s) of CAMTA are involved in interaction with calmodulin or CMLs are required for interaction? Do these interactions require the calcium ions? Is there competition among calcium-binding proteins for interaction with CAMTA proteins? For methods, Yeast-two hybrid assay was used to determine protein-protein interaction. In vitro pull-down assay will be used to determine the requirement of calcium ions for interaction. Some results were: The first IQ domain of CAMTA is required for the interaction with CaM. The roles of IQ and CBD domains and AV or KE mutations in interaction with CaM: The A/V mutation in the first IQ domain does not affect the interaction with CaM (maybe slightly). The K/E mutation or deletion of CBD weaken the interaction with CaM. On drop out media CaM and CAMTA interact strongly. On the other hand, CMLs have a poor interaction with CAMTA (no growth when 3-AT is present). These finding help us to better understand protein-protein interaction between the domain(s) of CAMTA and calmodulin or CMLs. This will help us better understand plant response involved in development, abiotic, and biotic stress responses including cold, heat, drought, salt, pathogens, and insect infestation.

Maggie Jones

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3206 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: QUANTIFYING CROP PHOTOSYNTHETIC RESPONSE FOR COMPARISON WITH RAIN EXCLUSION SHELTER LIGHT CONDITIONS

Abstract: Rain Exclusion shelters are widely used at Kellogg Biological Station (KBS) to allow researchers more control over water reaching experimental plants. After comparing light levels under shelters to ambient field conditions, I found that plants underneath shelters receive less light than plants in ambient conditions. At maximum midday solar radiation, 2vear-old shelters transmit 71.4% ± 1.6 of ambient photosynthetically active radiation (PAR) on average. To determine if this light difference significantly impacts photosynthetic activity of sheltered plants, I created light response curves (LRC) for four KBS crops. LRCs show photosynthetic activity rates at different light levels and can be used to find the light saturation point, or the light level at which a plant reaches maximum photosynthesis. LRCs were created using the LI-COR LI-6800 Portable Photosynthesis System in ambient conditions. Corn, soy, switchgrass, and wheat plants were 95% saturated at 1660, 1500, 1500, and 1300 μmol photons/m² s of PAR on average, respectively. These light saturation points are higher than the average midday shelter PAR value of 1270 ± 240 μmol photons/m^2 s, but lower than the average midday ambient PAR value of 1730 ± 230 & #956; mol photons/m^2 s. Therefore, during midday, sheltered crops receive majority non-saturating light, and crops in ambient conditions receive majority saturating light. This contributes to different levels of photosynthetic activity in shelter conditions compared to ambient. Future researchers should be cautious of direct comparisons between ambient and shelter data. However, comparisons between different sheltered watering conditions are defensible because they are receiving the same shelter light impacts.

Sam Hu

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3216 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: IDENTIFICATION AND CHARACTERIZATION OF SUPPRESSOR MUTANT IN AN JASMONIC ACID ACCUMULATING ARABIDOPSIS LINE

Abstract: Jasmonic Acid (JA) and its derivatives are important plant hormones involved in plant growth and stress responses. Plastid Lipase 3 (PLIP3) cleaves 18:3 (number of carbons: number of double bonds) acyl groups from chloroplast membrane lipids which are then metabolized to oxylipins including JA. The PLIP3 overexpression line (PLIP3-OX) showed increased levels of JA and its derivatives, altered leaf morphology, and stunted plant growth. We are interested in discovering novel components of JA synthesis and signaling processes. Toward this goal, we conducted a suppressor mutant screen in the PLIP3-OX line. One candidate, suppressor mutant 97, carries a recessive mutation leading in the homozygous state to partial reversal of the PLIP3-OX phenotype in addition to yellow leaves and a lipid phenotype similar to PLIP3-OX. Through next generation DNA sequencing of bulk DNA from an F2 mapping population, we have identified PGPP1, a gene involved in the biosynthesis of phosphatidylglycerol (PG), as the causal gene for the phenotype of suppressor mutant 97. A homozygous double mutant of PGPP1 and PLIP3-OX partially replicates the phenotypes of suppressor mutant 97 and has a novel lipid phenotype with decreased levels of chloroplast membrane lipids.

Samantha Manson

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3214 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: IMPACT OF ACC-DEAMINASE ON PLANT GROWTH AND DEVELOPMENT

Abstract: Ethylene is a phytohormone that influences a plant throughout its entire life cycle. The precursor to ethylene, 1-aminocyclopropane-1-carboxylic acid (ACC), is exuded from plant roots during times of stress. At which point, microbes containing the enzyme ACCdeaminase cleaves ACC, reducing ethylene levels. The purpose of this experiment was to determine the relationship between plant growth and development and microbial community composition. We measured plant biomass, developmental timing, and microbial abundance across several harvests at different stages in the plant's life cycle (vegetative, flowering, and senescence). To determine this, we inoculated Arabidopsis thaliana plants with two distinct synthetic communities containing microbes with differing ACC metabolism capabilities and grew them in environmentally controlled growth chambers. One such community contained members with ACC-deaminase activity while the other did not. Certain microbes in the ACC-deaminase positive group are able to use ACC as a nitrogen source, reducing ethylene levels in the plants, resulting in slower development time and subsequent greater biomass. Harvests in which ethylene production is high (flowering and senescence) have a greater number of ACC-deaminase isolates when plated, compared to the vegetative stage. On a broader scale, plants in contact with microbes containing sufficient amounts of ACC-deaminase would be better suited to grow in potentially stressful conditions. This would allow for agricultural development in areas that are typically avoided due to certain stressful conditions.

Savannah Himebaugh

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3246 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: CHARACTERIZING ROOT ACYLSUGARS IN TOMATO ACROSS DEVELOPMENT

Abstract: Plants in the Solanaceae family such as Solanum lycopersicum (cultivated tomato) and Solanum pennellii (wild tomato) produce acylsugars, a type of specialized metabolite, that combat herbivory by acting as sticky fly paper. Acylsugars are known to accumulate in glandular trichome tip cells and young root hairs in both tomato species. Acylsugars are made up of a sugar core with acyl chains attached. Trichome and root acylsugars are produced in dedicated cells and synthesized through independent biosynthetic pathways with distinct enzymes. The trichome pathway creates sucrose-based acylsugars in S. lycopersicum and S. pennellii, and the root pathway creates inositol-based acylsugars in young roots. Preliminary data shows that mature roots also produce acylsugars, but they differ structurally from trichome and young root acylsugars which suggests the presence of a third biosynthetic pathway. This project aims to characterize root acylsugar profiles in S. lycopersicum and S. pennellii across development and compare these profiles to young root and trichome profiles within and between the two species.. The second part of this project is to identify when the developmental transition occurs in order to identify candidate genes for the hypothesized mature root acylsugar pathway. I grew cultivated and wild tomatoes hydroponically, collected tissue samples ranging 10-120/140 days, and analyzed the metabolite profiles using liquid chromatography-mass spectrometry (LC-MS). I will present MS chromatograms comparing the acylsugar profiles of trichomes, young roots, and mature roots of both species.

Sebastian Velazquez-Solis

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3226 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: CREATING FUNCTIONAL BACTERIAL MICROCOMPARTMENTS THAT ARE TARGETED

TO THE CHLOROPLAST OF PLANTS

Abstract: Bacterial Microcompartments (BMCs) are widely conserved bacterial "organelles" comprised of large, selectively permeable protein shells enclosing enzymatic cores of varied activity. BMC shells have been shown to consist of two primary shell components, a hexamer (BMC-H) and a trimer (BMC-T), as well as a secondary pentamer (BMC-P) shell component. When a hexamer and trimer are expressed in bacteria, they self-assemble to form a "wiffle ball" shell architecture, whereas, when hexamer, trimer and pentamer are expressed in bacteria they self-assemble to form a complete BMC shell architecture. The research presented here showcases our progress towards establishing a BMC shell architecture within the chloroplast of plants. To achieve this goal, we have generated constructs in which the genes for each shell component are assembled in tandem (Train Approach) with a hybrid linker peptide sequence inserted between each gene. When expressed in plants, the linker sequence is cleaved/removed thus releasing individual BMC shell components and subsequently allowing them to enter the chloroplast whereby they assemble into "wiffle ball" shell platforms. Indeed, over the past year, we have been able to generate a "whiffle ball" BMC platform within the chloroplasts of Arabidopsis. The current research presented here will focus on 1) developing methods to generate a greater yield of BMC shells within the chloroplasts of Arabidopsis and 2) to develop strategies that will enable us to attach various "enzymes" to our whiffle ball shell platform thus making them functional as well as a power tool for future metabolic engineering of plants.

Skylee Dwyer

Category: Plant Sciences

Presentation Type: Poster

Presentation Number: 3218

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: USING COMMON GARDENING ISSUES TO BROADEN THE ACCESSIBILITY OF GARDENING

Abstract: In my internship, I worked as a garden pharmacist. This role is focused on giving people advice about plant care, identification, and maintenance. To do this, I had to determine what type of intervention would most benefit the client, and form a plan with them if applicable. These interventions can include fertilizer usage, introducing a watering schedule, pest control, and introducing good plant care habits as well as other things that may be needed on a case by case basis. As an effect of my work, I was able to learn about the common pests and diseases in the area as well as common struggles of the average person in the area who is growing plants. Knowing this allows for a better comprehensive analysis of what would best help gardeners and will therefore make gardening more accessible to all.

Sophia Gudinas

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3245 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: FUNCTIONAL CHARACTERIZATION OF TRANSCRIPTION FACTORS MYB5 AND MYB31 IN THE MAIZE PHENYLPROPANOID PATHWAY

Abstract: Maize is an important crop because of its nutritional value, industrial significance, and environmental impact. Phenolic compounds, produced by the phenylpropanoid pathway, such as anthocyanins, lignin, and flavonoids are specialized metabolites that perform a variety of functions in plant growth and development as well as the abiotic and biotic stress response (Fornale et al., 2010, Gomez-Cano et al., 2020). While many genes involved in maize phenylpropanoid biosynthesis are known, how the pathway is regulated is less well understood. Several transcription factors (TFs) have been identified as potentially important regulators of the pathway, but the consequences of loss-of-function of these TFs on metabolism and development remain unknown in maize. This research will consist of investigating the consequences of mutating the genes corresponding to ZmMYB31 and ZmMYB5 and their relationship to the production of phenolic compounds. By functionally characterizing these transcription factors in CRISPR-edited maize plants, we expect to observe their role in regulation of phenolic compounds. This anticipated function is based on their association with phenylpropanoid gene regulation, and their targeted manipulation can significantly improve the growth and development of maize plants.

Sophia Lanning

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3234 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: MICROBIAL AND SECON

Title: MICROBIAL AND SECONDARY METABOLITE VARIATION OF SOIL SURROUNDING LOCAL BORODINIA LAEVIGATA

Abstract: Microbial communities are collections of many different microbes within a shared environment. Analyzing the composition of these communities in soil surrounding plant species can provide insight into the relationship between microbial communities and the plant of interest. It alsoprovides information on the diversity of the microbiome surrounding that plant. Additionally, glucosinolates are chemicals produced by Brassicas that can protect them from herbivores or pathogens. Analyzing glucosinolate abundance in soil can be useful in identifying if a plant has adaptive or nonadaptive chemical defense. It also provides information on retention of glucosinolates in soil. Furthermore, we expect to see a positive relationship between microbial diversity and glucosinolate variation. Previous research has been done to characterize the microbial community composition and glucosinolate abundance for Boechera stricta, resulting in evidence that supports adaptive chemical defense. However, not a lot of research has been done on Borodinia laevigata, a different rock cress species. To look at the microbial and glucosinolate variation within a greater population of B. laevigata, we collected 20 soil cores from 4 different sites in the surrounding East Lansing area. We extracted DNA and glucosinolates to compare the variation of the soil surrounding B. laevigata.

Travis Yang

Category: Plant Sciences Presentation Type: Poster Presentation Number: 3236 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: XERICO DROUGHT TOLERANCE GENE EXPRESSION IN TOMATO

Abstract: In our world, climate change is one of the most important issues that we will have to face in the future. One major consequence of this change is drought. Drought is a major contributor to crop loss around the world and can detrimentally affect yield and quality of crops (Conti et al 2013). Tomatoes are one of the most economically important crops and there are currently no commercially available drought resistant tomato varieties. The XERICO gene was discovered and characterized as an osmotic responsive gene in Arabidopsis that resulted in enhanced plant drought tolerance when it was overexpressed (Ko et al 2006). When induced by drought conditions, the resulting increase in abscisic acid production (ABA) stimulates stomatal closure which reduces transpirational water loss. Using Agrobacterium mediated transformation, this project aims to create transgenic tomato varieties expressing the XERICO gene with a drought stress inducible 7D2A promotor. Successfully transformed plants will be identified using PCR. Individuals identified containing the XERICO gene will be phenotypically characterized for increased drought tolerance and other agronomic traits.

Psychology

Albiona Beka

Category: Psychology Presentation Type: Poster Presentation Number: 3338 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: NOW YOU SEE ME, NOW YOU DON'T! INVESTIGATING PRIMING INFLUENCES ON

QUITTING THRESHOLD IN A VISUAL SEARCH

Abstract: When you search your refrigerator for cheese how do you decide that there isn't any and stop searching? Visual search researchers suggest that a "quitting threshold" dictates the number of items inspected prior to making this type of target absent decision. Importantly, this quitting threshold is flexible. For instance, when targets are rare the threshold becomes low, target absent reaction times (RTs) become fast and the likelihood of missing targets increases dramatically. Similarly, Moher (2020) found that the appearance of a highly salient distractor also produced increased misses and fast target absent RTs suggesting a decrease in quitting thresholds. However, the salient distractor always shared visual features with the frequent distractors. We recently showed that the pattern reverses (i.e., slow target absent RTs and fewer misses) when the salient distractor shares features with the target. Based on this reversal we speculated that the distractor did not alter quitting thresholds but instead influenced evidence accumulation in a drift-diffusion decision making model. However, that behavioral data was not rich enough to provide direct evidence for our speculations. The current work replicates those effects while tracking eyemovements, providing rich data that allows us to investigate which aspects of the search and decision-making processes are influenced by salient distractors. For instance, we show that the salient distractor alters the amount of time spent fixating each distractor, suggesting that it influences item-by-item decision mechanisms, and it influences the number of items fixed prior to responding target- absent in a manner predicted by our speculation.

Alex Guo

Category: Psychology Presentation Type: Poster Presentation Number: 3347 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: THE IMPACT OF DISCRIMINATION, VICTIMIZATION, AND REJECTION ON POC TRANSGENDER AND NON-BINARY INDIVIDALS COMPARED TO WHITE TRANSGENDER AND NON-BINARY INDIVIDUALS

Abstract: Prior research suggests that transgender and non-binary (TNB) individuals experience significant mental health disparities compared to cisgender populations. Minority stress, or the unique stressors that TNB people experience, is a driving force of these health disparities. This study aimed to examine whether TNB People of Color (POC) report stronger impacts from minority stress. More specifically, we examined whether the associations between minority stress (discrimination, rejection, and victimization) and depression were stronger for TNB POC compared to White TNB participants. In this study of 854 TNB adults (average age = 35, 60.9% white), we conducted moderation analyses of our data gathered. We found that the effects of discrimination, victimization, and rejection over the past year were amplified for TNB POC, with increases associated with higher levels of depression. In contrast, there was not a significant association between discrimination, victimization, and rejection over the past year and depression for white TNB participants. In contrast, these two groups were similarly impacted by lifetime rates of discrimination, victimization, and rejection. These findings underscore the urgent need for further research on the compounded effects of minority stress on TNB POC, especially in today's increasingly hostile sociopolitical climate. Methodological improvements, including refined measurement tools and larger, more diverse samples, may provide deeper insights. This study underscores the ongoing need for culturally competent mental health resources and policy interventions to support Trans and Non-Binary individuals across diverse racial backgrounds.

Amaya Elliott

PREECLAMPSIA

Category: Psychology Presentation Type: Poster Presentation Number: 3352 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: UNEQUAL CARE: HEALTH DISPARITIES FACED BY BLACK WOMEN DIAGNOSED WITH

Abstract: Black women often face racial and health disparities in healthcare. Black women are 3-4 times more likely to experience maternal morbidity than any other race. (Suresh et.all, 2022) Preeclampsia is a hypertension disorder that is commonly diagnosed in women during pregnancy but disproportionately affects more pregnant Black women than white women (Shahul et al, 2015). This disorder can be diagnosed by symptoms such as elevated blood pressure and organ dysfunction which causes an elevated risk for danger to women. Risk to Black women may be partially explained by having higher rates of diabetes and obesity prior to their pregnancy. (Suresh et.all, 2022). These underlying factors in addition to disparities concerning less access to quality care, education, and lower income put Black mothers at an increased risk for being diagnosed with preeclampsia during their pregnancy. One of the social determinants that has been proposed to contribute to preeclampsia diagnosis is racism and discrimination faced specifically in their healthcare. Black patients experience 3x more discrimination related to race, language, and culture than white patients (Conklin et al, 2024). Compared to white women, Black women are less likely to have preeclampsia-related blood tests (Docheva et al., 2023). The present qualitative study seeks to describe experiences of discrimination in healthcare among Black pregnant women who were diagnosed with preeclampsia during their pregnancy. The Michigan Prenatal Stress Study conducted qualitative interviews with white and Black pregnant women. Of 141 participants,41 were Black and 16 Black women were diagnosed with preeclampsia. Of those diagnosed, six participants experienced some type of discrimination during their care. A common concern was that certain tests were not done to consider preeclampsia as a diagnosis, which led to a diagnosis late in the pregnancy. One patient expressed concern for the way her baby was treated after she gave birth due to her diagnosis. She expressed that the healthcare providers handled her baby roughly during routine newborn testing. Other patients expressed that their symptoms were not taken seriously and were often ignored.

Amber Olguin

Category: Psychology Presentation Type: Poster Presentation Number: 3333 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: MISERY DOESN'T LOVE COMPANY: COMMUNITY CONNECTEDNESS IN RELATION TO TRAIT HOPELESSNESS AND NEGATIVE EXPECTATIONS OF THE FUTURE AMONG TRANS AND NONBINARY INDIVIDUALS

Abstract: Transgender and nonbinary (TNB) people's mental wellbeing is shaped by their social support and experiences of minority stress. Even so, the data on community connectedness is inconclusive on its significance to resilience, but it may help TNB people who face high rates of stigmatization. We hypothesized that community connectedness would be negatively associated with negative future expectations and trait hopelessness, and that negative future expectations would be positively correlated with trait hopelessness. Using data from a larger study on TNB people's experiences of resilience (N = 854 TNB adults, average age = 35, 60.9% white), we found that community connectedness was negatively correlated with negative future expectations (r = -.193,p< .001) and trait hopelessness (r = -.236,p< .001). We also found that negative future expectations and trait hopelessness were positively correlated (r= .398,p< .001). These findings suggest that providing better avenues for community connection may also help to shift TNB people's feelings of hopelessness or negative outlooks for the future. Further research is needed to understand causality given the cross-sectional nature of the current study. Future research should also explore how these experiences vary across specific populations, such as BIPOC TNB individuals.

Anne-Marie Muszkiewicz

Category: Psychology Presentation Type: Poster Presentation Number: 3366 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: EMPATHY AND RELATIONSHIP QUALITY IN FRIENDSHIPS: THE ROLE OF PERCEPTIONS

Abstract: Being empathetic (and perceiving your partner as empathetic) promote greater satisfaction in one's relationships. It's possible that perceptions of empathy also play an important role in more nuanced relationship characteristics and functioning. Using a round-robin design, 190 friend quads (N = 760) completed measures of empathy (self- and observer reports) and ten subscales of the Network of Relationships Inventory (i.e., NRI; observer reports only). Univariate and bivariate social relations model analyses were applied. Across all judgements, relationship variance (i.e., uniqueness) accounted for the largest proportion of variance (60-70%) followed by perceiver variance (assimilation; 15-32%) and target variance (i.e., consensus; 7-18%). Empathy positively covaried with all NRI subscales except for conflict and antagonism. The current study demonstrates that judgments of empathy and relationship quality within the NRI are largely relationship-specific and have little consensus among friends. Moreover, covariance patterns demonstrate that judgments of empathy may play a distinct role within relationships and can provide insights into the interpersonal dynamics that shape overall relationship quality.

Annika Jaros

Category: Psychology Presentation Type: Poster Presentation Number: 3314 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: VARIATION IN MEMORIES OF ADVERSE CHILDHOOD EXPERIENCES

Abstract: People's memories of adverse childhood experiences are associated with several indicators of mental and physical. However, people's memories are not static and likely wax and wane across the lifespan. The degree to which these memories fluctuate-and why-is relatively unclear in the literature. The current study examined fluctuations in adverse childhood memories and examined linkages with fluctuations in social relationships, school contexts, and family of origin interactions. We surveyed 400 college students three times over the course of the semester with a month in between assessments. Participants completed the Childhood Trauma Questionnaire, academic stress, and support/strain from friends and family. Across all CTQ outcomes, having more support and less strain (on average, at the between-subjects level) was associated with lower types of all forms of adverse childhood experiences. At the within-subjects level, variations in parental support were more closely tied to reports of childhood adversity. Specifically, higher levels of parental support (relative to a person's baseline) were associated with lower physical abuse, sexual abuse, emotional neglect, and physical neglect. Variation in parental support was not significantly associated with emotional abuse. Variations in parental strain were less consistently related to variations in reports of childhood adversity. Peer support/strain and academic stress were associated with CTQ outcomes at the between-subjects level but not at the within-subjects level. People's memories of the past are partially constructed based on their current life circumstances and relationships, particularly with their parents.

Annika Schoenherr

Category: Psychology Presentation Type: Poster Presentation Number: 3362 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: THE INFLUENCE OF SOCIAL CONTEXTS ON EXERCISE PERFORMANCE IN FEMALES

Abstract: The impact of the presence of others on exercise performance has been an important topic in sport training and physical activity contexts. Physical activity is an essential part of maintaining a healthy lifestyle. Common places to exercise include one's home or a sports training complex. Sports training complexes offer a range of services, including coaching by personal trainers and various architectural configurations, with multiple full-length mirrors being a common industry standard. Regardless of location, exercise most commonly takes place in the presence of another individual (sometimes familiar to the exerciser), in front of a mirror, or under the guidance of an exercise coach or personal trainer. While previous research has explored the effect of the presence of others on exercise performance, general research has failed to provide a comprehensive analysis of what social context optimizes exercise performance in females. This study aims to discover how various social contexts, mirroring real-life conditions, might enhance or inhibit exercise performance. In a within-subjects design, 200 undergraduate females completed four bouts of running while exposed to various stimuli designed to mimic real-life social contexts found in a training facility. Distance ran was recorded for each bout of running. A motivation questionnaire was administered to assess the individual's prior exercise experience, and heart rate measures were recorded to evaluate perceived physical exertion. It is hypothesized that exercising in the presence of a coach will have the greatest enhancement on exercise performance

A'nya Burks

Category: Psychology Presentation Type: Poster Presentation Number: 3324 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: OPIOID RESEARCH PROJECT

Abstract: Michigan continues to battle the opioid crisis, with overdose deaths fluctuating despite intervention efforts. In 2020, the state reported 2,171 opioid overdose deaths, accounting for over 79% of all drug-related fatalities. While recent data shows a 5.7% decline in overdose deaths from 2022 (2,998 deaths) to 2023 (2,826 deaths), significant racial disparities persist, with Black residents overdosing at 2.7 times the rate of white residents. These trends highlight the need for policies that address substance use disorder (SUD) prevention, treatment access-including outpatient services-and harm reduction. This study examines the impact of Public Acts (PA) 84 of 2022 and 136 of 2020 on naloxone distribution, treatment access, and public health strategies in Michigan. PA 84 established the Opioid Advisory Commission to guide funding priorities for SUD and mental health services. PA 136 revised Michigan's Public Health Code to improve disease prevention and regulate healthcare access, expanding both inpatient and outpatient treatment options. Preliminary findings suggest these laws have strengthened policy coordination and improved SUD treatment access. Naloxone distribution has increased since their implementation, contributing to the decline in overdose deaths. The Opioid Advisory Commission has also advanced strategic allocation of opioid settlement funds toward treatment and recovery services. By enhancing naloxone availability, regulating healthcare services, and supporting harm reduction, Michigan is moving toward a data-driven approach to combat the opioid epidemic. Continued evaluation is necessary to assess the long-term impact of these policies and to inform future legislative and funding decisions.

Ariella Beal

Category: Psychology Presentation Type: Poster Presentation Number: 3304 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: INDIVIDUAL AND SPOUSAL DEPRESSION PREDICTING MORTALITY

Abstract: Successful aging is a concept that encompasses maintaining one's physical, mental, and social well-being as one grows older. Choices you make in your everyday life have a substantial impact on how successfully you age. There's been work showing that aspects of individuals impact social aging, however this impacts the way other people in our lives influence successful aging. In the current study, we examined one source of aging variation--people's depressive symptoms. In a large sample of older couples, we found that a person's--and their partner's--depressive symptoms were associated with a higher risk of mortality over time.

Atea Nelson

Category: Psychology Presentation Type: Poster Presentation Number: 3345 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: DO EBIENDS' EEATHERS I

Title: DO FRIENDS' FEATHERS FLOCK TOGETHER? INVESTIGATING FRIEND SIMILARITY IN PERSONALITY USING A ROUND-ROBIN DESIGN.

Abstract: Friendships are a fundamental component of social life, and one factor that may underpin their strength and dynamics is personality similarity. Research, including Harris and Vazire (2016), has shown mixed findings on whether friends share similar personality traits, with varying effect sizes suggesting whether and how friends are similar in their personalities is an open question. Therefore, the current study explores the key question of how similar friends are in terms of personality and if closer friends are friends more similar to each other. We leveraged two datasets. Study 1 examined 371 friend quads (N = 4,424) recruited through SONA and social media, in which participants reported on themselves and their friends on the Big Five personality traits and how they feel close to each other. Study 2 used around 250 informants (friends) and their target individual's reports of their Big Five and relationship closeness, which was again recruited via SONA. This study employs multilevel modeling and estimates the personality similarity between friends in terms of both selfreport and perception via the ICC (intraclass correlation coefficient). This will have implications for understanding the extent to which similarity exists between friendships and how that similarity depends on friendship closeness. The findings from this study shed light on friendships in relationship science literature, which thus far has heavily focused on romantic relationships, as well as provide insights to the public on how similar we truly are with friends, at least in terms of personality.

Avery Bell

Category: Psychology Presentation Type: Poster Presentation Number: 3343 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: POLITICS AND PERCEPTIO

Title: POLITICS AND PERCEPTION: HOW ACCURATE DO CLOSE OTHERS PERCEIVE EACH OTHERS' POLITICAL ORIENTATION?

Abstract: Studies about perceptions in close relationships found a mixture of tracking accuracy and bias (e.g., assumed similarity) in perceiving their close others' traits such as personality and humor. However, little is known about how partners perceive each other's political orientations. In general, previous research suggests that people are significantly more accurate than chance in perceiving the political orientation of non-acquaintances, although this could differ by the perceiver's political extremity and the target's attributes. Considering the significant role of the partner's political orientation in relationship quality, we will test the accuracy and bias in perceiving the close other's political orientation and how relationship satisfaction and other individual or relationship factors matter in the perception. We used nearly 400 dyads of romantic couples, family members, and friends, and employed the Truth and Bias model to investigate whether close others overestimate how liberal/conservative the other is, and if they assume their partner to be similar to them. Moreover, we will also explore whether these biases depend on the types of political orientations they are rating (e.g., fiscal or social political orientation) and would their judgment be moderated by individual/relationship factors. This study will add to the growing literature highlighting perceptions in romantic relationships and help us better understand the sources of truth and bias in perceiving the loved one's political orientation.

Brianna Klopp

Category: Psychology Presentation Type: Poster Presentation Number: 3358 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: MOVEMENT AND LEXICAL RETRIEVAL

Abstract: Movement has been proposed to help word retrieval because of its activation of the general motor system. This study investigates how movement benefits word retrieval. Movement could be beneficial in recalling words with a strong action association (action hypothesis) and/or beneficial with words that have stronger articulation demands (motor speech hypothesis). Participants were placed into either the movement or no movement condition. They were shown a definition of a word and given 20 seconds to recall and type in their answer if they knew the word. If they did not know the word, they indicated whether they were in a tip-of-the-tongue state or they didn't know the word. They were then given 30 seconds to retrieve the answer. The movement group was instructed to tap on the keyboard with their index fingers whereas the no movement group was asked to remain still. The results showed that there was no evidence supporting the action hypothesis. Words with high action associations were not retrieved more often when participants were allowed to tap. Instead, the results supported the motor speech hypothesis, that movement improved retrieval for words that were more difficult to articulate. These findings suggest that activation of the motor system improves retrieval and demonstrates the close relationship between speech and gesture.

Brooke Soulliere

Category: Psychology Presentation Type: Poster Presentation Number: 3354 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: INK AND IDENTITY: PERSONALITY PERCEPTIONS BASED ON TATTOOS

Abstract: People with and without tattoos are often judged differently despite being relatively similar to each other on several psychological characteristics. One limitation of previous research is that the type and characteristics of tattoos are largely neglected, despite these factors likely guiding judgments about tattooed people. Are people judged differently based on their tattoos, and are these judgments accurate? We examined these questions in 274 adults (Mage = 24.59, SD = 7.17; 71.2% women; 77.2% White) with 375 tattoos who agreed to have their tattoos photographed for the study and completed a battery of personality measures. Expert raters then judged their personalities based solely on the appearance of the tattoo. Although there was consensus about the personalities of people who had a particular tattoo (i.e., judges agreed in their perceptions of people with tattoos), these judgments were largely inaccurate, with a few exceptions. Specifically, judgments of openness to experience (based solely on tattoos) were modestly accurate and attributable to how wacky the tattoo was and whether affiliative symbols were present. Providing personal context to raters (e.g., tattoo meanings) slightly improved rater accuracy for extraversion and agreeableness, although generally accuracy was still low. The current study provides further descriptive information on how people use visual cues (in this case, tattoos) to judge others' personalities and the conditions under which those judgments are accurate.

Chloe Baumer

Category: Psychology Presentation Type: Poster Presentation Number: 3361 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: INVESTIGATING THE BOLE

Title: INVESTIGATING THE ROLE OF SPEECH RHYTHM AND AUDIOVISUAL ASYNCHRONY IN UNDERSTANDING SPEECH IN NOISY ENVIRONMENTS

Abstract: Previous speech recognition studies show that altered speech rhythm hinders speech understanding in noisy environments (McAuley et al., 2020).The current study investigates the role of speech rhythm in auditory-visual (AV) speech conditions. The central hypothesis was that altering the target speech rhythm along with AV asynchrony will make it more difficult to comprehend speech in noise. Participants were presented with side-by-side videos of a target talker and a background talker presented amidst background babble. The participants task was to focus on the target talker and ignore the background talker and then report what the target talker said. The target talker's speech rhythm was either intact or altered with different levels of AV asynchrony. Consistent with previous research in auditory only conditions, results showed that participants reported fewer correct words in the altered speech rhythm condition versus the intact condition. Participants also reported more intrusion errors when the rhythm was altered compared to intact. Results also showed altering AV asynchrony worsened the proportion correct and led to higher numbers of intrusion error. Overall, altering AV speech rhythm and AV asynchrony in presence of a competing talker and background babble hinders speech recognition.

Christina Pettinger

Category: Psychology Presentation Type: Poster Presentation Number: 3331 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: EVALUATING THE RELATIONSHIP BETWEEN SUBSTANCE USE AND BODY APPRECIATION IN A UNITED STATES ADULT POPULATION

Abstract: Prior research has indicated a relation between substance use and poor body image. However, the existing literature exploring substance use and body image largely focuses on negative body image. As such, there is a need for research exploring how positive body image constructs (e.g., body appreciation) relate to such health behaviors. This research will help identify who is at greater risk for compromising health behaviors and inform future interventions to target those populations. This study aimed to explore the association between body appreciation and substance use (i.e., alcohol, marijuana, cigarettes, e-cigarettes, and illicit substances). Adults (Mage=36.1±11.5 years) in the US (N=1019; 45.7% female, 50.1% male, 1.2% trans/nonbinary, 51.2% White, 48.8% racial/ethnic minority) were recruited via Connect, a crowdsourced research platform, and completed online surveys. We conducted zero-inflated negative binomial models to test associations between body appreciation and substance use. We found a significant association between higher body appreciation and not having used e-cigarettes, as well as a lower likelihood of using illicit substances. No other associations were significant. These results suggest little association between many kinds of substance use and body appreciation, with the exception of e-cigarettes and illicit substances. Since we only assessed frequency of substance use, we cannot determine how maladaptive the use is, which could affect the results. Future studies should assess the level of psychosocial impairment associated with substance use and its relation to body appreciation.

Claire Arkinstall

Category: Psychology Presentation Type: Poster Presentation Number: 3377 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: EXAMINING THE ASSOCIATION BETWEEN FOOD AND WEIGHT TRACKING AND INTUITIVE EATING WITH PSYCHOLOGICAL FLEXIBILITY AS A MODERATING FACTOR

Abstract: The use of tracking devices and apps (e.g., Apple Watches, MyFitnessPal, Fitbit) to monitor eating habits and/or weight is increasingly popular among young adults. Food tracking specifically is associated with greater eating concerns and dietary restraint in college age students. However, research has yet to explore the effect of food and weight tracking on intuitive eating, an adaptive eating approach characterized by eating according to natural bodily cues. The current study explored the association between food and weight tracking on intuitive eating and whether psychological flexibility moderates this association. Participants were undergraduate students (N?= 1975,?Mage?= 19.53 ± 1.75, 75.4% female, 22.6% male, 1.8% trans/nonbinary) recruited through SONA who completed online surveys for course credit. We conducted linear regression models to assess the associations between food and weight monitoring on intuitive eating and whether psychological flexibility moderated these associations. Both food monitoring (p?= 0.012) and weight monitoring (p?= 0.006) were significantly and negatively associated with intuitive eating. Psychological flexibility was strongly associated with intuitive eating (p?< 0.001), but did not moderate the associations between food and weight monitoring and intuitive eating. These findings suggest food and weight tracking could hinder intuitive eating. Future research would benefit from longitudinal data to investigate temporal effects between food and weight selfmonitoring on intuitive eating and explore potential moderators and mechanisms.

Claire Christin

Category: Psychology Presentation Type: Poster Presentation Number: 3305 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: CULTURAL VARIATION IN GENDER ROLE ATTITUDES

Abstract: Sex and gender roles have been the subject of much empirical study. However, most of this research has been conducted in Western cultural contexts, primarily the United States and Canada. Little is known about cultural variation in these gender role attitudes and whether cultural characteristics affect how different men and women are in different cultures (let alone people from different sexual/gender minority groups). In the current study, we examined cultural variation in gender role attitudes in 318,440 internet respondents from 68 different cultures (49.7% women; 47.9% non-heterosexual). Cultural characteristics will include individualism/collectivism, GDP, income inequality, human development indices, cultural values, relational mobility, and tightness/looseness. We also examined whether these cultural factors moderated the size of group differences in terms of gender and sexual orientation differences. The current study is one of the largest and culturally diverse studies of gender role attitudes conducted to date. Implications and practical applications of the study will be discussed during the presentation.

Connor Yee

Category: Psychology Presentation Type: Poster Presentation Number: 3321 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: THE RELATIONSHIP BETWEEN WEIGHT BIAS AND BODY APPRECIATION IN A MALE SAMPLE: IS SEXUAL MINORITY STATUS A MODERATOR?

Abstract: Experienced and internalized weight bias (i.e., negative attitudes and beliefs based on weight), have a profound negative impact on body image outcomes, including decreased body appreciation. However, this literature has primarily focused on female experiences, leaving gaps in our understanding of this relation in male populations. The current study aims to address this gap by analyzing the relation between weight bias and body appreciation in an all-male sample. Additionally, the study investigates whether this relation is moderated by sexual minority status, as sexual minority men may face unique appearance-related pressures. Undergraduate males (n= 451, Mage=19.8±1.8, 90.5%) Straight, 9.5% Sexual minority)were recruited via SONA and completed online surveys for course credit.We conducted linear regression models to determine associations between enacted and internalized weight stigma and body appreciation, with sexual minority status as a moderator. Results indicated that both enacted and internalized weight stigma were negatively associated with body appreciation in a male sample (ps < 0.001), but there was not a significant moderating effect of sexual minority status in either of these associations. These results suggest that experienced and internalized weight bias may impede body appreciation in men, regardless of sexual minority status. Targeting both experienced and internalized weight bias in interventions may be key to promoting body appreciation in men.

Darielle Kontcho

Category: Psychology Presentation Type: Poster Presentation Number: 3332 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: THE INTERRELATION BETWEEN RACIAL DISCRIMINATION, RELIGIOSITY, AND PSYCHOSIS AMONG BLACK AMERICANS?

Abstract: Everyday racial discrimination can exacerbate symptoms linked to schizotypy. Black populations experience racial discrimination more frequently than other people of color, and this discrepancy may explain in part the increased prevalence of psychosis among Black Americans. However, many Black people identify as religious spiritual, which may aid in prevention of and recovery from severe mental illness. This research examined the association between everyday racial discrimination, religiosity and spirituality, and multidimensional schizotypy . In a sample of 153 Black adults, experiences of everyday racial discrimination were correlated with positive (r=.229; p=.004) and disorganized (r=.194; p=.016) schizotypy; however, the relationship with negative schizotypy did not reach the level of significance. Additionally, there was a relationship between gender and the importance of religion. The association between importance of religion or spirituality and schizotypy did not reach the level of significance. Similarly, racial discrimination and religious beliefs were not significantly correlated. For future research, it may be worthwhile to examine the differences in spirituality and religiosity based on the intent and actual impact of such practices upon participants' quality of life.

Dhruv Bhatnagar

Category: Psychology Presentation Type: Poster Presentation Number: 3376 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: THE EFFECTS OF PERSONALITY FEEDBACK ON PERSONALITY ASSESSMENT

Abstract: Feedback plays an important role in shaping individuals' self-perceptions and behaviors, but limited research examines how individuals change self-reported personality after receiving feedback. Broader research regarding responses to feedback demonstrates a complex interplay between reinforcing and contradictory feedback, as well as one's motivations and self-views. Self-verification theory proposes that individuals seek feedback that aligns with one's perception of themselves, supporting the idea that upon discordant feedback, individuals may change their self-reported personality to more closely align with their self-perception. Alternatively, self-enhancement theory suggests that people will seek particularly positive feedback in an effort to appear more socially desirable or to reach a more ideal self-image. This theory holds that individuals may change their personality upon reception of feedback that is perceived as negative. The present study focuses on how individuals respond to feedback regarding their personality, investigated in a large sample of Michigan State University undergraduate students. We explored whether individuals alter self-reported personality responses after completing an initial personality assessment and receiving accurate feedback about their personality compared to students who did not receive feedback. We hypothesize that participants will adjust their secondary personality responses in an effort to either self-enhance or self-verify based on the feedback they received. We also explored response differences between self-enhancement and selfverification theories through administration of additional measures, including self-esteem, self-concept clarity, and social desirability. Study results will build upon existing personality assessment literature and examine possible underlying mechanisms for changes in selfreporting.
Holly Pringle

Category: Psychology Presentation Type: Poster Presentation Number: 3325 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: TESTING THE EFFECTS OF CESAREAN BIRTH ON MOUSE SOCIAL BEHAVIOR USING A

NATURALISTIC APPROACH

Abstract: Birth occurs at a time of intense remodeling of the brain via key neurodevelopmental processes, and therefore any deviations of the birthing experience could affect brain development. Indeed, we previously reported that Cesarean-born adult mice have fewer and smaller vasopressin neurons in the paraventricular nucleus of the hypothalamus (PVN) in comparison to their vaginally born counterparts. Because the vasopressin system of the PVN regulates sociality, our previous findings suggest that Cesarean birth may alter mouse social behavior. To test this hypothesis, here we used a naturalistic approach: non-invasive observations of social behavior in the home cage. We used this method because most social behavior tests rely on testing mice in unfamiliar settings (e.g., an arena containing a novel mouse) which could potentially affect natural social behaviors. We positioned video cameras in front of cages containing adult mouse dyads of the same sex (male or female) and birth mode (vaginal or Cesarean) and recorded behavior for two hours during the early morning and early night. Social behaviors (allogrooming, huddling) and non-social behaviors (self-grooming, rearing, locomotion, nest-building, drinking, eating) were scored every 2 minutes for each mouse in the dyad. We are currently finalizing behavioral analysis. Our work is of significance given the high rates of Cesarean births across the world and that epidemiological studies suggest that Cesareanborn humans are at increased risk to be diagnosed with conditions characterized by strong social deficits.

Isabella Riopelle

Category: Psychology Presentation Type: Poster Presentation Number: 3357 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: SEX DIFFERENCES IN ASSOCIATIONS BETWEEN ACTIVATION CONTROL & AMP; DISORDERED EATING SYMPTOMS IN A POPULATION-BASED SAMPLE OF YOUTH.

Abstract: Low activation control - the tendency to struggle with initiating an action when there is strong desire to avoid it - is broadly associated with self-regulation deficits and increased vulnerability to psychopathology, including disordered eating (DE; e.g., drive for thinness, binge eating/purging). However, prior research on the role of activation control in DE is sparse and has exclusively focused on female college students. No studies have examined these associations in males or at other developmental stages (e.g., childhood/adolescence), despite pronounced sex differences in eating disorder prevalence (females > males) and increased risk for DE during adolescence. Investigating these links earlier in development and in males is crucial for determining whether low activation control could serve as an early risk factor for DE and whether its effects vary by sex. This study examined sex differences in the relationship between activation control and DE in male and female twins (N = 1,733; ages 7-17) from the Michigan State University Twin Registry. The Early Adolescent Temperament Questionnaire assessed activation control, and the Minnesota Eating Behavior Survey assessed overall levels of DE. Results indicated that lower activation control was associated with higher levels of DE, and this association was somewhat stronger in girls than boys. These findings suggest that low activation control may contribute to DE risk during adolescence in both sexes; however, the heightened association/vulnerability in girls may partially explain the increased prevalence of DE in females. Further research is needed to elucidate sex-specific mechanisms and developmental pathways linking activation control to eating pathology.

Jason Gilbert

Category: Psychology Presentation Type: Poster Presentation Number: 3342 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: CONTRAST SENSITIVITY ACROSS THE PSYCHOSIS CONTINUUM

Abstract: Background: Individuals with schizophrenia (SZ) demonstrate measurable and robust impairments related to low-level visual processing, including altered contrast sensitivity. Interestingly, contrast sensitivity varies over the illness course: Chronic SZ patients have reduced contrast sensitivity while unmedicated, first-episode individuals have increased contrast sensitivity. To date, there is little evidence investigating whether contrast sensitivity is also associated with risk for psychosis in non-help-seeking individuals. In the current study, we investigated contrast sensitivity in unmedicated young adults with significant psychotic-like experiences (PLEs) --- a risk factor for psychotic illness. Methods: To date, 38 high levels of PLEs and 32 low levels of PLEs have completed a measure of contrast sensitivity. Subjective visual disturbances are assessed through the Bonn Scale for the Assessment of Basic Symptoms (BSABS). Social-risks factors are assessed using the Cumulative Adversity Scale and Perceived Discrimination Scale. Data collection in the young adult sample is ongoing. Results and discussion: Preliminary results indicate increased sensitivity (d=-0.23) and visual disturbances (d=0.97, p<.001) in High PLE compared to Low PLE young adults. These preliminary results are consistent with changes in contrast sensitivity across the psychosis continuum, potentially indicating excess retinal/brain dopamine and a compensatory or medication-related reversal of that effect. Findings also highlight the potential utility of low-level visual perception tasks as risk screening measures.

Javier Del Bosque Gomez

Category: Psychology Presentation Type: Poster Presentation Number: 3367 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: ACCURACY AND BIAS IN PERCEPTIONS OF CLOSE OTHERS' SENSE OF PURPOSE AND

LIFE SATISFACTION

Abstract: This study examines people's perceptions of a close other's sense of purpose and life satisfaction. While prior research has explored the extent to which people are accurate or biased in their perceptions of close others, thisworkhas focused on perceptions of traits, rather than well-being. We used the Truth and Bias Model (West & amp; Kenny, 2011) to examine three forms of bias: 1) directional bias (over/under evaluating the close other), 2) tracking accuracy (the ability to correctly perceive a close other's qualities as they are relative to other people), and 3) similarity bias (the tendency to perceive close others as more similar to oneself than they actually are). 377 undergraduate participants completed a survey and nominated a close other to complete the same survey, resulting in 377 dyads (n = 754, Mage = 23.27, SDage = 10.54, 74.1% female, 73.7% white). The relationships included friends (61.3%), romantic partners (5%), or family members (33.7%). Results showed that for people's perceptions of close others' sense of purpose, there was significant positive directional bias, significant tracking accuracy, and significant assumed similarity. For perceptions of life satisfaction, there was no evidence of directional bias, however, there was significant assumed similarity and tracking accuracy. We will also examine moderators of these effects, including the Big Five Personality traits (openness, conscientiousness, extraversion, agreeableness, and neuroticism), as well as several indicators of relationship quality (love, trust, closeness, intimate disclosure, and overall relationship satisfaction).

Jessica Belknap

Category: Psychology Presentation Type: Poster Presentation Number: 3355 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: DON'T LET YOUR GUARD

Title: DON'T LET YOUR GUARD DOWN: THE RELATIONSHIP BETWEEN COGNITION AND SONAR MONITORING PERFORMANCE

Abstract: Attention-demanding tasks become more difficult to perform over time. This results in progressive increases in reaction time and decreases in accuracy, an effect known as the vigilance decrement. Here, we investigated the extent to which individual differences in cognitive ability predicted the vigilance decrement in Sonar monitoring, a task in which individuals use auditory and visual signals to identify and classify nearby ships. 172 participants completed two experimental sessions. During Session 1, participants completed a cognitive battery of various tasks measuring attention, placekeeping, working memory, and decision making. They also completed the Armed Forces Qualification Test, an assessment of mathematics, reading comprehension, and vocabulary. In Session 2, participants completed a four-hour Sonar monitoring simulation. Presented with dynamic acoustic cues, participants classified signals into one of four categories based on their unique set of frequencies. We predict that across the Sonar monitoring simulation, reaction time to identify the signals will increase and accuracy in classifying the signals will decrease. Preliminary analyses support our hypothesis, with an 8% increase in reaction time across the 4-hour period. Additionally, we predict that performance on the cognitive assessments will predict the vigilance decrement such that participants who perform better in Session 1 will show a smaller vigilance decrement in Session 2. Ultimately, we look to identify individual differences in cognition that relate to increased resilience to the vigilance decrement, providing new insight into sustained performance on attention-intensive tasks. This work has implications for optimizing recruitment in occupations prone to time-on-task fatigue.

Jolie Kretzschmar

Category: Psychology Presentation Type: Poster Presentation Number: 3315 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: IDEOLOGICAL SIMILARITIE

Title: IDEOLOGICAL SIMILARITIES AND DIFFERENCES IN PARTISAN ANIMOSITY AROUND THE GLOBE

Abstract: Partisan animosity is the expression of dislike for a person's political outgroups. Debates have recently been sparked among scholars as to whether members of the political left and right experience partisan animosity in more similar or different ways. However, previous work specific to this topic has primarily been sampled from people in the United States. In two studies, we analyzed existing data from 8 European countries (N = 11,217) and 45 countries around the world (N = 43,774) to better understand if members of the left and right have similar or different psychological processes underlying expressions of partisan animosity. Our analysis also studies the relationship between a person's political extremity and partisan animosity. We have found inconsistent results from our two studies, with evidence of more similarities for respondents in the European sample and evidence of more differences for respondents in the global sample. However, both studies showed that people with more extreme political ideologies express more animosity to political groups who disagree with them. The wider number of countries sampled in these two studies will give the global context necessary to compare how members of the political right and left experience political animosity. Our hope is that study will lead to further research on partisan animosity and, more generally, political polarization.

Joseph Dean

Category: Psychology Presentation Type: Poster Presentation Number: 3306 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: ATTACHMENT STYLES AND RELATIONSHIP QUALITY OVER TIME

Abstract: This study examined the predictive roles of attachment orientations-attachment anxiety and attachment avoidance-in determining relationship quality. Drawing on attachment theory, we explored how individuals' underlying attachment styles influence their satisfaction, trust, and overall relational well-being in a series of relationship. Data were collected from 8097 adults (Mage = 33.72; 52.6 women; 49% married) through self-report measures assessing attachment anxiety, avoidance, security and multiple indices of relationship quality with romantic partners, friends, and relatives. We found that attachment styles mostly affected positive aspects of relationships. These findings were mostly specific to friendships and family relationships, but less so about relationships with spouses. Understanding these patterns can inform interventions aimed at fostering healthier attachment bonds and improving relationship outcomes. Future research should further explore the mechanisms through which attachment-related thoughts and behaviors influence relationship quality over time. By deepening our understanding of these processes, we can better identify strategies to enhance relational well-being and promote more secure and fulfilling romantic connections.

Julia Burgess

Category: Psychology Presentation Type: Poster Presentation Number: 3326 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: MELATONIN BEFORE BED, COGNITIVE REGRET AHEAD: THE EFFECTS OF MELATONIN

ON MORNING COGNITION

Abstract: Melatonin supplementation is beneficial to individuals with circadian rhythm disorders; it reduces sleep onset latency and wake after sleep onset, helping them to fall asleep faster and stay asleep longer. However, the effect of melatonin on sleep quality and subsequent morning cognition in young adults with relatively healthy sleep remains unclear. In two experiments, we examined the extent to which melatonin improves sleep in young adults and assessed cognition the following morning. Cognitive performance was assessed using the Psychomotor Vigilance Task (PVT), a vigilant attention task, and UNRAVEL, a placekeeping task. In the first experiment, participants were given either 2mg or 5mg melatonin with fast-acting and extended-release components or placebo, under doubleblind conditions. Participants were given an eight-hour sleep opportunity, during which sleep was monitored via polysomnography. Findings suggested that melatonin did not have a beneficial effect on sleep and impaired morning cognition, increasing attentional lapses (PVT) and placekeeping errors (UNRAVEL). Furthermore, we assessed melatonin concentration in a subset of participants and found elevated melatonin in both the 2mg and 5mg groups. Our second experiment replicates the first, using only the 2mg and placebo conditions. Salivary melatonin was assessed in both the evening and morning for all participants. We predict that participants who received melatonin will have elevated morning melatonin and show cognitive deficits similar to the first experiment, without any benefit to sleep. This work has implications for individuals taking melatonin before cognitively demanding tasks, such as working a job that requires sustained attention or taking a morning exam.

Julia Jankowski

Category: Psychology Presentation Type: Poster Presentation Number: 3373 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: THE EFFECTS OF SLEEP DEPRIVATION ON ATTENTION CONTROL

Abstract: Sleep is essential for cognitive performance, yet one-third of adults experience insufficient sleep each night. Previous research has shown that sleep deprivation impairs aspects of vigilant attention and inhibitory processing. Our study adopts a holistic approach to investigate the effects of sleep deprivation on attention control. Attention control is the ability to maintain focus on a task (vigilant attention) while suppressing irrelevant information (inhibitory control). This study consisted of two experimental phases: baseline tasks in the evening and criterion tasks in the morning, separated by a manipulation of sleep deprivation. Participants arrived in the laboratory at 22:00 and completed tasks measuring facets of attention control: sustained attention, inhibitory control, and multitasking. After this, they were randomly assigned, under double-blind conditions, to either remain awake overnight in the laboratory (Deprivation) or to go home and sleep in their habitual sleeping environment (Sleep). At 08:30, participants in the Sleep group returned to the laboratory, and all participants completed the same attention control tasks again. Our results suggest that sleep deprivation impairs many aspects of attention control; compared to the Sleep group, participants in the Deprivation group showed increased attentional lapses, decreased sustained attention, and impaired inhibitory control. This study highlights the importance of adequate sleep for maintaining cognitive function, and has serious implications for highstakes professions, where an attentional lapse or decrease in sustained attention could have dire consequences.

Kayla Kas-Mikha

Category: Psychology Presentation Type: Poster Presentation Number: 3371 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: FRIENDS JUDGMENTS OF PURPOSE IN LIFE

Abstract: Friends play a central role in shaping individuals' well-being, identity, and sense of purpose in life. However, little is known about how friends perceive and judge each other's purpose and the extent to which these judgments reflect reality versus personal biases. This study applies the Social Relations Model (SRM) to disentangle multiple sources of variation in how friends evaluate one another's sense of purpose. Using a round-robin design of nearly 200 friend groups, friends rated each other's purpose in life, while also providing self-reports of their own purpose. The SRM framework allows us to partition variance in judgments into target effects (the extent to which people are generally seen as having high or low purpose), perceiver effects (the extent to which some individuals consistently see others as purposeful), and relationship effects (unique dyadic perceptions that go beyond general impressions). Additionally, we examine whether self-reported purpose aligns with peer ratings and explore how friendship closeness moderates these patterns. Results provide insight into whether purpose is an attribute that is reliably perceived by friends or is shaped by interpersonal biases. Findings revealed that judgments of purpose could be divided into target, perceiver, and relationship effects, particularly relationship variance. Given that friendships are critical for well-being and identity development, understanding how friends perceive each other's purpose offers important implications for how social relationships reinforce or challenge a sense of meaning. This study highlights the complexity of interpersonal perceptions and advances knowledge on how purpose in life is embedded within social networks.

Kayla Tracey

Category: Psychology Presentation Type: Poster Presentation Number: 3344 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: THEMATIC ANALYSIS OF GLP-1 CONTENT ON TIKTOK

Abstract: Mainstream media has long perpetuated weight normativity; the notion that health and weight have a linear relationship and that individuals are responsible for maintaining "healthy lifestyles" and "healthy weights". Modern day social media similarly perpetuates these norms in weight-loss centered media. Currently, a popular weight-loss discourse on social media is the use of pharmacological interventions for weight loss. Recently, public interest in glucagon-like peptide-1 receptor agonist drugs (GLP-1s) has skyrocketed due to their perceived weight loss effects. The increased public interest in GLP-1s for weight loss has led people to access the drugs in potentially dangerous ways, which could result in more adverse effects. Even when used as prescribed, GLP-1s have several potential negative side effects. Despite their potential risks, many people access GLP-1s through compounding pharmacies due to semaglutide shortages that arose after an increase of off-label drug usage. Compounded versions of the drug are not FDA approved and have the potential to be dangerous for numerous reasons. Studies have begun to explore social media content that may be contributing to the rise in popularity of Ozempic and other GLP-1s. A descriptive analysis of TikTok videos under the hashtag #Ozempic found that more than half of videos mentioned taking or planning to take Ozempic and taking Ozempic specifically for weight loss (vs. diabetes). This highlights that the majority of discourse around semaglutide online is promoting off-label usage for weight loss, as opposed to clinically recommended usage for diabetes management. Moreover, content that aligns with weight normative belief i.e., that losing weight is inherently healthy, may promote disordered eating habits such as obsessions about food and nutrition. The aims of this study are (1) to summarize key demographic characteristics of creators/accounts producing GLP-1 content on TikTok, (2) document the major themes present within GLP-1 focused TikTok videos and investigating the degree to which these themes align with weight-normative beliefs, and (3) document the recommendations being made (e.g., use for weight loss) and what dangers are being discussed (e.g., disordered eating, side effects) about GLP-1 usage on TikTok. 250 TikTok videos were collected across five hashtags (#glp1, #semaglutide, #ozempic,

#tirzepatide, #wegovyy). The codebook encompassed basic information such as perceived age, perceived gender identity, and perceived racial identity. Additional codes were developed inductively. Thematic analysis was used to identify the themes present within TikTok videos relating to GLP-1 usage.

Keeley Stankus

Category: Psychology Presentation Type: Poster Presentation Number: 3327 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: TESTING THE EFFECTS OF CESAREAN BIRTH ON MOUSE SOCIAL BEHAVIOR USING A

SOCIAL PREFERENCE APPROACH

Abstract: Birth occurs at a time of intense remodeling of the brain and deviations from the natural birthing experience can affect brain development. Indeed, we previously reported that Cesarean-born adult mice have fewer and smaller vasopressin neurons in the paraventricular nucleus of the hypothalamus (PVN) in comparison to their vaginally born counterparts. Because the vasopressin system of the PVN regulates sociality, our previous findings suggest that Cesarean birth may alter social behavior in mice. To test this hypothesis, we exposed male and female vaginally and Cesarean born adult mice to the three-chamber sociability test, a commonly used test which measures social preference. Specifically, during the test an experimental mouse was placed in the middle chamber of the three-chamber apparatus and was allowed to explore the other two compartments: one containing a same-sex social stimulus (i.e., an unfamiliar mouse) inside a wire cage and the other containing an empty wire cage. Then the amount of time the experimental mouse spent in each chamber was recorded during the 5-minute test. We are currently finalizing data analysis. Our work is of significance given the high rates of Cesarean births across the world and that epidemiological studies suggest that Cesarean-born humans are at increased risk to be diagnosed with conditions characterized by strong social deficits.

Kevin Lim

Category: Psychology Presentation Type: Poster Presentation Number: 3353 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: DEVELOPMENT OF A SEL

Title: DEVELOPMENT OF A SELF-PACED VIRTUAL WELLNESS PROGRAM FOR GRADUATE STUDENTS IN SCHOOL AND REHABILITATION-FOCUSED GRADUATE PROGRAMS.

Abstract: The mental health and wellbeing of students can be seriously impacted by personal, professional, academic challenges, which in turn can lead into stress, anxiety, and burnout. The intense and demanding nature of graduate programs present a complex interplay between long hours, financial strain, and workload. In response to such demands, a holistic approach to the wellness of these students can assist with fostering balance and success in their education. By utilizing a system already familiar to most MSU students and providing modules with wellness-related information and resources, the overall goal of this project is to provide a convenient self-guided D2L course that can foster self-efficacy and wellness amidst the demanding schedule of graduate students preparing for careers in counselor education, school psychology, and special education. This presentation will detail the process of developing the wellness program and present findings from interviews conducted with current graduate students in counselor education and school psychology regarding its perceived feasibility and usefulness.

Krishna Jariwala

Category: Psychology Presentation Type: Poster Presentation Number: 3313 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: CHANGES IN ATTACHMENT ARE LINKED WITH CHANGES IN RELATIONSHIPS

Abstract: Attachment avoidance, characterized by discomfort with closeness and reliance on self-sufficiency, has been linked to difficulties in interpersonal relationships. However, little research has examined how changes in attachment avoidance relate to relationship improvements over time. The present study investigates whether reductions in attachment avoidance predict improvements in the quality of friendships and parent-child relationships. Using a sample of 400 participants, we assessed attachment avoidance, friendship quality, and parent relationship quality at three time points, one month apart. Longitudinal analyses revealed that decreases in attachment avoidance were associated with greater perceived support from friends and parents both at the within and between person level. The effects were consistent across age and gender, suggesting that reductions in attachment avoidance may facilitate relationship growth across different life stages.These findings contribute to our understanding of attachment dynamics in adulthood and suggest that fostering reductions in avoidance-whether through natural development or targeted interventions-may enhance relational well-being. Future research should examine the causal direction of these associations and explore implications for relationship-focused interventions.

Laura Pawlick

Category: Psychology Presentation Type: Poster Presentation Number: 3335 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: INFLUENCE OF DIFFERENT VARIABLES ON BODY IMAGE IN ADOLESCENTS

Abstract: Body image perception in children and adolescents is influenced by various social and environmental factors that evolve with age. This study examines factors associated with body image in two age groups: children aged 6-11 and children aged 12-17. Data were analyzed from the National Survey of Children's Health, a population-based sample from across the United States. We analyzed associations between body image and social and environmental variables including bullying involvement (as victim and perpetrator), family resilience, parental influence, ease of making friends, and physical activity levels. Findings suggest that while many variables significantly affected body image across age groups (e.g. family resilience, adverse childhood experiences) across groups, some variables have a stronger association with body image in the older age group. For example, in younger children (6-11), being a bully does not significantly impact body image, whereas in older adolescents (12-17), engaging in bullying behaviors is associated with higher body image concerns. Conversely, being a victim of bullying similarly affects body image across both age groups. Difficulty of making friends also increased in significance in older adolescents. Surprisingly, the frequency of physical activity does not have a significant association with body image in either age group, contrary to prior data on body image and physical activity. These findings highlight the influence of social and environmental factors on body image development in children.

Lauren Broersma

Category: Psychology Presentation Type: Poster Presentation Number: 3363 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: EXAMINING THE EFFECTS OF FEATURE-BASED SUPPRESSION IN VISUAL SEARCH TASKS

Abstract: Research has shown that knowledge of a target's features (e.g., color, shape, or orientation) improves visual search performance through a process known as feature-based gain (FBG). It has also been suggested that knowledge of features commonly associated with distractors may produce a feature-based suppression (FBS), or down-weighting of those features, which may aid visual search. Compared to FBG, FBS is less understood and more controversial. To further investigate FBS and its impact on attention, we had participants view displays with 9 Landolt C's in a circular formation, each being one of 3 colors. The goal was to find the one Landolt C with a horizontal gap and indicate whether that gap was left or right-oriented. To encourage FBS, during a training phase, one color appeared frequently and never as the target. In most experiments, participants were not made aware of this contingency and had to learn the association implicitly. Across experiments, we also varied whether there was a FBG component (one color appeared frequently and always contained the target), which was done either implicitly or participants were explicitly told to attend that component. Our results show that FBS is effective when the FBG component was made explicit, but when both components were implicit, only the FBG component was effective. We also showed that FBS was ineffective when made explicit by telling people to ignore a particular color. These results demonstrate that FBS can help guide attention to taskrelevant stimuli, but the circumstances under which it's effective are limited.

Lauren Patrick

Category: Psychology Presentation Type: Poster Presentation Number: 3336 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: EXAMINING THE ACUTE EFFECTS OF AEROBIC EXERCISE ON POSITIVE AND NEGATIVE MOOD STATES IN INDIVIDUALS WITH PTSD

Abstract: PTSD is associated with significant mood dysregulation. Because mood dysregulation is associated with poor health outcomes, interventions are needed to improve mood regulation in PTSD populations. Exercise has been shown to help reduce mood dysregulation and improve mental health outcomes. However, little research has investigated the immediate effects of exercise on mood dysregulation in individuals with PTSD. Therefore, this study aimed to investigate the immediate effects of acute aerobic exercise on self-reported measures of mood states. In this study, 68 female university students with a history of trauma and PTSD symptoms completed two conditions across two counterbalanced sessions. The experimental condition consisted of a 20-minute aerobic exercise activity, and the control condition consisted of a 20-minute sitting activity. Participants completed a self-report questionnaire before and after each experimental session on their current mood using the Profile of Mood States. Analyses were conducted using a 2 (condition: exercise, control) X 2 (time: pre, post) repeated measures, multi-level model. We predicted that the exercise condition would improve mood regulation, as evidenced by a decrease in negative mood states. The results of the study were consistent with our hypotheses, such that total mood disturbance was reduced in the exercise condition from pre- to post-test but not in the control condition. These results support the use of exercise as an effective method for regulating negative mood in individuals with PTSD.

Lauren Stimpson

Category: Psychology Presentation Type: Poster Presentation Number: 3372 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: ADJUSTMENT AMONG PARENTS OF YOUNG CHILDREN WITH FOOD PROTEIN-INDUCED ENTEROCOLITIS SYNDROME

Abstract: Food protein-induced enterocolitis syndrome (FPIES) is a non-IgE mediated allergy that emerges in infancy with the introduction of solid foods. FPIES causes acute medical emergencies characterized by repetitive, projectile vomiting that can lead to dehydration. Caregivers of children with FPIES experience high psychosocial burden. Caregivers with better knowledge of any disease typically report less burden. Coparenting refers to the ways in which individuals who share responsibility for raising children relate to one another in their roles as parents. Having a child with food allergies is associated with marital strain and mental health impacts, particularly for mothers. Mothers report worse mental health impacts than fathers. Mental health and coparenting have not yet been examined within parents of FPIES patients. We surveyed N=67 female, married, heterosexual parents of children with FPIES. Data were collected via Qualtrics after recruitment through FPIES parent Facebook groups. We administered the GAD-7, CES-D for mental health and the Coparenting Relationships Scale. We found associations between maternal anxiety and coparenting support, agreement, undermining, and relationship satisfaction. We found associations between maternal depression and coparenting agreement, as well as relationship satisfaction. These findings indicate that maternal anxiety and depression are associated with risk to relational functioning between mothers and fathers in FPIES families. However, anxiety was associated with more impacts to relationships than depression. Parents of children with FPIES may benefit from mental health support; these interventions may then also improve marital relationships and coparenting among these families.

Leah Meppelink

ATHLETES

Category: Psychology Presentation Type: Poster Presentation Number: 3316 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: AN EXAMINATION OF SPORT-RELATED PERFORMANCE ANXIETY IN COLLEGIATE

Abstract: Authors: Lucas Ring, Liliana Ribusovski, Leah Meppelink, Vikshita PallerlaSports Related Anxiety and Psychological Distress in Student AthletesCurrent research shows there is comorbidity between anxiety and depression, however less is known about the relations between sports related anxiety scale (SAS-2) and the following: anxiety (GAD-7), depression (PHQ-9) Social Anxiety/Social Phobia Inventory (SPIN), and anxiety sensitivity (ASI-3). Participants of this study included varsity collegiate athletes who completed an anonymous survey collecting quantitative and qualitative data to investigate what factors influence the development of SRPA. The sample (n=86) had a mean age of 19.65 years (SD=1.61) with the majority identifying asWhite(n=68) and female (n=63). Correlational analysis found that sport anxiety (SAS-2) scores correlated with general anxiety (GAD-7; r=.543, p<0.001), depression (PHQ-9; r=.442, p<0.001), social anxiety (SPIN; r=.410, p<0.001), and anxiety sensitivity (ASI-3; r=.333, p=0.002). These results reveal a strong positive correlation between sports-related anxiety (SAS-2) and general anxiety, depression, social anxiety, and anxiety sensitivity, indicating that athletes with higher sports anxiety may experience greater psychological distress. This study extends on prior research and provides novel insights into the relationships between sport anxiety and clinical psychological measures. Keywords: student athletes, mental health, correlational analysis, college, psychological distress

Logan Gibson

Category: Psychology Presentation Type: Poster Presentation Number: 3307 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: ATTACHMENT-RELATED PERCEPTIONS OF LIFE EVENTS

Abstract: This study explored how attachment orientations are associated with perceptions of life events, shedding light on why certain experiences may or may not affect attachmentrelated changes. Although there is evidence that life and relationship contexts have the potential to alter attachment anxiety and avoidance across the lifespan, life events often exert only modest or transient effects on attachment orientations. The current study (N = 929; Mage = 19.73; 74.3% women) examined associations between attachment orientations, perceptions of whether life events might engender personality changes, and perceptions of 20 hypothetical life events across nine dimensions (e.g., emotional significance, impact, control). Individuals high in attachment anxiety perceived life events as more challenging, impactful, emotionally significant, and likely to alter their worldview and negatively affect their social status-viewing them as likely to induce personality changes. Conversely, those high in attachment avoidance minimized life events' potential effects, perceiving them as less significant and less likely to alter personality. Future research could further examine whether attachment orientations shift in response to life events according to perceived event characteristics, thus refining our understanding of attachment development across the lifespan.

Mahi Shah

Category: Psychology Presentation Type: Poster Presentation Number: 3308 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: INVESTIGATING THE RELATION BETWEEN BODY APPRECIATION AND PHYSICAL

HEALTH CONDITIONS

Abstract: Body appreciation (BA) is defined as feelings of gratitude towards the functions, health, and features of the body, regardless of weight or shape. Prior literature has identified a positive association between body dissatisfaction and negative physical health conditions, such as stroke. It is important to investigate BA and physical health conditions to inform intervention efforts for both body image and physical health. This study aims to analyze associations between both current and past health conditions and body appreciation. Adults (Age=36.1±11.5 years) in the US (N=1019; 45.7% female, 50.1% male, 1.2% trans/nonbinary, 51.2% White, 48.8% racial/ethnic minority) were recruited via Connect, a crowdsourced research platform, and completed online surveys. We conducted linear regression models to examine associations between current and past physical health conditions and BA, with gender, age, and race as covariates. We found significant negative associations between BA and current hypertension (p < 0.001) and high cholesterol (p < (0.001), and a positive association between BA and past type 2 diabetes (p = (0.031)). All other physical health conditions were not significantly associated with BA. These findings highlight the role of BA in cardiovascular and metabolic health conditions. Future research should further investigate this relation, including whether the relation is bidirectional.

Mahmoud Abolibdeh

Category: Psychology Presentation Type: Poster Presentation Number: 3303 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: RACIAL AND ETHNIC INFLUENCES ON PART C EARLY INTERVENTION SERVICE ACCESSIBILITY

Abstract: Introduction: The federally funded Part C Early Intervention (EI) program provides services to infants and toddlers who are eligible based on developmental needs. Previous research suggests that racial minoritized children often face delayed diagnoses and reduced service use compared to White children. These disparities are tied to systemic barriers of minoritized groups. This current study aims to investigate service access within the Part C Early Intervention system based on different racial and ethnic backgrounds, using data from the Reciprocal Imitation and Social Engagement (RISE) Study. Methods: Data was collected from the RISE Study, a multi-site study conducted across four states (MI, IL, WA, MA). The study looked at 233 parent-child dyads with social communication delays. Caregivers completed a demographics survey, including race and ethnicity questions, and a services survey addressing weekly hours EI hours, unmet needs, and additional services outside EI at the beginning of enrollment. Data analyses will be conducted using SPSS. Results: The anticipated analyses will include regression models, particularly linear and logistical regression models. These models aim to explore whether there are differences in service access and usage based on racial and ethnic backgrounds within the sample. Given the previous findings of service disparities observed in minorities backgrounds, the current study hypothesizes non-white families receive less EI hours, have higher unmet needs, and are less likely to seek outside services. Conclusions: The current study aims to contribute to ongoing research to identify disparities within systems to better serve minoritized populations and to increase access to quality care.

Malka Alfadel

Category: Psychology Presentation Type: Poster Presentation Number: 3302 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: DIFFERENCES IN EARLY

Title: DIFFERENCES IN EARLY INTERVENTION SERVICE ACCESS BASED ON SOCIOECONOMIC STATUS

Abstract: Introduction: Socioeconomic status (SES) has been identified as a significant factor influencing access to quality care, particularly for children experiencing developmental delays. Part C Early Intervention (EI), a federally funded program, provides intervention services to children with developmental delays from diverse backgrounds. This study aims to examine the impact of SES on service access within a sample of participants enrolled in the Part C EI program. Methods: Data was collected from the Reciprocal Imitation and Social Engagement Study (RISE) across four states (Illinois, Massachusetts, Michigan, and Washington). The sample comprised 150 parent-child pairs with social communication delays recruited through El programs. Caregivers completed surveys at enrollment, which included a demographics and service use survey. SPSS will be used to analyze service hours provided by EI programs, unmet needs, and the likelihood of seeking additional services, with income as the primary measure of SES. Results: Regression analyses will be conducted to explore differences in service access based on income levels. Based on prior research, it is hypothesized that families with lower income levels will receive fewer service hours, report higher unmet needs, and demonstrate a lower likelihood of seeking additional services. Conclusion: Identifying disparities in service access based on SES is essential to ensuring equitable care for children and their families at a systemic level. Delays in receiving necessary services can have cascading effects on child development, underscoring the importance of providing timely, high-quality care to support successful developmental outcomes.

Mary Cottone

Category: Psychology Presentation Type: Poster Presentation Number: 3356 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: INVESTIGATING THE IMPACT OF STIMULUS MOVEMENT ON PUPIL SIZE INDEPENDENT OF LUMINANCE

Abstract: This analysis seeks to explore how movement plays a role in pupil dilation or constriction while controlling for luminance. Pupil size is typically regulated by the pupil light reflex, which causes constriction in response to light, and the pupil dark reflex, which causes pupil dilation in the absence of light. These responses are largely regulated by light intensity, not necessarily the movement of the stimulus. Previous studies indicate that the movement of stimuli can increase arousal and attention to the stimulus due to a greater sympathetic response, leading to pupil dilation. In this study, participants are presented with visual stimuli including red and blue colored rectangles, black and white checkerboards, and moving dots. For the red and blue rectangles task, participants were asked to look at a center fixation point while the red and blue rectangles switched positions. In the black and white checkerboard task, participants looked at a center fixation point while the white and black checks switched places. The moving dots task involves a group of moving dots surrounding the fixation point which occasionally switch directions. We can isolate the response caused by movement since the net luminance is unchanged in all three tasks.

Mikang Moon

Category: Psychology Presentation Type: Poster Presentation Number: 3311 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: INDIVIDUAL AND CLASSROOM WEBCAM USE NORMS AND ELEMENTARY STUDENTS' SENSE OF SOCIAL SUPPORT IN VIRTUAL CLASSROOMS

Abstract: Research utilizing undergraduate samples suggests when students keep webcams on in virtual classrooms, it supports student's individual and collective sense of social presence, and is tied to a more emotionally supportive classroom atmosphere. Yet, whether these effects exist among younger students, who are developmentally and cognitively much different than undergraduate students, remains unexplored. This study utilizes data from 1,575 elementary school students nested within 65 classrooms (across 12 U.S. Midwest elementary schools) during the pandemic's first year. Students were surveyed regarding how often they kept their webcam on in synchronous online class sessions while learning remotely as well as perceived sense of social support from others at school. MANOVA results indicated more frequent individual-level webcam use in virtual classes was associated with higher perceived social support from others at school. However, at the classroom-level, both universal webcam on classrooms (kept webcams on always or most of the time) and low webcam use classrooms (kept webcam on less than half of the time) reported significantly higher collective perceptions of social support compared to classrooms with average webcam on norms (kept webcam on half to most of the time), suggesting a non-linear association between classroom webcam usage and perceived social support in virtual classrooms. The findings of this study provide novel insights into children's individual and collective webcam use behavior in relation to their socialemotional perceptions.

Morgan Gaston

Category: Psychology Presentation Type: Poster Presentation Number: 3341 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: PRIMING OF PUPIL EVENTS: RESPONSE TO TASKS AND RELATION TO SURPRISE OR FATIGUE.

Abstract: Pupillometry is a widely used measure of cognition in psychology. In this experiment, we utilized pupil responses to infer the basis of neural events occurring in the brain during effort-based tasks. This study aims to determine how timing and modality (auditory or visual) of the task influence the size of the pupil response. By manipulating timing, we investigate whether tasks that follow shortly after a similar task elicit smaller pupil responses (habituation) or larger ones (priming). Such effects may indicate, respectively, cognitive fatigue or surprise at the repeated occurrence of the task. In various conditions, we did observe habituation and priming of the pupil response. To further examine the role of surprise, we included a condition in which the task was likely to repeat in quick succession, rendering such repeat occurrences less surprising. For our auditory task, tasks that followed shortly after the previous one nevertheless elicited larger pupil responses, arguing against surprise as the cause for that priming effect. For our visual task, however, we observed habituation in this situation, indicating potential fatigue of the visual cortex after repeated sensory input. The combination of these phenomena give us vital insight into the nature of cognitive adaptation to certain events, and how neural fatigue can influence task-based responses.

Nicole Peters

Category: Psychology Presentation Type: Poster Presentation Number: 3374 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: A TALE OF TWO GRADIENTS: HOW KNOWLEDGE RESOURCES SHAPE MECHANISTIC

REASONING ABOUT EDEMA

Abstract: We are interested in researching how students learn to mechanistically reason through complex physiological phenomena in order to develop more effective learning activities. We use the Knowledge in Pieces theory to explore this developmental process. Our study bridges the gap between describing and developing reasoning by asking: How does the knowledge students activate impact their learning of the complex physiological phenomenon of edema? We conducted a case study with three undergraduate volunteers from a large university who had completed two semesters of introductory biology, including instruction on mechanistic reasoning in physiology. Students were interviewed and videorecorded as they reasoned through the causes of edema during air travel. Two with distinct reasoning trajectories were selected for in-depth analysis. Using Knowledge Analysis, we examined the knowledge elements they activated and how they connected osmotic and pressure gradients to explain edema. Our analysis revealed three key findings. First, the knowledge resources students activated-such as Student B brainstorming causes of swelling and Student A focusing on blood flow-shaped their reasoning but did not determine their success. Second, both students initially applied a single gradient (osmotic or pressure) before integrating the second, progressively refining their explanations. Third, the sequence of gradient introduction influenced how easily they incorporated the second gradient. Understanding which knowledge resources shape students' learning processes can inform instructional design to support deeper reasoning. Our findings informed the development of an in-class activity currently being used that challenges introductory biology students to apply mechanistic reasoning as they engage with the same complex phenomenon.

Paige Abraham

Category: Psychology Presentation Type: Poster Presentation Number: 3375 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: INVESTIGATING THE BELA

Title: INVESTIGATING THE RELATIONSHIP BETWEEN LOCATION-BASED AND FEATURE-BASED ATTENTIONAL MECHANISMS

Abstract: To investigate whether feature-based and location-based attentional selection can co-occur, an initial experiment presented visual search targets that frequently appeared in a particular color and/or a specific quadrant of the display. The results suggest that the two biasing mechanisms were learned implicitly and were additive. However, an alternative explanation is that inter-trial priming, rather than an attentional biasing mechanism, could have been responsible for the observed effects. To address this, a follow-up experiment replicated the initial study but included a final test block that removed all location- and color-based contingencies, thereby equating the effect of inter-trial priming across all conditions. The results indicate that location-based attention does not depend on inter-trial priming, whereas feature-based attention might. In a subsequent experiment, the color cue was made explicit, allowing us to investigate whether implicit, location-based attentional selection would still be effective. While the color cue's validity influenced accuracy, reaction time data revealed the persistence of a location-based attentional bias. These findings provide novel and important insights into the prominent role of implicit location-based attention in selection. They also demonstrate that while feature-based attention can influence selection, it appears to function primarily through inter-trial priming or as a topdown, volitional mechanism rather than an implicit attentional biasing effect.

Payton Cooper

Category: Psychology Presentation Type: Poster Presentation Number: 3365 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: EXPLORING THE INTERPLAY BETWEEN SOCIAL SUPPORT AND SUBSTANCE USE ON PSYCHOLOGICAL OUTCOMES ACROSS THE SCHIZOTYPY SPECTRUM

Abstract: Schizotypy (SZY) encompasses unusual personality traits-such as magical thinking and paranoid ideation-present in roughly 3.9% of the population. These traits indicate a predisposition to psychosis, and higher levels of these traits are associated with greater psychological distress and reduced well-being. Receiving social support is a wellestablished protective factor in SZY, and has been shown to reduce psychological distress and improve well-being. Conversely, substance use may exacerbate negative outcomes. However, it remains unclear how effective social support is at mitigating the impact of substance use on psychological outcomes in SZY. Insight into this interaction stands to elucidate the importance of social support-based interventions for substance-using individuals across the SZY spectrum. To explore this promising research area, we examined whether social support moderates or mediates the relationship between substance use, psychological distress, and well-being. Social support was assessed using the Brief 2-Way Social Support Scale, and categorized as giving or receiving emotional, instrumental (e.g. practical resources), or social support. Substance use severity was measured using the CRAFFT, while psychological distress and well-being were assessed via the DASS and PWB total scores, respectively. We hypothesized that social support would moderate (and reduce) the negative impact of substance use on psychological distress and well-being. As a secondary aim, we investigated whether associations differed across individuals high in SZY (N=147; defined as endorsing >14 negative and/or >28 positive items on the SPQ) and low on SZY (N=61). We predicted the moderating effect would be stronger for high vs low SZY.

Rachael Blanchard

Category: Psychology Presentation Type: Poster Presentation Number: 3351 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: THE EFFECT OF TRAINING ON POLICE RECRUITS' THREAT ASSESSMENTS

Abstract: Prior research examining police officers' threat assessments during the decision to use deadly force has primarily used static decision situations to study racial bias. However, there is a lack of research that examines police officers' threat assessments when faced with real-life scenarios as well as the effect of training on police recruits' perceptions of threat. This study investigated the effects of police academy training on police recruits' assessment of threats based on a variety of videos depicting common real-world policing scenarios. 54 police recruits from a large Midwestern police department were shown 40 video scenarios each before and after police academy training. Scenarios included either Black or White actors. Recruits rated how threatening they perceived the scenarios to be as they unfolded during viewing. This study hypothesized that officers would rate scenarios as more threatening after the completion of training compared to their ratings before training. Additionally, it was hypothesized that officers would rate scenarios as more threatening. Multilevel modeling examined the effects of training and target race on threat assessments, while also accounting for random actor effects.

Rachael Farquharson

Category: Psychology Presentation Type: Poster Presentation Number: 3323 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: INDIVIDUAL DIFFERENCES IN NARRATIVE PERCEPTIONS OF MUSIC: CONTRIBUTIONS OF IMAGERY ABILITY, EMPATHY, AND AUTISTIC TRAITS

Abstract: Across cultures, there are general similarities in the degree to which listeners hear a story in instrumental music (i.e., narrativity) and their narrative engagement (NE) with that story (Margulis et al., 2019). Within a culture, however, there are large individual differences in narrativity and NE that are not well understood. The present study investigated individual differences in narrative perceptions of instrumental music. Of central interest was the contribution of auditory and visual imagery ability, empathy, and autistic traits. I hypothesized that participants who: (1) scored higher on auditory and visual imagery ability would experience higher NE and narrativity, (2) scored higher on empathy would experience higher NE, and (3) scored higher on autistic traits would experience lower narrativity and NE. To test this, I conducted an experiment where listeners attended to an instrumental excerpt and recorded whether or not they imagined a story. If they did, participants described the story. Subsequently, all participants completed surveys measuring NE, autistic traits, visual and auditory imagery ability, empathy, and personal background. Thus far, results for each hypothesis showed that: (1) there was no significant effect of visual or auditory imagery on NE or narrativity, (2) a significant positive correlation exists between the empathy score and NE, and (3) there was no significant effect of autistic traits on narrativity, but there was a significant correlation between scores on the attention to detail subscale and NE, and a significant negative correlation between scores on the imagination subscale and NE.

Reese Buhlman

Category: Psychology Presentation Type: Poster Presentation Number: 3337 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: EXPLORING SOCIODEMOGRAPHIC FACTORS IN MENTAL HEALTH REFERRAL RESPONSES AMONG LOW-INCOME PARENTS USING PHQ-4

Abstract: Patient Health Questionnaire-4 (PHQ-4) is used in clinical and research settings to assess anxiety and depression. However, there is limited knowledge about referral outcomes in research and how sociodemographic characteristics impact these outcomes. Therefore, this study aimed to investigate relationships between sociodemographic factors and mental health referrals among parents from low socioeconomic backgrounds.We analyzed data from 151 families participating in a cluster randomized controlled trial evaluating the effects of a mindfulness-based lifestyle intervention on improving physical and mental well-being. All preschool children were enrolled in Michigan Head Start programs. In parents' responses to the PHQ-4, we provided mental health referrals to those exhibiting at least mild anxiety and depression. Of the 151 families, 70 (46.4%) received a referral, and 34 (48.6%) responded to it. Although the results weren't statistically significant, they suggest certain patterns: non-Hispanic, Black, or multiracial parents with a female child were less likely to receive a referral. Parents who were separated, divorced, or widowed were more likely to get a referral compared to those single or married. Part-time employed parents were less likely to receive a referral than those full-time or unemployed. About 52.6% of rural parents didn't respond, compared to 50% of urban parents. Female and single parents were less likely to respond. Parents with low family income or employed part-time were more likely to respond. While further investigation is needed, some key factors to consider when offering mental health referrals include participants' ethnicity, race, urban/rural residency, marital status, employment status, and annual family income.

Sam Kromberg

Category: Psychology Presentation Type: Poster Presentation Number: 3346 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: THE BENEFITS OF TYPES OF ATTENTION ON WORKING MEMORY

Abstract: The purpose of this study is to determine the varying effects of voluntary and reflexive attention on working memory for color. Participants are shown two colors and then are required to recall one of the colors on a color wheel. Their accuracy in the task is calculated by the degrees of error from the presented color. In one condition, we investigated reflexive attention by presenting a sudden onset stimulus that captured attention. The other condition investigates voluntary attention by cueing participants to preferentially attend to one color more than the other. Accuracy was predicted to be higher for the cued color in both conditions. It was also predicted that in the voluntary condition, decoding accuracy of the attended color should be greater than chance for the entire delay period while in the reflexive condition the color should show accurate decoding during the beginning of the delay period followed by a drop off to baseline decoding accuracy. Error was lower for attended colors than unattended colors in both conditions. We are currently collecting data to assess decoding accuracy of the EEG signal. These results will provide insight into the mechanisms underlying the benefit of attention to working memory.

Sara Kani

Category: Psychology Presentation Type: Poster Presentation Number: 3322 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: AN EXPLORATORY ANALYSIS OF PHYSICIAN RESPONSES TO POSITIVE BEHAVIORAL

HEALTH SCREENINGS

Abstract: Despite frequently encountering behavioral health needs in pediatric clinics, primary care providers report inadequate training and uncertainty in responding to positive screenings, leading to inconsistent decision-making and a lack of standardized care (Connors, E.H., Arora, P., Blizzard, A.M., et al.). Given these challenges, this study aims to examine pediatricians' responses to positive behavioral screens at two MSU Pediatric clinics over a one-year period. At each clinic, parents of children attending an annual well-child visit completed a behavioral screening questionnaire (Pediatric Symptom Checklist or PSC-17), assessing internalizing, externalizing, and attention problems. Parents also answered five additional items regarding the child's functional impairment in various settings (e.g., home, school, peers, after-school activities). The results of the screenings, along with physicians' responses (no action; follow-up visit scheduled; referral to a behavioral health provider), were entered into a clinic database from which the study data will be drawn. The study will focus on pediatricians' responses to "positive" screens-those indicating clinically significant internalizing, externalizing, or inattention problems. Given gaps in the literature, data analysis will be largely exploratory. However, drawing from existing literature, we hypothesize that: (a) physicians will favor follow-up appointments for issues most conducive to medical assessment and treatment (e.g., attention deficits); and (b) physician referrals will be more likely when the child presents with multiple symptoms (high comorbidity) and/or symptoms accompanied by impaired functioning.

Sophia Futo

Category: Psychology Presentation Type: Poster Presentation Number: 3364 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM

Title: WHAT UNIVERSITY RESEARCHERS CAN LEARN ABOUT MENTAL HEALTH RESEARCH PRIORITIES FORM PEOPLE WIH LIVED EXPEIRNCE OF MENTAL ILLNESS

Abstract: Mental Health Research Connect (MHRC) is a mental health research organization based in the MSU Department of Psychology. The overarching goal of MHRC is to bridge the gap between academic researchers and communities that stand to be directly impacted by mental health research. MHRC seeks to alert community members about research studies in which they might be interested, hear from community members about what they think mental health research should focus on, and sponsor regular outreach events. Utilizing the Mental Health Research Connect participant database, I will conduct a qualitative analysis of the 297 recorded active participants. I will review responses to open-ended questions about research priorities, barriers, and motivations for participating in research. Exploratory analyses will examine these priorities, motivations, and barriers as a function of key demographic information and mental health history, which includes, but is not limited to, sex assigned at birth, gender identity, race, age, and self-reported diagnoses. The findings of this study will help identify the necessary direction for future research in this field, informed by the insights of those with lived experience of mental illness, as well as inform researchers about the ways they can create the most inclusive research environment by accommodating participant needs. This work is intended to pave the way for stakeholder-driven research, which is key to maximally effective and impactful mental health research. Furthermore, this form of participant-informed research enhances successful community collaboration with the university.
Ventong Ya

Category: Psychology Presentation Type: Poster Presentation Number: 3312 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: WORKPLACE GASLIGHTING AND EMPLOYEE REACTIONS

Abstract: Organizational gaslighting is a prevalent and growing issue for employees worldwide, yet it remains overlooked in current literature, which primarily focuses on its impact on women in intimate partner violence (IPV) contexts characterized by social power imbalances. Due to the negligence, there is a narrow understanding of its manifestation and impact in the workplace setting. Workplace abuses, such as microaggressions, have been found to negatively impact employees, pressing the need to examine the potential adverse effects of gaslighting in the professional setting. The current study intends to address this gap by investigating the effects of workplace gaslighting on employees' emotions and workrelated outcomes like job satisfaction and work motivation, while also assessing the potential moderating role of self-esteem. Using a quantitative experimental design, 100 participants will be recruited for this computer-based study simulating a white-collar workplace. Half of the participants will be subjected to a gaslighting manipulation before completing a non-measured work task, and pre- and post-task surveys will be used to measure emotional responses, work-related outcomes, and self-esteem. It is anticipated that employees exposed to workplace gaslighting will experience greater negative emotions and a decline in job satisfaction and work motivation. Furthermore, the study expects to observe the role of self-esteem as a moderator, with higher self-esteem acting as a buffer to these negative experiences during workplace gaslighting. By extending gaslighting research beyond IPV contexts, this study aims to gauge a greater understanding of gaslighting violence in professional contexts where power dynamics, victimization, and outcomes differ from the interpersonal setting.

Whitley Cymbal

Category: Psychology Presentation Type: Poster Presentation Number: 3334 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM

Title: PREDICTING EXTERNALIZING SYMPTOM CHRONICITY FROM FUNCTIONAL IMPAIRMENT USING BEHAVIORAL HEALTH SCREENING DATA COLLECTED FROM WELL-CHILD VISITS

Abstract: Previous research has demonstrated that children with chronic externalizing symptoms tend to have poorer social and economic outcomes into adulthood, but the transiency of those issues in childhood makes it difficult to identify which children may be at risk for chronic externalizing symptoms. The present study uses parent-reported behavioral health screening data from multiple Michigan State University Pediatrics clinics to assess whether dimensions of impairment can predict chronicity of externalizing symptoms. Our sample included the parent reports of children and adolescents who had two annual well-child visits occurring approximately one to two and a half years apart. Parents completed the Pediatric Symptom Checklist-17 (PSC-17), along with five additional items assessing functional impairment in various domains (i.e., home, burden of care, school, peers, extracurricular activities). Data analysis will test the prediction that parents of children with chronic externalizing symptoms will report more functional impairment at the initial screening than parents of children whose externalizing symptoms resolve over time. By identifying additional characteristics that imply higher risk for chronic externalizing symptoms, clinicians can better identify which children may need immediate specialized intervention.

Willow Milstein

Category: Psychology Presentation Type: Poster Presentation Number: 3317 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: DIFFERENCE IN MENTAL HEALTH BETWEEN TRANSGENDER IDENTITIES

Abstract: Research about transgender and gender diverse (TGD) people's lives has grown, particularly in recent years, however most studies do not attend to subgroup differences within this broad community. The limited work that has examined differences between groups has shown that certain gender groups may disproportionately experience mental health issues, such as nonbinary people. In this study, we examined gender differences in mental health in a sample of 854 TGD adults (average age = 35, 60.9% white). We compared mental health scores (depression, anxiety, social anxiety, and perceived stress) between transgender women (TW), transgender men (TM), nonbinary individuals assigned female at birth (NB AFAB), and nonbinary individuals assigned male at birth (NB AMAB). All ANOVA tests were significant, showing there were gender differences on these mental health variables. The post hoc tests showed that NB AFAB people had significantly higher depression, general anxiety, and perceived stress than TM, TW, and NB AMAB. NB AFAB individuals also had higher levels of social anxiety compared to TW. Given these gender differences in mental health, future research should explore gender differences in minority stress and how gender expression relates to mistreatment. It is possible that nonbinary people overall experience more misgendering and stressful situations, given the largely binary understanding of gender within the US.

Yigit Akan

Category: Psychology Presentation Type: Poster Presentation Number: 3301 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM

Title: EXAMINING THE EFFECTS OF ENCULTURATION ON NARRATIVES AND INTERPRETATION OF MUSIC EXCERPTS

Abstract: This study investigated how participants' imagination is impacted by enculturation, specifically the imagination of narratives in response to instrumental excerpts. Participants were grouped into three cohorts; one from an isolated rural setting in Dimen, China; one from Springfield, Arkansas; one from East Lansing, Michigan. Each participant was tasked with listening to instrumental music and describing any narrative they imagined in response, including momentary imagery or full-fledged narratives. Some musical excerpts elicited narratives describing the same topics, themes, and words across all cohorts. For example, all groups reported imagining themes of grief while listening to a track titled "Groans of the Sick", and all three mentioned Tom and Jerry while listening to "Four Etudes for Orchestra, No. 4: Allegro con moto" by Stravinsky. The latter phenomenon inspired our creation of the term the "Tom and Jerry effect", which we used to describe niche pop culture references that appear in narratives across all the examined cultures. Western and Chinese listeners also mentioned themes that were not observed in the opposite culture. For example, Disney was only mentioned by Western cohorts, and the Chinese Grand Song was only referenced by Chinese listeners. As we investigate these moments of cultural alignment and divergence in music inspired stories, we point toward an innovative model for linking specific structures and tempo in music to the kind of stories people hear.

Science, Technology, Engineering, Mathematics

Allison Diebol

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4131

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: A PROGRAM TO ANALYZE QUADRUPOLE FOCUSING TRANSPORT LATTICE FOR TRANSPORT OF HEAVY ION BEAMS

Abstract: Beams of energetic charged particles can be focused with an alternating gradient lattice of quadrupole magnets. In this project, we develop a Python program to model the transport of a heavy ion beam using parameters consistent with beams in the Facility for Rare Isotope Beams (FRIB) at MSU. The program is structured to allow rapid approximate evaluation of lattices. Diagnostics to help visualize the response of the beam phase space to focusing lattices are constructed. System invariants are monitored to check consistency of results. Several focusing options are evaluated and analyzed for potential use in FRIB.

Balaji Venkatesh

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4132

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: AUTOMATION OF LASER ALIGNMENT AND FIBER COUPLING ASSISTED BY MACHINE LEARNING

Abstract: All optical physicists can tell you how precise laser alignment and fiber coupling are the cornerstones to a good experiment. However, manual alignment is time-consuming and is prone to human error. In this journey, I explored the automation of laser alignment and fiber coupling using machine learning techniques to enhance precision and efficacy. A feedback-driven optimization system is implemented, utilizing learning algorithms to predict precise beam positioning to maximize coupling efficiency. Then, the system adjusts laser positioning using adaptive control strategies. Automation significantly reduces alignment time while achieving optimal coupling efficiency comparable to or exceeding manual methods. By running the system at a set frequency, drift and hysteresiscan be dealt with-resulting in constant maximum power output. By integrating machine learning into optical alignment systems, there are substantial improvements to be had, from scalability to autonomy.

Brooke DuRussel

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4124

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: FLUOCINOLONE ACETONIDE IMPROVES MÜLLER CELL VIABILITY IN HYPERGLYCEMIC CONDITIONS: IMPLICATIONS FOR DIABETIC MACULAR EDEMA TREATMENT

Abstract: Background: Diabetic macular edema (DME) involves fluid accumulation in the macula, affecting cone photoreceptors and Müller cells. While intravitreal anti-VEGF injections help some patients, about 30% do not respond. For these patients, corticosteroids are the only alternative, but their effects on the diabetic retina are not well understood. This study aimed to evaluate the impact of fluocinolone acetonide (FAc), a steroid used for DME treatment, on Müller cell function under hyperglycemic conditions. Methods: Müller cells (rMC-1 rat cell line; hMC human cells) were treated with 5mM or 25mM glucose, with or without FAc (0.05ng/mL), for up to 96 hours. Müller cell function was assessed by measuring cell death and size using DeNovix CellDrop FL. Results: FAc (0.05ng/ml) reduced hyperglycemia-induced cell death by 100±6% in rMC-1 cells (p<0.0001) and 94.5±5.5% in hMC cells (p<0.0001). When administered 48 hours after the start of hyperglycemia treatment, FAc significantly reduced cell death (25.6±7.4%) compared to untreated cells (44.8±6.27%, p<0.0001), indicating strong interventional capabilities. Pre-incubation with FAc had no effect. FAc also reduced hyperglycemiainduced cell size by 90±10% (p=0.037). There was a strong correlation between hyperglycemia-induced cell size and cell death (r=0.4292; p=0.0363). Conclusion: FAc improved Müller cell viability in hyperglycemic conditions by potentially reducing cell size. Expanding steroid therapy, alone or with anti-VEGF treatment, may benefit DME patients that do not respond well to anti-VEGF therapy.

Cassidy Fishman

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4113

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: HAZARDS OF "SOIL" PARTICLES TO HUMAN HEALTH

Abstract: Regolith is the loose layer of sediment that covers the solid surface of a terrestrial body. Planetary scientists investigate lunar regolith to accurately assess possible microbial living conditions or future human exploration. An analog simulant is a terrestrial material used to represent chemical and mechanical properties of regolith for research or experiments. Planetary scientists utilize regolith analog simulants to accurately test and predict possible reactions of lunar regolith. To plan, and practice for, performing experiments on a sample that we have an insufficient quantity of, we must practice the investigation on material that has measurable properties that resemble those of the natural sample. Greater knowledge of lunar regolith is needed to improve scientific understanding of material handling and possible physical and chemical uses. To understand what hazards lunar regolith poses to humans, a natural regolith sample must be analyzed for particle size, shape, and texture, along with size-distribution. The overall objective is to create an understanding of how lunar regolith can be utilized without impacting the health of human researchers. Conducting a comparison between regolith samples that do not pose a health risk to humans and lunar regolith samples would allow for an accurate assessment of the relative safety of lunar samples. This comparison would be made using color images and SEM images of both lunar simulant samples and terrestrial samples.

Courtney Maurer

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4134

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: EVALUATING CONSUMER PERCEPTION OF FRESHNESS AND QUALITY IN CUT FRUIT: A SENSORY STUDY ON PACKAGING IMPACT

Abstract: Packaging shapes consumer perception of food freshness and quality, influencing overall satisfaction. This study examined whether a new packaging design would enhance perceived blinded fruit quality and packaged fruit freshness. A 100-person consumer panel evaluated two packaging designs (control and proprietary) in a two-phase study. Phase 1 included blinded evaluation where participants assessed fruit samples without seeing the packaging, using three-digit blinded cups in a randomized order. They completed a paired preference and specified difference test to evaluate freshness. Phase 2 included a visual evaluation before tasting where participants viewed the fruit in its packaging, answered packaging-related questions, and used the "Check All That Apply" (CATA) method to describe taste, appearance, and texture. This structured approach captured sensory and visual influences on consumer perception. Preliminary results indicate a statistically significant preference for melon samples stored in the proprietary packaging compared to the control (p < 0.05). However, no significant preference difference was observed for pineapple samples between the two packaging types. When asked about packaging preference, panelists significantly favored the proprietary design for melon, whereas no significant difference was found for pineapple packaging. These results suggest that the new packaging positively influenced both product and packaging preference for melon, while pineapple preferences remained unchanged. These findings underscore the impact of packaging on fruit quality and consumer acceptance. Future research should expand testing to a broader range of fruits and further investigate packaging's effect on purchase intent and brand loyalty to guide future packaging decisions.

Cullen Herbert

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4115

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: COLORED PET HYDROLYSIS

Abstract: undefined

Doyoung Wang

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4112

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: EFFICIENT FITTING FOR LARGE-SCALE THREE-DIMENSIONAL DATA CUBES IN ULTRAFAST DYNAMICS ANALYSIS

Abstract: Understanding ultrafast electronic state dynamics is essential in fields such as material science and spectroscopy, where time-resolved measurements capture transient phenomena. Extracting decay constants from large-scale three-dimensional data cubes, such as hyperspectral or time-resolved datasets, requires efficient and accurate multi-exponential fitting techniques. However, the computational complexity of high-dimensional data presents significant challenges in achieving both speed and precision. This ongoing study evaluates the performance of various numerical optimization algorithms, including Nelder-Mead simplex, trust-region reflective, and Levenberg-Marquardt methods, for extracting decay constants from ultrafast dynamics data. By assessing computational efficiency, convergence stability, and fitting accuracy, we identify trade-offs between precision and processing speed. Preliminary results reveal that while some methods offer robust parameter estimation, others struggle with high-dimensional constraints, leading to inefficiencies or convergence issues. Ultimately, this study aims to determine the most efficient algorithms for decay constant extraction in ultrafast spectroscopy, balancing accuracy and computational performance.

Harrison Lucinski

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4121

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: HOW WAR AND DROUGHT IS AFFECTING SYRIA'S AGRICULTURAL SUPPLY CHAIN

Abstract: The civil war and, according to NASA, the worst drought Western Asia has seen in 900 years have not only destroyed Syria as a country but also devastated its agricultural supply chain. Syria has been known as the "birthplace of agriculture" since gaining independence. Due to its geographical location bordering the Tigris and Euphrates rivers, there was always a plentiful water supply to sustain this agricultural oasis. However, when the civil war and a devastating drought compounded, not only did the country's political and economic status rapidly deteriorate-widely covered by mainstream news-but its agricultural status suffered as well. The entire supply chain collapsed. Components such as crop cultivation, livestock management, processing, storage, distribution, and retail were in disarray. Even a minor disruption to any of these branches can have cascading negative effects. This highlights the critical role of supply chains-not just in agriculture but in any business or economy-often overlooked or ignored. During the civil war, over 50% of the rural population declined, crippling economic stability, agricultural production, and vital irrigation systems. Over the last two decades, Syria's agricultural supply chain has weakened, leaving the country's only hope in outside assistance from other nations and allies.

Harsh Manghnani

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4106

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: HOW TO BUILD A TRACTOR AUTOSTEERING SYSTEM

Abstract: undefined

Joseph Lee

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4103

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: COCOA PRODUCTION'S CONNECTIONS TO EMISSIONS AND SUSTAINABILITY

Abstract: Greenhouse gas (GHG) emissions are a primary driver of climate change, resulting from human activities such as fossil fuel combustion, deforestation, and industrial processes. The major contributors to GHG emissions include energy production, agriculture, transportation, and industry. Among these, the transportation sector plays a significant role, accounting for approximately 15-25% of global emissions. This is primarily due to the reliance on petroleum-based fuels in road transport, aviation, maritime shipping, and rail systems. Road transport, including passenger vehicles and freight trucks, is the largest emitter, followed by air travel and shipping. The sector's impact varies by region, influenced by energy policies, infrastructure, and technological advancements. Reducing transportation emissions is essential for mitigating climate change. Key solutions include transitioning to electric vehicles (EVs), increasing fuel efficiency, expanding public transportation, and integrating renewable energy sources. Governments and industries worldwide are investing in clean mobility solutions, yet challenges such as infrastructure development, economic feasibility, and policy implementation remain. Addressing these barriers requires coordinated efforts from policymakers, businesses, and individuals to shift toward sustainable transportation. This paper explores the primary sources of GHG emissions, quantifies the transportation sector's contribution, and discusses strategies for reducing its environmental impact. A transition to low-carbon transportation is crucial for achieving global climate targets and ensuring long-term environmental sustainability.

Josie Cayen

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4123

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ENGINEERING PERSPECTIVES ON GLOBAL HEALTHCARE: OBSERVATIONS FROM PERU'S URBAN AND REMOTE MEDICAL SYSTEMS

Abstract: As Biosystems Engineering students, studying abroad in Peru with the Michigan State University College of Osteopathic Medicine provided us with a unique opportunity to observe how healthcare systems operate in diverse environments and how engineering principles can be applied to medical challenges. This program allowed us to explore the contrasting medical infrastructures of Lima, a metropolitan city with advanced healthcare facilities, and Iquitos, a more remote city with limited resources. Additionally, traveling to villages along the Amazon River exposed us to the challenges of delivering medical care in isolated regions and the innovative, low-resource solutions used in these communities. By engaging with local healthcare professionals and observing diagnostic practices, we gained valuable insight into biomedical engineering applications, medical device accessibility, and the role of technology in global health. At the same time, it became clear that the medical disparities in these communities were further perpetuated by social factors and the health of the surrounding environment. The lack of a system for proper waste disposal, access to clean water, and climate control in hot and humid conditions all contributed to increased medical challenges. From these observations, it became clear the importance of viewing healthcare challenges from a OneHealth perspective. This experience deepened our understanding of how engineering can bridge healthcare disparities and reinforced our commitment to developing solutions for resource-limited settings.

Liam Wells

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4101

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: WAREHOUSE SIMULATION UTILIZING THE ROBOMASTER EP PLATFORM

Abstract: This poster documents the design of a robot that can move items from designated spots given an input, and move them all to a designated drop location. The robot being utilized for this project is the RoboMaster EP programmed using the python developer SDK package. The main issue in this section of the simulation is the accumulated error that builds up from perceived orientation inaccuracy, as the robot continues to collect and drop objects. Additionally, distance sensor and vision marker information are often inconsistently fluctuating, resulting in numerous challenges that impeded the development of the simulation. A series of solutions were tested and selectively implemented in order to combat this inaccuracy, which are detailed on the poster. After the completion of the single-robot simulation, a multi-agent approach was implemented in which two of the same robots would work together to bring objects from varying starting locations to varying drop points. This simulation utilizes a middle drop point in which the first robot would drop off objects at an intermediate drop point, and the second robot would move that object to a final destination, given a set of inputs. The main concern with the multi-agent addition is the coordination between the two robots in order to ensure the items are moved with optimal performance. Various solutions were tested and implemented in order to ensure optimal cooperation and task coordination between the two agents, which are detailed on the poster presentation.

Lily Wei

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4111

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: IMPROVING STRAWBERRY QUALITY IN CONTROLLED ENVIRONMENT PRODUCTION: A PHYSICOCHEMICAL AND SENSORY STUDY

Abstract: Strawberries are a universally loved fruit, with the industry seeing continuous growth in demand year after year. Strawberry production in Michigan, however, is limited. Controlled environment (CE) production is a promising method for growing strawberries in Michigan year-round, however, the standard variety, 'Albion' does not meet the yield efficiency to be profitable under CE. We aimed to measure the physicochemical and sensory quality of 4 cultivars ('Albion', 'Mara de Bois', 'San Andreas', and 'Seascape') grown at 4 day/night temperatures ranging from 18/10°C to 27/19°C. Strawberry samples were cut in half, with one half used for sensory evaluation and the other half for physicochemical measurements. A consumer panel (n=103) came in for 3 sessions and assessed CEproduced strawberries for liking (appearance, shape, texture, flavor, and overall), attribute intensity (ripeness, freshness, firmness, juiciness, strawberry flavor, sweetness, and sourness), and Just-About-Right (JAR) scaling (size and firmness). Physicochemical measurements included exterior color using a Hunter colorimeter, instrumental firmness using a Texture Analyzer, total soluble solids using a destructive Brix meter, and titratable acidity using an autotitrator. Sample differences in sensory and physicochemical measurements will be analyzed using ANOVA and LSD post-hoc tests. Pearson's correlation analysis will be conducted on the individual berry measurements to determine the relationship between sensory and physicochemical attributes and which quality attributes are key drivers of consumer liking. This data will be used to build a model that can predict consumer liking based on physicochemical measurements to screen strawberries for predicted sensory quality during production.

Matthew Marshall

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4122

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE HATE THEY GIVE: MASS SHOOTER MOTIVES AND BEHAVIORS

Abstract: Background: Mass shootings are inherently hateful acts, yet the specific role of hate in shaping shooters' motives and behaviors remains understudied. This study examines the prevalence and nature of hateful behaviors among mass shooters, distinguishing those with hate-based motives from others. Methods:Data were drawn from social media, mass killing databases, eyewitness accounts, and police reports of mass shootings (1966-2024). Four independent raters coded observable forms of hatred, including racism, antisemitism, xenophobia, homophobia, and misogyny. A validated composite metric, the Hatred Scale (Cronbach's Alpha: 0.86-0.91), was developed. One-way ANOVA analyzed the relationship between mass shooting motives and the Hate Scale, and linear regression examined associations between the Hate Scale and fatalities, injuries, and shooter demographics. Results: The Hatred Scale identified 20 indicators of hateful behaviors (mean score: 3.45). Hate-motivated shooters (20%) scored significantly higher (mean = 6.43; SD = 9.18) than non-hate-motivated shooters (mean = 1.66; SD = 6.22). Hate-motivated shooters caused more fatalities (mean = 9.09) compared to others (mean = 6.6). Regression analysis confirmed a positive association between hatred levels and fatalities (coefficient = 0.157, p = 0.036). Notably, 57% of shooters exhibited no evidence of targeted group hatred. Conclusions: Hate-motivated shooters often displayed antisemitic rhetoric and idolized extremist figures, suggesting a distinct behavioral profile. While hatred is a common trait among mass shooters, its specificity varies. Addressing underlying grievances and mitigating the spread of hateful ideologies are critical for prevention efforts.

Michael Yu

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4102

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: HOW DO WE GET FRESH AND AFFORDABLE FOOD FOR ALL RESIDENTS IN LANSING AND NEARBY AREAS?

Abstract: Food apartheids (often referred to as food deserts), are formed when residents in an area do not have easy access to fresh, affordable, and/or healthy food. This could cause various health problems such as diabetes, heart disease, and obesity, and could be difficult financially for residents in the area. This presentation seeks to reduce food apartheid problems within Lansing and East Lansing. It also looks to find which solutions work best. The literature review found that for most cities, adding supermarkets made little difference in how far people traveled for food. When cities focused on community gardens and smaller stores like ethnic markets, they found small but positive changes.

Natalie Mourou

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4116

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: EXPLORING THE INFLUENCE OF MATERNAL NUTRITION ON BREAST MILK IL-6 IMMUNE RESPONSES

Abstract: The nutritional content of maternal diet during breastfeeding is important for infant health. Maternal nutrition may benefit milk's immune capacity to provide direct or indirect protection against infectious disease. This study investigated the immune activity of milk in relation to maternal dietary characteristics. Specifically, we evaluated whether the balance between appropriate and inappropriate milk immune activity may differ by maternal nutrient intake. Data from an ongoing study on maternal stress and milk immunity among Michigan mothers were used. 24-hour dietary recalls characterized nutrient content of diet. We characterized milk in-vitro immune responses by incubating milk with RPMI mammalian cell-culture medium prepared with and without Salmonella (harmful bacteria). The baseline and the incubated milk specimens were assayed for interleukin-6 (IL-6) as a biomarker of pro-inflammatory activity. We defined appropriate response as a substantial (e.g., a 3-fold) increase in IL-6 in Salmonella-stimulated, but no increase in the specimens incubated without Salmonella. Preliminary data from 48 mothers revealed 28 with appropriate milk immune responses had higher intake of beta carotene (P< 0.05, t-test). The results suggest that maternal nutrition may influence milk immune response, furthering our understanding of its implications for infant health.

Nick Rohde

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4133

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: VARIATION OF B (0 TO 3) TRANSITION RATE WITH SELECT EVEN MASS HEAVY NUCLEI

Abstract: General featuresof collective octuple motion are still not well understood, specifically, the B (E3; 0+ -> 3+) = B (E3). Previous studies have identified a linear correlation between 2+ and 3- spin parity in even-mass Xenon nuclei, suggesting a potential relation applicable to other heavy nuclei. We aim to explore the existence of such a relationship across a broader range of heavy nuclei, utilizing previously experimentally determined energy values stored in the ENSDF. We chose to examine the existence of the relationship in the following nuclei: Uranium (A = 226-242), Californium (A = 244-252), Curium (A = 236-250), Polonium (A = 190-218), Thorium (A = 214-236), Radium (A = 206-232), and Mercury (A = 196-204). This framework could be applied to a broader pool of possible nuclei for the successful search of the atomic EDM.

Nikolas Pearson

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4125

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: MOVEMENT VARIABILITY IN A SKILL LEARNING ENVIRONMENT WITH NON-REDUNDANT TASK CONSTRAINTS

Abstract: One of the hallmarks of skilled performance is the ability to not only produce a high level of success, but produce it consistently. However, despite these consistency in achieving the movement outcome, the movement patterns of skilled performers can unintentionally be quite variable. This phenomenon is made possible by motor redundancy, which affords multiple solutions to achieve the same task outcome. In this study, we address how movement variability changes in learning with constraints present, especially when the task is not redundant. Participants learned a bimanual virtual throwing task on a robotic manipulandum for two days, where the goal was to slide a virtual puck as close as possible to a target. The motion of the puck was determined by the sum of the left- and right-hand velocities. A non-redundant system was made by removing user input from the left-hand and setting that velocity to 50% of the success criterion (i.e. the velocity required to land perfectly on the target). Despite the left-hand's limited role, participants demonstrated successful learning, as indicated by reduced task error and decreased velocity variability. Critically, the left-hand velocity converged toward 50% of the target velocity, suggesting that participants adapted their movement patterns to increase task performance, even in the absence of redundancy. These findings highlight that motor learning can occur effectively even when the system is constrained, and redundancy is reduced.

Ross Rogers

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4114

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: "MY PRIVILEGE IS BLINDING": CONVERSATIONS AND RESEARCH CONCERNING TWO-SPIRIT AND LGBTQ+ INDIGENOUS PEOPLE IN REPRODUCTIVE HEALTHCARE SETTINGS

Abstract: The healthcare experiences of Indigenous and LGBTQ+ people are frequently studied separately. Therefore, there is little research regarding the reproductive and sexual healthcare experiences of those who are both Indigenous and exist outside of coloniallyimposed gender binaries and sexual norms. We sought to understand the perspectives of professionals in Indigenous reproductive health regarding the experiences of Two-Spirit and LGBTQ+ Indigenous people. As part of a larger study on the impact of the ACA on Indigenous peoples' health, we conducted semi-structured interviews with 20 Tribal health policy experts, researchers, healthcare administrators, and providers across Indian Country who were identified using snowball and purposive sampling. Interviewees were asked about experiences of Two-Spirit and LGBTQ+ Indigenous people accessing reproductive and sexual healthcare in the context of the ACA. Interview data were analyzed using grounded theory. The interviews revealed uneven awareness among professionals in Indigenous reproductive health regarding the experiences, barriers, and needs of Indigenous Two-Spirit and LGBTQ+ patients. Interviewees highlighted healthcare barriers, identified successes and failures in care delivery, and recommended service improvements. Some areas for further research include identifying geography and nation-specific factors that influence healthcare access, using cultural traditions as health interventions, and supporting pathways to parenthood. These findings highlight unique struggles and strengths experienced by Two-Spirit and LGBTQ+ Indigenous people in the realm of reproductive and sexual health, and knowledge gaps among healthcare professionals. There is a need for further research from strengthsbased, decolonial, and community-based frameworks, as well as an emphasis on communicating findings to providers and policymakers.

Sarah Samir Modi

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4135

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ENHANCING LOCAL STRAWBERRY PRODUCTION: SENSORY AND INSTRUMENTAL EVALUATION OF CULTIVARS AND GROWING CONDITIONS

Abstract: Local strawberry production in Michigan is limited, creating reliance on imports. Therefore, there is a need to optimize strawberry cultivars and growing temperatures to achieve high-quality and high-yield production locally. This study seeks to enhance the economic sustainability of controlled growing systems and encourage Michigan greenhouse farmers to fully utilize their resources. We hypothesized that growing temperatures significantly impact the sensory attributes of strawberries and that consumer preferences vary depending on these conditions. We conducted a sensory evaluation on four strawberry cultivars ('San Andreas', 'Mara Des Bois', 'Seascape', and 'Albion') which were grown under four different day/night temperature treatments (27/19, 24/16, 21/13, 18/10°C). Nondestructive measurements, including diameter, mass, and color, were taken using a digital caliper, laboratory analytical scale, and colorimeter respectively. Sensory evaluations were conducted wherein panelists evaluated samples on set parameters; a descriptive test to assess consumer preferences. Panelists were given halves of five strawberry samples, with warm-up solutions, water, and crackers for palate cleansing. On the remaining halves, destructive measurements were performed to determine firmness, °Brix, and acidity using a texture analyzer, digital °Brix reader, and titratable acidity device. The findings indicate that lower temperatures (18/10°C and 21/13°C) produced higher-quality strawberries, with 'San Andreas' and 'Albion' being the most liked. Sweetness intensity (R = 0.85), flavor intensity (R = 0.83), and firmness (R = 0.89) showed the strongest sensory correlations with overall liking. Instrumental measures, including firmness (R = 0.74) and °Brix (R = 0.69), were strong predictors of consumer preferences.

Siddharth Karthikeyan

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4104

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: CACAO-LINKED DEFORESTATION GREATLY HARMS ECOLOGICAL SYSTEMS

Abstract: In 2024, the U.S. chocolate market broke records for confectionary sales and is expected to grow, as is the ecological footprint of chocolate's rawest form: cacao. The replacement of forests by monocultures is known for its adverse environmental effects, including reduced biodiversity and soil nutrient levels. The unique characteristics of cacao trees exacerbate the impact of deforestation on ecological systems in the regions in which they are grown, particularly in West Africa and Central and South America. We use data to estimate the effects of cacao-linked deforestation on three measures of ecosystem health: biodiversity, carbon sequestration, and soil quality. We find that cacao-linked deforestation, and degraded soil quality in cacao-producing regions. These findings call for using environmentally conscious agricultural methods, such as agroforestry, to mitigate the detrimental ecological effects associated with cacao-linked deforestation.

Val Pallett

Category: Science, Technology, Engineering, Mathematics (multiple disciplines)

Presentation Type: Online

Presentation Number: 4105

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE EFFECT OF HIGH-INTENSITY INTERVAL TRAINING ON TRKB AND GAP-43 EXPRESSION IN THE CEREBRUM OF POSTNATALLY GROWTH-RESTRICTED MICE

Abstract: Tropomyosin receptor kinase B (TrkB) activates several signaling pathways that aid in neuronal development, differentiation and survival. Growth associated protein 43 (GAP-43), a presynaptic protein, is involved in axonal growth, synaptogenesis, and neural regeneration. Both proteins are critical for maintaining cognitive function, and their dysregulation has been found in neurodegenerative disorders such as Alzheimer's disease (AD). Notably, early-life growth restriction has been associated with an increased risk of cognitive impairment and AD-like neuropathology. Exercise, particularly high-intensity interval training (HIIT), has been shown to enhance neuroplasticity-related protein expression, potentially mitigating cognitive deficits associated with growth restriction. This study aims to determine whether HIIT influences the abundance of TrkB and GAP-43 in the cerebrum of postnatally growth-restricted (PNGR) mice. PNGR was induced using a validated cross-fostering nutritive model, and mice were assigned to either a sedentary or HIIT group. Following the HIIT exercise protocol, Western blot analysis was performed to quantify TrkB and Gap-43 protein levels in cerebrum tissue. The results can be used to determine whether exercise positively affects the brain by increasing proteins related to neuroplasticity.

Social Science, Arts, Humanities

Abby Yheaulon

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4254

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE ROAD FORWARD

Abstract: The Road Forward is a five-color screen print inspired by the Nihonga Art Movement in Japan. This piece blends traditional Japanese aesthetics with contemporary artistic influences, utilizing a combination of illustration, digital design, and AI. Through layered printmaking, it pays homage to classical Japanese art while incorporating modern visual styles, such as the bold strokes found in graphic novels, which are prominently featured in the red ink layer. While traditional Japanese ink colors are derived from natural materials, The Road Forward embraces a fusion of East and West by adopting a more saturated color palette. This stylistic choice is influenced by pop culture artists like Andy Warhol, whose vibrant hues and bold compositions redefine the relationship between color and storytelling. At the heart of the piece, a young girl is illuminated by a guiding light, symbolizing progress and self-discovery. She represents not only myself but all individuals navigating an uncertain future. Despite stepping forward into the unknown, she is never truly alone-her past, like the fog, surrounds and shapes her journey. This concept reflects the universal experience of personal growth, history's impact on identity, and the ever-evolving dialogue between tradition and innovation.By merging Nihonga techniques with contemporary art forms, The Road Forward serves as a meditation on cultural convergence, artistic evolution, and the shared human experience of moving forward while carrying the past with us.

Adeline Meyers

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4201

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: LEADING BY EXAMPLE: POLICY PROCESS TRACING INDIGENT DEFENSE REFORM IN MICHIGAN

Abstract: This research project analyzed the events leading to indigent defense reform in Michigan. Indigent defense reform is a critical, although often overlooked, state's issue. Despite the landmarkGideon v. Wainwright decision over sixty years ago, many states continue to struggle with funding and structuring indigent defense systems. The goal of this project was to use process tracing to determine the steps taken across the state by various actors that culminated in the establishment of the Michigan Indigent Defense Commission (MIDC), tasked with reforming Michigan's system in 2013. I initially used interviews with those responsible for running the MIDC to establish a rough timeline and continued to find records of meetings, news articles, and legal documents to find the motivations behind certain actions. I anticipate discovering that interest group efforts led to creating enough attention around the issue that the ACLU sued the state of Michigan over it in Duncan v. Granholm in 2007. In the following year, a report was published mentioning Duncan v. Granholm, which described in detail the issues within the existing system. Until 2011, the ACLU case went back and forth between the courts with appeals, and ultimately prompted state legislators to put a plan in place that finally became the MIDC. These findings are significant because they could potentially become a playbook for other interest groups, specifically indigent defense groups, to make changes in other states. Indigent defense is nationally still significantly underfunded, and bringing awareness and empowering others to follow in Michigan's footsteps could benefit impoverished citizens across the country.

Adena Norwood

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4221

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: RE-ENTRY AND RE-ORIENTATION; AN ANALYSIS OF THE UNDER-RESEARCHED CHALLENGES AND BARRIERS FACED DURING SOCIETY RE-ENTRY

Abstract: Michigan has an incarceration rate of 599 per 100,000 people, meaning that it locks up a higher percentage of its people than almost any democracy on earth. Addressing this quantity of offenders requires expansive and formerly incarcerated person-informed reentry research. Unfortunately, there is a gap in resource access between NGOs and those who need the help of these organizations the most. Previously Incarcerated Individuals (PIIs) who were convicted of less violent crimes, come from less socioeconomically disadvantaged backgrounds and have more familial and financial support, more readily gain access to informed NGOs and resources. Those who are more disadvantaged and require more extensive rehabilitationare less likely to be offered the opportunity to engage with integral programs. In this analysis of methods for successful re-entry, I will utilize RC informed ethnographic field work to re-prioritize the methods that are most prominently supported in relevant literature. Through literature analysis alone, I initially identified three core components to successful reentry: Technology, Counseling, and Parole. However, after engaging in an ethnographic study of individuals connected to Michigan's incarceration system, I came to a new conclusion. I gained new insights into re-entry that offered me a perspective sensitive to true issues actual RCs are experiencing. Through listening to the stories of RCs, I concluded that three better informed and salient factors that impact reentry are the quality of resources, access to a representative community, and the quality of assigned parole officers.

Akaisha Thottam

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4202

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE EVOLUTION OF CRIMINAL JUSTICE AND HUMAN RIGHTS IN SYRIA PRE WAR TO POST WAR

Abstract: This presentation explores the evolution of Syria's criminal justice system, focusing on the transition from pre-war authoritarian structures to the ongoing challenges of post-war reform. It investigates how the pre-war system, under the Assad regime, functioned as a tool of political repression, marked by limited judicial independence and widespread human rights violations. The Syrian civil war further disrupted the justice system, leading to the collapse of state institutions and the rise of non-state judicial mechanisms. The postwar period presents both challenges and opportunities for rebuilding the justice system. This study highlights efforts toward transitional justice and accountability for war crimes, analyzing the role of international organizations and Syrian civil society in promoting human rights reforms. By comparing pre-war authoritarian practices with post-war transitional justice efforts, this presentation provides insights into how Syria's criminal justice system can evolve to support long-term peace, justice, and human rights protection.

Alya Kayat

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4205

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: TRAUMA AND THE SYRIAN REFUGEES IN GERMANY

Abstract: For this project, I will explore the psychological and social impact of displacement on Syrian refugees, particularly those who have sought refuge in Germany. The focus on Germany is significant, as it hosts one of the largest populations of Syrian refugees, with over 20,000 individuals receiving support there. The Syrian conflict serves as the backdrop for this study as I investigate the complex relationship between displaced Syrians and the support systems available, with an emphasis on the mental health challenges that often arise in the aftermath of trauma. This is done with an awareness of orientalism, while navigating the lens of Western idealism. In particular, I will focus on conditions such as PTSD, depression, and anxiety-mental health issues that frequently develop after experiencing the profound losses, violence, and stress that accompany forced migration. Despite the prevalence of these conditions, they are often under-addressed, with many refugees experiencing persistent psychological distress long after their displacement. This underscores the need for ongoing mental health support for refugees to ensure their well-being into their new communities. The barriers that refugees face in accessing mental health care further complicate the situation. As such, this study aims to highlight the gaps in support and propose solutions to improve outcomes. Initiatives have the potential to enhance the resilience and integration of Syrian refugees in Germany. The project seeks to contribute to a deeper understanding of the challenges refugees face, and to advocate for more effective mental health interventions to address the ongoing trauma they experience.

Anton Gegaj

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4241

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: JORDAN'S PALESTINIAN POPULATION: BETWEEN INTEGRATION AND MARGINALIZATION

Abstract: The Palestinian people have long been at the heart of Middle Eastern politics, with ongoing displacement shaping their experiences across the region. Jordan, where Palestinians constitute approximately two-thirds of the population, presents a unique case of self-discrimination within a nation often seen as a refuge. This study explores the systemic and structural discrimination faced by Palestinians in Jordan, particularly from government policies that limit their economic and political rights. Using a qualitative approach, the research synthesizes scholarly studies and reports, complemented by an interview with an anonymous Palestinian who formerly lived in Jordan. The findings reveal that this marginalization stems from the dual identities of being both refugees and Palestinians in a state governed by an ethnic minority, creating a paradox of exclusion within a majority population. The study also considers the broader implications of this discrimination, including its potential to drive calls for a new Palestinian state or significant governmental reforms in Jordan, echoing the aspirations of the Arab Spring. This research not only sheds light on the Palestinian struggle within Jordan but also situates it within a global context, emphasizing the need for fair and democratic governance to mitigate discrimination worldwide. By highlighting the intersection of identity, politics, and human rights, this presentation aims to foster a deeper understanding of the challenges faced by Palestinian refugees and provoke discussion on pathways toward equitable solutions.

Arden Henderson

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4243

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: "GET TO KNOW MY COMMUNITY": COMMUNITY DRIVEN GUIDANCE FOR FUTURE TRANSGENDER AND NONBINARY FOCUSED RESEARCH

Abstract: Aims: Research pertaining to transgender and nonbinary (TNB) populations has not always reflected the concerns of TNB people and some research has perpetuated harm. Research should be guided by TNB communities to identify beneficial areas of research. Methods: We asked TNB focus group participants to share their perspectives to help inform future research with TNB populations. We coded responses across groups using reflexive thematic analysis. Results: Four themes were developed: (1) Increase the Utility and Accessibility of TNB Research, (2) Understand the Diversity of the TNB Community, (3) Document and Support TNB Survival in a Cisnormative System, and (4) Explore TNB Thriving. These findings emphasize the importance of TNB voices in developing research that benefits the community and addresses relevant concerns. Conclusion: This work adds to a growing body of literature that emphasizes the benefits of community-engaged research and can guide future studies to better address TNB people's needs.

Asha Denny

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4232

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: RESISTANCE THROUGH CRAYONS: ARTS-BASED RESEARCH AND CHILD CENTERED METHODOLOGY

Abstract: Arts-Based Research (ABR) is a method of participatory research practices that is commonly used within the adolescent population. It is associated with increased youth engagement, due to its multimodal methods of learning, allowing for various avenues of artistic expression. ABR promotes a creation of equilibrium of power dynamics between child and researcher, as it encourages the concept of thinking of children as cultural producers, with valuable communication input other than verbal. ABR creates alternative options of communication that relabel intellectualism and participatory research not through the participants' verbal contribution, but through different methods of learning and communication through arts. ABR is used as a method of participatory research that creates self agency amongst its participants, and promotes ideas of representation. ABR allows for critical analysis of childhood developmental studies through a lens other than one centered in eccentricism, making it an emancipatory and decolonizing practice and method. ABR's emancipatory concepts are exemplified through its theoretical framework often engaging with the intersections of minoritized identities such as race, disability, economic status, and ethnicity. It's decolonizing approaches to research centers children at the forefront, with interpretation of qualitative data from visual resources. ABR proves to play a pivotal role in the development of the study of adolescence and developmental psychology. However, its limitations appear when confronted with issues of structure vs authenticity, data manipulation, adult biases, and ethics of confidentiality. Despite its limitations, ABR continues to prove itself as a beneficial participatory research practice with a theoretical framework that promotes equitable research.
Blake Green

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4213

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE JOY PROJECT

Abstract: Joy has frequently been mistaken for happiness. However, it serves an essential role in shaping workplace experiences, specifically in higher education. Joy is not measured overtime like happiness. It is an instantaneous experience. Joy is a choice and there are moments in our lives where we can choose joy. This choice embodies resilience. It is a necessary and important aspect of life. This project explores features of joy as subversive defiance, an act of agency. Workplace satisfaction is typically discussed in terms of performance, motivation, and morale. There is a clear difference between workplace satisfaction and joy. Joy transcends the measures used when discussing workplace satisfaction. There has been an absence of joy in higher education. This absence can lead to alienation in the workplace and burnout. Restoring joy in higher education is transgressive. When joy is centered in higher education, specifically leadership it can be transformative and move away from transactional interactions. Moreover, when joy is embraced by leadership the ability to lead is enhanced. It requires one to be intentional and dedicated.

Cam Carmichael

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4206

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: U ONLY C ME THRU A SCREEN

Abstract: u only c me thru a screen is a painting about digital presence and parasocial relationships. Some people know individuals only from what they post about on the internet, and though they barely see them in person, there's a mutual understanding of each other. I had very early access to the internet, so my digital presence is also a reflection of me growing up, including my gender transition. Using repurposed technology and self-portraiture I want to show the vulnerabilities of digital performance. Inspired by Glitch Feminism by Legacy Russel, gender performance through the technological landscape is liberating. Adding pink sculptural elements, glitter, and things that bring me joy, to show the viewer that though they see me through a screen they can see the real me.

Camron Rost

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4245

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: HOW TO DIE: THE LIFE OF DIETRICH BONHOEFFER

Abstract: How to Die: The Life of Dietrich Bonhoefferis an intricate weaving of the life of the famous pastor and theologian, who, upset by the complacency he saw in the German church toward the Nazi party, makes the hardest decision he's ever had to make--a willing attempt to assassinate Adolf Hitler. Camron Rost served as the assistant scenic designer for Professor Kirk Domer. In residence for seven days during the tech/dress process at AD Players at the George Theatre in Houston, TX, he worked on this professional production with industry professionals in many design and technical fields.

Clare Wong

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4203

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: IMPORTANCE OF INTRAPERSONAL RESOURCES ON THE MENTAL HEALTH OF QUEER KENYANS

Abstract: The topic of queerness remains taboo in Kenya, often leaving queer-identifying individuals in the country feeling lost and marginalised. Drawing from interviews and recent literature in the field, this presentation explores the important role of support networks on the mental health of queer Kenyans and aims to highlight how community can alleviate the negative feelings related to isolation and oppression.

Cody Shene

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4225

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: TURNING CRISIS INTO OPPORTUNITY: COLLABORATIVE SOLUTIONS IN LEBANON

Abstract: Lebanon hosts over 1.5 million Syrian refugees, giving it one of the highest percapita refugee populations in the world. This massive influx, driven by the Syrian Civil War, has placed immense strain on Lebanon's economy, infrastructure, and social systems. Refugees face limited access to employment, education, and healthcare, while local communities struggle with dwindling resources and increased competition in the job market. These challenges have heightened tensions between the two groups, creating an unstable social and economic situation. Addressing these issues is critical for improving stability and living conditions for both refugees and Lebanese citizens. This project examines community-based employment programs as a potential solution to these challenges. These initiatives aim to employ refugees and citizens together in public works projects, agricultural development, and other collaborative efforts designed to rebuild infrastructure and stimulate economic growth. Supported by international funding, these programs seek to reduce unemployment, alleviate poverty, and encourage cooperation, building trust while addressing shared challenges. Using qualitative data and case studies from regions in Lebanon heavily impacted by the refugee crisis, this research explores the feasibility and long-term benefits of these programs. By helping refugees maintain their dignity and independence while strengthening local communities, these initiatives promote social cohesion and resilience. By emphasizing collaboration, mutual benefits, and sustainability, this project demonstrates how Lebanon can transform a crisis into an opportunity for social unity and development. This framework could also serve as a model for other nations facing similar challenges.

Eleanor Pugh

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4234

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: SINO-KAZAKH WATER WITHDRAWL ON THE ILI RIVER

Abstract: A water allocation agreement is yet to be reached for the flow of the Ili River, which spans from Xinjiang's Fruit Valley in China to Kazakhstan despite nearly 30 years of negotiations. On the Ili River, over water withdrawal coincides with the lingering adverse effects of Soviet water policy, creating an environmental crisis. The numerous dams on the Ili River, including eight on the Chinese side and the massive Soviet-era Kapchagay Dam enable large amounts of water withdrawal to feed irrigation in this arid region. The Ili River provides approximately 80 percent of the flow to endorheic Lake Balkhash, which has seen decreasing water levels due to the dam construction and water withdrawal, creating negative environmental impacts including increased salination and harming the fisheries, animal husbandry, and even agricultural industries in the region. China's hegemonic relationship over the basin has precluded a successful water allocation agreement, as Kazakh officials appear hesitant to confront China over its water use out of fear of losing Chinese economic investment. While increasing temperatures induced by climate change temporarily prop up the situation by providing an increased water flow from melting glaciers in the Tian Shan mountains, this flow is expected to decrease in the next 20 years. This paper will discuss the issues on the basin and analyze the prospects for future solutions.

Hannah Yoon

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4204

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: SUPPORTING HERITAGE LANGUAGE LEARNING IN FAMILIES

Abstract: This presentation will draw on my personal experience as a heritage language (HL) learner, teacher, and researcher to emphasize the importance of maintaining heritage language and offer practical strategies for families to support their children's HL development. Heritage language learning is crucial for preserving cultural identity and fostering bilingualism, yet many families face challenges in maintaining HL skills outside of formal education settings. The presentation will cover the importance of language-rich environments, strategies for integrating language learning into everyday activities, and the importance of maintaining home languages. Drawing from my own experiences in the classroom and research, I will also discuss how families can advocate for HL education in schools and the role of teachers in supporting heritage language learners. By fostering a supportive language environment, families can help their children thrive as bilinguals and keep their cultural heritage alive.

Hope Sherwood

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4223

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ADDRESSING AMPHIBIAN DISEASE AND THE PET TRADE: PERSPECTIVES FROM STATE AND FEDERAL AGENCIES

Abstract: Globalization facilitates spread of pathogens via trade, which in turn can negatively affect human health and biodiversity. Managing disease in live animal trade networks is challenging because many factors, including state and federal regulations, influence the decisions businesses make about species traded and biosecurity practices used. In North America, the spread of Bsal is of concern for native salamanders. To better understand how U.S. state and federal agencies manage amphibian diseases and interact with pet amphibian trade networks, we conducted virtual focus groups with agency professionals (N = 44). Questions addressed agency actions, concerns, Bsal response, and potential solutions. Results revealed that most agencies lack formal amphibian disease response plans but enforce regulations for native species, including permitting and restrictions on certain imports. Surveillance efforts are sporadic, often reactive, and constrained by resource limitations. Participants expressed significant concerns regarding disease spread through the pet trade, particularly the release of exotic species, insufficient regulation of non-natives, and challenges posed by unregulated online and black-market sales. Proposed solutions included enhancing communication and coordination among states, establishing rapid response funds, improving disease testing capabilities, and prioritizing preventative measures such as education and outreach to raise awareness and mitigate risks before outbreaks occur. Additional recommendations focused on developing emergency response plans, fostering interagency collaboration, and implementing trade certifications to strengthen biosecurity. To begin addressing these identified needs, we have developed outreach materials to support the desired preventative efforts.

Jaidyn Choi

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4242

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: COLORBLIND RACIAL IDEOLOGY IN CO-OCCURRING SUBSTANCE-USE DISORDER AND POSTTRAUMATIC STRESS DISORDER RESEARCH: IMPLICATIONS FOR CLINICAL PRACTICE

Abstract: People of color (POC) endure unique issues (e.g., racial trauma) linked with the onset of co-occurring posttraumatic stress disorder and substance use disorder (PTSD/SUD) and have worse health outcomes compared to White people. Given this, it is important to determine whether PTSD/SUD research addresses these issues or if it is characterized by colorblindness (the act of ignoring POC's experiences and needs). We searched PubMed and PsycINFO for PTSD/SUD research, identifying 135 studies for screening, which were imported into Covidence. A team of six screened these and selected 67 for our narrative review. We assessed the sample diversity of these studies and the extent researchers discussed or designed research to address the unique issues faced by POC, (e.g., discrimination). The racial composition of the samples was 55.72% White, only two studies discussed the relevance of race or racism with PSTD/SUD health outcomes, and zero interventions were designed to address POC'schallenges. Meanwhile, half acknowledged the unique challenges faced by other disenfranchised groups (e.g., women and/or veterans). The colorblind nature of PTSD/SUD research means that clinicians are offering treatments for POC that may not be applicable to their needs, nor are there interventions available to address POC's unique challenges. Importantly, colorblindness has been observed across multiple domains in psychology and medicine. The consequence of this is that healthcare clinicians are likely under-trained and under-resourced to handle matters of race. They may also unknowingly perpetuate discrimination (e.g., microaggressions). Colorblindness maintains barriers for POC to receive proper care and maintains racial health disparities.

Kennedy Kilmer

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4235

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: TASTE OF HOME: PRESERVING LEBANESE CULTURE IN METRO DETROIT THROUGH FOOD

Abstract: The Arab-American community in Metro Detroit traces its origins to the late 1800s when the first Lebanese family immigrated to the area. Thriving in the early 1900s, this wave of immigrants laid the foundation for a flourishing Arab population, with Lebanese people now representing one of the largest ethnic groups in the area. Lebanese cuisine, in particular, has become a dominant presence in Metro Detroit's restaurant scene, serving as a powerful medium for cultural preservation. This presentation explores how the Lebanese population in Metro Detroit has maintained their cultural identity through the establishment of Lebanese restaurants. For many Lebanese immigrants, leaving behind the hardships of life in Lebanon has meant finding opportunity and a supportive community in Detroit. Restaurants have not only provided economic opportunity but also created spaces to celebrate and sustain Lebanese heritage. Drawing on qualitative data from secondary accounts of the Lebanese community in Metro Detroit, I will analyze the role of authentic Lebanese restaurants in preserving cultural traditions. This presentation will also trace the early history of Lebanese migration to Detroit and examine the strategies that have grown and sustained this vibrant community. By raising awareness of the importance of Lebanese culture in Metro Detroit, this presentation highlights how food fosters cultural continuity and strengthens community ties in diaspora settings.

Logan Wilson

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4228

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: LAW AND ORDER IN THE MIDDLE OF THE SYRIAN CIVIL WAR: AN ANALYSIS OF GOVERNANCE, CRIME, AND JUSTICE SYSTEMS IN CONFLICT ZONES

Abstract: This research examines the state of law and order throughout the Syrian Civil War, focusing on how domestic and international groups managed, enforced, or neglected legal systems. As formal government control weakened across the country, Syria experienced instability and lacked law enforcement measures. This study explores the complex interconnectedness between conflict and social justice. This is done with the idea of orientalism kept in mind, navigating through Western idealism. It provides a detailed analysis of legal structures and practices implemented by different parties including the Syrian government, opposition groups, and international bodies. Using a combination of secondary data, case studies, and eyewitness accounts, the research seeks to identify patterns in crime rates while also understanding and critiquing enacted resolutions. By examining the nature of such justice systems, the project addresses broader questions about the rule of law, sovereignty, and human rights. This work ultimately aims to contribute to academic discourse on law in conflict zones. It also strives to recognize the impacts of war on civilians and the lives of people in Syria specifically.

Maddy Tenbarge

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4217

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: PAINTING SURFACE PREPARATION

Abstract: In this experience, I built canvas frames, stretched canvas over the frame and prepared (gessoed) the surface.

Majdal Boulos

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4211

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: MOTIVATION TO CONTINUE SPANISH LEARNING.

Abstract: This project will seek to analyse classroom performance and level of programme completion, among other relevant variables, in order to better understand why one might choose to continue pursuing fluency in a foreign language - or why they wouldn't.

Mark Jamil

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4231

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: POLICY AND LITERATURE BRIEF IN UNDERSTANDING THE FORMATION, ANALYSIS, AND FEASIBILITY IN TEACHING AND CREATING A SURETH CURRICULUM IN MICHIGAN PUBLIC K12 SCHOOLS

Abstract: Sureth (commonly known as Chaldean and Assyrian) is an endangered Northeastern Neo-Aramaic Language and is one of the languages spoken by Chaldean-Assyrian-Syriacs, a predominately Christian ethnoreligious group, who are Indigenous to Northern Iraq, Southeastern Turkey, Northwestern Iran, and Northeastern Syria. Michigan, specifically in Metro Detroit, is home to an estimated 160,000 Chaldean-Assyrian-Syriacs whose language fluency varies; ranging from native to near-native fluency with varying usage of loanwords to not speaking Sureth entirely instead knowing English and/or Arabic, on top of a lack of literacy. This carries significance due to the importance language has in culture and how Sureth is endangered mainly due to persecution, cultural assimilation, and ethnic erasure. This essay and presentation is an extended literature review looking at the policy formation, analysis, and feasibility of teaching and creating a Sureth curriculum in Michigan Public K12 schools. The literature review looks at sources ranging in linguistics, education studies, political science, public policy, and global studies theories in an interdisciplinary manner. The literature also draws from examples outside of Sureth and Chaldean-Assyrians-Syriacs due to the novel nature of the study. The literature review extends by including a policy review and brief section that contains further information on the US education system locally and nationally, other organizations like culture-sharing groups, and data samples related to the research topic.

Matthew Peterson

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4216

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ESTHER

Abstract: Esther was a production that highlighted the importance of collaboration while creating a show. For this particular process, Matty served as the Assistant Scenic Designer and learned a number of new construction and painting techniques during his time in residence at The A.D. Players at the George Theatre located in Houston, TX. Matty also learned the importance of being involved here at MSU, as four fellow Spartans were involved in this production.

Mckaylah Shank

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4207

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: MUSIC, ART, AND CULTURE IN BREGENZ

Abstract: Study abroad opportunities are often said to provide students with transformative experiences that broaden their perspectives, increase cultural empathy, and enhance their global awareness (Excel Network). This is especially true for study abroad moments when students are immersed in environments vastly different from their own, as it challenges their preconceptions and introduces them to new ways of life.With that said, my study abroad experience in Austria provided me with a deep appreciation for intentional living, the challenges of language barriers, and a stronger sense of gratitude for everyday moments.As I navigated life in Bregenz, I learned to connect more authentically with others, understand the complexities of communication beyond words, and appreciate the joy in simple experiences.Gaining this knowledge is important because it encourages me to be more present in my daily life and foster empathy for people who face cultural or language barriers.By sharing my story, I hope others will recognize the power of study abroad to shape both personal growth and a more empathetic worldview, which can help them engage more meaningfully with the diverse people and experiences around them.

Melina Rodriguez

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4214

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: LA CENERENTOLA SCENIC ART

Abstract: Melina is painting the set for an Opera production for the Opera Department within the College of Music. This is a co-production with the department of Theatre's Design Area.

Melissa Liu

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4224

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: ANALYSIS OF CHATGPT USAGE IN REDDIT FOR HEALTH

Abstract: We analyzed 837 posts from January 2019 to March 2023 that mentioned ChatGPT and health.

Mia Burghardt

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4222

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE CREATIVE PROCESS TO CREATING FILM POSTERS

Abstract: This presentation demonstrates the creative process of creating film posters in an intentional and engaging way. This includes the ways a creative ensures integrity through the usage of visual elements, concept development, and aesthetic design.

Nadine Shetiah

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4251

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: NEUROSCIENCE, NEURODIVERSITY, AND THE WORKPLACE: HOW AUTISM THEORIES INFORM REAL-WORLD EXPERIENCES

Abstract: There are many different theories about what autism is, from cognitive and psychological models to neurological explanations (Fein 2020, Hens et al. 2019, Verhoeff 2012). These theories don't just exist in research; they also shape how autism is understood in everyday life, including in the workplace. In this study, we explore how autistic and nonautistic people talk about autism in work-related contexts, analyzing how they use ideas from major theories to explain similarities, differences, and challenges. Some of the theories we examine include Intense World Theory, which focuses on sensory hyperfunctioning; Mirror Neuron Theory, which suggests differences in imitation learning; and Social Motivation Theory, which suggests that reduced social motivation plays a key role in autism. We also consider theories like Monotropism and the Double Empathy Problem, which emerge from a neurodiversity model of autism that challenges traditional deficit-based models by centering autistic experience as part of human neurological diversity. Through thematic analysis of interviews, we explore how these theories arise as participants talk about things that make work harder or easier. Participants also talked about the many things autism meant to them outside of these theories. Our findings show that clinical and research theories of autism are part of how autistic people describe their experiences. By looking at how autistic and non-autistic individuals engage with these theories, we highlight the realworld impact of models of autism, especially in employment and workplace inclusion.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4226

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: THE UNTAMABLE GARDEN: POSTMODERN & AMP; POSTCOLONIAL DIALOGUES IN VICTORIAN NATURE WRITING

Abstract: This paper employs Mary Louise Pratt's framework of European planetary consciousness to juxtapose two contrasting portrayals of nature during the Victorian era. It examines Mary Webb's Romantic celebration of nature's fleeting beauty and inherent resistance to colonization against Gertrude Jekyll's Modernist, systematic approach to garden design-one that mirrors the British Empire's desire to control and order the natural world. Webb's work is shown to critique imperialist notions by emphasizing nature's untamable essence and universal accessibility, while Jekyll's meticulous arrangements reveal a subtle reproduction of colonial administrative practices in the domestic sphere. By analyzing how both writers navigate the tension between nature's inherent freedom and human attempts at domination, the paper interrogates the broader cultural and political implications of nature writing in a time marked by rapid industrial and imperial expansion.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4246

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: COLORS OF GRIEF: A COMPARATIVE ANALYSIS OF KIESLOWSKI AND O'NEILL

Abstract: I argue that Krzysztof Kieslowski's Three colours trilogy and selected episodes from "TheDecalogue," along with Eugene O'Neill's plays "Mourning Becomes Electra," "The IcemanCometh," and "Long Day's Journey into Night," hypothesize a magnetic imaging into the human psyche by inspecting how the characters deal with grief, identity, fate, and illusion. My analysis begins by showing how these works, despite differences in medium, cultural context and time, share huge thematic and stylistic similarities in their portrayal of characters that are going through mental hardships. At the core of this analysis focuses on external palpable places and colors as well as physical and psychological environments that work as an external manifestations of characters' internal states. In Kieslowski's films, this is done through the use of color symbolism, framing, and recurring visual motifs, O'Neill employs dialogue to create claustrophobic, psychologically charged settings. The analysis also explores how both artists use the theme of communication - or its failure - to emphasize the difficulty of human relationships. by examining scenes of miscommunication, silence, and unexpected connection, my paper shows how Kieslowski and O'Neill challenge audiences to reconsider their understanding of intimacy, love, and the barriers that separate individuals. By juxtaposing these works, I found that both artists engage with universal questions about the nature of existence, the power of illusion, and the human capacity for resilience in the face of crushing realities.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4237

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: SALOMANIA: SALOMÉ REINTERPRETED AS A FEMINIST CORNERSTONE IN CINEMA

Abstract: This paper reexamines the 1922 film Salome-a cinematic adaptation of Oscar Wilde's play-and challenges its common classification as a queer work by instead foregrounding its strong feminist dimensions. While many critics have attributed a queer identity to the film, largely based on Wilde's personal life and the reputed sexual orientations of the cast, this study argues that such interpretations are largely superficial and unsupported by a close reading of the film's narrative and visual style. Through a detailed analysis of key scenes, character dynamics, and symbolic elements such as costume design and staging, the paper demonstrates that Salome more accurately reflects early twentieth-century feminist ideals. The film is shown to articulate themes of female empowerment, sexual agency, and the subversion of patriarchal norms, positioning it within the broader context of early feminist art. This reanalysis invites a more nuanced understanding of the film, urging scholars to move beyond reductive readings based solely on the identities of its creator and performers, and to appreciate its intrinsic commentary on gender and power.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4227

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: MILLSTONES AND MYTHS: REIMAGINING NEWPORT TOWER THROUGH THE LENS OF ENGLISH GOTHIC NARRATIVE

Abstract: This paper explores the enigmatic Newport Tower-a structure shrouded in myth, mystery, and multiple historical claims-by reinterpreting its story through the imaginative and evocative traditions of English literature. Drawing on archaeological findings, colonial documents, and the colorful tapestry of legends that span Viking sagas to Templar intrigues, the study investigates how narrative and myth-making have intertwined with the tangible evidence of stone and mortar. Through a comparative literary analysis, the paper uncovers parallels with the gothic and Renaissance texts that similarly blend fact and fable, ultimately arguing that the Tower's ambiguous past serves as a rich allegory for the interplay of history and storytelling in the canon of English literature.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4247

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: REDISCOVERING THE AESTHETIC EDGE: GENDER, URBANITY, AND THE CREATIVE SPIRIT IN GEORGE EGERTON'S 'A LOST MASTERPIECE

Abstract: This presentation delves into George Egerton's "A Lost Masterpiece," exploring its nuanced examination of artistic inspiration amid the contrasting realms of urban chaos and pastoral memory. By situating Egerton's work within the broader currents of English literature-particularly within the aesthetic and Decadent movements-the talk unpacks how poetic language and vivid imagery articulate the internal struggles of a creative mind navigating a rapidly changing society. Emphasizing themes of gender and identity, the discussion reveals how Egerton's narrative not only echoes contemporary debates about the "New Woman" and the redefinition of feminine experience but also challenges the conventional boundaries between art and everyday life. Attendees will gain fresh insights into the enduring dialogue between creative expression and societal transformation, underscoring the timeless resonance of Egerton's literary innovations within English literary studies.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4252

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: CINEMATIC DESIRE: NEGOTIATING APPARATUS, ABSENCE, AND THE MORAL IMPULSES OF SIN AND VIRTUE

Abstract: This paper explores Christian Metz's analysis of cinematic pleasure as a multifaceted negotiation between psychic desire and socio-political forces. Metz argues that film spectatorship is driven by a layered desire: for narrative coherence, visual satisfaction, and the reassuring fantasy that compensates for the inherent "lack" of representation. Pleasure, in Metz's view, is not a mere enthrallment with illusion but a complex process of disavowal, where viewers simultaneously engage with and reject the screen's tangible emptiness. Central to this process is the fetishistic investment in cinematic objects, which both masks and echoes the anxiety of absence, while also reflecting deeper moral tensions reminiscent of the seven deadly sins and corresponding virtues. This duality is further exemplified by the metaphor of the child's contradictory beliefs, symbolizing the internal negotiation between primal impulses and higher ethical sensibilities. Ultimately, Metz's analysis reveals that the cinematic experience is a dynamic interplay between internal contradictions and constructed visual narratives, making the act of watching a deeply personal and morally charged engagement.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4253

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: HUMOR AND POLITICS IN ELIA SULEIMAN'S CINEMA

Abstract: This presentation explores the innovative cinematic approach of Elia Suleiman, a leading Palestinian filmmaker whose work uniquely blends humor with political critique. It examines how Suleiman employs humor not only as a form of resistance against the absurdities of the Israeli-Palestinian conflict but also as a vital means of survival amid oppression. The analysis delves into his technical use of visual comedy and an episodic narrative structure that disrupts traditional storytelling, offering a mosaic of the Palestinian experience rather than a singular narrative. Additionally, the presentation highlights the autobiographical elements present in Suleiman's films, which imbue his work with a deeply personal perspective, thereby humanizing the broader socio-political realities. By critiquing both the strengths and limitations of his style, the presentation positions Suleiman as a transformative figure in Palestinian cinema, whose work challenges conventional narrative forms and invites viewers to reconsider the intersection of humor and politics.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4238

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: RETHINKING CARE: A COMPARATIVE ANALYSIS OF SCHOLARLY AND DIGITAL MEDIA PERSPECTIVES

Abstract: This paper examines the concept of care by comparing academic discourse with digital media narratives. Drawing on Sandy Grande's view of care as embedded in power structures, it explores how social media, blogs, and podcasts highlight personal, culturally contingent practices that often challenge scholarly perspectives. While academic frameworks underscore systemic forces that determine who is deemed worthy of care, digital stories emphasize everyday relational acts. By juxtaposing these viewpoints, this study reveals the need for a more holistic framework, one that acknowledges both the political dimensions shaping care and the intimate experiences through which it is enacted.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4248

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: SILENT SACRIFICES: GENDER, MELODRAMA, AND THE BURDEN OF CARE IN MAGARI AND ITALIAN CINEMA

Abstract: This essay analyzes a pivotal scene from Magari (If Only) (2019) to examine how the film engages with gender roles, melodrama, and Italian cinema's portrayal of domestic labor. Through formal elements such as mise-en-scène, character blocking, cinematography, editing, and performance, the scene constructs Benedetta as both a maternal figure and an altruist, yet it simultaneously entraps her within this caregiving role. The film denies Benedetta personal agency, framing her identity as inseparable from her domestic responsibilities. Unlike traditional family melodramas that highlight female resistance through heightened emotional expression, Magari presents her entrapment as a quiet inevitability, reinforcing patriarchal expectations in both narrative and visual structure. Drawing on Thomas Elsaesser's and Joseph Bitney's discourse on family melodrama, the analysis situates Magari within a broader tradition of films that explore the intersection of gender, family, and power. While classic melodramas such as Mildred Pierce dramatize the tension between maternal sacrifice and individual ambition, Magari strips away this conflict, offering no alternative for Benedetta beyond her expected role. This essay argues that the film's refusal to grant Benedetta narrative autonomy deepens its critique of gendered labor by embedding her oppression within the everyday. In doing so, Magari not only engages with the conventions of family melodrama but also redefines its limits, exposing how deeply ingrained patriarchal structures persist in both cinematic representation and lived experience.

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4256

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: COLONIAL BUDS AND OUR SPUDS

Abstract: This paper examines the historical, cultural, and economic impact of the potato. It traces the etymology of the term "potato" from its indigenous roots, detailing its botanical origins in South America and subsequent adoption and adaptation by various cultures. By exploring its role in the Columbian Exchange, the study highlights how the potato became a staple crop that significantly influenced global population growth and food security. The analysis also considers the crop's role in shaping agricultural practices, particularly in Ireland, where its susceptibility to disease led to the devastating Irish Potato Famine. Moreover, the paper delves into the cultural narratives surrounding the potato, from iconic culinary traditions to its symbolic representation as a resilient food source for the poor. Through an interdisciplinary approach that incorporates historical, botanical, and socio-cultural perspectives, the work illustrates the transformative legacy of the potato in the context of colonial trade and modern agriculture.

Saumyaa Shah

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4215

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: GREEN SPACES

Abstract: The integration of green spaces in healthcare environments has gained increasing attention for its potential to enhance patient recovery, improve staff well-being, and promote environmental sustainability. This research explores the role of hospital gardens, outdoor landscapes, and green design standards in optimizing healthcare outcomes. Through an extensive literature review of 18 scholarly articles, this study synthesizes findings on therapeutic benefits, user preferences, sustainability frameworks, and implementation barriers. Key themes include the psychological and physiological advantages of access to nature, the importance of biophilic design in patient-centered care, and the challenges posed by spatial and financial constraints. While existing research highlights the positive effects of green spaces, gaps remain in cost-effectiveness analyses, long-term impact assessments, and policy implementation strategies. This study aims to bridge these gaps by proposing interdisciplinary approaches that incorporate evidence-based design principles and sustainable development frameworks. Findings suggest that incorporating green spaces in hospital design not only fosters healing environments but also aligns with broader sustainability goals. Future research should focus on integrating technology-driven planning tools, evaluating long-term patient outcomes, and developing policy guidelines to support widespread adoption. By addressing these areas, this study contributes to the growing discourse on healthcare landscape architecture, offering practical insights for architects, healthcare providers, and policymakers seeking to create healthier, more sustainable medical environments.

Surabhi Gangadkar

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Online

Presentation Number: 4212

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: AN OVERVIEW OF LANGUAGE ACQUISITION BY HARD OF HEARING AND DEAF CHILDREN

Abstract: Language acquisition is a fundamental aspect of human cognition, distinguishing us from other species. While many species have innate communication systems, humans are uniquely capable of producing an infinite number of sentences from a finite set of symbols. This literature review examines key theories of language acquisition, focusing on the behaviorist perspective of B.F. Skinner and the nativist theory of Noam Chomsky. Skinner's behaviorist theory, which suggests that language is learned through reinforcement and association, has been influential but has faced significant criticism from Chomsky, who posits that language acquisition is an innate ability. This review emphasizes the need for a broader understanding of language development, particularly among children who are deaf or hard of hearing. Unlike hearing children, these children acquire language through different modalities, such as American Sign Language (ASL) or spoken language, yet they undergo similar developmental processes. This review highlights research suggesting that children exposed to ASL from an early age acquire it in much the same way hearing children acquire spoken language, underscoring the universality of the human capacity for language development. The findings indicate that both biological and environmental factors play critical roles in language acquisition, and these factors must be considered when studying language development in diverse populations. This review ultimately calls for further research into language acquisition that includes a broader range of linguistic modalities, particularly for children with hearing impairments.

Tatiana Goffee

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4236

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: MONEY VS MENTAL HEALTH: THE IMPACT OF LEBANON'S ECONOMIC CRISIS ON MENTAL HEALTH

Abstract: The COVID-19 pandemic has exacerbated economic challenges worldwide, but Lebanon has faced a particularly severe and prolonged crisis. Currently, 44% of Lebanon's population lives in poverty, with approximately 80% categorized as poor. A significant factor contributing to this crisis is the strain of hosting 1.5 million Syrian refugees, who constitute 25% of Lebanon's population. This influx has placed immense pressure on Lebanon's economy, infrastructure, and the mental health of its citizens. This study examines the mental health crisis among Lebanese citizens amidst the ongoing economic collapse. Evidence highlights alarming levels of stress, anxiety, and emotional distress, with many citizens reporting a noticeable decline in mental health since 2019. Researchers have raised concerns about the emergence of a mental health epidemic as the crisis continues to deepen.Using qualitative analyses and primary and secondary sources, this paper investigates the profound mental health challenges faced by Lebanese citizens. It explores how economic hardship, coupled with the societal strain of hosting refugees, has impacted daily life and well-being. While political and refugee-related debates dominate discussions, this research shifts focus back to the lived experiences of Lebanese people, underscoring the urgent need to address their mental health.By raising awareness of this critical issue, the study aims to advocate for increased mental health resources and support systems, fostering a pathway to improved livelihoods and psychological well-being for Lebanon's population.

Victoria Irish

Category: Social Science, Arts, Humanities (multiple disciplines)

Presentation Type: Oral - online

Presentation Number: 4255

Room Assignment: Online

Time Slot: April 10 - 11 (asynchronous)

Title: LOVESPELLED: SHORT TV PILOT

Abstract: Lovespelled was a short TV pilot written and produced in a Special Topics course last Spring semester. Over the course of the production, everybody involved developed and improved their knowledge base. Through technical skills, story and writing skills, logistic and coordination skills, and social/communication skills, Lovespelled was a project that both mattered in terms of creating an inclusive, fantastical comedy, as well as bettering the capabilities of everyone involved.

Social Science: General

Antwan Hart

Category: Social Science: General

Presentation Type: Poster

Presentation Number: 3411

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: DISCREPANCIES IN MDOC REPORTING

Abstract: The validity of the Critical incident reports made by the MDOC comes into question when some of the data is incorrect. When data is incorrect, it not only calls the validity of these reports into question but also undermines public trust in the MDOC's transparency and oversight efforts. These inaccuracies directly contradict the claims of transparency and oversight which undermines efforts to hold facilities accountable, as decisions could be based on faulty information. As a result, we must question who is responsible for this data and why they are failing to ensure the data is correct. Overall, the inaccuracies and lack of accountability suggest the Prison Oversight Committee legislation is essential to obtaining accurate, transparent reporting and meaningful accountability.
Avery Ramseyer

Category: Social Science: General Presentation Type: Poster Presentation Number: 3413 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: HIDDEN GEMS: UNDERSTANDING VISITOR USE LEVELS AT MICHIGAN'S MOST LOVED WILDLIFE MANAGEMENT AREAS

Abstract: There are over 200 State Wildlife-Managed Areas (SWMAs) throughout Michigan. These public lands are managed by the Michigan Department of Natural Resources Wildlife Division (MDNR WLD) for wildlife, wildlife habitat, and wildlife-based forms of recreation (e.g., hunting, fishing, trapping, bird watching) (Strong, 2022). Due to their geographic diversity, varying proximity to urban areas, and different habitat types, identifying common patterns among SWMAs is challenging. However, there is limited knowledge on the number of visitors that use SWMAs annually, as well as which seasons have the highest use-levels. To address this, we have partnered with the MDNR WLD to gain a better understanding of visitation patterns at ten SWAs that encompass the many diversities present in the public lands of their SWA system. In this poster, I will be presenting on different annual use levels in Bill Rollo Memorial Grouse Enhanced Management Sites and Cannonsburg State Game Area using GPS location data from two Cobalt Community Research foundational reports. The Cannonsburg data was collected in 2021, while the Bill Rollo data was collected in 2023. I hypothesize that Cannonsburg State Game Area will have higher annual visitation than Bill Rollo GEMS, with peak use occurring in the summer. I also expect that Bill Rollo GEMS will have the highest use-levels during the fall months. This research emphasizes the importance of understanding visitor use on public lands to inform management in a variety of ways.

Benjamin Kim

Category: Social Science: General Presentation Type: Poster Presentation Number: 3402 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: ENHANCING WORKFORCE READINESS IN THE HOSPITALITY INDUSTRY: A GENDER-

Abstract: Internships play a crucial role in preparing hospitality business students for the workforce by bridging the gap between academic learning and professional application. This study explores the self-identified achievements, strengths, and areas of improvement within hospitality students after completing their internships, with a focus on gender-based differences. Grounded in Experiential Learning Theory (ELT) and Work-Integrated Learning (WIL), the study examines how internship experiences contribute to career readiness and professional development. A survey of 373 hospitality business students (155 male, 218 female) collected qualitative and quantitative data on their internship reflections. The findings reveal that students excel in interpersonal skills, customer service, leadership, and teamwork, while areas for improvement include time management, confidence, stress management, and technical skills. Notably, female students reported greater strengths in customer service, teamwork, and leadership, but also highlighted challenges related to selfconfidence and communication. Male students emphasized professionalism, problemsolving, and technical skill development but reported weaknesses in public speaking and workplace relationships. The study underscores the importance of structured internships in shaping students' career trajectories and highlights the need for tailored internship programs that address gender-based learning differences. By integrating soft skills training and mentorship opportunities, both academic institutions and industry partners can enhance the effectiveness of internship experiences. These insights provide a foundation for improving internship design to better support student growth and workforce preparedness in the hospitality industry.

BASED STUDY OF HOSPITALITY BUSINESS STUDENTS' INTERNSHIP EXPERIENCES

Chloe Alexander

Category: Social Science: General Presentation Type: Poster Presentation Number: 3404 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MSU FOOD INSECURITY RESOURCES

Abstract: Our project examines the resources available to address food insecurity experienced by MSU students. Specifically, we would like to know how well the MSU Food Bank addresses food insecurity on campus. Using a survey distributed to the student population, we will ask questions about student awareness of the food bank and food insecurity at MSU. Our survey will collect demographic data to see what communities are utilizing the food bank and what groups might need more outreach and intervention. We also ask questions about satisfaction with nutritional value of food, access to other resources, and how often students feel like they need more support. We hope to bring our findings back to the food bank to improve their programming and services.

Chris Marcum

Category: Social Science: General Presentation Type: Poster Presentation Number: 3425 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: INFORMATION ACCESS A

Title: INFORMATION ACCESS AND PATIENT-CENTERED HEALTHCARE: QUALITATIVE FINDINGS FROM THE MICHIGAN STROKE TRANSITIONS TRIAL (MISTT)

Abstract: The transition home from hospitalization after a stroke is a difficult one. Patients and caregivers face a range of emotional, social, and health-related challenges as they navigate stroke recovery. The Michigan Stroke Transitions Trial (MISTT) was designed to test whether a social work case management (SWCM) intervention would improve patient-reported outcomes in stroke survivors who return home. While the original trial did not find many significant results, patients and caregivers reported anecdotally that it was helpful. This presentation presents data from a secondary analysis of SWCM case notes looking at what case managers did and how they did. This poster will focus on the role of information in patient activation and how the social workers in the MISTT study bridged this information gap between professionals and clients to lead to positive outcomes.

Corbin Harnden

Category: Social Science: General Presentation Type: Poster Presentation Number: 3401 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: SUPPORT FOR RECREATION

Title: SUPPORT FOR RECREATION THROUGH COMMUNITY FOUNDATION FUNDING: EXAMINING ALLOCATIONS ACROSS CATEGORIES IN NORTHERN FOREST REGION STATES

Abstract: Community foundations cover every inch of the U.S., aiming to meet the needs of their area through philanthropic giving. Within the Northern Forest region of the U.S. (northern New England through the northern Great Lakes states; Maine to Minnesota), there lies a mixture of rural and urban identities. Even within this mix of land use and population densities, all these states claim to support outdoor recreation in their economies. Indeed, the Bureau of Economic Analysis corroborates this for each state examined. Given this breadth of identities but all within a common geography of the Northern Forest and common goal of supporting outdoor recreation within their economic profiles, we sought to examine if community foundation projects represented this commitment to outdoor recreation. After examining the annual reports of community foundations accredited through the National Standards program (CFNS), we used a two-mode social network analysis approach (community foundations and topics represented in their breakdowns of annual giving) to examine what funding categories are being prioritized. This quantitative approach highlighted recreation's placement within the topics (i.e., where recreation is actually sought after) and painted an overall picture of foundation-specific, state-level, and regional funding priorities. Our results from these NUMBER community foundations indicate some regional and state-specific patterns, highlighting the importance of scale and context. They also speak to the vital but variable inclusion and prioritization of recreation in philanthropic endeavors. This work is important to contextualize recreation's current place among areas of investment and to promote the role of recreation in community development.

Elena Forman

Category: Social Science: General Presentation Type: Poster Presentation Number: 3421 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: RCAH PRISON ARTS

Abstract: This project is multifaceted. First, there is the visual and poetic art created by the men incarcerated in the Handlon Detention Facility. These artists wrote poems with the prompt "something you care about" and with the knowledge and wish they be included in this final exhibition. They then created or described drawings to be included with the poems which eventually were made into risographs by Elena Forman and Professor Guillermo Delgado. The second aspect of this project was a study on mass incarceration in the United States including its effects on families and community members. This became a podcast with interviews from organizations, students, and family members. This aspect of the project works to emphasize the severe injustices facing our society in terms of incarceration and the first aspect highlights the humanity bearing the brunt of these costs. It also is beautiful artwork that deserves to be celebrated.

Emily Curtis

Category: Social Science: General Presentation Type: Poster Presentation Number: 3426 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: NATIONAL HONORS SOCIETY AND THE PRACTICE OF COMMUNITY ENGAGEMENT

Abstract: National Honors Society at the High School levels serves to educate students on how to excel in leadership, scholarship, service, and character. Our goal with this project was to research the effectiveness of National Honors Society at Spring Lake High School, and how well it prepares students for community service knowledge expected in a college setting. When entering the UGS 200H class this fall as first year students, we felt as though the service oppourtunties provided to us through National Honors Society in High School were not consistent with the nuanced view on community service at Michigan State. Understanding the course material in this class felt more challenging for us compared to other students, and we beleive that there are ways that Spring Lake High School can improve to better teach their students about meaningful community service. We seek to improve community engagement practices as well as understanding, in order to better transition high school seniors into navigating the service experiences offered in college.

Emily LeGault

Category: Social Science: General Presentation Type: Poster Presentation Number: 3403 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: RACIAL PERCEPTIONS AND PRESSURES IN THE CRIMINAL JUSTICE SYSTEM

Abstract: When analyzing the criminal justice system and its intersection with race, it is important to analyze the perceptions and pressures. The goal of this project is to analyze what college students believe this issue is defined as in their world as well as how progress can be made. In collaboration with the student body at Michigan State University, the mission is to identify commonalities and draw conclusions to bring unity in understanding. The goal is to result in progress by identifying spaces for improvement in the media-heavy justice system we all observe, work with, and coexist beside. By identifying strengths, weaknesses, and barriers in the justice system based on the perception of race we can bring light to compressed spaces to make the world a brighter/more understood place to live. Systems in the United States cannot be changed in a day as their roots are deeply embedded into our world, our goal is to find these places and isolate spaces of improvement with the intersection of perceptions.

Grace DeMilio

Category: Social Science: General Presentation Type: Poster Presentation Number: 3412 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: NOSTALGIA, MARKETING AND FOOD

Abstract: Over the past few years, nostalgia has seemed more prevalent than ever. It's on the TV, in clothes, or the grocery store. Processed food companies seem to be adding more and more nostalgia to the food they sell. From the original packaging of Pepsi to M&M commercials that seem to have been playing for the past 20 years. This is not some happy accident: processed food companies are doing this with intention. Many of these efforts are for the older generation but to create that nostalgia they have to start somewhere. They market straight to children as young as possible to begin creating nostalgia towards their food and customer loyalty later down the line. This makes one wonder how this will affect them in the future. This food is being pushed on them from a very young age. In theory, they would gain a dependence on it. Additionally, if this is being marketed as nostalgic food for them, wouldn't it become a source of comfort in the future? This made us curious and posed a question: how do processed food companies use nostalgia to target consumers, and how does that affect the consumer in return?

Jayce-London White

Category: Social Science: General

Presentation Type: Poster

Presentation Number: 3406

Room Assignment: Arena

Time Slot: 9:00 - 10:30 AM

Title: CHARLIE AND DANIELLE SUNSHINE COMMUNITY GARDEN CASE STUDY

Abstract: The primary focus of our research is on how to create social capital and build stronger, more cohesive communities through the medium of community gardens. We will begin by exploring the Danielle and Charlie Sunshine Garden's role in enhancing the quality of life within the neighborhood of Greencroft Park.

Mason Hambley

Category: Social Science: General Presentation Type: Poster Presentation Number: 3405 Room Assignment: Arena Time Slot: 9:00 - 10:30 AM Title: MSU STUDENT RECYCLING INITIATIVE

Abstract: Recycling is commonly regarded as an important step in the creation of communities which are sustainable. In this study researchers designed and analyzed a survey aimed at finding out the primary motivators of recycling among the student population at MSU. Previous studies have found that altruistic motivators such as wanting to do the right thing for both the environment and society play a key role in motivating recycling tendencies. Along with this there is evidence that monetary rewards also play a key role. Our findings are in line with previous research but we have also been able to identify barriers to recycling on campus. We argue that the elimination of these recycling barriers will be the most important factor in improving diversion rates on campus and off campus. It seems that the primary barrier to recycling is a lack of access to places to recycle, namely in off campus communities where there are often no recycling facilities available to residents. There are also barriers to recycling on campus as there is a distinct lack of places to reliable recycle bottles and cans in on campus residences. We also suggest some potential solutions to address these barriers as well as identifying next steps for research including a recycling audit of off campus residencies to see which places do and do not have recycling facilities for residents.

Nadine Shetiah

Category: Social Science: General

Presentation Type: Poster

Presentation Number: 3416

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: WORKING TOGETHER ACROSS DIFFERENCES: A QUALITATIVE STUDY OF AUTISTIC PERSPECTIVES ON EMPLOYMENT.

Abstract: Autistic individuals often face significant barriers to employment, shaped by workplace norms rooted in neurotypical expectations. This qualitative study explores the perspectives of autistic and non-autistic individuals on navigating shared workspaces and differing understandings of work. This research highlights the challenges autistic individuals encounter, including misaligned communication styles and inaccessible workplace practices. By emphasizing the value of neurodiversity and fostering education around these differences, this research highlights the potential for more inclusive and equitable employment environments.

Natalie Bron

Category: Social Science: General Presentation Type: Poster Presentation Number: 3415 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: DO SPARTAN COMBOS ENCOURAGE OVERCONSUMPTION?

Abstract: Ready-made meals are provided to students through various academic programs, whether it be in grade school, or educational facilities following graduation. Although the implication of meal programs generally prove to be beneficial to the improvement of the public diet, it fails to address the potential predicament of overconsumption. The overlap of sustainability and proper consumption presents a challenge in balancing environmental responsibility with student well-being. Taking a deep dive into the flaws of the meal swipe function at educational facilities however, potential solutions are able to be constructed. This research explores how Michigan State University's Combo-X-Change feature, as part of the dining hall plans, impacts food consumption and food waste. The study consists of data collected through survey participants at Michigan State University, answering questions regarding their thoughts on the topic at hand. By analyzing patterns in food disposal habits, frequency of unused meal swipes, and opinions on potential resolutions, this study aims to highlight key areas where waste is able to be minimized. The significance of this research lies in its potential to contribute to a reduction of food waste on not only Michigan State University's campus, but also neighboring living-schooling facilities nationwide.

Noreen Andrea Francisco

Category: Social Science: General Presentation Type: Poster Presentation Number: 3423 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: FAMILY SOCIODEMOGRAPHIC FACTORS RELATED TO PARENTAL CONSENT FOR HAIR

SAMPLE COLLECTION

Abstract: Hair cortisol concentration is a non-invasive, objective biomarker widely used to assess chronic stress in children. However, obtaining hair samples requires parental consent, and the likelihood of consent may be influenced by various family sociodemographic factors. This study explored the relationship between family characteristics and parental consent for hair sample collection in children participating in a larger intervention study. Data was collected from 164 preschoolers and 154 parents. The mean age of preschoolers was 46.98 months (about 4 years), ranging from 34 to 63 months (about 5 and a half years); 50.6% were female. Most children were White (72%), and 13.1% identified as Hispanic. The parent's mean age was 31.44 years, ranging from 19 to 69 years, with the majority being White (79,9%) and 42.2% being single. Employment status varied: 30.5% worked full-time, 27.9% part-time, and 41.6% were unemployed. Approximately 59.1% of families earned ≤ \$29,000 annually and 40.9% earned ≥ \$30,000. Overall, 68.5% of parents consented to hair sample collection. Reasons for refusal included feeling uncomfortable, not having enough information, concerns about DNA collection from hair, and child preference. Parental employment status was significantly correlated with their consent (p=.004), with unemployed parents more likely to consent. Although not statistically significant, fathers showed a higher likelihood of consenting compared to mothers (p=.057). These findings highlight the role of sociodemographic factors, particularly employment status, in parental decisions about hair sample collection. Addressing concerns and providing clear information may improve consent rates and ensure equitable participation in stress biomarker research.

Patrick Cox

Category: Social Science: General Presentation Type: Poster Presentation Number: 3424 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: SLEEPING BEAR DECADAL COMPARISON OF VISITOR USE

Abstract: Sleeping Bear Dunes National Lakeshore (SLBE) is one of three designated national lakeshores managed by the US National Park Service. SLBE is a National Park Service unit in Michigan and hosts over 1.5 million annual visitors. The landscape is cherished by Michiganders and out-of-state visitors alike and provides them the opportunity to experience the distinctive environs and amenities that Lake Michigan's lakeshore provides. In 2014, we collaborated with the National Park Service to investigate visitor use patterns and attitudes at the Platte and Crystal Rivers and North Manitou Island. This study was conducted during peak visitation season totaling 1,044 surveys completed, providing information about visitor attitudes and behavior. In 2024, we revisited SLBE with a new study investigating visitor attitudes and behaviors, with a 12-week sampling period at five locations across the national lakeshore, including the Platte and Crystal River sites sampled in 2014. A total of 1,360 surveys were collected, with the Crystal and Platte Rivers surveys comprising over 40% of surveys collected. With two data sets, a decadal comparison focusing on visitor use characteristics, motivations, and intended use of these rivers is to be completed alongside a descriptive statistical analysis on the basic demographical and meta-data information across datasets. Understanding the patterns of visitor use at these rivers in SLBE further assists managers in the Lakeshore's conservation, ecological sustainability, and visitor satisfaction. With this poster, we will present the longitudinal sampling effort and comparisons among key questions on users, river use patterns, and park-wide perceptions.

Susma Mangar

Category: Social Science: General Presentation Type: Poster Presentation Number: 3417 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: PARENTING WORKSHOP ON CHILD CARE SUBSIDY FOR LOW INCOME WORKING

FAMILIES WITH CHILDREN

Abstract: Background: The Child Care Subsidy (CCS) program in the U.S. provides financial assistance to low-income families to cover child care costs while parents work, attend school, or participate in training programs. In Michigan, this program, the Child Development and Care (CDC) program, is administered by the Michigan Department of Health and Human Services (MDHHS). Despite eligibility, only 10% of families utilize the subsidy. This study aims to increase CDC take-up rates by providing a parenting workshop for Head Start-eligible low-income parents, addressing barriers to access and enrollment. Methods: The disparity between the number of eligible families and the low take-up rate has been identified as i) lack of knowledge on CDC, ii) complex application processes, and iii) insufficient availability of child care providers accepting CDC. We use two component of intervention. First, partnered with MDHHS, we deliver parenting workshop which consists of CDC eligibility, CDC application process and selecting quality child care in-person and online. Second, using a brokerage mode, we hold drop in helping hours at Head Start school to promote and facilitate parental need on these components. Each case will be logged to monitor application process. We plan to collect pre and post data on knowledge on CDC and parenting outcomes through on-line survey through Qualtrics. Expected Results: Parents who participate in CDC parenting workshop would show enhanced knowledge on CDC which could promote better mental and economic health. Implications: This study can bridge the gap between eligibility and access, ultimately enhancing child care stability for low-income families.

Zainab Alsalihi

Category: Social Science: General Presentation Type: Poster Presentation Number: 3422 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: SENSOR TECHNOLOGY TO N

Title: SENSOR TECHNOLOGY TO MEASURE SOCIAL INTERACTIONS OF CHILDREN WITH DISABILITIE

Abstract: Early childhood is critical for developing social skills (Phillips & amp; Shonkoff, 2000), yet children with autism spectrum disorders (ASD) often face challenges in peer interactions (Bellini et al., 2007). This leads to limited friendships (Kasari et al., 2011), social rejection (Chamberlain et al., 2007), and heightened anxiety and depression risks (Mazurek & Kanne, 2010). Traditional data collection methods for informing ASD interventions are time-consuming, subjective, and require lengthy observations (Milfort & amp; Greenfield, 2002). There is a pressing need for efficient technologies to assess social interactions, especially in inclusive settings (Shi et al., 2017). Emerging technologies aim to assist educators in measuring social engagement for children with ASD, such as apps (Marcu et al., 2013). However, many require extensive teacher observation or data analysis, making them impractical for inclusive classrooms (Milfort & amp; Greenfield, 2002). Automated systems like LENA (Dykstra et al., 2012) evaluate language environments, while sensor technologies help track child location and movement patterns to promote social engagement (Irvin et al., 2017; 2021; Wallisch et al., 2022). Yet, few validated tools capture social engagement data comprehensively. This presentation highlights the use of innovative technology to measure social interactions among children with ASD and their peers, including social networks, interaction initiations, terminations, and activity preferences. Study findings and practical Early childhood is critical for developing social skills (Phillips & amp; Shonkoff, 2000), yet children with autism spectrum disorders (ASD) often face challenges in peer interactions (Bellini et al., 2007). This leads to limited friendships (Kasari et al., 2011), social rejection (Chamberlain et al., 2007), and heightened anxiety and depression risks (Mazurek & amp; Kanne, 2010). Traditional data collection methods for informing ASD interventions are time-consuming, subjective, and require lengthy observations (Milfort & amp; Greenfield, 2002). There is a pressing need for efficient technologies to assess social interactions, especially in inclusive settings (Shi et al., 2017). Emerging technologies aim to assist educators in measuring social engagement for

children with ASD, such as apps (Marcu et al., 2013). However, many require extensive teacher observation or data analysis, making them impractical for inclusive classrooms (Milfort & amp; Greenfield, 2002). Automated systems like LENA (Dykstra et al., 2012) evaluate language environments, while sensor technologies help track child location and movement patterns to promote social engagement (Irvin et al., 2017; 2021; Wallisch et al., 2022). Yet, few validated tools capture social engagement data comprehensively. This presentation highlights the use of innovative technology to measure social interactions among children with ASD and their peers, including social networks, interaction initiations, terminations, and activity preferences. Study findings and practical implications will be discussed, alongside the next steps for technology development to support data-driven teacher decisions and future research directions. will be discussed, alongside the next steps for technology development to support data-driven teacher decisions and future research directions.

Zoey Crossley

BIKERS

Category: Social Science: General Presentation Type: Poster Presentation Number: 3414 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: TELL US HOW YOU REALLY FEEL: THE STRONG OPINIONS OF MOUNTAIN AND E-

Abstract: Outdoor recreation is an integral part of the human experience. From playing outside as a kid to managing your mental health as an adult, it's part of what grounds us and makes us human. Therefore, it's important to study which activities people partake in when recreating outdoors. This affects who will be found in certain places, how many people will be there, and how we manage spaces to provide for this demand while maintaining the integrity of the natural space itself. These patterns are tracked over many scales from federal, to state, to local levels. We used the Michigan Statewide Comprehensive Outdoor Recreation Plan (SCORP) to establish the benefits of outdoor recreation and then compared the results of an online panel sample survey with these benefits. Particularly, we compared whether mountain bike/ebike users perceived differing levels of impacts along natural surface trails statewide. Results found that while this group was more likely to perceive negative impacts like litter and trail degradation, they were also more likely to agree that natural surface trails enrich the surrounding communities. These results align with the overall theme of the SCORP that Michigan's outdoor recreation opportunities are integral across many facets: from quality of life to boosting the state's economy.

Sociology

Abby Googe

Category: Sociology Presentation Type: Poster Presentation Number: 3615 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: AMERICAN PERCEPTION OF FOREIGN FILM

Abstract: This presentation explores the characteristics of the American perception of foreign film. It focuses on how Americans interact with foreign film, view its cultural significance, and their overall sentiments toward film made in foreign languages and other countries. Additionally, it delves into the practical aspects of watching foreign films, particularly how Americans feel about aids to understanding, such as subtitles and dubbed audio, and how these aids influence their viewing experience. Research conducted also gives insight into how foreign film has impacted cultural understanding and shifted perspectives toward different nations. shifted perspectives toward different nations and what foreign countries and languages Americans prefer to consume film from.

Amanda Bacon

Category: Sociology Presentation Type: Poster Presentation Number: 3605 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: UNDERSTANDING THE CO

Title: UNDERSTANDING THE CONSEQUENCES OF EXCLUSIONARY SEXUAL EDUCATION: A QUALITATIVE ANALYSIS OF MSU UNDERGRADUATE PERSPECTIVES

Abstract: Exclusionary sex education further disadvantages students who are already at an increased risk for harm (Baker 2019). The content of formal sex education is harmful for students regardless of sexual orientation. The LGBTQ+ community feels these effects in a disproportionately detrimental way due to their already disadvantaged social position. Reform in this sector of public education is needed to ensure equitable public health and safety information for all students. The need for this reform is further shown by the striking inequalities in STI and sexual assault victimization rates among LGBTQ+ individuals (Elia and Eliason 2010; Cary et al. 2022; Baker 2019; Truman and Morgan 2022; Movement Advancement Project n.d.). Qualitative coding methods allowed us to conceptualize the experiences of students at Michigan State University in relation to this systemic issue. During this coding process several themes were identified to show specific ways students are affected by this lack of information. These themes include information shared between peers, a lack of connection in dating apps, and emotional consequences of engaging in hookup culture. In analyzing these themes, it is clear that educational reform is necessary for reducing harm for all students, with a focus on empowering queer populations.

Amanda McGill

Category: Sociology

Presentation Type: Poster

Presentation Number: 3611

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: INTERVENTIONS USED TO PROMOTE MENTAL HEALTH AND WELL-BEING OF INTERNATIONAL STUDENTS: A LITERATURE REVIEW

Abstract: Stress, limited health literacy, and cultural and linguistic barriers contribute to the vulnerability and poor mental health of international students. Current research suggests the use of various interventions to help these students cope with such vulnerabilities. Each intervention has its own limitations and benefits, and many have a need for improvement.

Arete Keener

MAKING

Category: Sociology Presentation Type: Poster Presentation Number: 3613 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: EXPANDING GENDER TO TEST CURRENT THEORIES IN ENVIRONMENTAL DECISION-

Abstract: This project focuses on the relationship between gender and environmental decision-making (EDM). Current literature has offered many hypotheses for understanding this relationship. The theories that have maintained empirical support revolve around the socialization hypotheses - these include safety concerns, risk perceptions, institutional trust, and value orientations hypotheses. Although there has been extensive researchdone to understand the relationship between gender and EDM, all of the research has been based on a binary scale. As our understanding of gender has evolved into understanding it as a spectrum, the binary scale has proven inadequate to understand the relationship between gender and EDM. This research aims to fill this gap by replacing the binary measure of gender witha more refined survey-based measure of gender within our survey. This will aid in determining which theories best explain gender differences in EDM among adults in the U.S. general public. The survey has been administered via Qualtrics with a sample size of ~ 1,500 adults that match the current population parameters for gender, race, income, and education within the U.S. Census Bureau's Current Population Survey (CPS).By employing confirmatory factor analysis (CFA) and structural equation modeling (SEM), we will be able to determine the best explanation(s) among the competing hypotheses.

Courtney Paszkiewicz

Category: Sociology Presentation Type: Poster Presentation Number: 3612 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: AN ANALYSIS OF THE REI

Title: AN ANALYSIS OF THE RELATIONSHIP BETWEEN TRUST LEVELS OF THE GOVERNMENT, POLITICAL PARTICIPATION, AND RACE

Abstract: Studies indicate that there are significant discrepancies between racial attitudes and beliefs towards the United States government. In the United States, differential power and racial stratification has embedded itself into governmental institutions. This has had an impact on how racial groups perceive and trust the government as well as their likelihood to participate in politics. This study aimed to identify the relationship between race, trust levels of the government, and political participation. To assess the relationship, this study employed a survey and interviews to examine the current attitudes of different racial groups. The survey asked topic questions that ranged from films, representation of different people in films, racial and ethnic stereotypes, perceptions and feelings about the criminal justice system, government, and diversity. The hypothesis of this study is that race determines the level of political participation and trust of the government in an individual. The hypothesis of this study was not supported by the findings of the survey and interviews. It was concluded that it is not only race that plays a role in political participation and trust in the government, but so does gender, environment, family, social order and many other agents of socialization.

Elliott Smith

LABOR MOVEMENTS

Category: Sociology Presentation Type: Poster Presentation Number: 3602 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: BARISTAS UNITED: THE CONSTRUCTION OF "BAD JOBS" WITHIN CONSTRAINED

Abstract: Previous scholarship has looked at the rise of precarious employment, the resultant construction of "bad jobs", and the decline of working-class socio-economic status. In 2021 workers at Starbucks began to organize prompted by poor working conditions. The Starbucks corporation, noted for its categorical and wide-ranging attempts to suppress organizing attempts by workers, continues to challenge workers to date via old and new anti-union tactics. Using content analysis of 54 videos posted to Tik-Tok by Starbucks workers, themes arose of workplace hostility and precarious employment and how employer's challenged workers organizing. What workers felt was a "bad job" was partially an extension of the anti-union effort of the Starbucks corporation itself. These issues left many workers feeling disempowered, which could lead them to quit their jobs for some in the sample. These findings highlight the issues of "bad jobs" as not just issues of economic security but also the right to unionize.

Jesse Rayer

Category: Sociology Presentation Type: Poster Presentation Number: 3601 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: SPEAK OF THE DEAD: HOW WE TALK OF THOSE WE HAVE LOST

Abstract: Quite often, death is shied away from in Western culture. When it's spoken of, it's a step away from it- 'she passed on' or 'he left'. But grief can destroy a person if not properly processed, and speaking about the subject is frequently an integral part of that. This project focuses on how people speak of those they've lost, when given space to. This series of ten interviews, similar to mini oral histories, searches for this information. What words do they use? What is focused on? What appears to be most important for them to get out? Learning these things can bring more understanding to the value of them, and the importance of speaking on it- even the things we cringe from. It can help each individual be more understanding to that part of the grieving process. And if even one person can be at peace sooner, isn't that worth it? More talking means more awareness of other people's grief: often we feel alone after a death, isolated in a way many aren't prepared for. But hearing other people's experiences can build a stronger community in this delicate moment. The presentation will be on the findings of this initial research.

Jordan Benzing

Category: Sociology Presentation Type: Poster Presentation Number: 3604 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: DISCREPANCIES IN PRESCHOOLERS' SOCIAL SKILLS AND PROBLEM BEHAVIORS IN

SCHOOL VERSUS HOME SETTINGS

Abstract: This study examined the differences in children's social skills and problem behaviors in school versus home settings. Understanding these differences is crucial for designing comprehensive interventions that address the needs of preschoolers across both school and home environments. Approved by the IRB, the preschoolers' caregivers were recruited non-randomly from 16 Head Start centers in the Midwestern U.S. Following parental consent, caregivers completed a Qualtrics survey to assess their preschoolers' social skills and problem behaviors in the home setting. Subsequently, teachers completed a separate Qualtrics survey evaluating the preschoolers' social skills and problem behaviors based on their observations in the classrooms. A total of 168 preschoolers from 154 families were evaluated. Of the 154 caregivers, 42.2% were single, and 59.1% reported an annual family income below \$30,000. A notable discrepancy emerged between caregiver and teacher assessments of preschoolers' behaviors. Teachers reported a higher proportion of preschoolers at high risk for social skill deficits compared to caregivers (13.0% vs. 5.0%). Specifically, teachers rated social cooperation (51.30%) higher than caregivers (38.47%), whereas caregivers rated social interaction (56.18%) higher than teachers (37.44%). Regarding problem behaviors, caregivers identified a higher proportion of preschoolers with high risk levels of anxiety and somatic problems than teachers (9.9% vs. 3.1%). This study concludes that preschoolers' behaviors vary depending on the setting, with distinct environmental and relational factors influencing perceptions of their social skills and problem behaviors. Future research should explore the contextual factors driving these discrepancies to promote consistency in behavior management and support preschoolers' social-emotional development effectively.

Lauren Golden

UNDERSTANDINGS

Category: Sociology Presentation Type: Poster Presentation Number: 3606 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM Title: DEFINING CONSENT: EXPLORING MSU STUDENTS' PERCEPTIONS AND

Abstract: This research seeks to understand how Michigan State University students view the sexual culture on campus, specifically their understanding of sexual consent. By utilizing qualitative journal data, we hope to uncover similarities or variances in MSU students' definitions of consent. To explore students' perspectives, we analyzed their responses to written free-response questions about their definitions of consent. We then coded these responses into thematically based categories.Our research resulted in 9 thematic subcategories that fell into the overarching theme of students' self-perceived definitions of consent. Our findings relating to how students define consent fall into the subthemes: asking for permission, defined only in sexual settings, non-sexual consent, it is an agreement, verbal consent, enthusiastic consent, consent as a mutual agreement, consent is revocable at any time, and that one is only capable of consenting when of clear mind and sober. The experience of students on this specific campus may parallel or diverge from those at other institutions. Further research can explore how this social phenomenon influences individuals in a similar or dissimilar manner at various campuses.

Marlena Ooten

Category: Sociology

Presentation Type: Poster

Presentation Number: 3614

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: CONSENT

Abstract: My research is focused on consent. Many individuals don't learn about consent from a young age. This research is to help adolescence become aware and educated about consent.

Meredith Linzmeier

Category: Sociology Presentation Type: Poster Presentation Number: 3603 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: SLEEP SOCIOLOGY; AN INVESTIGATION INTO COLLEGE SLEEPING CULTURE

Abstract: Sleep is a vital determinant of health, yet it is undervalued in Western society, particularly on college campuses, where productivity and socializing often take precedence over rest. This research examines the sociological dimensions of sleep, focusing on how cultural norms, institutional policies, and systemic inequities shape sleep health among college students. Drawing on Bronfenbrenner's social-ecological model and the concept of sleep stewardship, the study investigates how individual sleep behaviors intersect with a broader sleep-deprived society. This study situates the undergraduate experience within broader socialization periods to explore how harmful cultural values around sleep are reinforced. Findings from surveys and interviews reveal that the cultural glorification of "grind culture" pressures students to sacrifice rest, while systemic barriers such as economic instability and inequitable access to safe sleep environments exacerbate these challenges. Disparities in sleep patterns tied to race, class, and neighborhood conditions underscore the need for a public health approach that addresses these inequities. Challenging the biomedical model's emphasis on individual responsibility for sleep health, this study advocates for a multidisciplinary framework that integrates sociological insights and reframes sleep as a collective responsibility. By promoting sleep stewardship through education and policy change, this research highlights the importance of addressing sleep disparities as a step toward health equity and societal well-being.

Olivia Beauchamp

Category: Sociology Presentation Type: Poster Presentation Number: 3607 Room Assignment: Arena Time Slot: 1:00 - 2:30 PM

Title: PERCEPTIONS OF TRANS REPRESENTATION IN MEDIA

Abstract: A study analyzing the perceptions of the representation transgender people receive in media. Gathering data from surveys and interviews, this study aims to understand where the public stands on the quantity and quality of trans representation in media.

Sullivan Whiting

Category: Sociology Presentation Type: Poster Presentation Number: 3616 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: COMMUNITY-BUILDING AMONG TRANSGENDER & GENDER-DIVERSE MEDICAL

STUDENTS & AMP; RESIDENTS

Abstract: Transgender and gender diverse (TGD) medical students and residents report facing hostile learning environments through their training. Hostility comes from microaggressions, structural barriers to belonging, and problematic curricula. Similar barriers have been identified for those considered underrepresented in medicine (URiM), which includes individuals who are Black, Hispanic/Latinx, and Indigenous. Success in medical education requires mentorship. However, TGD mentors (especially TGD mentors of color) are few and far between. Well-intentioned organizations may outwardly signify TGD inclusivity which is then undermined by individual practices. Using qualitative, focus group data we answer the questions, how and where do TGD medical students and residents create queer community? How do TGD medical students and residents navigate efforts of trans inclusion during their training? We found that participants built community within their cohort, among near-peer TGD trainees and outside their programs through social media. Barriers to community building include performativity and a lack of intersectional support.Intentionality is necessary to foster a sense of belonging, so programs and individuals should facilitate conditions that are conducive to community-building. Mentorship and support must be intersectional, so TGD students are not forced to prioritize some identity-based needs over others.

Visual and Performing Arts

Abigail Bowers

Category: Visual and Performing Arts

Presentation Type: Poster

Presentation Number: 3711

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: CONDUCTING ARTS-BASED WORKSHOPS WITH LOCAL INCARCERATED YOUTH

Abstract: In Spring 2024, Lily Dixon and Abigail Bowers established a registered student organization that partners with the local youth detention center to provide arts programming for incarcerated youth. The partnership aims to address educational inequities and foster skills and relationships vital for the youth. Over the past year, Dixon and Bowers have built supportive connections with the youth, observed their skill development, and witnessed their artistic vulnerability grow. This poster will showcase a summary of their work with incarcerated youth and an outline of an art installation composed of the collected art pieces. They also conducted a literature review that emphasizes the significance of arts programming for justice-involved youth.

Addison Beal

Category: Visual and Performing Arts

Presentation Type: Poster

Presentation Number: 3716

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: DEFENDING YOURSELF AGAINST MANIPULATIVE FORCES USING MAGIC

Abstract: The practice and belief in "Magic" has changed dramatically throughout the centuries of human history. Different cultures, religions, and societies have used what we refer to as magic in important rituals, ceremonies, and daily life. Through studying this practice throughout history, we have created our magical ritual, pulling from many different sources of magic practice such as numerology and the Hieroglyphic Monad. The goal of this magical ritual is to rid the participants of manipulative forces from their lives, a form of protection spell. This has been achieved through a variety of different forms, including several symbols, candles, flowers, and other components related to protection, the ridding of evil, and purity of self from related literature.
Addison Preister

Category: Visual and Performing Arts

Presentation Type: Poster

Presentation Number: 3704

Room Assignment: Arena

Time Slot: 11:00 - 12:30 PM

Title: MAKING MONSTERS: COMMUNITY ENGAGEMENT THROUGH CERAMICS

Abstract: Through a collaboration with the East Lansing public library, I brought the monsters that kids drew to life through clay. For this project the library held a monster themed read aloud day for a group of nine children, where each drew a monster. Based on the drawings, I lead a group of Michigan State University students through the multi-day project of sculpting the children's creations. Once the clay creations were finished and painted, they were given back to the children. The goal of this project was to get kids interested in clay, provide a free opportunity for students to use clay, and to connect people together. As we bring monsters to life, my hope for is that this event introduces kids to how fun and personalized pottery can be, and gets them interested in exploring it further.

Ally Doederlein

Category: Visual and Performing Arts Presentation Type: Poster Presentation Number: 3703 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: STANDBY THEATRE IN LONDON ...GO!

Abstract: I have been involved in theatre since elementary school, but did not start studying stage management until a few years ago. Since coming to Michigan State, I have studied stage management and technical aspects of theatre. My interest in pursuing stage management as well as my interest in studying abroad led to exploring the role of a stage manager in England since there is a strong theatre presence there. I started with reading a UK stage management book and some articles before leaving for my study abroad. I connected with UK stage managers online via a Facebook group and arranged interviews for when I arrived. During my time in London, I conducted these interviews and was able to shadow two different stage management teams during rehearsals and performances. By living in London, I was able to meet with stage managers in person, shadow teams, and tour venues, and I gained valuable knowledge that would not be possible if I was sitting in a classroom at home in the United States. While shadowingBack to the Future, I experienced firsthand how scenic automation works in a musical of that scale, which is important to understand and knowledge I will use in my future career. Being exposed to theatre in London and truly immersing myself in it for five weeks enhanced my basic understanding of London theatre which allowed me to dive deeper into my specific area of study: stage management.

Ana Wingle

Category: Visual and Performing Arts Presentation Type: Visual Art Presentation Number: 4004 Room Assignment: Concourse Time Slot: 12:45 PM Title: SOCIETY: WOVEN BY WOMEN

Abstract: This presentation and associated works explore the role of women and textiles in shaping societies. By examining themes within the roles women play through the use of textiles, we deepen our understanding of how societies were created. Themes of creators are expressed through the process of spinning yarn from fibers. Economic freedoms are shown through a wedding gown and its role within society. Rituals and customs are explored through embroidery techniques and symbolism. Community is represented by a garment inspired by the women at Michigan State University. The theme of voice and power is expressed in a garment inspired by Mary Queen of Scots. The last work explores the structures of society through weavings depicting the roles of the first women. This research addresses the gap in our awareness of the roles women and textiles play in the creation of cultures, customs, and society. Women and the hands that built civilizations are diminished to domestic labor and not recognized as true contributors. It highlights textiles as both a form of voice for women and oppression throughout society. Women's voices and their stories are integral to the construction of our world, and it is important to understand the way in which our world was built and shaped. This research was conducted through literary analysis of mythologies, stories, and further texts. Artistic processes of women's crafts were also explored to engage with creation the way many women have in the past, exploring the idea of women's roles in shaping the world.

April Montoye

Category: Visual and Performing Arts Presentation Type: Visual Art Presentation Number: 4002 Room Assignment: Concourse Time Slot: 10:45 AM Title: ALL THAT I KNOW

Abstract: In my artistic practice thus far, I have more questions than answers. Why do we make art? What does it mean to be a woman? What does it mean to be yourself? My mother taught me to sew just as she was taught by her mother. My grandmother taught me to bake just as she was taught by her mother. At 21, I am still trying to understand my place in the world. I do know that my identity as a woman is very important to me, although I often don't understand it. I find catharsis in intergenerational conversations with the women around me. I find out more about myself and my place in the world with each thing that I make. My work often explores pieces related to my gender identity as a woman, and I am interested in historical art of or by women. I've learned about Professor de Simone's craft in my time as her Studio Research Assistant. Like her, I have a passion for textiles, secondhand and vintage items. Working with de Simone inspired me to use my artistic practice to explore my womanhood through a mixed media approach in a project titled All that I know. I anticipate that I will make a 36x36" mixed media painting on an octagonal wooden panel. I will incorporate a found photograph of a statue of a woman that has been corroded by acid rain. I am interested in this image because it is a traditional depiction of a woman in western fine art. The worn-down appearance of the statue conveys the ecological effects of climate change. The statue of the woman has a pleading look on her face. When combined with the corroded surface, she represents the plight of womanhood and dehumanizing policies implemented by governments worldwide. Taking inspiration from de Simone, I will use collaged textiles that are worn down or weathered to add another layer of meaning as sewing, quilting, and needlepoint are traditionally women's art.

Austin Smith

Category: Visual and Performing Arts

Presentation Type: Poster

Presentation Number: 3715

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: ETHICAL CONCERNS IN DESIGN

Abstract: An examination on the ethical and moral responsibility of graphic and UI designers. Critique on how design is failing modern society by manipulating and exploiting people's vulnerabilities and psychologies without those people's knowledge or consent. Aimed at young designers, this essay and presentation attempts to implore them to think about the weight of their responsibility and to try and cause no harm with their skills, to work for the betterment of society, not just to make their boss more money.

Caden Baan

Category: Visual and Performing Arts Presentation Type: Poster Presentation Number: 3712 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: SWEET GRASS

Abstract: Our project follows the story of how working with local communities and research led to the creation and execution of a public event detailing the importance of Sweetgrass. We discuss its importance in communities locally and around the world, both culturally and environmentally. With the help of the Digital Scholarship lab, we had the opportunity to work with new forms of technology to create a walk-in, pop-up experience, creating strong engagement for viewers alike. Along with research provided through Michigan State University's Beal Garden, we were able to display information that is not overtly well known or talked about. Working with these two local communities available to Michigan State students, viewers were able to experience a presentation held in the 360 room that allowed them to learn about such an important plant. The narrative includes reflection on how doing such work helped all participants grow and learn more about the world and communities around us.

Daniela Ruiz Barajas

Category: Visual and Performing Arts Presentation Type: Visual Art Presentation Number: 4001 Room Assignment: Concourse Time Slot: 10:30 AM

Title: FROM SHAME TO PRIDE: EMBRACING MY MEXICAN ROOTS IN ART

Abstract: Since moving to the U.S. from Mexico, I have developed a deep passion for art and design. A key influence in this journey has been Professor D'Ann de Simone, whose mentorship has encouraged me to push my creative boundaries. Her emphasis on experimentation, iteration, and attention to detail has shaped my understanding of design. Beyond technical growth, her support has empowered me to embrace my identity as a Mexican artist, transforming what once made me feel ashamed into a source of pride. This shift has allowed me to infuse my heritage into my work, making my designs more authentic and personal. This encouragement would lead me to create a painting that would blend different techniques to visually express my heritage. In my painting, I will create a structured background with black and gray geometric forms, symbolizing stability. Over this, I'll layer fluid, organic shapes with bold red and yellow lines that twist and break through, representing my experience navigating two cultures. Inspired by Pedro Friedeberg, I'll contrast precise lines with free-flowing movement to create energy and tension. Friedeberg's journey also resonates with me. As an Italian artist who found his artistic identity in Mexico, he shaped his style through cultural fusion. Similarly, my creative path has evolved since moving to the U.S. Through my art, I aim to express my identity and celebrate my heritage. I look forward to continuing to push boundaries and explore new ways to communicate through my work.

Hayley Asai

Category: Visual and Performing Arts Presentation Type: Poster Presentation Number: 3702 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: EXPLORING THE EFFECTIVENESS OF SIGNS AND LANDMARKS IN WAYFINDING

Abstract: In wayfinding contexts, signs and landmarks are crucial for the navigation of any given physical space. Those moving through a space will use the visual language on signs and the reference points of landmarks to navigate and direct themselves to an end goal. Visual design aspects evident in elements such as typeface choice, style, use of applied colors, and additional imagery are critical in informing a user's information-processing. This concept is necessary in the creation of a wayfinding system which accurately guides the user through a space. With in-depth inquiries into an existing system, we are able to gain insights surrounding the current obstacles and challenges that could be improved with attention to basic design decisions. This research project concerns theeffectiveness of wayfinding systems, specifically the utility of signs and landmarks. The Michigan State University Main Library has served as the context for investigation. The overarching research questions guiding this project are: In what ways do the present signs and landmarks succeed or fail at guiding library visitor in their end goals? What challenges and obstacles are evident in their navigation? How can design better intervene in providing a more positive navigating experience for library visitors? The project is in the first phase of investigation and is a synthesis of documentation, observations, interviews, and consultation of existing literature regarding wayfinding factors. This work has resulted in findings that will inform the next phase of identifying interventions and prototyping possible outcomes.

Isabella Cucchetti

Category: Visual and Performing Arts Presentation Type: Poster Presentation Number: 3714 Room Assignment: Arena Time Slot: 3:00 - 4:30 PM Title: SOCIALLY ENGAGED PRINT MAKING

Abstract: An event will be put together in the interest of looking at participatory art and how it interacts with the community surrounding it. This event will be a workshop which invites people who were not previously involved in an art-focused community and perhaps do not consider themselves artists to experiment with and experience artistic creation. The hope is that in a low-barrier, low-stakes environment, participants can step outside of their comfort zone and really engage with the creative process.

Kaeden Carlsen

Category: Visual and Performing Arts

Presentation Type: Poster

Presentation Number: 3713

Room Assignment: Arena

Time Slot: 3:00 - 4:30 PM

Title: PLANT FAMILIES IN ART AND ANCIENT MEDICINE

Abstract: Exploring the relationship between plant various plant families found within the Beal Botanical Gardens and their connection to paintings throughout history and ancient medicinal practices. These connections vary widely throughout history, from the medicinal practices of ancient Greek civilizations to paintings within the Dutch Golden Age.

Kate Brown

Category: Visual and Performing Arts Presentation Type: Poster Presentation Number: 3705 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: ENGAGING LOCAL CHILDREN WITH SPACE-BASED CREATIVE ACTIVITIES

Abstract: This presentation examines observations made while providing community children a space to explore their creative freedoms in the context of space-related lessons. Through partnership with Abrams Planetarium and utilizing community connections such as school science night outreach participation and the Spartan Young Astronomers Club, local children were given the opportunity to enhance their learning at these events with creativebased activities. At these programs, children were taught many diverse facets of the science of space: meteoroids, spectroscopy, gravity, archaeoastronomy, naked-eye astronomy, and astronaut training. They could then participate in a craft relative to the lesson. For example, during the astronaut training session, they could make paper collage astronaut suits, and after learning about light spectroscopy, they could make bookmarks with a spectrum they saw from a specific element. At both school science nights and Spartan Young Astronomer club meetings, participants were given an art project matching the meeting's theme. These art projects defined the children's interest in the topic, as well as allowed them to relate their creative experience with the science they were learning. Watching every child's project develop into an entirely unique culmination of both science and art was both rewarding and fascinating. It displayed the child's understanding, but more importantly, the child's passion for what they had learned and their passion to recreate. It showed the creativity of their young minds, as well as their ability to connect difficult topics with things that they enjoy.

Liv Ceithaml

AND 70S

Category: Visual and Performing Arts Presentation Type: Poster Presentation Number: 3701 Room Assignment: Arena Time Slot: 11:00 - 12:30 PM Title: AN EXPLORATION OF THE POPULARIZATION OF CAPRIS FOR WOMEN IN THE 1960S

Abstract: Capri pants owe their popularity to Mary Tyler Moore. The actress changed television when she first debuted her capri pants fashion. Although the actress was not the first woman to wear capris, her regularly wearing them onThe Dick Van Dyke Show (1961-1966) popularized them among American women. Mary Tyler Moore changed fashion for women and led to the modernization of the "housewife" in TV. Pants were not commonly worn by women in the 1960s. Pants were first created due to men's discomfort while riding horses and wearing robes though they were not used in day-to-day life until later. Women also wore trousers during the nineteenth century but typically only for horseback riding, and they often wore long skirts to cover the pants. Capris were normalized for women until the 1970s because Mary Tyler Moore influenced the greater public by wearing them on television. The design of capris is first attributed to the German designer Sonja de Lennart. The design was then popularized by A-List celebrities like Aubrey Hepbern. Although designers like Coco Chanel used capris as a symbol of empowerment in her designs, the pants were never picked up as a trending item until Lennart created the capris that emphasized a woman's figure. This research presentation explores how Mary Tyler Moore helped popularize capris as a fashionable garment for women.

Phoenix Poole

Category: Visual and Performing Arts Presentation Type: Visual Art Presentation Number: 4005 Room Assignment: Concourse Time Slot: 2:30 PM Title: THE PROMINENCE OF BOOK BANS

Abstract: More and more often across the United States, books of all kinds are being banned from schools. For one reason or another, materials for learning are finding themselves censored. These books are no longer accessible to those who might benefit from the knowledge held within. It is not too dissimilar to the ultimate preservation of knowledge, keeping it so far locked away that only a select few can access it. In both cases people that could use the information are kept separate from it for seemingly arbitrary reasons. The preserved books are still readable, even if they are only accessible by select individuals. I argue that both book banning and extreme preservation are bad. I plan to examine the connections between different banned books and look into where each individual book is banned. I will preserve these books by growing crystals over them. The books will be open to particularly striking or discussed pages and will be unclosable. I plan on choosing 3-4 books in particular of differing subject matters and preserving them with different color crystals. During the research I expect to learn what kind of books get banned, why books get banned, and ways to best preserve books. The piece would be a lot about the process over the final product. The crystals relate to nature, while the books relate to the made world. This piece fits into my portfolio by calling back to humanity.

Shreya Balla

Category: Visual and Performing Arts Presentation Type: Visual Art Presentation Number: 4006 Room Assignment: Concourse Time Slot: 2:45 PM Title: CONSERVATION ABROAD IN ECUADOR Abstract: undefined

Wensel Poston

Category: Visual and Performing Arts Presentation Type: Visual Art Presentation Number: 4003 Room Assignment: Concourse Time Slot: 12:30 PM Title: SENTINEL

Abstract: This work is a canid figure with a blacklight lantern for a face, with a mechanical component that turns to watch its audience as they move around the room. Its purpose is to mirror my own struggles with severe paranoia and feelings of inhuman separation from my peers. Its black glossy fur contrasted with the bright light and silver lamp serve to, in its correct setting of extreme darkness, make parts of it nearly invisible and others extremely and unavoidably bright. It serves as a contrast between the darkness of the environment, in which it could blend if not for its obsessive nature, and the abrasively bright light of the blacklight with which it searches for secrets that don't exist and it cannot change.

